

Results: Provenance, Density, and Resolved
Manuscript Surface

Results: Provenance, Density, and Resolved Manuscript Surface I

The generated plan enables 11 of 11 manuscript sections and fills 40 token choice(s). Category density is adjectives: 2, artifacts: 8, audiences: 4, constraints: 3, failures: 3, measures: 6, methods: 1, nouns: 5, qualities: 3, verbs: 5. The result figures are generated from the same token plan that writes the inventory table, so visual and tabular claims share one source.

The configured results moves are report token density, show resolved section coverage, bind every manuscript token to provenance, and connect the figure and inventory to the same plan. The important result is therefore not a surprising word choice; it is the survival of traceability through a complete render path. Each token row records the variable, category, selected value, section, and config pointer that produced it.

Results: Provenance, Density, and Resolved Manuscript Surface II

The resolved manuscript also demonstrates the intended failure boundary. If a manuscript placeholder is added without a corresponding variable, the project test suite detects it. If a figure is referenced without registry support, the output validator reports it. If a generated number lacks evidence support, the evidence registry gate reports it before the copied output stage packages deliverables.

Visualization is enabled for `configured_field_matrix`, `section_configuration_heatmap`, `field_origin_summary`, `token_injection_flow`, `section_token_allocation`, `provenance_trace_map`, `quality_gate_matrix`. The configured-field figures are generated from the same explicit/default path inventory written to JSON; the pipeline, allocation, provenance, and gate figures are generated from the same token plan and QA schema.

Results: Provenance, Density, and Resolved Manuscript Surface III




Figure 1: Token category density

Results: Provenance, Density, and Resolved Manuscript Surface IV




Figure 2: Section token allocation

Token Inventory I

Variable	Category	Value	Section	Source
STUDY_ADJECTIVE	adjectives	reviewable	abstract	manuscript/config.yaml#madli
STUDY_NOUN	nouns	pipeline	abstract	manuscript/config.yaml#madli
STUDY_VERB	verbs	hydrate	abstract	manuscript/config.yaml#madli
INTRO_NOUNS_1	nouns	protocol	introduction	manuscript/config.yaml#madli
INTRO_NOUNS_2	nouns	section	introduction	manuscript/config.yaml#madli
INTRO_NOUNS_3	nouns	lexicon	introduction	manuscript/config.yaml#madli
INTRO_NOUNS_4	nouns	artifact	introduction	manuscript/config.yaml#madli
INTRO_VERBS_1	verbs	condition	introduction	manuscript/config.yaml#madli
INTRO_VERBS_2	verbs	bind	introduction	manuscript/config.yaml#madli
INTRO_VERBS_3	verbs	bind	introduction	manuscript/config.yaml#madli
INTRO_VERBS_4	verbs	compose	introduction	manuscript/config.yaml#madli
METHOD_NAME	methods	conditional section	methods	manuscript/config.yaml#madli
METHOD_CONSTRAINT	constraints	hydration		
		publication claims	methods	manuscript/config.yaml#madli
METHOD_ARTIFACT_1	artifacts	stay local until release		
		token-injection flow	methods	manuscript/config.yaml#madli
METHOD_ARTIFACT_2	artifacts	quality-gate matrix	methods	manuscript/config.yaml#madli
METHOD_QUALITY_1	qualities	claim humility	methods	manuscript/config.yaml#madli
METHOD_QUALITY_2	qualities	render readiness	methods	manuscript/config.yaml#madli
RESULT_MEASURE_1	measures	provenance coverage	results	manuscript/config.yaml#madli
RESULT_MEASURE_2	measures	evidence registry	results	manuscript/config.yaml#madli
RESULT_MEASURE_3	measures	cleanliness		
		category density	results	manuscript/config.yaml#madli
RESULT_ARTIFACT_1	artifacts	configured-field	results	manuscript/config.yaml#madli
RESULT_ARTIFACT_2	artifacts	figures		
		token inventory	results	manuscript/config.yaml#madli
DISCUSSION_ADJECTIVE	adjectives	auditable	discussion	manuscript/config.yaml#madli
DISCUSSION_AUDIENCE_1	audiences	pipeline maintainers	discussion	manuscript/config.yaml#madli
DISCUSSION_AUDIENCE_2	audiences	research educators	discussion	manuscript/config.yaml#madli
CONFIG_CONSTRAINT	constraints	disabled sections	configuration	manuscript/config.yaml#madli
		retain explicit		
		traceability		

Token Inventory II

EVALUATION_MEASURE_1	measures	copied output readiness	evaluation	manuscript/config.yaml#madli
EVALUATION_MEASURE_2	measures	figure registry completeness	evaluation	manuscript/config.yaml#madli
EVALUATION_MEASURE_3	measures	category density	evaluation	manuscript/config.yaml#madli
EVALUATION_ARTIFACT_1	artifacts	manuscript variable map	evaluation	manuscript/config.yaml#madli
EVALUATION_ARTIFACT_2	artifacts	provenance trace map	evaluation	manuscript/config.yaml#madli
REPRODUCIBILITY_ARTIFACT_1	artifacts	section plan	reproducibility	manuscript/config.yaml#madli
REPRODUCIBILITY_ARTIFACT_2	artifacts	manuscript variable map	reproducibility	manuscript/config.yaml#madli
LIMITATION_FAILURE_1	failures	domain misuse	limitations	manuscript/config.yaml#madli
LIMITATION_FAILURE_2	failures	overclaimed generated prose	limitations	manuscript/config.yaml#madli
LIMITATION_FAILURE_3	failures	figure provenance gap	limitations	manuscript/config.yaml#madli
SCOPE_CONSTRAINT	constraints	all lexicon entries live in config	scope	manuscript/config.yaml#madli
SCOPE_AUDIENCE	audiences	pipeline maintainers	scope	manuscript/config.yaml#madli
AUTHORING_AUDIENCE	audiences	manuscript reviewers	authoring_contract	manuscript/config.yaml#madli
AUTHORING_QUALITY	qualities	render readiness	authoring_contract	manuscript/config.yaml#madli

Provenance Matrix I

Section	Token variables	Source categories
Abstract	STUDY_ADJECTIVE, STUDY_NOUN, STUDY_VERB	adjectives, nouns, verbs
Introduction: Lexicon as Data	INTRO_NOUNS_1, INTRO_NOUNS_2,	nouns, verbs
and Manuscript as Build Artifact	INTRO_NOUNS_3, INTRO_NOUNS_4, INTRO_VERBS_1, INTRO_VERBS_2, INTRO_VERBS_3, INTRO_VERBS_4	
Methods: Source-Owned Token	METHOD_NAME, METHOD_CONSTRAINT, METHOD_	artifacts, constraints, methods,
Injection and Conditional IMRAD	ARTIFACT_1, METHOD_ARTIFACT_2, METHOD_Q	qualities
Assembly	UALITY_1, METHOD_QUALITY_2	
Results: Provenance, Density, and	RESULT_MEASURE_1, RESULT_MEASURE_2, RES	artifacts, measures
Resolved Manuscript Surface	ULT_MEASURE_3, RESULT_ARTIFACT_1, RESUL T_ARTIFACT_2	
Discussion: Accountability	DISCUSSION_ADJECTIVE, DISCUSSION_AUDIE	adjectives, audiences
Boundaries for Generated Prose	NCE_1, DISCUSSION_AUDIENCE_2	
Configuration: Schema-Controlled	CONFIG_CONSTRAINT	constraints
Lexicon, Slots, and Narrative		
Moves		
Evaluation: Gate Criteria, QA	EVALUATION_MEASURE_1, EVALUATION_MEASU	artifacts, measures
Probes, and Failure Discovery	RE_2, EVALUATION_MEASURE_3, EVALUATION_ ARTIFACT_1, EVALUATION_ARTIFACT_2	
Reproducibility: Seeded	REPRODUCIBILITY_ARTIFACT_1, REPRODUCIB	artifacts
Regeneration and Artifact Trace	ILITY_ARTIFACT_2	
Limitations: Non-Claims, Misuse	LIMITATION_FAILURE_1, LIMITATION_FAILU	failures
Modes, and Human Review	RE_2, LIMITATION_FAILURE_3	
Scope: Related Generators and	SCOPE_CONSTRAINT, SCOPE_AUDIENCE	audiences, constraints
Responsible Forking		
Authoring Contract: Human	AUTHORING_AUDIENCE, AUTHORING_QUALITY	audiences, qualities
Review and Forking Obligations		