

Appendix: Exemplar Project Summary I

Table 1: Three representative workspaces under `projects/templates/` illustrating heterogeneous domains while sharing Layer 1. This is a hand-picked sample, not the full roster: the complete public exemplar set (currently nine workspaces) is enumerated dynamically from `PUBLIC_PROJECT_NAMES` and listed below.

Appendix: Exemplar Project Summary II

The full public exemplar roster is: `templates/template_active_inference`, `templates/template_autoresearch_project`, `templates/template_autoscientists`, `templates/template_code_project`, `templates/template_eda_notebook`, `templates/template_gold_refinement`, `templates/template_literature_meta_analysis`, `templates/template_madlib`, `templates/template_methods_paper`, `templates/template_newspaper`, `templates/template_prose_project`, `templates/template_search_project`, `templates/template_sia`, `templates/template_storybook`, `templates/template_template`, `templates/template_textbook`. The three rows below are a representative sample; a future `exemplar_summary_table` token in `build_manuscript_metrics_dict` would let this table cover every exemplar without hand-editing.

Project slug	Purpose	Highlights	Tests	Figures (Stage 02 hint)
<code>template_code_project</code>	Optimization tutorial	Convex demo figures, scripted tables	236 @ 90%+ gate	Controlled matplotlib exports

Appendix: Exemplar Project Summary III

template_prose_project	Prose-heavy workflow	Validates narrative-only repos	120	Lightweight / optional plots
template_autoresearch_project	AutoResearch readiness	Planner + validation CLI	296	Readiness reports from Stage 02

Appendix: Exemplar Project Summary IV

Meta manuscript location: introspective study lives in `projects/``templates/template_template/` beside the public exemplar set. Discovery now follows the typed `projects/` layout—`projects/templates/**` and `projects/active/**` are discovered/rendered, while `projects/working/**`, `projects/published/**`, `projects/archive/**`, and `projects/other/**` remain non-rendered—see root `CLAUDE.md` for invocation patterns (`resolve_project_root`).