

Characteristics

Item	Value
Type	
Model Controller Code operation	IRIS1 NV / GeN2 MMR/MRL ACD3 KOREAN CODE FCL
Drive	4.6 ~ 16.9 kW (IRIS1 NV) 4.3 ~ 18.7 kW (GeN2 MMR)
Motorpower Machine	BOMCO-W / Wan Yuan M/C GGP / Optimized GeN2
Arrangement Type	above
Rated load Nominal speed	OVFR2B 401/2/3/4 OVFR3B 401/2 450 - 1600 kg 1.0-1.75 m/s
Supply	
Earthing Phases Voltage Frequency	TN-S 3 380/400/415/440 V 50/60 Hz
Doors	
Type Drive Voltage Rear door	CLD/TLD PM DOOR 220 V Y / N
Car operating panel	
Count Fixture	1/2/3/4 CPI-K
Alarm and light	
Alarm type Car light	ECU-2 CFL-1
Brake and Blower	
Brake type Brake volt Brake current Fan voltage	DC 110V -- A 220V
Hall Fixture Configuration	1F1R(1Floor/1RS14) 2F1R(2Floor/1RS14)

Feature	Description
ACCB	Audible Car Call Button
ADO	Advanced Door Opening
ALARB	Alarm Bell
ANS	Anti-Noise protection
APD	Radio-Interference Filter
ARD-1	Automatic Car Return Device
ATT-2	Attendant Service Operation
BFS	Oil Buffer Switch
BSM	Basement Service
CBM	Car Button Mechanical
CDD-LRD	Car Door Detector-Light Ray Device
CDD-IRC2D	Car Door Detector-IRC2D
CDD-IRC3D	Car Door Detector-IRC3D
CFL1	Fluorescent Car Light
CHT4	Separate Car and Hall Call Door Times
CPI-K2	Car Position Indicator - Korean DOT
CPI-K1	Car Position Indicator - Korean Segment
CTTL1	Car Tell Tale Lights
CWS-1	Counterweight
DCB1	Door Close Button
DDP	Delayed Drive Protection
DHB-1	Door Hold Button
DOB1	Door Open Button
DSBD	Door Switch Bridging Device
DTG4	INCREMENTAL ENCODER
DTP	Door Time Protection
DXT-1	Extra Door Time
DZI	Door Zone Indicator
ECU2	Emergency Car Light Unit
EEC	Top of Car Emergency Exit
EFO1	Emergency Fireman Operation
EFS	Emergency Fireman Service
EFS-K	Korean Fireman Service
EPOA	Emergency Power Operation EPO A
ERO-1	Electrical Recall Operation
ESS-1	Emergency Stop ESS1
FAN1	Fan Controlled
FLS-2	Final Limit Switches - UDLS
GTC	Governor Tension Contact
HBM	Hall Button Mechanical
HPI-K2	Hall Position Indicator - Korean Dot
HPI-K1	Hall Position Indicator - Korean Segment
SHL	Hall Direction Signals Configuration
HTTL	Hall Tell Tale Lights
ICU1	Intercommunication Unit
ISC1	Independent Service
LIH5	Light in Hoistway
LNS	Load Non Stop Device
NDG	Nudging
OCB	Overload Circuit Breaker
OLD	Overload Device
OS-1	Overspeed Switch
PES1	PIT Emergency Stop Switch 1
PES2	PIT Emergency Stop Switch 2
PKS1	Parking Operation
RLEV1	Rellevelling Operation
SCS-1	Slack Chain/Rope Switch
SKL-1	Car Light Disconnecting Switch

Feature	Description
SL	Short Landing Distance
SLS-1	Up Final Limit Switch for Inspection (on car)
SOS	Safety Overspeed Switch
SSM-K	Speech Synthesis Module SSM1
TCIB	Top of Car Inspection Button
TCL	Top of Car Light
TDOS	Top of Car Door Operating Switch
TES-2	Top of Car Emergency Switch
TOCS	Top of Car Socket
WCO	Wild Car Operation (WCOHBP)
UCM-K	Unintended Car Movement Protection-Korea

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS DELIVERED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS. IT IS NOT TO BE REPRODUCED OR DISCLOSED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF OTIS. ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED.



A World Technologies Company

System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER :

DRAWN J.H. SEO

ORIGINAL DATE

PROJECT :

CHK D.H. PARK

2008-11-10

LOCATION :

APPD H.J. JEON

110 SHEETS

AUTH CAH6A-000296

SHEET 1

ALL DIMENSIONS METRIC

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

Parameter Table for GDCB : Service Tool Key sequence ' M - 2 - 3 - 1 ' (FOR GeN2 MMR) 비트

Speed [m/min]	Number of Passengers	Duty Load [kg]	Motor Capacity [kW]	Applied Drive Type	Drive Parameter					Machine
					Drive Type	Motor Type	Rated RPM [RPM]	Encoder ppr	Duty Speed [mm/s]	
60	8	550	4.3	401	15	201	477	4096	1000	TAA20220S572
	9	600	4.3	401	15	201	477	4096	1000	TAA20220S572
	10	680	6.3	402	20	207	477	4096	1000	TAA20220V571
	11	750	6.3	402	20	207	477	4096	1000	TAA20220V571
	13	900	6.3	402	20	207	477	4096	1000	TAA20220V571
	15	1000	6.3	402	20	207	477	4096	1000	TAA20220V571
	17	1150	7.7	403	30	212	371	4096	1000	2.6T 54X2
	20	1350	10.4	403	30	303	371	4096	1000	3.2T 54X3
	24	1600	10.4	403	30	403	330	4096	1000	4.1T 54X1
90	8	550	7.3	402	20	105	716	4096	1500	TAA20220X571
	9	600	7.3	402	20	105	716	4096	1500	TAA20220X571
	10	680	10.1	403	30	902	716	4096	1500	TAA20220V576
	11	750	10.1	403	30	902	716	4096	1500	TAA20220V576
	13	900	10.1	403	30	902	716	4096	1500	TAA20220V576
	15	1000	10.1	403	30	902	716	4096	1500	TAA20220V576
	17	1150	13.5	404	41	214	556	4096	1500	2.6T 57X2
	20	1350	18.7	404	41	404	494	4096	1500	4.1T 56X1
	24	1600	18.7	404	41	404	494	4096	1500	4.1T 56X1
105	8	550	7.3	402	20	105	835	4096	1750	TAA20220X571
	9	600	7.3	402	20	105	835	4096	1750	TAA20220X571
	10	680	10.1	403	30	902	835	4096	1750	TAA20220V576
	11	750	10.1	403	30	902	835	4096	1750	TAA20220V576
	13	900	10.1	403	30	902	835	4096	1750	TAA20220V576
	15	1000	10.1	403	30	902	835	4096	1750	TAA20220V576
	17	1150	13.5	403	30	214	649	4096	1750	2.6T 57X2
	20	1350	18.7	404	41	404	576	4096	1750	4.1T 56X1
	24	1600	18.7	404	41	404	576	4096	1750	4.1T 56X1

Note. 1. These parameter table is just for information. To check the exact value applied, must check the GDCB Parameter list.

이 표는 서비스 도구 키 시퀀스 'M-2-3-1' (FOR GeN2 MMR)에 대한 파라미터 테이블입니다. 실제 적용된 값을 확인하려면 GDCB 파라미터 목록을 참조하십시오.

CHANGES				WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY ("OTIS"). IT IS DELIVERED TO OTHERS ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, COPIED, OR DISCLOSED IN ANY MANNER OR IN ANY FORM WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. UNPUBLISHED WORK © OTIS ELEVATOR COMPANY ALL RIGHTS RESERVED.		System Wiring Diagram ACD3		DWG KAA21311AB SIT KOREA	
CUSTOMER : PROJECT : LOCATION :				DRAWN J.H SEO CHK D.H PARK APPD H.J JEON AUTH CAH6A-000296		ORIGINAL DATE 2008-11-10 110 SHEETS SHEET 2a			

Parameter Table for GDCB : Service Tool Key sequence 'M - 2 - 3 - 1' (FOR IRIS1 NV) *주제*

Speed [m/min]	Number of Passengers	Duty Load [kg]	Motor Capacity [kW]	Applied Drive Type	Drive Parameter					Machine
					Drive Type	Motor Type	Rated RPM [RPM]	Encoder ppr	Duty Speed [mm/s]	
60	6	450	4.6	401	15	321	96	8192	1000	BOCMO-W
	8	550	4.6	401	15	321	96	8192	1000	
	9	600	4.6	402	20	321	96	8192	1000	
	10	680	5.5	402	20	323	96	8192	1000	
	11	750	5.5	402	20	323	96	8192	1000	
	13	900	6.7	402	20	325	96	8192	1000	
	15	1000	6.7	402	20	325	96	8192	1000	
	17	1150	7	403	30	902	91	8192	1000	WAN-YUAN
	20	1350	8.2	403	30	902	91	8192	1000	
	24	1600	9.7	403	30	902	91	8192	1000	
90	8	550	6.9	402	20	322	143	8192	1500	BOCMO-W
	9	600	6.9	402	20	322	143	8192	1500	
	10	680	8.3	403	30	324	143	8192	1500	
	11	750	8.3	403	30	324	143	8192	1500	
	13	900	10	403	30	326	143	8192	1500	
	15	1000	10	403	30	326	143	8192	1500	
	17	1150	10.4	404	41	902	136	8192	1500	WAN-YUAN
	20	1350	12.3	404	41	902	136	8192	1500	
	24	1600	14.5	404	41	902	136	8192	1500	
105	8	550	8.1	402	20	322	168	8192	1750	BOCMO-W
	9	600	8.1	402	20	322	168	8192	1750	
	10	680	9.7	403	30	324	168	8192	1750	
	11	750	9.7	403	30	324	168	8192	1750	
	13	900	11.7	403	30	326	168	8192	1750	
	15	1000	11.7	403	30	326	168	8192	1750	
	17	1150	12.2	403	30	902	159	8192	1750	WAN-YUAN
	20	1350	14.3	404	41	902	159	8192	1750	
	24	1600	16.9	404	41	902	159	8192	1750	

Note. 1. These parameter table is just for information. To check the exact value applied, must check the GDCB Parameter list.


이 표는 서비스 도구 키 시퀀스 'M - 2 - 3 - 1' (FOR IRIS1 NV)에 대한 파라미터 테이블입니다. 이 표는 정보만을 위한 것이며, 실제 적용된 값을 확인하려면 GDCB 파라미터 리스트를 반드시 확인하십시오.


E


CHANGES				WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS TO BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF OTIS ELEVATOR COMPANY. UNPUBLISHED WORK © OTIS ELEVATOR COMPANY. ALL RIGHTS RESERVED.		System Wiring Diagram ACD3		DWG KAA21311AB SIT KOREA	
				CUSTOMER: _____ PROJECT: _____ LOCATION: _____		DRAWN J.H. SEO CHK D.H. PARK APPD H.J. JEON AUTH CAHRA-000296		ORIGINAL DATE 2008-11-10 110 SHEETS SHEET 2b	


ALL DIMENSIONS METRIC


 DRAFTED IN ACCORDANCE
 WITH OTIS DOCUMENT 52847

















SW FOR CHINA/ KOREA MRL & DRIVE= LCRD

System Wiring Diagram ACD3

Customer Information:

CUSTOMER:
PROJECT:
LOCATION:


Drawn Information:


DRAWN: J.H. SEO
CHK: Y.J. CHOI
APPD: H.J. JEON
AUTH: CAHSA-000296


Original Date: 2009-11-10


Sheet Information: 110 SHEETS, SHEET 9


OTIS
A United Technologies Company


























































































2011-09-06 Changed GECB to GECB-AP CN245267 JH. SEO

CHANGES

WARNING
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS TO BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF OTIS. ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.
UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED.



System Wiring Diagram
ACD3

DWG KAA21311AB


SIT
KOREA


CUSTOMER :
PROJECT :
LOCATION :

DRAWN	J.H. SEO	ORIGINAL DATE
CHECK	Y.J. CHOI	2008-11-10
APPROVED	H.J. JEON	110 SHEETS
AUTH	CAHSA-000296	SHEET 42

ALL DIMENSIONS METRIC

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847





WARNING
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS TO BE USED ONLY FOR THE PROJECT AND LOCATION SPECIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. OTIS ELEVATOR COMPANY SHALL NOT BE LIABLE FOR ANY DAMAGES, INCLUDING CONSEQUENTIAL DAMAGES, ARISING FROM THE USE OF THIS INFORMATION. UNPUBLISHED WORK © OTIS ELEVATOR COMPANY. ALL RIGHTS RESERVED.


OTIS
A United Technologies Company


System Wiring Diagram
ACD3


DWG KAA21311AB	
SIT KOREA	
DRAWN J.H. SEO	ORIGINAL DATE 2008-11-10
CHK Y.J. CHOI	
PROJECT APPD H.J. JEON	110 SHEETS
AUTH CAHA-000296	SHEET 43


CUSTOMER :
PROJECT :
LOCATION :


DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847
































ALL DIMENSIONS METRIC

1

2

3

4

5

6

7

8

DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847

WARNING
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS DELIVERED TO OTHERS ON THE CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.
UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED.

Otis
A United Technologies Company


System Wiring Diagram
ACD3


CUSTOMER: _____
PROJECT: _____
LOCATION: _____


DWG KAA21311AB


SIT
KOREA

DRAWN J.H. SEO	ORIGINAL DATE 2008-11-10
CHK Y.J. CHOI	
APPD H.J. JEON	110 SHEETS
AUTH CAH6A-000296	SHEET 60









ALL DIMENSIONS METRIC

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY ("OTIS"). IT IS DELIVERED TO OTHERS ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE ON-SITE USE OF OTIS OR ITS AFFILIATES. IT IS NOT TO BE REPRODUCED, COPIED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE WRITTEN CONSENT OF OTIS. ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK
OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED



System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER:

PROJECT:

LOCATION:

DRAWN J.H SEO

CHK Y.J CHOI

APPD H.J JEON

AUTH CAH6A-000296


ORIGINAL DATE

2008-11-10

110 SHEETS

SHEET 64

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 62847



ALL DIMENSIONS METRIC

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, COPIED, OR DISCLOSED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK
OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED



System Wiring Diagram
ACD3

CUSTOMER :
PROJECT :
LOCATION :


DWG KAA21311AB


SIT
KOREA


DRAWN J.H. SEO
CHK Y.J. CHOI
APPD H.J. JEON
AUTH CAH6A-000296


ORIGINAL DATE
2008-11-10
110 SHEETS
SHEET 66


DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847


















2011-09-06 Changed GECB to GECB-AP CN245267 JH. SEO			CHANGES			WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, COPIED, OR DISCLOSED IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. IT IS DEMANDING IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. UNPUBLISHED WORK OTIS ELEVATOR COMPANY ALL RIGHTS RESERVED Otis A United Technologies Company			System Wiring Diagram ACD3		DWG KAA21311AB SIT KOREA	
						CUSTOMER :		DRAWN J.H SEO		ORIGINAL DATE		
						PROJECT :		CHK Y.J CHOI		2008-11-10		
						APPD :		H.J JEON		110 SHEETS		
						LOCATION :		A/111 CAHBA-000296		SHEET 72		

ALL DIMENSIONS METRIC

DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847



PC-BOARD : GECB-AP 

PY1			P101C			PX2		
1	VRS_HWY	/((11~14).B6	1	DL1_C1	/((39~40).B2	1	/TC	/38.D1
2	-	/((11~14).B6	2	DL2C_C1	/((39~40).B2	2	/DFCR	
3	HL2	/((11~14).B6	3	HL2	/((39~40).A2	3	/UCMCR	/41.D7
4	HL2	/((11~14).B6	4	VRS_CAR	/((39~40).A2	4	/SOR	
5	VRS_CAR	/((11~14).C6	5	1LV	/((45~46).C4	5	30VDC	
6	HL2	/((11~14).C6	6	2LV	/((45~46).C5	P17C		
PY2			7	UIS	/((45~46).C7	1	DZ+	/34.A2, /35.B8, /37.C5
1	AA1	/((11~14).A6	8	DIS	/((45~46).C8	2	1LV	/((45~46).C3
2	HL1		P103C			3	2LV_BACKUP	/34.A2, /35.B8, /37.D5
3	HL1	/73.D6	1	CAN_H	/52.C1	4	12V-DZ+	/((45~46).D3
P4M			2	CAN_L	/52.C1	P_B		
1	AA10	/((15~16).B6	3			1	AA12	/((17~18).C6
2	AA9	/((15~16).C6	4			2	/ES	/((17~18).B6
3	/ERO	/((15~16).C6	P104C			3	/DW	/((17~18).C6
4	AA14	/((19~20).D4	1	/1LS	/38.E3	4	GS	/((17~18).C7
5	AA15	/((19~20).D4	2	/2LS	/38.E4	5	DFC	/((17~18).C7
6	UIB	/((19~20).B4	3	30VDC	/38.E4	P_D		
7	DIB	/((19~20).B4	PX6			1	P4M_9	/((15~16).B1
8	AA1	/((15~16).A1	1	DL1_C	/((39~40).B1	2	N.C	
9		/((15~16).B1	2	DL2_C	/((39~40).B1	3	/ES	/((15~16).C1
P1M			P102C			P22M		
1	B+	/34.C2, /35.C8, /37.D5	1	AA100	/((15~16).C1	1	DFC	/((17~18).B7
2	PE	/72.C6	2	AA5	/((15~16).C3	2	N.C	
3	HL2	/34.C2, /35.C8, /37.D5	3	AA10	/((15~16).B6	3	/ES	/((17~18).A7
PX5			4	AA12	/((17~18).C6	P1G		
1	B+	/34.C2, /35.C6, /37.D4	5	GS	/((17~18).C7	1	DL1_G	
2	HL2	/34.C2, /35.C6, /37.D4	6	AA15	/((19~20).D2	2	DL2_G	
3	SPB+ F	/34.B2, /35.C6, /37.D4	7	AA14	/((19~20).D3	3	HL2	
4	CAR_CAN_H	/34.B2, /35.C6, /37.D4	8	DFC	/((17~18).B7	4	VRS_HWY	
5	CAR_CAN_L	/34.B2, /35.C6, /37.D4	9	AA6(=AA7)	/((15~16).D4	P11H		
6	12V_BACKUP	/34.B2, /35.B6, /37.D4	10	6LS	/((19~20).C2	1	6LS	/((19~20).D2
7	DZ+	/34.A2, /35.B6, /37.D4	11	5LS	/((19~20).C2	2	UIB	/((19~20).A5
8	REB	/34.A2, /35.B6, /37.D4	12	EARTH		3	5LS	/((19~20).D2
						4	DIB	/((19~20).A5

Parts on
GECB

Status indicator

 GRP/J

 NOR/DIAG

 INS

 ES

 DW

 DFC

 DOL

 DOB

 DZ

CHCS | DDO | CCTL | CCBL |
E- | E- | E- | E-

2011-09-06  Changed GECB to GECB-AP CN245267 JH. SEO

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED OR DISCLOSED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. UNREPRODUCED WORK © OTIS ELEVATOR COMPANY. ALL RIGHTS RESERVED.



System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER:

PROJECT:

LOCATION:

DRAWN J.H. SEO

CHK Y.J. CHOI

APPD H.J. JEON

AUTH CAHSA-000296

ORIGINAL DATE

2008-11-10

110 SHEETS

SHEET 74

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

ALL DIMENSIONS METRIC

PC-BOARD : GECB-AP 

P1H			P_C			PX1		
1	DL1_H	/38.A1	1	CGS CHECK	/38.D2	1	DRIVE_CAN_H	/39~40).D5
2	DL2_H	/38.A1	2	UCMR CHECK	/41.C6	2	DRIVE_CAN_L	/39~40).D5
3	HL2	/38.A1	P100			3	HL2	/39~40).C5
4	VRS HWY	/38.A1	1	TXA		4	SPB+	/39~40).D5
PX7			2	TXB		PX8		
1	DL1_H	/38.A1	3	RXA		1	1LV	/45~46).D4
2	DL2_H	/38.A1	4	RXB		2	2LV	/45~46).D5
P2H			P5T			3	UIS	/45~46).D7
1	/DW	/17~18).B6	1	AA5	/15~16).C3	4	DIS	/45~46).D8
2	AA8	/15~16).D6	2	AA6	/15~16).C3	5	HL2	/45~46).D2
3	/DW	/17~18).A6	3	N.C		6	24VDC	/45~46).D2
4	/ES	/17~18).A6	P6T			7	MOT_THM	/45~46).D1
5	AA9	/15~16).D6	1	/ES	/17~18).A6	PX3		
P10H			2	/DW	/17~18).A6	1	UIB	/19~20).A5
1	HL2	/15~16).C5	3	AA12	/17~18).B6	2	HL1	/19~20).A5
2	1RTD	/15~16).C4	P3			3	DIB	/19~20).A5
3	HL2	/15~16).D4	1	VCC		P5M		
4	ARRD	/15~16).C5	2	VCC		1	MOT_THM	/45~46)..D1
5	3RTD	/15~16).D5	3	SVTTXB		2	N.C	
6	3RRD	/15~16).D5	4	SVTTXA		3	DIB	/45~46)..D2
P3M			5	GND		P150		
1	AA6	/15~16).E3	6	VCC		1	VDD	
2	PE	/72.C7	7	SVTTXA		2	SPI_CS10_LL_N	
3	OS_SGS	/15~16).C5	8	SVTTXB		3	VDD	
P24M			9	GND		4	MISO_IO_LL	
1	OS_SGS	/15~16).C6	P1XX			5	QSPI_CLK_IO_LL	
2	PE		1	/NUSD_IN	/42.B3	6	VDD	
3	AA8	/15~16).C6	2	/NU	/42.B3	7	MOSI_IO	
PX4			3	/NUG_IN	/42.B3	8	GND	
1	AB1	/39~40).C2	4		/42.B3	9	N.C	
2	N.C		P1YY			10	N.C	
3	/1TH	/39~40).C2	1	/NUSD_OUT	/42.C3	PX9		
P1			2	/NU	/42.C3	1	CAN_H	
1	GDS		3	/NUG_OUT	/42.C3	2	CAN_L	
2	ETSC		4		/42.C3	3	HL2	
3	SPB+					4	30VDC	

2011-09-06  Changed GECB to GECB-AP CN245267 JH. SEO

CHANGES

WARNING
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS AND THAT NEITHER THE INFORMATION IT CONTAINS WILL BE REPRODUCED OR DISCLOSED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED


System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER :

PROJECT :

LOCATION :

DRAWN J.H SEO

CHK Y.J CHOI

APPD H.J JEON

AUTH CAHSA-000296

ORIGINAL DATE

2008-11-10

110 SHEETS

SHEET 75

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

ALL DIMENSIONS METRIC

Connector information Of Controller

CAR

3C	1	/((11~14).D4
	2	/72.A3
	3	/((11~14).D4
8C	1	/66.B6
	2	/66.B6
	3	/66.B6
	4	/66.B6
9C	1	/38.B4
	2	/38.B4
	3	/38.B4
	4	/38.B4
	5	/((17~18).E6
	6	/((17~18).E8
	7	/38.B4
10C	1	
	2	
	3	/((45~46).C2
18C	1	/((63~64).C7
	2	/((63~64).C7
103CM	1	/((15~16).C7
	2	/((15~16).C7
	3	/((15~16).C7
	4	/((15~16).C8
	5	/((17~18).A2
	6	/((17~18).C2
	7	/((17~18).C2
	8	/((17~18).D2

ARO BOX

1A	1	/((26~27).B2, /((30~31).A1
	2	/((26~27).A1, /((30~31).A7
	3	/22.B1, /24.B1
	4	/((39~40).D6
	5	/((39~40).D6
2A	1	/((26~27).C2, /((28~29).B8
	2	/((26~27).B2, /((28~29).B8
	3	/12.D3, /14.D3

DRIVE

1D	1	/((39~40).D6
	2	/((39~40).D6
	3	/((39~40).D6
	4	/((39~40).C6
2D	1	/((19~20).A5
	2	/((19~20).A5
	3	/((19~20).A5
	4	/22.B1, /24.B1
3D	1	/((26~27).B2, /((28~29).A8, /((30~31).B2, /((32~33).C4
	2	/((26~27).B2, /((28~29).A8, /((30~31).B2, /((32~33).C4
	3	/((26~27).B2, /((28~29).B8
	4	/((26~27).B2
	5	/((26~27).B2, /((28~29).B8
4D	1	/((28~29).D8, /((30~31).A7, /((32~33).A7
	2	/((28~29).D8, /((30~31).B7, /((32~33).A7
	3	/((28~29).D8, /((30~31).B7, /((32~33).A7
5D	1	/((21~25).C5
	2	/((21~25).C5
	3	/((28~29).C3, /((30~31).C2, /((32~33).C3
	4	/((28~29).C3, /((30~31).C2, /((32~33).C3
6D	1	/((28~29).A4, /((30~31).A5, /((32~33).C8
	2	/((28~29).A4, /((30~31).A5, /((32~33).C8
	3	/((28~29).A4, /((30~31).B5, /((32~33).C8
7D	1	/((28~29).D2, /((32~33).D6
	2	/((28~29).D2, /((32~33).D6
	3	/((28~29).D2, /((32~33).D6
	4	/((28~29).D2, /((32~33).D6
10D	1	/((28~29).A3, /((32~33).A3
	2	/((28~29).A3, /((32~33).A3
	3	/((28~29).B3
	4	/((28~29).B3
	5	
	6	/((28~29).A3, /((32~33).B3
	7	/((28~29).B3, /((32~33).B3
11D	1	/((26~27).A2, /((30~31).A1
	2	
	3	

HOISTWAY

2H	1	/((17~18).D1
	2	/((15~16).D6
	3	
	4	/((17~18).A1
	5	/((15~16).D6
4H	1	/63.C3, /64.D7
	2	/63.C3, /64.D7
	3	/63.C3
6H	1	
	2	
	3	
8H	1	/((15~16).C7
	2	/((15~16).C7
	3	/((17~18).C2
	4	/((17~18).C2
9H	1	/38.D5
	2	
	3	/38.D5
70H	1	
	2	
	3	
	4	
	5	
90H	1	
	2	
	3	
	4	

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU FOR YOUR USE ONLY. IT IS NOT TO BE REPRODUCED OR DISCLOSED IN ANY MANNER OR IN ANY FORM WITHOUT THE WRITTEN CONSENT OF OTIS. IT IS TO BE RETURNED TO OTIS AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK
OTIS ELEVATOR COMPANY
A United Technologies Company



System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER :

CHK Y.J. CHOI

PROJECT :

LOCATION :

DRAWN J.H. SEO

APPD H.J. JEON

AUTH CAH6A-000296

ORIGINAL DATE

2008-11-10

110 SHEETS

SHEET 76

ALL DIMENSIONS METRIC

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

		1	2	3	4	5	6	7	8																																																																																								
Terminal Block information Of Controller																																																																																																	
A	B	C	D	E																																																																																													
		TB1 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>10</td><td>/11~14).C4</td></tr> <tr><td>11</td><td>/11~14).C5</td></tr> <tr><td>12</td><td>/11~14).C5</td></tr> <tr><td>13</td><td>/11~14).C5</td></tr> <tr><td>14</td><td>/11~14).C6</td></tr> <tr><td>15</td><td>/45~46).C2</td></tr> <tr><td>16</td><td>/66.B4</td></tr> <tr><td>17</td><td>/66.B4</td></tr> <tr><td>18</td><td>/66.B4</td></tr> <tr><td>19</td><td>/66.B5</td></tr> <tr><td>20</td><td>/38.B3</td></tr> <tr><td>21</td><td>/38.C3</td></tr> <tr><td>22</td><td>/38.C3</td></tr> <tr><td>101</td><td>/11~14).C3</td></tr> <tr><td>102</td><td>/11~14).C3</td></tr> <tr><td>103</td><td>/15~16).B2</td></tr> </tbody> </table> TB2 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>L1/1</td><td rowspan="5" style="text-align: center;">/3~6).A7</td></tr> <tr><td>L1/2</td></tr> <tr><td>L2/3</td></tr> <tr><td>L2/4</td></tr> <tr><td>L3/5</td></tr> <tr><td>L3/6</td><td></td></tr> <tr><td>N</td><td></td></tr> <tr><td>PE</td><td></td></tr> <tr><td>U1/R1</td><td></td></tr> <tr><td>V1/S1</td><td></td></tr> <tr><td>W1/T1</td><td></td></tr> <tr><td>PE</td><td></td></tr> <tr><td>U2/R2</td><td></td></tr> <tr><td>V2/S2</td><td></td></tr> <tr><td>W2/T2</td><td></td></tr> </tbody> </table> TB3 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>HL1</td><td rowspan="10" style="text-align: center;">/73.B4</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> <tr><td>HL1</td></tr> </tbody> </table> TB4 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>HL2</td><td rowspan="10" style="text-align: center;">/73.C4</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> <tr><td>HL2</td></tr> </tbody> </table>								PIN	LOC.	10	/11~14).C4	11	/11~14).C5	12	/11~14).C5	13	/11~14).C5	14	/11~14).C6	15	/45~46).C2	16	/66.B4	17	/66.B4	18	/66.B4	19	/66.B5	20	/38.B3	21	/38.C3	22	/38.C3	101	/11~14).C3	102	/11~14).C3	103	/15~16).B2	PIN	LOC.	L1/1	/3~6).A7	L1/2	L2/3	L2/4	L3/5	L3/6		N		PE		U1/R1		V1/S1		W1/T1		PE		U2/R2		V2/S2		W2/T2		PIN	LOC.	HL1	/73.B4	HL1	HL1	HL1	HL1	HL1	HL1	HL1	HL1	HL1	PIN	LOC.	HL2	/73.C4	HL2	HL2	HL2	HL2	HL2	HL2	HL2	HL2	HL2
PIN	LOC.																																																																																																
10	/11~14).C4																																																																																																
11	/11~14).C5																																																																																																
12	/11~14).C5																																																																																																
13	/11~14).C5																																																																																																
14	/11~14).C6																																																																																																
15	/45~46).C2																																																																																																
16	/66.B4																																																																																																
17	/66.B4																																																																																																
18	/66.B4																																																																																																
19	/66.B5																																																																																																
20	/38.B3																																																																																																
21	/38.C3																																																																																																
22	/38.C3																																																																																																
101	/11~14).C3																																																																																																
102	/11~14).C3																																																																																																
103	/15~16).B2																																																																																																
PIN	LOC.																																																																																																
L1/1	/3~6).A7																																																																																																
L1/2																																																																																																	
L2/3																																																																																																	
L2/4																																																																																																	
L3/5																																																																																																	
L3/6																																																																																																	
N																																																																																																	
PE																																																																																																	
U1/R1																																																																																																	
V1/S1																																																																																																	
W1/T1																																																																																																	
PE																																																																																																	
U2/R2																																																																																																	
V2/S2																																																																																																	
W2/T2																																																																																																	
PIN	LOC.																																																																																																
HL1	/73.B4																																																																																																
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
HL1																																																																																																	
PIN	LOC.																																																																																																
HL2	/73.C4																																																																																																
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
HL2																																																																																																	
		TB5 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>PE</td><td rowspan="10" style="text-align: center;">/72.A4</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> </tbody> </table> TB6 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>PE</td><td rowspan="10" style="text-align: center;">/72.A6</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> <tr><td>PE</td></tr> </tbody> </table>								PIN	LOC.	PE	/72.A4	PE	PE	PE	PE	PE	PE	PE	PE	PE	PIN	LOC.	PE	/72.A6	PE	PE	PE	PE	PE	PE	PE	PE	PE																																																														
PIN	LOC.																																																																																																
PE	/72.A4																																																																																																
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PIN	LOC.																																																																																																
PE	/72.A6																																																																																																
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
PE																																																																																																	
		CHANGES <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>DESCRIPTION</th> <th>DATE</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS. IT IS NOT TO BE REPRODUCED OR DISCLOSED IN ANY MANNER OR IN ANY FORM WITHOUT THE PRIOR WRITTEN PERMISSION OF OTIS ELEVATOR COMPANY. ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. ALL RIGHTS RESERVED. OTIS A United Technologies Company System Wiring Diagram ACD3 CUSTOMER : _____ PROJECT : _____ LOCATION : _____ DWG KAA21311AB SIT KOREA <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>DRAWN</td> <td>J.H. SEO</td> <td>ORIGINAL DATE</td> </tr> <tr> <td>CHK</td> <td>Y.J. CHOI</td> <td>2008-11-10</td> </tr> <tr> <td>APPD</td> <td>H.J. JEON</td> <td>110 SHEETS</td> </tr> <tr> <td>AUTH</td> <td>CAHGA-000296</td> <td>SHEET 77</td> </tr> </table>								NO.	DESCRIPTION	DATE										DRAWN	J.H. SEO	ORIGINAL DATE	CHK	Y.J. CHOI	2008-11-10	APPD	H.J. JEON	110 SHEETS	AUTH	CAHGA-000296	SHEET 77																																																																
NO.	DESCRIPTION	DATE																																																																																															
DRAWN	J.H. SEO	ORIGINAL DATE																																																																																															
CHK	Y.J. CHOI	2008-11-10																																																																																															
APPD	H.J. JEON	110 SHEETS																																																																																															
AUTH	CAHGA-000296	SHEET 77																																																																																															
		ALL DIMENSIONS METRIC 1 2 3 4 5 6 7 8																																																																																															

Connector information Of Drive-LCRD

GDCB

PIN	SIGNAL	LOC.	PIN	SIGNAL	LOC.
P1:46	DSP_DBD	/(30~31).E3, /(32~33).D3	P9:1	A	/(9~10).C6
P1:47			P9:2	/A	/(9~10).C6
P3	OMU CONN.	/(30~31).D5, /(32~33).C2	P9:3	B	/(9~10).C6
P5:1	BS1	/(30~31).B5, /(32~33).A2	P9:4	/B	/(9~10).D6
P5:2	BS2	/(30~31).B5, /(32~33).A2	P9:5	5VDC	/(9~10).D6
P5:3	BCNT_STAT	/(30~31).C5, /(32~33).B2	P9:6	RET	/(9~10).D6
P5:4	BCNT	/(30~31).C5, /(32~33).B2	P9:7		/(9~10).D6
P5:5		/(30~31).C5, /(32~33).B2	P9:8	SCN.	/(9~10).D6
P5:6	+24VDC	/(30~31).C5, /(32~33).B2	P10	O.B.CONN.	/(30~31).D5, /(32~33).C2
P5:7	RETURN	/(30~31).C5, /(32~33).B2	P11:1		/(23~25).B2
P6:1	UIS	/46.E7	P11:2	SFC_IN	/(23~25).B2
P6:2	DIS	/46.E8	P11:3	SFC_EXT	/(23~25).B2
P6:3	1LV	/46.E4	P11:4	N.C	/(23~25).A2
P6:4	2LV	V.E5	P11:5	UIB	/(23~25).A2
P6:5	MOT_THM	/46.E1	P11:6	N.C	/(23~25).A2
P6:6			P11:7	DIB	/(23~25).A2
P6:7	+24VDC	/46.E2	P11:8	N.C	/(23~25).B2
P6:8	DRIVE*HL2	/46.E2	P11:9	FSC_RTN	/(23~25).B4
P6:9			P11:10	FSC_RTN	/(23~25).B4
P7			P12:1	FSC_P	/(23~25).B3
P8:1	VRS	/40.D7	P12:2	N.C	/(23~25).B3
P8:2	CAN_H	/40.D7	P12:3	FSC_RTN	/(23~25).B3
P8:3	CAN_L	/40.D7			
P8:4	HL2	/40.D7			

HVIB

PIN	SIGNAL	LOC.
P1:46	S3/13	/(30~31).D3, /(32~33).D2
P1:47	24VDC_RTN	
P4:1	FSC_IN	/(23~25).C3
P4:2	N.C	/(23~25).C3
P4:3	FSC_RTN	/(23~25).C3
P100:1	S3/21	/(23~25).D4
P100:2	S1/21	/(23~25).D4
P102:1	SFC_2BRK	/(23~25).C4
P102:2	SFC_RTN	/(23~25).C4
P102:3	24VDC_RTN	/(30~33).C2
P102:4	DBD2	/(30~33).C2
P6:1	SPBCII_BRK+	/(30~31).A5, /(32~33).C8
P6:2	PE	/(30~31).A5, /(32~33).C8
P6:3	SPBCII_BRK-	/(30~31).B5, /(32~33).C8
P110:1	VF*BRK+	/(30~31).A2, /(32~33).B4
P110:2	BRK*VAC	/(30~31).A2, /(32~33).B4
P111:1	BRK*RTN	/(30~31).A2, /(32~33).C5
P111:2	BRK*GND	/(30~31).A2, /(32~33).C5
P111:3	BAT*VF	/(30~31).B2, /(32~33).C5
P111:4	BAT*SPB	/(30~31).B2, /(32~33).C5

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY ("OTIS"). IT IS DELIVERED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS THAT NEITHER IT NOR THE INFORMATION IT CONTAINS WILL BE REPRODUCED, COPIED, DISCLOSED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS, AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED



A United Technologies Company

System Wiring Diagram
ACD3


CUSTOMER:
PROJECT:
LOCATION:

DWG KAA21311AB

SIT
KOREA

DRAWN	J.H SEO	ORIGINAL DATE
CHK	Y.J CHOI	2008-11-10
APPD	H.J JEON	110 SHEETS
AUTH	CAHBA-000296	SHEET 80

ALL DIMENSIONS METRIC



1	2	3	4	5	6	7	8																																																																																																																																																				
A	41 <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIN</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td>1</td><td>/49.B6</td></tr> <tr><td>2</td><td>/49.D5</td></tr> <tr><td>3</td><td>/49.D4</td></tr> <tr><td>4</td><td>/49.D2</td></tr> <tr><td>5</td><td>/49.D6</td></tr> <tr><td>6</td><td>/49.D3</td></tr> <tr><td>7</td><td>/49.D6</td></tr> <tr><td>8</td><td>/49.B6</td></tr> <tr><td>9</td><td>/49.B6</td></tr> <tr><td>10</td><td>/50.B2</td></tr> <tr><td>11</td><td>/50.E4</td></tr> <tr><td>12</td><td>/50.D5</td></tr> <tr><td>13</td><td>/50.C5</td></tr> <tr><td>14</td><td>/50.D5</td></tr> <tr><td>15</td><td></td></tr> <tr><td>16</td><td></td></tr> <tr><td>17</td><td></td></tr> <tr><td>18</td><td></td></tr> <tr><td>19</td><td></td></tr> <tr><td>20</td><td>/((17~18).C4</td></tr> <tr><td>21</td><td>/((17~18).C4</td></tr> <tr><td>22</td><td>/((15~16).A4</td></tr> <tr><td>23</td><td>/((15~16).B4</td></tr> <tr><td>24</td><td>/50.C2</td></tr> <tr><td>25</td><td>/50.C3</td></tr> <tr><td>26</td><td>/44.A2</td></tr> <tr><td>27</td><td>/44.A2</td></tr> <tr><td>28</td><td>/44.A4</td></tr> <tr><td>29</td><td>/44.A4</td></tr> <tr><td>30</td><td>/44.B5</td></tr> </tbody> </table> PJ1 <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/49.C5</td></tr> <tr><td>2</td><td>/49.C6</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td>/49.C4</td></tr> <tr><td>5</td><td>/50.C3</td></tr> <tr><td>6</td><td></td></tr> <tr><td>7</td><td>/49.B2</td></tr> <tr><td>8</td><td>/44.B5</td></tr> <tr><td>9</td><td></td></tr> <tr><td>10</td><td>/49.C6</td></tr> <tr><td>11</td><td></td></tr> <tr><td>12</td><td></td></tr> <tr><td>13</td><td>/49.D1</td></tr> <tr><td>14</td><td></td></tr> <tr><td>15</td><td>/50.C2</td></tr> <tr><td>16</td><td></td></tr> <tr><td>17</td><td>/44.B5</td></tr> <tr><td>18</td><td></td></tr> <tr><td>19</td><td></td></tr> <tr><td>20</td><td></td></tr> <tr><td>21</td><td></td></tr> </tbody> </table> PSES <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/44.C2</td></tr> <tr><td>2</td><td>/44.C2</td></tr> <tr><td>3</td><td>/49.D3</td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> <tr><td>6</td><td>/49.C3</td></tr> <tr><td>7</td><td></td></tr> <tr><td>8</td><td></td></tr> <tr><td>9</td><td></td></tr> </tbody> </table> 19 <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/44.A2</td></tr> <tr><td>2</td><td>/44.A2</td></tr> <tr><td>3</td><td>/44.A5</td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td>/((17~18).C4</td></tr> <tr><td>6</td><td>/((17~18).C4</td></tr> <tr><td>7</td><td>/((15~16).B4</td></tr> <tr><td>8</td><td>/((15~16).A4</td></tr> <tr><td>9</td><td></td></tr> <tr><td>10</td><td></td></tr> <tr><td>11</td><td></td></tr> <tr><td>12</td><td></td></tr> <tr><td>13</td><td></td></tr> </tbody> </table>							PIN	LOC.	1	/49.B6	2	/49.D5	3	/49.D4	4	/49.D2	5	/49.D6	6	/49.D3	7	/49.D6	8	/49.B6	9	/49.B6	10	/50.B2	11	/50.E4	12	/50.D5	13	/50.C5	14	/50.D5	15		16		17		18		19		20	/((17~18).C4	21	/((17~18).C4	22	/((15~16).A4	23	/((15~16).B4	24	/50.C2	25	/50.C3	26	/44.A2	27	/44.A2	28	/44.A4	29	/44.A4	30	/44.B5	1	/49.C5	2	/49.C6	3		4	/49.C4	5	/50.C3	6		7	/49.B2	8	/44.B5	9		10	/49.C6	11		12		13	/49.D1	14		15	/50.C2	16		17	/44.B5	18		19		20		21		1	/44.C2	2	/44.C2	3	/49.D3	4		5		6	/49.C3	7		8		9		1	/44.A2	2	/44.A2	3	/44.A5	4		5	/((17~18).C4	6	/((17~18).C4	7	/((15~16).B4	8	/((15~16).A4	9		10		11		12		13	
								PIN	LOC.																																																																																																																																																		
								1	/49.B6																																																																																																																																																		
								2	/49.D5																																																																																																																																																		
								3	/49.D4																																																																																																																																																		
4	/49.D2																																																																																																																																																										
5	/49.D6																																																																																																																																																										
6	/49.D3																																																																																																																																																										
7	/49.D6																																																																																																																																																										
8	/49.B6																																																																																																																																																										
9	/49.B6																																																																																																																																																										
10	/50.B2																																																																																																																																																										
11	/50.E4																																																																																																																																																										
12	/50.D5																																																																																																																																																										
13	/50.C5																																																																																																																																																										
14	/50.D5																																																																																																																																																										
15																																																																																																																																																											
16																																																																																																																																																											
17																																																																																																																																																											
18																																																																																																																																																											
19																																																																																																																																																											
20	/((17~18).C4																																																																																																																																																										
21	/((17~18).C4																																																																																																																																																										
22	/((15~16).A4																																																																																																																																																										
23	/((15~16).B4																																																																																																																																																										
24	/50.C2																																																																																																																																																										
25	/50.C3																																																																																																																																																										
26	/44.A2																																																																																																																																																										
27	/44.A2																																																																																																																																																										
28	/44.A4																																																																																																																																																										
29	/44.A4																																																																																																																																																										
30	/44.B5																																																																																																																																																										
1	/49.C5																																																																																																																																																										
2	/49.C6																																																																																																																																																										
3																																																																																																																																																											
4	/49.C4																																																																																																																																																										
5	/50.C3																																																																																																																																																										
6																																																																																																																																																											
7	/49.B2																																																																																																																																																										
8	/44.B5																																																																																																																																																										
9																																																																																																																																																											
10	/49.C6																																																																																																																																																										
11																																																																																																																																																											
12																																																																																																																																																											
13	/49.D1																																																																																																																																																										
14																																																																																																																																																											
15	/50.C2																																																																																																																																																										
16																																																																																																																																																											
17	/44.B5																																																																																																																																																										
18																																																																																																																																																											
19																																																																																																																																																											
20																																																																																																																																																											
21																																																																																																																																																											
1	/44.C2																																																																																																																																																										
2	/44.C2																																																																																																																																																										
3	/49.D3																																																																																																																																																										
4																																																																																																																																																											
5																																																																																																																																																											
6	/49.C3																																																																																																																																																										
7																																																																																																																																																											
8																																																																																																																																																											
9																																																																																																																																																											
1	/44.A2																																																																																																																																																										
2	/44.A2																																																																																																																																																										
3	/44.A5																																																																																																																																																										
4																																																																																																																																																											
5	/((17~18).C4																																																																																																																																																										
6	/((17~18).C4																																																																																																																																																										
7	/((15~16).B4																																																																																																																																																										
8	/((15~16).A4																																																																																																																																																										
9																																																																																																																																																											
10																																																																																																																																																											
11																																																																																																																																																											
12																																																																																																																																																											
13																																																																																																																																																											
B	RSES(L) <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/50.B2</td></tr> <tr><td>2</td><td>/50.C2</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> </tbody> </table> P6 <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/50.A7</td></tr> <tr><td>2</td><td>/50.A7</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td>/49.A2</td></tr> <tr><td>5</td><td>/49.A2</td></tr> <tr><td>6</td><td>/49.A2</td></tr> <tr><td>7</td><td>/49.A2</td></tr> <tr><td>8</td><td></td></tr> <tr><td>9</td><td>/49.E5</td></tr> </tbody> </table>							1	/50.B2	2	/50.C2	3		4		5		1	/50.A7	2	/50.A7	3		4	/49.A2	5	/49.A2	6	/49.A2	7	/49.A2	8		9	/49.E5																																																																																																																								
								1	/50.B2																																																																																																																																																		
								2	/50.C2																																																																																																																																																		
								3																																																																																																																																																			
								4																																																																																																																																																			
5																																																																																																																																																											
1	/50.A7																																																																																																																																																										
2	/50.A7																																																																																																																																																										
3																																																																																																																																																											
4	/49.A2																																																																																																																																																										
5	/49.A2																																																																																																																																																										
6	/49.A2																																																																																																																																																										
7	/49.A2																																																																																																																																																										
8																																																																																																																																																											
9	/49.E5																																																																																																																																																										
C	RSES(R) <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/50.D2</td></tr> <tr><td>2</td><td>/50.D2</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> </tbody> </table>							1	/50.D2	2	/50.D2	3		4		5																																																																																																																																											
								1	/50.D2																																																																																																																																																		
								2	/50.D2																																																																																																																																																		
								3																																																																																																																																																			
								4																																																																																																																																																			
5																																																																																																																																																											
D	RSES(L) <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/50.B2</td></tr> <tr><td>2</td><td>/50.C2</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> </tbody> </table>							1	/50.B2	2	/50.C2	3		4		5																																																																																																																																											
								1	/50.B2																																																																																																																																																		
								2	/50.C2																																																																																																																																																		
								3																																																																																																																																																			
								4																																																																																																																																																			
5																																																																																																																																																											
E	RSES(R) <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr><td>1</td><td>/50.D2</td></tr> <tr><td>2</td><td>/50.D2</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> </tbody> </table>							1	/50.D2	2	/50.D2	3		4		5																																																																																																																																											
								1	/50.D2																																																																																																																																																		
								2	/50.D2																																																																																																																																																		
								3																																																																																																																																																			
								4																																																																																																																																																			
5																																																																																																																																																											
For Korea																																																																																																																																																											

CHANGES	WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, COPIED, OR IN ANY MANNER DISCLOSED TO OTHERS WITHOUT THE WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. UNPUBLISHED WORK © OTIS ELEVATOR COMPANY ALL RIGHTS RESERVED A Otis Technologies Company	System Wiring Diagram ACD3
	DWG KAA21311AB SIT KOREA	CUSTOMER : PROJECT : LOCATION :
	DRAWN J.H SEO CHK Y.J CHOI APPD H.J JEON AUTH CAH6A-000296	ORIGINAL DATE 2008-11-10 T10 SHEETS SHEET 82

1	2	3	4	5	6	7	8
ALL DIMENSIONS METRIC							

For Korea

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, COPIED, OR IN ANY MANNER DISCLOSED TO OTHERS WITHOUT THE WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED



A Otis Technologies Company

System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER :
PROJECT :
LOCATION :


DRAWN J.H SEO	ORIGINAL DATE 2008-11-10
CHK Y.J CHOI	T10 SHEETS
APPD H.J JEON	SHEET 82
AUTH CAH6A-000296	

8 DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847

1	2	3	4	5	6	7	8																																																																																																																																																												
PC-BOARD: PM DOOR CONTROLLER (IMS-DS20P2C) <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PINNAME</th> <th>SIGNAL MARKING</th> <th>LOC.</th> </tr> </thead> <tbody> <tr><td></td><td>24V</td><td></td></tr> <tr><td></td><td>COM</td><td></td></tr> <tr><td></td><td>□ □ □ □</td><td></td></tr> <tr><td></td><td>□ □ □ □</td><td></td></tr> <tr><td></td><td>X1</td><td></td></tr> <tr><td>XC</td><td>+24V</td><td>/47.B1</td></tr> <tr><td>X1</td><td>ST1</td><td>/47.C5</td></tr> <tr><td>X2</td><td>ST2</td><td>/47.C6</td></tr> <tr><td>X3</td><td>ST3</td><td>/47.C6</td></tr> <tr><td>X4</td><td>REV</td><td>/47.C4</td></tr> <tr><td>M7</td><td>SGS</td><td>/48.B3</td></tr> <tr><td>MC</td><td>+24V</td><td>/47.B1</td></tr> <tr><td>M1</td><td>DOL(NO)</td><td></td></tr> <tr><td>M2</td><td>DOL(NC)</td><td>/47.D1</td></tr> <tr><td>M3</td><td>DCL(NO)</td><td></td></tr> <tr><td>M4</td><td>DCL(NC)</td><td></td></tr> <tr><td>M5</td><td>OBSTRUCTION(NO)</td><td></td></tr> <tr><td>M6</td><td>OBSTRUCTION(NC)</td><td></td></tr> <tr><td>M7</td><td>/SGS</td><td>/48.B3</td></tr> <tr><td>M8</td><td>SES_COMM</td><td>/48.B2</td></tr> <tr><td>AC1</td><td>110VAC</td><td></td></tr> <tr><td>±</td><td>PE</td><td>/43.B5</td></tr> <tr><td>AC2</td><td>N</td><td></td></tr> <tr><td>U</td><td>U</td><td></td></tr> <tr><td>V</td><td>V</td><td>/43.C6</td></tr> <tr><td>W</td><td>W</td><td></td></tr> </tbody> </table> Signal Descriptions of 3-Wire Interface. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">No.</th> <th rowspan="2">Command</th> <th rowspan="2">Description</th> <th colspan="3">Signal</th> </tr> <tr> <th>ST1(IO:991/994)</th> <th>ST2(IO:992/995)</th> <th>ST3(IO:993/996)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>OPN</td> <td>Opening Command</td> <td>ON (0 Vdc)</td> <td>ON (0 Vdc)</td> <td>ON (0 Vdc)</td> </tr> <tr> <td></td> <td></td> <td></td> <td>ON (0 Vdc)</td> <td>ON (0 Vdc)</td> <td>OFF (24 Vdc)</td> </tr> <tr> <td>2</td> <td>CLD</td> <td>Door Closing Command</td> <td>OFF (24 Vdc)</td> <td>ON (0 Vdc)</td> <td>ON (0 Vdc)</td> </tr> <tr> <td></td> <td></td> <td></td> <td>OFF (24 Vdc)</td> <td>ON (0 Vdc)</td> <td>OFF (24 Vdc)</td> </tr> <tr> <td>3</td> <td>CLD & REV</td> <td>Door Closing Command, Reversal device, PP and DOB Active</td> <td>ON (0 Vdc)</td> <td>OFF (24 Vdc)</td> <td>ON (0 Vdc)</td> </tr> <tr> <td>4</td> <td>NDG</td> <td>Nudging Command, Reversal device, PP and DOB in-active</td> <td>ON (0 Vdc)</td> <td>OFF (24 Vdc)</td> <td>OFF (24 Vdc)</td> </tr> <tr> <td>5</td> <td>DED</td> <td>DCSS deenergized, SVT inspection run prohibited</td> <td>OFF (24 Vdc)</td> <td>OFF (24 Vdc)</td> <td>ON (0 Vdc)</td> </tr> <tr> <td>6</td> <td>DED & EDS</td> <td></td> <td>OFF (24 Vdc)</td> <td>OFF (24 Vdc)</td> <td>OFF (24 Vdc)</td> </tr> </tbody> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>LED Name.</th> <th>Status</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>POWER</td> <td>●</td> <td>DC-Link and Power Status is Normal</td> </tr> <tr> <td>OPEND</td> <td>●</td> <td>OLS signal is received.</td> </tr> <tr> <td>CLOSED</td> <td>●</td> <td>CLS signal is received.</td> </tr> <tr> <td>OBSTRUCTION</td> <td></td> <td>N.A</td> </tr> <tr> <td>READY/ERROR</td> <td>●</td> <td>SGS bypass signal is received.</td> </tr> </tbody> </table> ● : Turn On ○ : Turn Off								PINNAME	SIGNAL MARKING	LOC.		24V			COM			□ □ □ □			□ □ □ □			X1		XC	+24V	/47.B1	X1	ST1	/47.C5	X2	ST2	/47.C6	X3	ST3	/47.C6	X4	REV	/47.C4	M7	SGS	/48.B3	MC	+24V	/47.B1	M1	DOL(NO)		M2	DOL(NC)	/47.D1	M3	DCL(NO)		M4	DCL(NC)		M5	OBSTRUCTION(NO)		M6	OBSTRUCTION(NC)		M7	/SGS	/48.B3	M8	SES_COMM	/48.B2	AC1	110VAC		±	PE	/43.B5	AC2	N		U	U		V	V	/43.C6	W	W		No.	Command	Description	Signal			ST1(IO:991/994)	ST2(IO:992/995)	ST3(IO:993/996)	1	OPN	Opening Command	ON (0 Vdc)	ON (0 Vdc)	ON (0 Vdc)				ON (0 Vdc)	ON (0 Vdc)	OFF (24 Vdc)	2	CLD	Door Closing Command	OFF (24 Vdc)	ON (0 Vdc)	ON (0 Vdc)				OFF (24 Vdc)	ON (0 Vdc)	OFF (24 Vdc)	3	CLD & REV	Door Closing Command, Reversal device, PP and DOB Active	ON (0 Vdc)	OFF (24 Vdc)	ON (0 Vdc)	4	NDG	Nudging Command, Reversal device, PP and DOB in-active	ON (0 Vdc)	OFF (24 Vdc)	OFF (24 Vdc)	5	DED	DCSS deenergized, SVT inspection run prohibited	OFF (24 Vdc)	OFF (24 Vdc)	ON (0 Vdc)	6	DED & EDS		OFF (24 Vdc)	OFF (24 Vdc)	OFF (24 Vdc)	LED Name.	Status	Description	POWER	●	DC-Link and Power Status is Normal	OPEND	●	OLS signal is received.	CLOSED	●	CLS signal is received.	OBSTRUCTION		N.A	READY/ERROR	●	SGS bypass signal is received.
PINNAME	SIGNAL MARKING	LOC.																																																																																																																																																																	
	24V																																																																																																																																																																		
	COM																																																																																																																																																																		
	□ □ □ □																																																																																																																																																																		
	□ □ □ □																																																																																																																																																																		
	X1																																																																																																																																																																		
XC	+24V	/47.B1																																																																																																																																																																	
X1	ST1	/47.C5																																																																																																																																																																	
X2	ST2	/47.C6																																																																																																																																																																	
X3	ST3	/47.C6																																																																																																																																																																	
X4	REV	/47.C4																																																																																																																																																																	
M7	SGS	/48.B3																																																																																																																																																																	
MC	+24V	/47.B1																																																																																																																																																																	
M1	DOL(NO)																																																																																																																																																																		
M2	DOL(NC)	/47.D1																																																																																																																																																																	
M3	DCL(NO)																																																																																																																																																																		
M4	DCL(NC)																																																																																																																																																																		
M5	OBSTRUCTION(NO)																																																																																																																																																																		
M6	OBSTRUCTION(NC)																																																																																																																																																																		
M7	/SGS	/48.B3																																																																																																																																																																	
M8	SES_COMM	/48.B2																																																																																																																																																																	
AC1	110VAC																																																																																																																																																																		
±	PE	/43.B5																																																																																																																																																																	
AC2	N																																																																																																																																																																		
U	U																																																																																																																																																																		
V	V	/43.C6																																																																																																																																																																	
W	W																																																																																																																																																																		
No.	Command	Description	Signal																																																																																																																																																																
			ST1(IO:991/994)	ST2(IO:992/995)	ST3(IO:993/996)																																																																																																																																																														
1	OPN	Opening Command	ON (0 Vdc)	ON (0 Vdc)	ON (0 Vdc)																																																																																																																																																														
			ON (0 Vdc)	ON (0 Vdc)	OFF (24 Vdc)																																																																																																																																																														
2	CLD	Door Closing Command	OFF (24 Vdc)	ON (0 Vdc)	ON (0 Vdc)																																																																																																																																																														
			OFF (24 Vdc)	ON (0 Vdc)	OFF (24 Vdc)																																																																																																																																																														
3	CLD & REV	Door Closing Command, Reversal device, PP and DOB Active	ON (0 Vdc)	OFF (24 Vdc)	ON (0 Vdc)																																																																																																																																																														
4	NDG	Nudging Command, Reversal device, PP and DOB in-active	ON (0 Vdc)	OFF (24 Vdc)	OFF (24 Vdc)																																																																																																																																																														
5	DED	DCSS deenergized, SVT inspection run prohibited	OFF (24 Vdc)	OFF (24 Vdc)	ON (0 Vdc)																																																																																																																																																														
6	DED & EDS		OFF (24 Vdc)	OFF (24 Vdc)	OFF (24 Vdc)																																																																																																																																																														
LED Name.	Status	Description																																																																																																																																																																	
POWER	●	DC-Link and Power Status is Normal																																																																																																																																																																	
OPEND	●	OLS signal is received.																																																																																																																																																																	
CLOSED	●	CLS signal is received.																																																																																																																																																																	
OBSTRUCTION		N.A																																																																																																																																																																	
READY/ERROR	●	SGS bypass signal is received.																																																																																																																																																																	
CHANGES WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY ("OTIS"). IT IS LOANED TO OTHERS ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE DESIGN OF OTIS THAT REQUESTED IT. THE INFORMATION, IT CONTAINS, WILL BE REPRODUCED, OR DISCLOSED, IN WHOLE OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS AND THIS ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. UNPUBLISHED WORK © OTIS ELEVATOR COMPANY ALL RIGHTS RESERVED A United Technologies Company System Wiring Diagram ACD3 DWG KAA21311AB SIT KOREA <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">CUSTOMER :</td> <td style="width: 30%;">DRAWN : J.H SEO</td> <td style="width: 40%;">ORIGINAL DATE : 2008-11-10</td> </tr> <tr> <td>PROJECT :</td> <td>CHK : Y.J CHOI</td> <td></td> </tr> <tr> <td>LOCATION :</td> <td>APPD : H.J JEON</td> <td>110 SHEETS</td> </tr> <tr> <td></td> <td>AUTH : CAH6A-000296</td> <td>SHEET 83</td> </tr> </table>								CUSTOMER :	DRAWN : J.H SEO	ORIGINAL DATE : 2008-11-10	PROJECT :	CHK : Y.J CHOI		LOCATION :	APPD : H.J JEON	110 SHEETS		AUTH : CAH6A-000296	SHEET 83																																																																																																																																																
CUSTOMER :	DRAWN : J.H SEO	ORIGINAL DATE : 2008-11-10																																																																																																																																																																	
PROJECT :	CHK : Y.J CHOI																																																																																																																																																																		
LOCATION :	APPD : H.J JEON	110 SHEETS																																																																																																																																																																	
	AUTH : CAH6A-000296	SHEET 83																																																																																																																																																																	
ALL DIMENSIONS METRIC 1 2 3 4 5 6 7 8																																																																																																																																																																			

GENERAL INFORMATION
Connectors of Remote Stations

KAA26800ABD



P1	RSL LINK	1	L1
		2	L2
		3	RTN
		4	+30VDC
CPI	FOR CPI	1	+30VDC
		2	GND
		3	S_DATA
		4	4V_REF
		5	S_CLK

PIA, PIB, PIC, PID	
1	IN (P1)
2	IN (P2)
3	IN (P3)
4	IN (P4)
5	IN (P1)
6	IN (P2)
7	IN (P3)
8	IN (P4)
9	+24VDC

POA, POB, POC, POD	
1	OUT (P1)
2	OUT (P2)
3	OUT (P3)
4	OUT (P4)
5	OUT (P1)
6	OUT (P2)
7	OUT (P3)
8	OUT (P4)
9	+24VDC
10	RTN

CHANGES

WARNING
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY (OTIS). IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS. YOU MAY NOT REPRODUCE OR DISCLOSE THE INFORMATION IT CONTAINS TO ANY OTHER PERSON OR ENTITY WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. YOU WILL BE RESPONSIBLE FOR THE PROTECTION OF THIS INFORMATION AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.
UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
All Rights Reserved.



System Wiring Diagram
ACD3

DWG KAA21311AB
SIT
KOREA

CUSTOMER:	DRAWN J.H SEO	ORIGINAL DATE
CHK Y.J CHOI		2008-11-10
PROJECT:	APPD H.J JEON	110 SHEETS
LOCATION:	AUTH CAH6A-000286	SHEET 84

ALL DIMENSIONS METRIC

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

1

2

3

4

5

6

7

8

Device List

Abb. 缩写

Description描述

1BFS

1st Buffer Switch

缓冲器开关1

1LS

down slowdown Limit Switch

下行减速限位开关

1LV

1st door zone switch

门区开关1

1PES

1st Pit Emergency Stop switch

底坑急停开关1

1PMS

Pit Maintenance Socket 1

底坑插座1

2BFS

2nd Buffer Switch 2

缓冲器开关2

2LS

up slowdown Limit Switch

上行减速限位开关

2LV

2nd door zone switch

门区开关2

2nd OCB

Overload Circuit Breaker 2

电流过载断路器2

2PES

2nd Pit Emergency Stop switch

底坑急停开关2

6LS

Limit Switch

轿顶检修上终端极限开关

7LS

down final Limit Switch

下终端极限开关

8LS

up final Limit Switch

上终端极限开关

ACB

Automatic Circuit Breaker

断路器

ACD-MR

Asia Controller and Drive - Machine Room

亚洲有机房控制和驱动柜

ACD-MRL

Asia Controller and Drive - Machine Roomless

亚洲无机房控制和驱动柜

ADO

Advanced Door Opening

提前开门

AGS

Auxiliary Gate Switch

辅助轿门开关

AGSR

Auxiliary Gate Switch Relay

辅助轿门开关继电器

ALB

Alarm Button

警铃按钮

ANS

Anti-Nuisance Car call

防捣乱

APD

Anti-Pollution Device

电磁干扰滤波器

ARD

Automatic Return Device

自动返回基站

ARED

Automatic Rescue Emergency Device

自动紧急救援装置

ARO

Automatic Rescue Operation

自动救援操作

ARO BOX

Automatic Rescue Operation Box

自动救援操作箱

AT120

AT120 door operator

AT120 门机

ATK

Attendant service Keyswitch

司机服务开关

ATT

Attendant service operation

司机服务操作

ATTD

Attendant Down start button

司机操作下行启动按钮

ATTU

Attendant Up start button

司机操作上行启动按钮

B

Brake

制动器

BAT

Battery

电池

BCB

Battery Control Board

电池控制板

BCPC

Brake Control and Power Conditioning

抱闸控制和功率调节

BCR

Brake Control Relay

抱闸控制继电器

BDS

Brake Drop Soft.

制动软降噪

BFS

oil Buffer Switch

油压缓冲器开关

BID

Belt Inspection Device

钢带检测装置

BR

Brake Relay

抱闸继电器

BRB

Brake Release Button

抱闸释放按钮

BRK

Brake

制动器

BRM

Brake Module

制动单元

BS

Brake Switch

抱闸开关

BSM

Basement Service

地下室服务

BUZ

Buzzer

蜂鸣器

BV

Brake Varistor

压敏电阻

BY

Brake relay

抱闸继电器

C2L

2 Cars to Lobby

双轿厢至大厅

CAP

Capacity

电容

CB

Circuit Breaker

断路器

CBM

Car Button Mechanical

机械式轿厢按钮

CBn

Car button n

轿厢按钮n

CBS

Car Sound Button

轿厢发声按钮

CBT

Two Car operating panels

双操纵盘

CCBL

Car Call to Bottom Landing

底层轿厢指令按钮

CCM

Car Chime

轿厢到站铃

CCTL

Car Call to Top Landing

顶层轿厢指令按钮

CDD

Car Door Detector

轿门检测器

COLD

Car Door Lock Device

轿厢门锁装置

CEIB

Communication and Encoder Interface Board

通讯和编码器接口板

CFL

Car Fluorescence Light

轿厢照明灯

CGIB

Communication Gateway modem Isolation Board

通讯网关调制隔离板

CGMPB

Communication Gateway Modem Processor Board

通讯网关调制处理板

CGS

Car Gate Solenoid

轿门门锁继电器

CHCS

Cancel Hall Call Switch

外呼取消开关

CHF

Current Harmonic Filter

电流谐波滤波器

CHT

separate Car and Hall call door Times

独立的轿箱和大厅呼叫时间

CKS

Car Block Switch

轿厢卡箍开关

CLD

Central opening Landing Door

中分门

CLF_TC

Fluorescent Car Light_Travelling Cable

随动电缆荧光灯 电源

CNV

Converter

整流

CPI

Car Position Indicator

轿厢位置显示器

CTTL

Car Tell Tale Light

轿厢呼叫登记灯

CWS

Counterweight Safety switch

对重安全钳开关

D

Diode

二极管

DBR

Drive Brake Resistor

制动电阻

DBS

electrical recall switch

紧急电动运行开关

DCB

Door Close Button

关门按钮

DCL

Down Collective Operation

下集选

DCP

Delayed Car Protection

延迟的轿箱保护

DCSS

Door Control SubSystem

门控子系统

ddb

electrical recall Down Direction Button

紧急电动运行下行按钮

DDO

Disable Door Operation

门操作取消开关

DDOS

Disable Door Operation Switch

门操作无效开关

DDP

Delayed Drive Protection

延迟的拖动保护

DDSR

Disable Door Switch Relay

屏蔽门锁继电器

DE

Door motor Encoder

门机编码器

DEEC

Disable EEC

屏蔽轿顶安全窗触点

DEECR

Disable EEC Relay

屏蔽安全窗继电器

DFC

Door Full Closed contact

厅门和轿门关门到位触点

DHB

Door Hold Button

门保持按钮

DHBL

Door Hold Button Light

门保持灯

DIB

Down Inspection Button

下行检修按钮

DIS

Door zone limit switch down

门区下行限位开关

DM

Door Motor

门电机

DOB

Door Open Button

开门按钮

DOBF

DOB Faster response

快速开门反应

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY ("OTIS"). IT IS LOANED TO YOU BY OTIS UNDER THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS AND THAT NEITHER OTIS NOR THE INFORMATION IT CONTAINS WILL BE REPRODUCED OR DISCLOSED, IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF OTIS. AND THAT OTIS SHALL BE NOTIFIED OF ANY SUCH REPRODUCTION OR DISCLOSURE. OTIS AND ITS SUBSIDIARIES AND ALL RIGHTS RESERVED.

OTIS

OTIS ELEVATOR COMPANY

4 World Technology Gateway

System Wiring Diagram

ACD3

CUSTOMER

PROJECT:

LOCATION:

DWG

KAA21311AB

SIT

KOREA

DRAWN

J.H SEO

ORIGINAL DATE

2008-11-10

CHK

Y.J CHOI

110 SHEETS

APPD

H.J JEON

SHEET

85

AUTH

CAHA-000296

ALL DIMENSIONS METRIC

1

2

3

4

5

6

7

8

DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 5284

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护

FSFan Switch风扇开关

FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重限速器超速开关

GDCBGlobal Drive Control Board变频器驱动板

GECBGlobal Elevator Control Board电梯控制板

GRPGroup群控

GSGate Switch轿门门锁

GSRGate Switch Relay轿门门锁继电器

GTCGovernor Tension Contact限速器张紧轮触点

HBMHall Buttons Mechanical机械式大厅按钮

HDIHall Direction Indicator大厅方向显示器

HIBintegrated Hall Indicator Board集成式大厅方向显示器

HPIHall Position Indicator(16-seg)大厅位置显示器

HRSHandrail Switch防护栏开关

B

HTLHHall Tell Tale Lights大厅呼叫登记灯

HVIBHigh Voltage Interface Board高压接口板

ICUIntercommunication Unit对讲机

INSInspection检修

INVInverter逆变器

IPSIntercom Power Supply对讲机电源

ISCIndependent Service独立服务

ISSIndependent Service Switch独立服务开关

J'BOXJunction Box接线盒

LCLight Curtain光幕

LCDLiquid Crystal Display液晶显示屏

LDLBLanding Door Lock Bypass厅门锁旁路

LIHHoistway Light井道照明

LIHRHoistway Light Relay井道照明继电器

LIHS-CHoistway Light Switch-Controller井道照明开关-控制柜

LIHS-PHoistway Light Switch-Pit井道照明开关-底坑

LNSLoad Non Stop满载直驶

LRFan/Light Relay风扇/照明继电器

LRDLight Ray Device光幕

LSLimit Switch极限开关

LT'CLine Terminator轿厢侧线终端

LT'HLLine Terminator大厅侧线终端

LWLoad Weighing称量装置

LWBLoad Weighing Board称重板

LW-SLoad Weighing Switch称重开关

MCBMotion Control Board运动控制板

MESMachineroom Emergency Stop switch机房急停开关

MOMotor电机

MROManual Resecue Operation手动救援操作

NBCOPNumber of COP操纵盘数量

NBENTNumber of Entrance轿厢入口数量

NDGNudging强迫关门

NOR/DIAGNormal/Diagnosis正常/诊断

NSBNon Stop Button直驶按钮

OCBOverload Circuit Breaker电流过载断路器

OCB-AUXOverload Circuit Breaker Auxiliary Contacts过载断路器辅助触点

OLDOverload Device超载装置

OSOverspeed Switch限速器超速开关

OSUUpper Overspeed Switch上行超速开关

OVF'0CROTIS VF driveOTIS VF 变频器

OVFR1A-40"OTIS VF Regen drive奥的斯能源再生变频器

OVFR2B-40"OTIS VF Regen drive奥的斯能源再生变频器

OVPOver Voltage Protector过电压保护单元

PCS1/2outlet Socket on Car轿顶插座

PDBPower Drive Board功率驱动板

PESPit Emergency Stop switch底坑急停开关

PITPit底坑

PKSParking Switch驻停开关

PLPit Lighting底坑照明灯

1

2

3

4

5

6

7

8

Device List

A

DOLDoor Open Limit switch开门到位开关

DOLRDoor Open Limit Relay开门到位继电器

DRVDrive变频器

DSDoor Switch厅门触点

DTGDigital Tacho Generator编码器

DTPDoor Time Protection门时间保护

DWDoor Watch contact厅门和轿门开关状态触点

DXT-1Extra Door Time (lobby and parking)附加的门时间

DZIDoor Zone Indicator门区指示器

E&I PANELEmergency and Inspection Panel紧急检修操作盘

ECBEmergency Car Battery轿厢应急电源

ECLEmergency Car Light轿厢应急灯

ECUEmergency Car Light Unit (for light, alarm bell, intercom)轿厢紧急照明装置

EECtop of car Emergency Exit Contact轿顶安全窗触点

EFOEmergency Fireman Operation紧急消防操作

EFO MonitoringEmergency Fireman Operation Monitoring紧急消防操作及监控

EFOREmergency Fireman Operation Relay消防操作继电器

EFSEmergency Fireman Service紧急消防员服务

EISSocket in E&I panel控制柜电源插座

EPFLExtended Power supply For Link外呼附加电源

EQOEarthquake Operation地震操作

EQREarthquake Relay地震继电器

EQSEarthquake Sensor地震传感器

EROElectrical Recall Operation电动操作

ESEmergency Stop switch急停开关

ESREmergency Stop Relay急停继电器

ESSEmergency Stop Switch紧急停车开关

FFuse熔断器

F1/2/6/8Circuit breaker 1/2/6/8断路器1/2/6/8

F1LFuse熔断器

FANFan风扇

FCLFull Collective Operation全集选

FDPFaulty Door Protection短接门保护


FSFan Switch风扇开关


FSKcircuit breaker断路器

FSSFireman Service Switch消防员服务开关

GCSCounterweight Governor Switch对重


1	2	3	4	5	6	7	8	
A	Device List	PLS	Pit Lighting Switch	底坑照明开关	TRF	Transformer	变压器	A
		PRS	Position Reference System	位置参考系统	TRIC	Trip Counter	运行计数器	
		PS	outlet socket in hostway	井道插座	UCM	Unintended Car Movement	开门动车保护	
		R	Risistor	电阻	UCMR	Unintended Car Movement Relay	开门动车保护继电器	
		RALB	Rear Alarm Button	副操纵盘警铃按钮	UDB	Electrical recall up direction button	紧急电动运行上行按钮	
		RCB	Rear Car Button	副操纵盘轿厢按钮	UDLS	Up/Down Final Limit Switch	上/下终端极限开关	
		RCPI	Rear Car Position Indicator	副操纵盘位置显示器	UHBn	Up hall button	大厅上行呼梯按钮	
		RDCB	Rear Door Close Button	副操纵盘关门按钮	UIB	Up Inspection Button	上行检修按钮	
		RDHB	Rear Door Hold Button	副操纵盘门保持按钮	UIS	Door zone limit switch up	门区上行限位开关	
		RDHBL	Rear Door Hold Button Light	副操纵盘门保持按钮灯	VR	Voltage Regulator	稳压电源	
B		RDOB	Rear Door Open Button	副操纵盘开门按钮	W/	With	有	B
		R-ENC	Rescue-Encoder	救援编码器	W/O	Without	没有	
		RF	Rectifier	整流桥	XDS	Aux. door switch	辅助厅门触点	
		RLEV	Releveling	再平层	XDSn	Rear Landing Door Switch	后厅门触点	
		RPS	Replacing Protection Switch	电池更换保护开关	XEFO	aux Emergency Fireman Operation	辅助紧急消防操作	
		RRD	Remote Resetting Device	限速器远程复位装置	XGS	aux. car Gate Switch	辅助轿门门锁	
		RS	Remote Station	远程站板	Z	Zener	齐纳二极管	
		RTD	Remoter Trigger Device	限速器远程触发装置				
		RTDOS	Rear Top of car Door Operating Switch	后门轿顶门机操作开关				
		RTES	Rear Top of Car Emergency Stop button	后门轿顶急停按钮				
C		SCS	Slack Cable Switch	松绳开关				C
		SGS	Safety Gate Shoe	安全触板				
		Sin/Cos Encoder	Sine/Cosine Encoder	正余弦编码器				
		SKL	hoistway Light disconnecting switch	井道照明开关				
		SL	Short Landing distance	最小层间距				
		SLS	Inspection Limit Switch	检修极限开关				
		SOM	Switch Over Module	群控切换模块				
		SOR	Switch Over Relay	群控切换继电器				
		SOS	Safety Overspeed Switch	安全钳超速开关				
		SPB	Service Panel Board	检修服务控制板				
D	SPBC	Service Panel Board with CAN	检修服务控制板				D	
	SSR	Solid State Relay	固态继电器					
	SVT	Service Tool	服务器					
	SW	main contactor	主接触器					
	TB	Terminal Block	接线端子					
	TBE	Terminal Block	接线端子					
	TC	Trip Counter	运行计数器					
	TCBC	Traction control board CAN	运行控制板					
	TCI	Top of Car Inspection	轿顶检修					
	TCIB	Top of Car Inspection Button	轿顶检修按钮					
E	TCL	Top of Car Light	轿顶照明				E	
	TDOS	Top of Car Door Operating Switch	轿顶门机操作开关					
	TES	Top of car Emergency Stop button	轿顶急停按钮					
	THB	Thermal contact	热保护触点					
	TIB	Top of car Inspection direction Buttons	轿顶检修方向按钮					
	TIMER	Time relay	时间继电器					
	TOCL	Top of Car inspection Light	轿顶检修照明灯					
	TOCLS	Top of Car inspection Light Switch	轿顶检修照明开关					
CHANGES				WARNING THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS TO BE USED ONLY FOR THE PROJECT AND ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, DISCLOSED, IN WHOLE OR IN PART, WITHOUT THE WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS. UNPUBLISHED WORK © OTIS ELEVATOR COMPANY ALL RIGHTS RESERVED.		System Wiring Diagram ACD3		DWG KAA21311AB
				Otis A United Technologies Company		CUSTOMER : PROJECT : LOCATION :		SIT KOREA DRAWN J.H SEO CHK Y.J CHOI APPD H.J JEON AUTH CAH6A-000296 ORIGINAL DATE 2008-11-10 110 SHEETS SHEET 87
ALL DIMENSIONS METRIC	1	2	3	4	5	6	7	8
								DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847






GENERAL INFORMATION

Switch settings / configuration SW1
Remote station RS14



Jumper setting configuration
Remote station RS4 - RS4A - RS4R



CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO YOU ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR OR ON BEHALF OF OTIS. THAT NEITHER IT NOR THE INFORMATION IT CONTAINS WILL BE REPRODUCED OR DISCLOSED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED



System Wiring Diagram
ACD3

CUSTOMER :
PROJECT :
LOCATION :

DWG KAA21311AB

SIT
KOREA

DRAWN	J.H. SEO	ORIGINAL DATE
CHK	Y.J. CHOI	2008-11-10
APPD	H.J. JEON	110 SHEETS
AUTH	CAH6A-000296	SHEET 90

ALL DIMENSIONS METRIC

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

1 2 3 4 5 6 7 8

A

B

C

D

E

Standard I/O List									
Software Version :									
Location : COP , CAR									
Remarks : Front Door									
Symbol	Description	Addr.	RS-EB Pin	RS-14 Pin	I/O	Orig	Revision 1 NO.	Revision 2 NO.	Page :
		4-1		P1:2	--				
DOL	Door Open Limit	4-2		P2:2	0				
		4-3		P3:2	--				
DOB	Door Open Button	4-4		P4:2	1				
SGS2	Secondary Safety Gate Shoe	5-1		P1:2	1155				
TCI	Top of car inspection Switch	5-2		P2:2	691				
TDOB	Top of car DOB	5-3		P3:2	705				
TDCB	Top of car DCB	5-4		P4:2	706				
		6-1		P1:2	--				
RDOL	Rear Door Open Limit	6-2		P2:2	544				
		6-3		P3:2	--				
RDOB	Rear Door Open Button	6-4		P4:2	545				
RSGS2	Secondary Rear Safety Gate Shoe	7-1		P1:2	1156				
		7-2		P2:2	--				
RTDOB	Rear Top of car DOB	7-3		P3:2	707				
RTDCB	Rear Top of car DCB	7-4		P4:2	708				
ISS	Independent Service Switch	8-1	PIA:1		4				
DCB	Door Close Button	8-2	PIA:2		3				
ATK	Attendant Key Switch	8-3	PIA:3		548				
ATTU	Attendant Up Start Switch	8-4	PIA:4		590				
ATTD	Attendant Dn Start Switch	9-1	PIA:5		591				
DHB	Door Hold Button	9-2	PIA:6		620				
NSB	Non Stop Button(pass)	9-3	PIA:7		594				
		9-4	PIA:8		--				
		10-1	PIB:1		--				
		10-2	PIB:2		--				
2EFS	2nd Emergency Fireman Switch	10-3	PIB:3		956				
1EFS	1st Emergency Fireman Switch	10-4	PIB:4		955				
CB/CTTL0	Car Button / Tell Tale Light 0	11-1	PIB:5		32				
CB/CTTL1	Car Button / Tell Tale Light 1	11-2	PIB:6		33				
CB/CTTL2	Car Button / Tell Tale Light 2	11-3	PIB:7		34				
CB/CTTL3	Car Button / Tell Tale Light 3	11-4	PIB:8		35				
Date: 05-11-2009						Please fill in			

NOTE1C

Standard I/O List									
Software Version :									
Location: COP , CAR									
Remarks: Front Door									
Symbol	Description	Addr.	RS-EB Pin	RS-14 Pin	I/O	Orig	Revision 1 NO.	Revision 2 NO.	Page :
ST1	ST1 for FRONT	4-1		P1:4	991				
ST2	ST2 for FRONT	4-2		P2:4	992				
ST3	ST3 for FRONT	4-3		P3:4	993				
		4-4		P4:4	--				
LR	LIGHT Relay	5-1		P1:4	26				
FANR	FAN Relay	5-2		P2:4	1089				
		5-3		P3:4	--				
		5-4		P4:4	--				
ST1R	ST1 for REAR	6-1		P1:4	994				
ST2R	ST2 for REAR	6-2		P2:4	995				
ST3R	ST3 for REAR	6-3		P3:4	996				
		6-4		P4:4	--				
		7-1		P1:4	--				
		7-2		P2:4	--				
		7-3		P3:4	--				
		7-4		P4:4	--				
DOBL	Door Open Button Lamp	8-1	POA:1		1108				
DCBL	Door Close Button Lamp	8-2	POA:2		1109				
BUZ	Buzzer	8-3	POA:3		23				
CDGU	Car direction GONG UP	8-4	POA:4		580				
CDGD	Car direction GONG Down	9-1	POA:5		581				
DHBL	Door Hold button	9-2	POA:6		747				
		9-3	POA:7		--				
CBT	Car Button Tone	9-4	POA:8		671				
CUDL	Car Up Direction Light	10-1	POB:1		20				
CDDL	Car Down Direction Light	10-2	POB:2		21				
OLS	Over Load Signal	10-3	POB:3		22				
FSL	Fireman Service Light	10-4	POB:4		24				
CB/CTTL0	Car Button / Tell Tale Light 0	11-1	POB:5		32				
CB/CTTL1	Car Button / Tell Tale Light 1	11-2	POB:6		33				
CB/CTTL2	Car Button / Tell Tale Light 2	11-3	POB:7		34				
CB/CTTL3	Car Button / Tell Tale Light 3	11-4	POB:8		35				
Date: 05-11-2009						Please fill in			

NOTE1C

A

B

C

D

E

CHANGES

WARNING
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY ("OTIS"). IT IS DELIVERED TO OTHERS ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND FOR THE PURPOSES SPECIFIED IN THE INFORMATION CONTAINED HEREIN. NO PART OF THIS WORK OR THE INFORMATION CONTAINED HEREIN SHALL BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. ANY VIOLATION OF THIS WARNING WILL BE PROMPTLY RETURNED TO OTIS.
UNPUBLISHED WORK © OTIS ELEVATOR COMPANY
ALL RIGHTS RESERVED



System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER :

PROJECT :

LOCATION :

DRAWN J.H SEO

CHK Y.J CHOI

APPD H.J JEON

AUTH CAH6A-000296

ORIGINAL DATE

2008-11-10

110 SHEETS

SHEET 91

ALL DIMENSIONS METRIC

1 2 3 4 5 6 7 8

DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847

1 2 3 4 5 6 7 8

A

NOTE2C

Standard I/O List									
Software Version :									
Input					Location : COP , CAR Remarks : Front Door				
Symbol	Description	Addr.	RS-EB Pin	RS-14 Pin	I/O	Revision			Page :
						Orig	1 NO.	2 NO.	
CB/CTTL4	Car Button / Tell Tale Light 4	12-1	PIC:1		36				
CB/CTTL5	Car Button / Tell Tale Light 5	12-2	PIC:2		37				
CB/CTTL6	Car Button / Tell Tale Light 6	12-3	PIC:3		38				
CB/CTTL7	Car Button / Tell Tale Light 7	12-4	PIC:4		39				
CB/CTTL8	Car Button / Tell Tale Light 8	13-1	PIC:5		40				
CB/CTTL9	Car Button / Tell Tale Light 9	13-2	PIC:6		41				
CB/CTTL10	Car Button / Tell Tale Light 10	13-3	PIC:7		42				
CB/CTTL11	Car Button / Tell Tale Light 11	13-4	PIC:8		43				
CB/CTTL12	Car Button / Tell Tale Light 12	14-1	PID:1		44				
CB/CTTL13	Car Button / Tell Tale Light 13	14-2	PID:2		45				
CB/CTTL14	Car Button / Tell Tale Light 14	14-3	PID:3		46				
CB/CTTL15	Car Button / Tell Tale Light 15	14-4	PID:4		47				
CB/CTTL16	Car Button / Tell Tale Light 16	15-1	PID:5		48				
CB/CTTL17	Car Button / Tell Tale Light 17	15-2	PID:6		49				
CB/CTTL18	Car Button / Tell Tale Light 18	15-3	PID:7		50				
CB/CTTL19	Car Button / Tell Tale Light 19	15-4	PID:8		51				
CB/CTTL20	Car Button / Tell Tale Light 20	16-1		P1:2	52				
CB/CTTL21	Car Button / Tell Tale Light 21	16-2		P2:2	53				
CB/CTTL22	Car Button / Tell Tale Light 22	16-3		P3:2	54				
CB/CTTL23	Car Button / Tell Tale Light 23	16-4		P4:2	55				
CB/CTTL24	Car Button / Tell Tale Light 24	17-1		P1:2	56				
CB/CTTL25	Car Button / Tell Tale Light 25	17-2		P2:2	57				
CB/CTTL26	Car Button / Tell Tale Light 26	17-3		P3:2	58				
CB/CTTL27	Car Button / Tell Tale Light 27	17-4		P4:2	59				
CB/CTTL28	Car Button / Tell Tale Light 28	18-1		P1:2	60				
CB/CTTL29	Car Button / Tell Tale Light 29	18-2		P2:2	61				
CB/CTTL30	Car Button / Tell Tale Light 30	18-3		P3:2	62				
CB/CTTL31	Car Button / Tell Tale Light 31	18-4		P4:2	63				
		19-1		P1:2	--				
		19-2		P2:2	--				
		19-3		P3:2	--				
		19-4		P4:2	--				
Date: 05-11-2009						Please fill in			

E

Standard I/O List

NOTE2C

Software Version :

Location: COP, CAR
Remarks: Front Door

Output

Symbol	Description	Addr.	RS-EB Pin	RS-14 Pin	I/O	Orig	Revision 1 NO.	2 NO.	Page :
CB/CTTL4	Car Button / Tell Tale Light 4	12-1	POB:1		36				
CB/CTTL5	Car Button / Tell Tale Light 5	12-2	POB:2		37				
CB/CTTL6	Car Button / Tell Tale Light 6	12-3	POB:3		38				
CB/CTTL7	Car Button / Tell Tale Light 7	12-4	POB:4		39				
CB/CTTL8	Car Button / Tell Tale Light 8	13-1	POC:5		40				
CB/CTTL9	Car Button / Tell Tale Light 9	13-2	POC:6		41				
CB/CTTL10	Car Button / Tell Tale Light 10	13-3	POC:7		42				
CB/CTTL11	Car Button / Tell Tale Light 11	13-4	POC:8		43				
CB/CTTL12	Car Button / Tell Tale Light 12	14-1	POC:1		44				
CB/CTTL13	Car Button / Tell Tale Light 13	14-2	POC:2		45				
CB/CTTL14	Car Button / Tell Tale Light 14	14-3	POC:3		46				
CB/CTTL15	Car Button / Tell Tale Light 15	14-4	POC:4		47				
CB/CTTL16	Car Button / Tell Tale Light 16	15-1	POC:5		48				
CB/CTTL17	Car Button / Tell Tale Light 17	15-2	POC:6		49				
CB/CTTL18	Car Button / Tell Tale Light 18	15-3	POC:7		50				
CB/CTTL19	Car Button / Tell Tale Light 19	15-4	POC:8		51				
CB/CTTL20	Car Button / Tell Tale Light 20	16-1		P1:4	52				
CB/CTTL21	Car Button / Tell Tale Light 21	16-2		P2:4	53				
CB/CTTL22	Car Button / Tell Tale Light 22	16-3		P3:4	54				
CB/CTTL23	Car Button / Tell Tale Light 23	16-4		P4:4	55				
CB/CTTL24	Car Button / Tell Tale Light 24	17-1		P1:4	56				
CB/CTTL25	Car Button / Tell Tale Light 25	17-2		P2:4	57				
CB/CTTL26	Car Button / Tell Tale Light 26	17-3		P3:4	58				
CB/CTTL27	Car Button / Tell Tale Light 27	17-4		P4:4	59				
CB/CTTL28	Car Button / Tell Tale Light 28	18-1		P1:4	60				
CB/CTTL29	Car Button / Tell Tale Light 29	18-2		P2:4	61				
CB/CTTL30	Car Button / Tell Tale Light 30	18-3		P3:4	62				
CB/CTTL31	Car Button / Tell Tale Light 31	18-4		P4:4	63				
NSL	Non Stop Lantern	19-1		P1:4	595				
CPMT	Car Position Message Trigger	19-2		P2:4	947				
EPR	Emergency Power Rescue	19-3		P3:4	556				
EOL	Earthquake Light	19-4		P4:4	738				

Date: 05-11-2009

Please fill in

A

B

C

D

E

ALL DIMENSIONS METRIC

1 2 3 4 5 6 7 8

DRAFTED IN ACCORDANCE
WITH OTIS DOCUMENT 52847

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS LOANED TO OTHERS ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND FOR THE INFORMATION CONTAINED HEREIN. IT WILL BE REPRODUCED OR DISCLOSED, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS AND THAT AN ASSIGNMENT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.

UNPUBLISHED WORK
OTIS ELEVATOR COMPANY
A United Technologies Company

System Wiring Diagram
ACD3

DWG KAA21311AB

SIT
KOREA

CUSTOMER :
PROJECT :
LOCATION :

DRAWN J.H. SEO
CHK Y.J. CHOI
APPD H.J. JEON
AUTH CAH6A-000286

ORIGINAL DATE
2008-11-10
110 SHEETS
SHEET 92

1	2	3	4	5	6	7	8	
A	Standard I/O List Software Version : _____ NOTE3C							A
	Input Location : COP , CAR Remarks : Front Door							
	Symbol	Description	Addr.	RS-EB Pin	RS-14 Pin	I/O	Revision 1 NO. 2 NO.	Page :
			20-1		P1:2	--		
			20-2		P2:2	--		
		DEMERC	20-3		P3:2	971		
		DDSRC	20-4		P4:2	970		
			21-1		P1:2	--		
			21-2		P2:2	--		
			21-3		P3:2	--		
			21-4		P4:2	--		
			22-1		P1:2	--		
			22-2		P2:2	--		
			22-3		P3:2	--		
			22-4		P4:2	--		
			23-1		P1:2	--		
		RDCB	23-2		P2:2	547		
		RDHB	23-3		P3:2	628		
			23-4		P4:2	--		
		RCB/RCTTL0	24-1		P1:2	288		
		RCB/RCTTL1	24-2		P2:2	289		
		RCB/RCTTL2	24-3		P3:2	290		
		RCB/RCTTL3	24-4		P4:2	291		
		RCB/RCTTL4	25-1		P1:2	292		
		RCB/RCTTL5	25-2		P2:2	293		
		RCB/RCTTL6	25-3		P3:2	294		
		RCB/RCTTL7	25-4		P4:2	295		
		RCB/RCTTL8	26-1		P1:2	296		
		RCB/RCTTL9	26-2		P2:2	297		
		RCB/RCTTL10	26-3		P3:2	298		
		RCB/RCTTL11	26-4		P4:2	299		
		RCB/RCTTL12	27-1		P1:2	300		
		RCB/RCTTL13	27-2		P2:2	301		
		RCB/RCTTL14	27-3		P3:2	302		
		RCB/RCTTL15	27-4		P4:2	303		
	Date: 05-11-2009						↑ Please fill in ↑	
B								B
C								C
D								D
E								E
CHANGES								
WARNING								
THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY (OTIS). IT IS DELIVERED TO OTHERS ON THE EXPRESS CONDITION THAT IT WILL BE USED ONLY FOR THE PROJECT AND NOT BE REPRODUCED, COPIED, LOANED, REPRODUCED OR IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF OTIS. AND THAT ON DEMAND IT AND ANY COPIES WILL BE PROMPTLY RETURNED TO OTIS.								
UNPUBLISHED WORK © OTIS ELEVATOR COMPANY ALL RIGHTS RESERVED.								
 A United Technologies Company System Wiring Diagram ACD3 CUSTOMER : _____ PROJECT : _____ LOCATION : _____ DWG KAA21311AB SIT KOREA DRAWN : J.H. SEO CHK : Y.J. CHOI APPD : H.J. JEON AUTH : CAHSA-000296 ORIGINAL DATE 2008-11-10 110 SHEETS SHEET 93								
ALL DIMENSIONS METRIC								
1	2	3	4	5	6	7	8	

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

Standard I/O List NOTE4C

Software Version : _____

Input Location : HALL

Remarks : 1 RSL per 1 Floor

Symbol	Description	Addr.	RS-14 Pin	RS-18 Pin	I/O	Orig	Revision		Page :
							1 NO.	2 NO.	
HB/HBTTL0	Hall Button / Tell Tale Light 0	28-1	P1.2		96				
GRPFBK1	Group RSL Feedback 1	28-2	P2.2		1056				
		28-3	P3.2		631				
		28-2	P4.2		016				
HB/HBTTL1	Hall Button / Tell Tale Light 1	29-1	P1.2		97				
UHB/UHTTL1	Up Hall Button / Tell Tale Light 1	29-2	P2.2		65				
		29-3	P3.2		--				
		29-4	P4.2		--				
HB/HBTTL2	Hall Button / Tell Tale Light 2	30-1	P1.2		98				
UHB/UHTTL2	Up Hall Button / Tell Tale Light 2	30-2	P2.2		66				
		30-3	P3.2		--				
		30-4	P4.2		--				
HB/HBTTL3	Hall Button / Tell Tale Light 3	31-1	P1.2		99				
UHB/UHTTL3	Up Hall Button / Tell Tale Light 3	31-2	P2.2		67				
		31-3	P3.2		--				
		31-4	P4.2		--				
HB/HBTTL4	Hall Button / Tell Tale Light 4	32-1	P1.2		100				
UHB/UHTTL4	Up Hall Button / Tell Tale Light 4	32-2	P2.2		68				
		32-3	P3.2		--				
		32-4	P4.2		--				
HB/HBTTL5	Hall Button / Tell Tale Light 5	33-1	P1.2		101				
UHB/UHTTL5	Up Hall Button / Tell Tale Light 5	33-2	P2.2		69				
		33-3	P3.2		--				
		33-4	P4.2		--				
HB/HBTTL6	Hall Button / Tell Tale Light 6	34-1	P1.2		102				
UHB/UHTTL6	Up Hall Button / Tell Tale Light 6	34-2	P2.2		70				
		34-3	P3.2		--				
		34-4	P4.2		--				
HB/HBTTL7	Hall Button / Tell Tale Light 7	35-1	P1.2		103				
UHB/UHTTL7	Up Hall Button / Tell Tale Light 7	35-2	P2.2		71				
		35-3	P3.2		--				
		35-4	P4.2		--				

Date: 05-11-2009 ↑ Please fill in ↑

Standard I/O List NOTE4C

Software Version : _____

Output Location: HALL

Remarks : 1 RSL per 1 Floor

Symbol	Description	Addr.	RS-14 Pin	RS-18 Pin	I/O	Orig	Revision		Page :
							1 NO.	2 NO.	
HB/HBTTL0	Hall Button / Tell Tale Light 0	28-1	P1.4		96				
GRPTST1	Group RSL Test 1	28-2	P2.4		1057				
DHL 0	Down Hall Lantern 0	28-3	P3.4		160				
UHL 0	Up Hall Lantern 0	28-4	P4.4		128				
HB/HBTTL1	Hall Button / Tell Tale Light 1	29-1	P1.4		97				
UHB/UHTTL1	Up Hall Button / Tell Tale Light 1	29-2	P2.4		65				
DHL 1	Down Hall Lantern 1	29-3	P3.4		161				
UHL 1	Up Hall Lantern 1	29-4	P4.4		129				
HB/HBTTL2	Hall Button / Tell Tale Light 2	30-1	P1.4		98				
UHB/UHTTL2	Up Hall Button / Tell Tale Light 2	30-2	P2.4		66				
DHL 2	Down Hall Lantern 2	30-3	P3.4		162				
UHL 2	Up Hall Lantern 2	30-4	P4.4		130				
HB/HBTTL3	Hall Button / Tell Tale Light 3	31-1	P1.4		99				
UHB/UHTTL3	Up Hall Button / Tell Tale Light 3	31-2	P2.4		67				
DHL 3	Down Hall Lantern 3	31-3	P3.4		163				
UHL 3	Up Hall Lantern 3	31-4	P4.4		131				
HB/HBTTL4	Hall Button / Tell Tale Light 4	32-1	P1.4		100				
UHB/UHTTL4	Up Hall Button / Tell Tale Light 4	32-2	P2.4		68				
DHL 4	Down Hall Lantern 4	32-3	P3.4		164				
UHL 4	Up Hall Lantern 4	32-4	P4.4		132				
HB/HBTTL5	Hall Button / Tell Tale Light 5	33-1	P1.4		101				
UHB/UHTTL5	Up Hall Button / Tell Tale Light 5	33-2	P2.4		69				
DHL 5	Down Hall Lantern 5	33-3	P3.4		165				
UHL 5	Up Hall Lantern 5	33-4	P4.4		133				
HB/HBTTL6	Hall Button / Tell Tale Light 6	34-1	P1.4		102				
UHB/UHTTL6	Up Hall Button / Tell Tale Light 6	34-2	P2.4		70				
DHL 6	Down Hall Lantern 6	34-3	P3.4		166				
UHL 6	Up Hall Lantern 6	34-4	P4.4		134				
HB/HBTTL7	Hall Button / Tell Tale Light 7	35-1	P1.4		103				
UHB/UHTTL7	Up Hall Button / Tell Tale Light 7	35-2	P2.4		71				
DHL 7	Down Hall Lantern 7	35-3	P3.4		167				
UHL 7	Up Hall Lantern 7	35-4	P4.4		135				

Date: 05-11-2009 ↑ Please fill in ↑

CHANGES

WARNING

THIS WORK AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF OTIS ELEVATOR COMPANY. IT IS ON LOAN TO YOU. IT IS TO BE USED ONLY FOR THE PROJECT AND NOT TO BE REPRODUCED OR DISCLOSED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF OTIS. IT IS TO BE RETURNED TO OTIS ELEVATOR COMPANY UPON COMPLETION OF THE PROJECT.

OTIS
A United Technologies Company

System Wiring Diagram

ACD3

DWG KAA21311AB

SIT KOREA

CUSTOMER : _____

PROJECT : _____

LOCATION : _____

DRAWN J.H. SEO

CHK Y.J. CHOI

APPD H.J. JEON

AUTH CAH8A-000296

ORIGINAL DATE 2008-11-10

110 SHEETS

SHEET 94

DRAFTED IN ACCORDANCE WITH OTIS DOCUMENT 52847

ALL DIMENSIONS METRIC