

FILE NO.

20210209

TITLE : ELECTRICAL WIRING DIAGRAM

SPEC. : GTLX, GTSS

 HYUNDAI ELEVATOR

A	DWG. NO.	PAGE	REMARK	APPLICATION	REMARK	DWG. NO.	PAGE	REMARK	APPLICATION	REMARK	DWG. NO.	PAGE	REMARK	APPLICATION	REMARK
	HE001001	1	COL. 1	POWER1	GTLX, GTSS	HE001051	1	COL. 51	HOIST LAMP, CP LAMP	GTLX, GTSS	HE001101	1	COL. 101	CAR TOUCH	GTLX, GTSS
	HE001002	1	COL. 2	POWER2	GTLX, GTSS	HE001052	1	COL. 52	PIT REMOTE CON	GTLX, GTSS	HE001102	1	COL. 102	EVACUATION COP PHONE	GTLX, GTSS
	HE001003	1	COL. 3	INVERTER, TM	GTLX, GTSS	HE001053	1	COL. 53	PIT LAMP SW	GTLX, GTSS	HE001103	1	COL. 103	GROUP & HOME BT	GTLX, GTSS
	HE001004	1	COL. 4	TRANS	GTLX, GTSS	HE001054	1	COL. 54	-		HE001104	1	COL. 104	WELCOME BUTTON	GTLX, GTSS
	HE001005	1	COL. 5	SMPS	GTLX, GTSS	HE001055	1	COL. 55	-		HE001105	1	COL. 105	FIREMAN SWITCH PHONE	GTLX, GTSS
	HE001006	1	COL. 6	VCON	GTLX, GTSS	HE001056	1	COL. 56	-		HE001106	1	COL. 106	FIREMAN COP LAMP	GTLX, GTSS
	HE001007	1	COL. 7	BRAKE	GTLX, GTSS	HE001057	1	COL. 57	-		HE001107	1	COL. 107	SEISMIC SENSOR	GTLX, GTSS
	HE001008	1	COL. 8	INTERLOCK, BKA, MC2	GTLX, GTSS	HE001058	1	COL. 58	-		HE001108	1	COL. 108	HNPS	GTLX, GTSS
	HE001009	1	COL. 9	GOV	GTLX, GTSS	HE001059	1	COL. 59	-		HE001109	1	COL. 109	HNPS2	GTLX, GTSS
B	HE001010	1	COL. 10	ELD	GTLX, GTSS	HE001060	1	COL. 60	-		HE001110	1	COL. 110	HNPS2	
	HE001011	1	COL. 11	EPS-10	GTLX, GTSS	HE001061	1	COL. 61	INTERPHONE, REMOTE DEVICE	GTLX, GTSS					
	HE001012	1	COL. 12	CP UP/DN	GTLX, GTSS	HE001062	1	COL. 62	LP-PHONE	GTLX, GTSS					
	HE001013	1	COL. 13	BYPASS CONNECTOR	GTLX, GTSS	HE001063	1	COL. 63	SPD	GTLX, GTSS					
	HE001014	1	COL. 14	DZ LAMP, UCMP TEST	GTLX, GTSS	HE001064	1	COL. 64	EMPS	GTLX, GTSS					
	HE001015	1	COL. 15	MAIN INPUT1	GTLX, GTSS	HE001065	1	COL. 65	EQ	GTLX, GTSS					
	HE001016	1	COL. 16	MAIN INPUT2	GTLX, GTSS	HE001066	1	COL. 66	THER. AMMETER, OB, CAR AIR	GTLX, GTSS					
	HE001017	1	COL. 17	MAIN COM PORT	GTLX, GTSS	HE001067	1	COL. 67	COMPACT SV	GTLX, GTSS					
	HE001018	1	COL. 18	MAIN OUTPUT1	GTLX, GTSS	HE001068	1	COL. 68	BMS	GTLX, GTSS					
	C	HE001019	1	COL. 19	CP FAN	GTLX, GTSS	HE001069	1	COL. 69	BMS SUBWAY	GTLX, GTSS				
HE001020		1	COL. 20	CPCON SPARE1	GTLX, GTSS	HE001070	1	COL. 70	GROUP DUPLEX	GTLX, GTSS					
HE001021		1	COL. 21	CPCON SPARE2	GTLX, GTSS	HE001071	1	COL. 71	GROUP IGC4	GTLX, GTSS					
HE001022		1	COL. 22	CPCON SPARE3	GTLX, GTSS	HE001072	1	COL. 72	GROUP HRGC-1000	GTLX, GTSS					
HE001023		1	COL. 23	CPCON OPTION	GTLX, GTSS	HE001073	1	COL. 73	GROUP HRGC-1000	GTLX, GTSS					
HE001024		1	COL. 24	INSTALL JUMPER	GTLX, GTSS	HE001074	1	COL. 74	GROUP UPS1	GTLX, GTSS					
HE001025		1	COL. 25	INSTALL REMOTE CONTROL	GTLX, GTSS	HE001075	1	COL. 75	GROUP UPS2	GTLX, GTSS					
HE001026		1	COL. 26	HALL INDICATOR TOP	GTLX, GTSS	HE001076	1	COL. 76	SPEED GATE	GTLX, GTSS					
HE001027		1	COL. 27	HALL INDICATOR MID	GTLX, GTSS	HE001077	1	COL. 77	HTK POWER BOX						
HE001028		1	COL. 28	HALL INDICATOR 1st	GTLX, GTSS	HE001078	1	COL. 78	HOME BT						
D	HE001029	1	COL. 29	-		HE001079	1	COL. 79	ROPE BK	GTLX					
	HE001030	1	COL. 30	-		HE001080	1	COL. 80	ROPE BK	GTLX					
	HE001031	1	COL. 31	CAR TOP 1	GTLX, GTSS	HE001081	1	COL. 81	CAR AIRCON	GTLX, GTSS					
	HE001032	1	COL. 32	CAR TOP REMOTE, GS S/W	GTLX, GTSS	HE001082	1	COL. 82	HNPS2(CAR)	GTLX, GTSS					
	HE001033	1	COL												

DWG. NO.	PAGE	REMARK	APPLICATION	REMARK
HE001000	1	—	KEYSHEET	GTLX, GTSS
HE001000	2	—	ABBREVIATION TABLE	GTLX, GTSS
HE001000	3	COL. 0A	SAFETY CHAIN1(SIMPLY)	GTLX, GTSS
HE001000	4	COL. 0B	SAFETY CHAIN2(SIMPLY)	GTLX, GTSS
HE001000	5	COL. 0C	INSPECTION	GTLX, GTSS
HE001000	6	COL. 0D	UCM TEST	GTLX, GTSS
HE001000	7	COL. 0E	SAFETY CHAIN(CP, MC ROOM)	GTLX, GTSS
HE001000	8	COL. 0F	SAFETY CHAIN(PIT)	GTLX, GTSS
HE001000	9	COL. 0G	SAFETY CHAIN(GOV)	GTLX, GTSS
HE001000	10	COL. 0H	SAFETY CHAIN(CAR PART1)	GTLX, GTSS
HE001000	11	COL. 0J	SAFETY CHAIN(CAR PART2)	GTLX, GTSS
HE001000	12	COL. 0K	SAFETY CHAIN(CP, BRAKE)	GTLX, GTSS

TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE OVER	$\frac{1}{8}$ INCH	WORK TURNING, PUNCHING DIST. OF HOLE STR.	M.L.D. THE CSTD. FROM CSTD DRAW.	SHAMET WELD GAS CTG.	CSTD. FORG.	
1	4	$\pm .01$	$\pm .02$	$\pm .03$	$\pm .05$	
4	16	$\pm .02$	$\pm .03$	$\pm .05$	$\pm .07$	
16	63	± 0.3	± 0.4	± 0.7	± 0.9	
63	250	± 0.4	± 0.6	± 1.2	± 1.3	
250	500	± 0.6	± 0.8	± 1.5	± 1.8	
500	1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000	2000	± 1.1	± 1.5	± 2.8	± 3.3	
ANGLE		$\pm 0.25^{\circ}$	$\pm .05^{\circ}$	$\pm 1.0^{\circ}$	$\pm 2.0^{\circ}$	



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y	LTR	KMS	
보류				
	2019. 01. 01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법		DWG. NO 도면번호	HE001000
			1/12

[illegible]


A3 (420mmx297MM)

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
헬코에미 복사할 수 없음


HE001000 3/12

DMG. NO. 3


COL.0A SAFETY CHAIN1(SIMPLY)




TBMA TERMIANL(C/P)



CPSW B'd(C/P) *BOARD TOP VIEW*



CPCON B'd(C/P) *BOARD TOP VIEW*



T.CABLE : TRAVELING CABLE (C/P TO CAR TOP)
H.CABLE : HOIST-WAY CABLE (C/P TO HALL)
P.CABLE : PIT CABLE (C/P TO PIT)
C.CABLE : COP CABLE (CAR TOP TO COP)

CHANGE	REVISION	DATE	DESCRIPTION
A	1	2020.10.06 JHY	WAS XFLCINIT(0F)
B	2	2020.12.17 JHY	WAS NOT ON(2C)
C	3	2020.12.17 JHY	WAS REMOVED(5A)
D	4	2021.01.05 JHY	WAS NOT ON(8C)
E	5	2021.02.18 JHY	WAS NOT ON(4F)
F	6	2021.02.22 JHY	WAS NOT ON(4F)

TOLERANCES-UNLESS OTHERWISE SPECIFIED					
SIZE	TURN. PUNCHING DIST. OF HOLE STR.	MLD. DIE CASTING FROM CASTING DRAW.	SH.MET. DIE CASTING FROM CASTING DRAW.	SH.MET. WELD GAS CTR.	CSTG. FORG.
1	± 0.1	± 0.2	± 0.3	± 0.5	± 0.5
4	± 0.2	± 0.3	± 0.5	± 0.7	± 0.7
16	± 0.3	± 0.4	± 0.7	± 0.9	± 0.9
63	± 0.4	± 0.6	± 1.2	± 1.3	± 1.3
250	± 0.6	± 0.8	± 1.5	± 1.8	± 1.8
500	± 0.8	± 1.0	± 2.0	± 2.5	± 2.5
1000	± 1.1	± 1.5	± 2.5	± 3.3	± 3.3
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
인시	제도	설계	검토	승인
보류	J.H.Y	LTR	KMS	
	2019.01.01	06/09	06/09	


UNIT	MM	APPAR.	GTLX, GTSS	
SCALE	N/S	TITLE	ELEM.W.DIAGRAM	
3RD ANGLE		DWG. NO	HE001000	3/12
참고도면		도면번호		

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해결사 없이 복사할 수 없음


HE001000 4/12

DWG. NO. 4/12


COL.0B SAFETY CHAIN2(SIMPLY)



CPCON B'd(C/P) *BOARD TOP VIEW*



CPSW B'd(C/P) *BOARD TOP VIEW*



CHANGE
기
정
일

WAS NOT ON (SF)
2021. 02. 22 JHY

확인
확인
확인

TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK	TURN. PUNCH	MLDG. DIE CASTG.	SH.MET WELD	CSTG. GAS	FORG.
SIZE	NO. HOLE	STR.	DRAW.	CTR.	
OVER 1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	800	± 0.6	± 0.8	± 1.5	± 1.8
800	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
임시	J.H.Y	설계	검토	승인
보류				
	2019. 01. 01	06/09	06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법		REF. NO 참고도면	DWG. NO 도면번호	HE001000 4/12


THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

HE001000 5/12


DWG. NO
ON 9WD

COL.OC INSPECTION


CAR TOP PART




CPCON B'd(C/P) *BOARD TOP VIEW*




CPSW B'd(C/P) *BOARD TOP VIEW*



C/P PART



PIT PART



DATE	REVISION	DESCRIPTION
2020.08.04 JHY	1	WAS MINS (GE)
2020.12.08 JHY	2	WAS CNL SW1-17 (BB)

WORK SIZE	TURN. PUNCH DIST. OF HOLE STR.	MLDG. DIE CSTQ. PROD. CSTQ. DRAW.	SHMET WELD GAS CTG.	CSTQ. FORG.
OVER 10	± 0.1	± 0.2	± 0.3	± 0.5
4 16	± 0.2	± 0.3	± 0.5	± 0.7
16 85	± 0.3	± 0.4	± 0.7	± 0.9
63 250	± 0.4	± 0.6	± 1.2	± 1.3
250 500	± 0.6	± 0.8	± 1.5	± 1.8
500 1000	± 0.8	± 1.0	± 2.0	± 2.6
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°

HYUNDAI ELEVATOR CO., LTD.				
표준	DRWN BY	DSND BY	CHKD BY	APPD BY
인시	제도	설계	검토	승인
분류	J.H.Y	LTR	KMS	
	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM	
3RD ANGLE 3각법		REF. NO 참고도면	DWG. NO 도면번호	5/12
			HE001000	

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

SAFETY CHAIN

(1N5408) (H.CABLE) INT-1 (HOIST) INT-2 (HOIST) INT-N (HOIST)

COL.0D UCM TEST

CP_SW B'd

NORM-3 UCTS-3 XNOR
NORM-4 UCTS-4 XEEO
NORM-1 UCTS-1 XEEO
NORM-2 UCTS-2 DS3B
TS1

CP_CON B'd

GS1 (CAR) GS2 (CAR)

11 14 11 14 DS1 DS2

11 14 11 14 DZX1 DZX2

DS1 (S1M) N48(SF)
A1 DS2 A2 N48(SF)
(S1M)
A1 DS3 A2 N48(SF)
(S1M)

(1N5408) A1 MC2 A2
A1 BKA1 A2
A1 BKA2 A2

VCON B'd
A1 BKB A2
(1N4007)

A1 DZX1 A2 XDZ_U
(S1M)

A1 DZX2 A2 XDZ_L
(S1M)

4 X 5 DX MAIN B'd OUTPUT
(S1M)

CP_CON B'd
DS3 DS3 N48(SF)

UNLOCKING ZONE SENSOR
DZ_U N24
DZ_L N24

ITEM FUNCTIONS

DS1, DS2 : LANDING DOOR SAFETY RELAY
DS3 : LANDING DOOR RELAY(FOR UCM TEST)
GS1, GS2 : CAR DOOR SAFETY CONTACT
DZX1, DZX2 : UNLOCKING ZONE SAFETY RELAY

MC2 : INVERTER - MOTOR POWER CONTACTOR
BKA1, BKA2, BKB : MOTOR BRAKE CONTACTOR

X : FOR OPENED RE-LEVEL PERMISSION RELAY

TS1, TS2 : UCM TEST PUSH BUTTON
UCTS : UCM TEST JUMPER CONNECTOR

DZ_U, DZ_L : UNLOCKING ZONE SENSOR


TOLERANCES-UNLESS OTHERWISE SPECIFIED


WORK SIZE	TURN. PUNCH DIST. OF HOLE STR.	MLDG. DIE CASTG. PROD. CASTG. DRAW.	SHMET WELD GAS CUTG.	CSTG. FORG.
OVER 10 INCH	± 0.1	± 0.2	± 0.3	± 0.5
4 16	± 0.2	± 0.3	± 0.5	± 0.7
16 63	± 0.3	± 0.4	± 0.7	± 0.9
63 250	± 0.4	± 0.6	± 1.2	± 1.3
250 500	± 0.6	± 0.8	± 1.5	± 1.8
500 1000	± 0.8	± 1.0	± 2.0	± 2.5
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
임시	J.H.Y		LTR	KMS
분류	2019.01.01	06/09	06/09	


UNIT 단위	MM	APPAR. GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목 ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법			
REF. NO 참고도면		DWG. NO 도면번호 HE001000	6/12

[illegible]

[illegible]

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
헬코에밀리 복사할 수 없음

내부용




TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. PUNCH DIST. OF HOLE	MLDG. DIE PRODCSTO. DRAW.	SHMET HELD GAS CTG.	CSTQ. FORG.	
OVER 1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	승인	
임시	J.H.Y	LTR	KMS	
분류	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM
3RD ANGLE 3각법	REF. NO 참고도면	DWG. NO 도면번호	HE001000
			9/12

[illegible]


THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

내부처

HE001000 11/12

DWG. NO
제 도 번 호

COL.0J SAFETY CHAIN(CAR PART2)





CHANGE 개정	A
CHLBI-7 REMOVED(SA)	
2020. 07. 03 JHY	
정신(사) 원사	

TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. PUNCH DIST. OF HOLE STR.	MLDG. DIE CSTG. PROJ.CSTG. DRAW.	SH.MET WELD GAS CTG.	CSTG. FORG.	
OVER 1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°

표준	DRWN BY	DSND BY	CHKD BY
제도	설계	검토	승인
임시	J.H.Y	LTR	KMS
보류	2019. 01. 01	06/09	06/09


UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법		REF. NO 참고도면	DWG. NO 도면번호
		HE001000	11/12


[illegible]


[illegible]

네 부처





[illegible]


[illegible]


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]




허가없이 복사할 수 없음


CHANGE
개정판






HYUNDAI
ELEVATOR CO., LTD.

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면	DWG. NO 도면번호	HE001011		1/1

[illegible]

[illegible]

[illegible]



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음



[illegible]

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE OVER TO INCL.	WORK	TURN. PHIG'S DIST. OF HOLE STR.	M.LDG. EST. STG. DRAW.	SH.MET WELD GAS CTG.	CSFG. FORD.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법		REF. NO 참고도면	DWG. NO 도면번호	1/1
		HE001015		



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

[illegible]

CHANGE 개정판	2020. 11. 05 JHY	실시일	A
1.1 N.C CONTACT WERE 21-24 (3D)			


TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE OVER TO INCL.	WORK TURN, PIVOT DIST. OF HOLE STR.	MLDG. DIST. DRAWS.	SHM. WELT GAS CTG.	CSTG. FORG.	
1/4	± 0.1	± 0.2	± 0.3	± 0.5	
4 16	± 0.2	± 0.3	± 0.5	± 0.7	
16 63	± 0.3	± 0.4	± 0.7	± 0.9	
63 250	± 0.4	± 0.6	± 1.2	± 1.3	
250 500	± 0.6	± 0.8	± 1.5	± 1.8	
500 1000	± 0.8	± 1.0	± 2.0	± 2.6	
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3	
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	




표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001016	1/1

[illegible]

[illegible]

[illegible]

네부처

B

C


D

E

F

ON. NO
5 4 3 2 1

COL. 19 (CP FAN)



TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK OVER 10 INCH	TURN, PHOTO DIST. OF HOLE STR.	M.L.D.G. DIST. PROM. CTS. DRAW.	SW. MET WELD GAS CTS.	CSGT. FORM.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°




HYUNDAI
ELEVATOR CO., LTD.

표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임 시	J.H.Y		LTR	KMS
보 류				
	2019. 01. 01		06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001019	1/1


A3 (420mmx297MM)

[illegible]

[illegible]

 HYUNDAI ELEVATOR CO., LTD.				
주	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
시	J.H.Y		LTR	KMS
류	2019.01.01		06/09	06/09

A3 (420mmx297MM)

[illegible]

TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE	WORK TO FINISH	TURN, PH/IN DIST. OF HOLE STR.	M.L.D. DIST. PRON. C&T DRAW.	SW. WELD GAS CTG.	CSTG. FORG.	
1/4	16	± 0.1	± 0.2	± 0.3	± 0.6	
1/2	16	± 0.2	± 0.3	± 0.5	± 0.7	
3/4	16	± 0.3	± 0.4	± 0.7	± 0.9	
1	16	± 0.4	± 0.6	± 1.2	± 1.3	
1 1/4	250	± 0.6	± 0.8	± 1.5	± 1.8	
2	500	± 0.8	± 1.0	± 2.0	± 2.5	
2 1/2	1000	± 1.1	± 1.5	± 2.6	± 3.3	
3	2000	± 0.25*	± 0.5*	± 1.0*	± 2.0*	



표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임 시	J.H.Y	LTR	KMS	
보 류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GT LX, GT SS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001024	1/1


[illegible]


TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE	WORK OVER INCH	TURN, PITCH/DI DIST. OF HOLE STR.	MLDG. DIE CASTG PROM/CSTG DRAW.	WELT MET GAS CTG.	CSTG. FORM.	
1	4	± 0.1	± 0.2	± 0.3	± 0.5	
4	16	± 0.2	± 0.3	± 0.5	± 0.7	
16	63	± 0.3	± 0.4	± 0.7	± 0.9	
63	250	± 0.4	± 0.6	± 1.2	± 1.3	
250	500	± 0.6	± 0.8	± 1.5	± 1.8	
500	1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000	2000	± 1.1	± 1.5	± 2.6	± 3.3	
ANGLE		± 0.25"	± 0.5"	± 1.0"	± 2.0"	




표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GT LX, GT SS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001025	1/1

[illegible]

[illegible]

배부서





TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE OVER 10 INCH	WORK	TURN. FINISH DIST. OF HOLE STR.	M.L.D. DIST. FROM DRAW.	SW. WELD GAS CUT.	CSTG. FORM.
1	4	± .1	± .2	± .3	± .5
4	16	± .2	± .3	± .5	± .7
16	63	± .3	± .4	± .7	± .9
63	250	± .4	± .6	± 1.2	± 1.3
250	500	± .6	± .8	± 1.5	± 1.8
500	1000	± .8	± 1.0	± 2.0	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± .25°	± .5°	± 1.0°	± 2.0°



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
일시	J.H.Y		LTR	KMS
보류				
	2019. 01. 01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001028	1/1

[illegible]





PIN NO	SIGNAL NAME	CABLE NUMBER
1	22X0	1
2	22X0	2
3		
4	22Y0	3
5	22Y0	4
6		

TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE	WORK TO FINISH	TURN, PH/6° DIST. OF HOLE STR.	MLDG. DIST. OF DRAW.	SLMT WELD GAS CTG.	CSTG. FORG.	
1	4	± 0.1	± 0.2	± 0.3	± 0.5	
4	16	± 0.2	± 0.3	± 0.5	± 0.7	
16	63	± 0.3	± 0.4	± 0.7	± 0.9	
63	250	± 0.4	± 0.6	± 1.2	± 1.8	
250	500	± 0.6	± 0.8	± 1.5	± 1.3	
500	1000	± 0.8	± 1.0	± 2.0	± 2.6	
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3	
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°	



표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인 인
임 시	J.H.Y		LTR	KMS
보 류				
	2019. 01. 01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001032	1/1






TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK OVER NO INCL.	TURN, PCH'G DIST.OF HOLE STR.	HLDG. DIE CASTG. PROM.CASTG DRAW.	SH.MET WELD GAS CTG.	CASTG. FORG.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.6
500	1000	± 0.8	± 1.0	± 2.0	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인 인
임 시	J.H.Y		LTR	KMS
보 류				
	2019. 01. 01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001033	1/1

[illegible]



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

[illegible]


G	CHANGE 기정환	
	A	WAS CN_T19(GC) WAS CN_T20(GD) TRANSOMS WAS NOT ON(GC) 2020. 08. 07 JHY
B	A	
	B	WAS CN_T23(D) 2020. 09. 03 JHY


TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK OVER 1 IN.	TURN, FNG'G DISE. HOLE DIST. STL.	MLDG. DIE PRON.CSTG DRAW.	SLMET WELD GAS CUT.	CSTG. FORG.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.9
16	63	± 0.3	± 0.4	± 0.7	± 0.7
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.6
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0
2000	ANGLE	± 0.25"	± 0.5"	± 1.0"	± 2.0"




표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09


UNIT 단위	MM	APPAR. GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	
3RD ANGLE 3 각 법		ELEM.W.DIAGRAM	
REF. NO 참고도면		DWG. NO 도면번호	HE001035
			1/1

[illegible]

[illegible]

[illegible]

[illegible]



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

[illegible]

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN, PUNCH, DIST. OF HOLE STR.	HLDG. DIE CAST, PROM. CAST DRAW.	SHMET HOLD GAS CTG.	CASTO FORG.	
OVER 1 INCH					
1	4	16	63	250	500
± 0.1	± 0.2	± 0.3	± 0.5	± 0.7	± 0.9
16	63	250	500	1000	1000/2000
± 0.2	± 0.3	± 0.4	± 0.7	± 0.9	± 1.1
63	250	500	1000	1000/2000	
± 0.3	± 0.4	± 0.6	± 1.2	± 1.3	± 1.5
250	500	1000	1000/2000		
± 0.4	± 0.6	± 0.8	± 1.5	± 1.6	± 1.8
500	1000	1000/2000			
± 0.6	± 0.8	± 1.0	± 2.0	± 2.2	± 2.5
1000	1000/2000				
± 0.8	± 1.1	± 1.5	± 2.5	± 3.0	± 3.5
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	± 2.0°



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001041	1/1

허가없이 복사할 수 없음


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

--	--

ON. NO

COL. 42 (COP-CAR TOP CABLE2)



TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK TO FINISH	TURN, PH/CG DIST. OF HOLE	M/LDG. DIST. FROM DRAW.	SMELT MET CAST CTG.	CSFG. FORG.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0
ANGLE		± 0.25	± 0.5	± 1.0	± 2.0




표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09


UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001042	1/1

HDW-91-003A

A3 (420mmx297MM)

[illegible]

네 부처







THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

허가없이 복사할 수 없음

배 부 처

COP30D-N B'd
(MAIN COP)






$$\sum \text{CU2} \sim \text{CU}$$


ID : 0

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

TO COL.62 6B ←





COP30D-N B'd
(SUB COP)


$$\sum \text{CU}_2 \sim \text{CU}_1$$


ID : 1







WCOP30-N B'd
(DISABLED1 COP)


$$\sum \text{CU2} \sim \text{CU}$$


ID : 0

WCOP30-N B'd
(DISABLED2 COP)


$$\sum \text{CU2} \sim$$


ID : 1

1	2	3	4	5	6	7
---	---	---	---	---	---	---

TOLERANCES—UNLESS OTHERWISE SPECIFIED						
WORK		TURN, PTHG'S DIST. OF HOLE STR.	MLDG. DIE CSTG. PROD.CSTG DRAW.	SHMET WELD GAS CTG.	CSTG FORM	
SIZE	TO HOLE					
1	4	± 0.1	± 0.2	± 0.3	±	
4	16	± 0.2	± 0.3	± 0.5	±	
16	63	± 0.3	± 0.4	± 0.7	±	
63	250	± 0.4	± 0.6	± 1.2	±	
250	500	± 0.6	± 0.8	± 1.5	±	
500	1000	± 0.8	± 1.0	± 2.0	±	
1000	2000	± 1.1	± 1.5	± 2.5	±	
ANGLE		± 0.25°	± 0.5°	± 1.0°	±	



표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임 시	J.H.Y		LTR	KMS
보 류				
	2019. 01. 01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001045	1/1



2020.

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001046	1/1


네 부처

[illegible]



ON. NO
5 4 3 2 1

COL. 47 (COP BUTTON 31FL~62FL)

└+ MORE THAN 31FL



└ SUB COP




TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE	WORK OVER HOLE	TURN, P/CH/G DIST. OF HOLE STR.	MLDG. DIST. P/CH/STG. DRAW.	STW. MELT WELD GAS CTG.	CSTG. FORM.	
1	4	± 0.1	± 0.2	± 0.3	± 0.5	
4	16	± 0.2	± 0.3	± 0.5	± 0.7	
16	63	± 0.3	± 0.4	± 0.7	± 0.9	
63	250	± 0.4	± 0.6	± 1.2	± 1.3	
250	500	± 0.6	± 0.8	± 1.5	± 1.8	
500	1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0	
ANGLE		± 0.25"	± 0.5"	± 1.0"	± 2.0"	





표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09


UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001047	1/1


A3 (420mmx297MM)

[illegible]


[illegible]


[illegible]

[illegible]


[illegible]

네 부처




[illegible]


배 부 처




HYUNDAI
ELEVATOR CO., LTD.

A3 (420mmx297MM)

[illegible]

[illegible]






배 부 처

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK		TURN. PCH'G DIST. OF HOLE STR.	M.L.D. DIE CAST. PROM. CASTG DRAW.	SHMET MOLD GAS CTR.	CASTG FORG.
SIZE	OVER / UNDER				
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.6
500	1000	± 0.8	± 1.0	± 2.0	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019. 01. 01	06/09	06/09	


UNIT 단위	MM	APPAR. GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면		DWG. NO 도면번호	HE001068 1/1

[illegible][illegible]

표지	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
인시	J.H.Y		LTR	KMS
보류				
	2019. 01. 01	06/09	06/09	


UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001069	1/1


배 부 처



 HYUNDAI ELEVATOR CO., LTD.				
주	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
시	J.H.Y		LTR	KMS
류	2019.		01. 01	06/09
	2019.		01. 01	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001070	1/1

[illegible]



아래 그림과 같이 S2, S3 DIP SWITCH를 호기 별로 설정할 것. SET THE 'S2, S3 DIP SWITCH' FOR EACH ELEVATOR AS BELOW PICTURE.

Figure 1 illustrates the 10 test configurations used in the experiment. Each configuration is represented by a sequence of stimuli (S1, S2, S3) and their corresponding responses (R1, R2, R3). The stimuli are shown as colored boxes (black, white, grey) and the responses as colored circles (black, white, grey). The configurations are arranged in a 3x3 grid, with the last cell empty.

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK OVER TO INCH	TURN, PIN/Ø DIST. OF HOLE STR.	H.D.C. DIST. OF PROMOTING DRAW.	SPLT MELT WELD GAS CTG.	CSTG. FORG.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.6	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°




HYUNDAI
ELEVATOR CO., LTD.

표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임 시	J.H.Y		LTR	KMS
보 류				
	2019. 01. 01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001073	1/1

이름 수 부사할미 허가없이



DETAIL "A"

HTK
(10 KEY BUTTON)

DSS1		DSS2	
1	P24	P24	1
2	CH	CH	2
3	CL	CL	3
4	N24	N24	4

CH1

1	P24
2	CH
3	CL
4	N24

CH4

1	P24
2	CH
3	CL
4	N24

CAN REPEATR BOARD
(MIDDLE FLOOR)

HTK
(10 KEY BUTTON)

DSS1		DSS2	
1	P24	P24	1
2	CH	CH	2
3	CL	CL	3
4	N24	N24	4

IN CASE OF TRAVEL HEIGHT OF HOISTWAY IS OVER 75M.

CHANGE 기 종 편	A1 WAS COL. TC (5A)	2020. 10. 13. JHY	설치시각: 일출후	TOLERANCES—UNLESS OTHERWISE SPECIFIED <table><tr><th>WORK SIZE</th><th>TURN, PINCHG DIST. OF HOLE STR.</th><th>MLDG. DIE CSTG. PROD. CSTG. DRAW.</th><th>SH. MET WELD GAS CTG.</th><th>CSTG. FORG.</th></tr><tr><td>OVER TO UND.</td><td></td><td></td><td></td><td></td></tr><tr><td>1 4</td><td>± 0.1</td><td>± 0.2</td><td>± 0.3</td><td>± 0.5</td></tr><tr><td>4 16</td><td>± 0.2</td><td>± 0.3</td><td>± 0.5</td><td>± 0.7</td></tr><tr><td>16 63</td><td>± 0.3</td><td>± 0.4</td><td>± 0.7</td><td>± 0.9</td></tr><tr><td>63 250</td><td>± 0.4</td><td>± 0.6</td><td>± 1.2</td><td>± 1.3</td></tr><tr><td>250 500</td><td>± 0.6</td><td>± 0.8</td><td>± 1.5</td><td>± 1.8</td></tr><tr><td>500 1000</td><td>± 0.8</td><td>± 1.0</td><td>± 2.0</td><td>± 2.5</td></tr><tr><td>1000 2000</td><td>± 1.1</td><td>± 1.5</td><td>± 2.5</td><td>± 3.3</td></tr><tr><td>ANGLE</td><td>± 0.25'</td><td>± 0.5'</td><td>± 1.0'</td><td>± 2.0'</td></tr></table>	WORK SIZE	TURN, PINCHG DIST. OF HOLE STR.	MLDG. DIE CSTG. PROD. CSTG. DRAW.	SH. MET WELD GAS CTG.	CSTG. FORG.	OVER TO UND.					1 4	± 0.1	± 0.2	± 0.3	± 0.5	4 16	± 0.2	± 0.3	± 0.5	± 0.7	16 63	± 0.3	± 0.4	± 0.7	± 0.9	63 250	± 0.4	± 0.6	± 1.2	± 1.3	250 500	± 0.6	± 0.8	± 1.5	± 1.8	500 1000	± 0.8	± 1.0	± 2.0	± 2.5	1000 2000	± 1.1	± 1.5	± 2.5	± 3.3	ANGLE	± 0.25'	± 0.5'	± 1.0'	± 2.0'	HYUNDAI ELEVATOR CO., LTD. <table><tr><td>표 준</td><td>DRWN BY 제 도</td><td>DSND BY 설 계</td><td>CHKD BY 검 토</td><td>APPD BY 승 인</td></tr><tr><td>임 시</td><td colspan="2">J.H.Y</td><td>LTR</td><td>KMS</td></tr><tr><td>보 류</td><td colspan="2">2019. 01. 01</td><td>06/09</td><td>06/09</td></tr></table>	표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인	임 시	J.H.Y		LTR	KMS	보 류	2019. 01. 01		06/09	06/09	UNIT 단위	MM	APPAR.	GTLX, GTSS	
					WORK SIZE	TURN, PINCHG DIST. OF HOLE STR.	MLDG. DIE CSTG. PROD. CSTG. DRAW.	SH. MET WELD GAS CTG.	CSTG. FORG.																																																																		
					OVER TO UND.																																																																						
					1 4	± 0.1	± 0.2	± 0.3	± 0.5																																																																		
					4 16	± 0.2	± 0.3	± 0.5	± 0.7																																																																		
16 63	± 0.3	± 0.4	± 0.7	± 0.9																																																																							
63 250	± 0.4	± 0.6	± 1.2	± 1.3																																																																							
250 500	± 0.6	± 0.8	± 1.5	± 1.8																																																																							
500 1000	± 0.8	± 1.0	± 2.0	± 2.5																																																																							
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3																																																																							
ANGLE	± 0.25'	± 0.5'	± 1.0'	± 2.0'																																																																							
표 준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인																																																																							
임 시	J.H.Y		LTR	KMS																																																																							
보 류	2019. 01. 01		06/09	06/09																																																																							
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM																																																																								
3RD ANGLE 3 각 법																																																																											
REF. NO 참고도면		DWG. NO 도면번호	HE001074	1/1																																																																							

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해기설비 이 복사할 수 없음

변경 내역	구분	일자	내용



1/1 HE001076 DWG. NO. 09

COL. 76 (+SPEED GATE)

COL. 74,75
From Lobby
HTS or HTK
(DSS COMM.)

+ SPEEDGATE

COL. 74,75
From Lobby
Hoistway




GATE #1


UL2919
(24AWGx1P)

UL2919
(24AWGx1P)


UL2919
(24AWGx1P)



GATE #2



GATE #3



GATE #N

TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. FINISH DIST. OF HOLE STR.	MILDG. DIE CASTG. PROX. CASTG. DRAW.	SH. MET. HELD GAS CTG.	CSTG. FORG.	
OVER 1/4 INCL.					
1 4	± 0.1	± 0.2	± 0.3	± 0.5	
4 16	± 0.2	± 0.3	± 0.6	± 0.7	
16 63	± 0.3	± 0.4	± 0.7	± 0.9	
63 250	± 0.4	± 0.6	± 1.2	± 1.3	
250 500	± 0.6	± 0.8	± 1.5	± 1.8	
500 1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3	
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	

HYUNDAI ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
임시	J.H.Y		LTR	KMS
보류	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법		DWG. NO 도면번호	HE001076	1/1
REF. NO 참고도면				

[illegible]

 HYUNDAI ELEVATOR CO., LTD.				
제	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
시	J.H.Y		LTR	KMS
류				
	2019.	01. 01	06/09	06/09





UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001077	1/1

NOTE

1. 세대내 인디케이터 버튼이 적용될 경우 IO EXT Bd.의 DIP SW2 설정을 F로 할 것.
(WHEN HOME BUTTON APPLIED, SET 'DIP SW2' AT IO EXT BOARD.)
2. PS2 추가시 SYSTEM에서 사용중인 P24전원과 P24(PS2) 전원을 반드시 분리 할 것.
(IF PS2 APPLIED, DISCONNECT P24 AND P24(PS2).)
3. 3SMP 제어반에 세대내버튼 적용시 (15층 이하, 50EA 이하), PS1(SMPS)를 6.5A용 이상 적용할 것.
(WHEN APPLY HOME BUTTON(BELOW 15FL, BELOW 50EA) ON 3SMP C/P, APPLY PS1(SMPS) WHICH IS OVER 6.5A.)

COL. 78 (+HOME BT)

+ HOME BT & OVER 10FLOOR
- 3SMP C/P



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해기없이 복사할 수 없음

내부용

CHANGE
기판
1 WAS COL.21 9F (90)
2 WAS COL.17 2B (90)
2020.07.13 JHY
설치/검정/설치

WORK SIZE	TURN PUNCH OVER NO INCL	TOLERANCES-UNLESS OTHERWISE SPECIFIED			
		MLDR DIE CSTG. HOLE STR.	SHMET WELD GAS CTR.	CSTG. FORG.	
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	승인	
임시	J.H.Y	LTR	KMS	
보류				
	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM
3RD ANGLE 3각법		DWG. NO 도면번호	HE001078
REF. NO 참고도면			1/1

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
헬코에밀이 복사할 수 없음

내부용

CHANGE
기정



HDW-91-003A

1/1 HE001080

DWG. NO. 0905

COL. 80 (ROPE BK)

+ROPE BRAKE
+ROPE GRIPPER



TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. PUNCHG HOLE STR.	MLDG. DIE CSTO. PROK.CSTO DRAW.	SH.MET WELD GAS CTG. DRAW.	CSTO. FORG.	
OVER 10 INCH	± 0.1	± 0.2	± 0.3	± 0.5	
4 16	± 0.2	± 0.3	± 0.5	± 0.7	
16 83	± 0.3	± 0.4	± 0.7	± 0.9	
83 250	± 0.4	± 0.6	± 1.2	± 1.3	
250 500	± 0.6	± 0.8	± 1.5	± 1.8	
500 1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3	
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	


HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
임시	J.H.Y	LTR	KMS	
보류	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법	REF. NO 참고도면	DWG. NO 도면번호	HE001080
			1/1

A3 (420mmx297MM)

배 부 처




TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE OVER TO INCL.	WORK	TURN. PHOS'G DIST. OF HOLE STR.	M.L.D. DIE CASTG. PROM.CASTG DRAW.	SMELT MET GTS.	CASTG. FORG.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25"	± 0.5"	± 1.0"	± 2.0"



표준	DRWN BY 제 도	DSND BY 실 계	CHKD BY 검 토	APPD BY 승 인 인
일시	J.H.Y		LTR	KMS
분류				
	2020.	12. 10	12/10	12/10

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001082	1/1



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

[illegible]

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK OVER TO INCL.	TURN'G PLW'G DIST.OF MOLE STR.	M.L.D. DIE CASTG. PRON.CASTG DRW.	SHMET MOLD GAS CASTG.	CASTG. FORD.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.8
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.2
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°






표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2020.	12. 10	12/10	12/10

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001083	1/1

COL. 84 (+CARD KEY)

TABLE 1.

NO	OPTION (HHT SET)	FUNCTION	NOTE
1	HELCO STANDARD	MASK FLOOR UNLOCK. MASK FLOOR SETTING : BY HHT	CARD WIRING 1
2	AUTO CALL	MASK FLOOR AUTO CALL. AUTO CALL FLOOR SETTING : STORED IN CARD	CARD WIRING 2
3	AUTO CALL + BTN	MASK FLOOR BUTTON (ENABLE). MASK FLOOR SETTING : STORED IN CARD	CARD WIRING 3
		MASK FLOOR AUTO CALL. AUTO CALL FLOOR SETTING : STORED IN CARD	CARD WIRING 4



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

서

TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE OVER TO	WORK INCHES	TURN, PITCH DIST. OF HOLE STR.	M.L.D. DIST. FROM C/S TO DRAW.	SHEET MET C/S	C/S TO F.O.R.G.	C/S TO F.O.R.G.
1	4	± 0.1	± 0.2	± 0.3	± 0.5	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.6	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°	± 2.0°




HYUNDAI
ELEVATOR CO., LTD.


표 준	DRWN BY 제 도	DSND BY 실 계	CHKD BY 검 토	APPD BY 승 인
임 시	J.H.Y		LTR	KMS
보 류				
	2019. 01. 01		06/09	06/09

UNIT 단위	MM
SCALE 척도	N/S
3RD ANGLE 3 각 법	
REF. NO 참고도면	

APPAR.	GTLX, GTSS	
TITLE 제 목	ELEM.W.DIAGRAM	
DWG. NO 도면번호	HE001084	1/1

[illegible]

[illegible]


[illegible]

네 부처

[illegible]

DWG. NO.

COL. 88 (HALL INDICATOR + BT TAGGING CAN)



TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE	WORK TO FINISH	TURN. PCH'G DIST. OF HOLE STR.	M.L.D. DIST. PRCH.CSTG DRAW.	SWELD MET GAS CTG.	CSTG. FORG.	
1	4	± 0.1	± 0.2	± 0.3	± 0.5	
4	16	± 0.2	± 0.3	± 0.5	± 0.7	
16	63	± 0.3	± 0.4	± 0.7	± 0.9	
63	250	± 0.4	± 0.6	± 1.2	± 1.3	
250	500	± 0.6	± 0.8	± 1.5	± 1.8	
500	1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0	
ANGLE		± 0.25"	± 0.5"	± 1.0"	± 2.0"	



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2020.	10. 07	10/07	10/07

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001088	1/1

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해당설비 복사할 수 없음

내부용


CHANGE
개정

HDW-91-003A

1/1 HE001089

DWG. NO
제 도 번 호

COL. 89 (COP BT TAGGING CAN)



TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. PUNCHG DIST.OF HOLE STR.	MILDG. DIE CSTG. PROD.CSTG DRAW.	SH.MET WELD GAS CTG.	CSTG. FORG.	
OVER 1/4 INCL					
1 4	± 0.1	± 0.2	± 0.3	± 0.5	
4 16	± 0.2	± 0.3	± 0.5	± 0.7	
16 63	± 0.3	± 0.4	± 0.7	± 0.9	
63 250	± 0.4	± 0.6	± 1.2	± 1.3	
250 500	± 0.6	± 0.8	± 1.5	± 1.8	
500 1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3	
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	


 **HYUNDAI**
ELEVATOR CO., LTD.

표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2020.	10. 07	10/07	10/07

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법		REF. NO 참고도면	DWG. NO 도면번호	HE001089
				1/1

A3 (420mmx297MM)

네 부처



TOLERANCES—UNLESS OTHERWISE SPECIFIED



HYUNDAI
ELEVATOR CO., LTD.


UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목		
3RD ANGLE 3 각 법		ELEM.W.DIAGRAM		
REF. NO 참고도면		DWG. NO 도면번호	HE001090	1/1

허가없이 복사할 수 없음

[illegible]

DWG. NO. 3 4 5 6

COL. 91 (CONNECTOR PIN LAYOUT)



TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	BORE OVER 1 IN.	TURN, PUNCH DIST. OF HOLE STR.	HLDG. DIE PROM. CSTG DRAW.	CHM. WELD GAS CTG.	CSTG. FORG.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0
ANGLE		± 0.25"	± 0.5"	± 1.0"	± 2.0"




HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면	DWG. NO 도면번호	HE001091		1/1

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001092	1/1

CP_SW B'd (CONNECTOR SIGNAL LAYOUT)



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

[illegible]

G	CHANGE 개 정 함	A1	C06-2.3 SWITCHED (3B)	2021. 01. 05 JHY	실시개	다름 제작본 부터	A
		A2	C06-1 WAS FE (4B)				

TOLERANCES—UNLESS OTHERWISE SPECIFIED						
SIZE	WORK IN INCH	TURN. PHOTO DIST. OF HOLE STR.	M.L.D. DIST. OF PROM. CAST	STAMP WELD GAS CTG.	CSTG. FORM.	
1	4	± 0.1	± 0.2	± 0.3	± 0.5	
4	16	± 0.2	± 0.3	± 0.6	± 0.7	
16	63	± 0.3	± 0.4	± 0.7	± 0.9	
63	250	± 0.4	± 0.6	± 1.2	± 1.3	
250	500	± 0.6	± 0.8	± 1.6	± 1.8	
500	1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0	
ANGLE		± 0.25"	± 0.5"	± 1.0"	± 2.0"	

HYUNDAI
ELEVATOR CO., LTD.

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001093	1/1

[illegible]

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해기없이 복사할 수 없음


내부용

CHANGE
기정판


1/1 HE001095

DWG. NO
ON 9MG


COL. 95 (SLD SW INSTALL LENGTH)



SENSOR & MAGNETIC INSTALL LAYOUT (TOP VIEW)



BASED ON THE LOCATION WHERE GOV. ROPE IS INSTALLED.
(가버너 로프 설치 위치를 기준으로 잡는다.)
예 GOV 로프가 왼쪽일 경우, FLS&LCD SENSOR는 오른쪽에 위치.
(WHEN GOV ROPE POSITION IS LEFT, FLS&LCD SENSOR POSITIONS ARE RIGHT)




LANDING ACCURATELY
TO THE BOTTOM FLOOR
(최하층 정확상 기준)

*LENGTH TABLE

SPEED	[LA]	[LB]	TOLERANCE
30M/Min	650	650	±100
45M/Min	1050	1050	
60M/Min	1500	1500	
90M/Min	1500	3000	
105M/Min	1500	4000	
120M/Min	1500	5000	

BOTTOM FLOOR
LEVEL



TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. PINCHG DIST. OF HOLE STR.	MILDG. DIE CSTG. FROM CSTG. DRAW.	SH. MET WELD GAS CTG.	CSTG. FORG.	
OVER 10 INCL					
1 4	± 0.1	± 0.2	± 0.3	± 0.5	
4 16	± 0.2	± 0.3	± 0.5	± 0.7	
16 63	± 0.3	± 0.4	± 0.7	± 0.9	
63 250	± 0.4	± 0.6	± 1.2	± 1.3	
250 500	± 0.6	± 0.8	± 1.5	± 1.8	
500 1000	± 0.8	± 1.0	± 2.0	± 2.5	
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3	
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°	

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	검토	승인
임시	J.H.Y		LTR	KMS
보류	2019. 01. 01		06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법	REF. NO 참고도면	DWG. NO 도면번호	HE001095	1/1

[illegible]

*FUSE TABLE

TIGHTENING TORQUE

 HYUNDAI ELEVATOR CO., LTD.				
준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
시	J.H.Y		LTR	KMS
류				
	2019.	01. 01	06/09	06/09

A3 (420mmx297MM)

C/P

SPARE1
SPARE2
SPARE3
SPARE4
SPARE5
SPARE6
SPARE7
SPARE8
SPARE1
SPARE2
SPARE3
SPARE4

_SW1

SWA
22YL
SWB

1	BKC1
2	BKC2
3	BKC1_A
4	BKC2_A
5	ELD_TS
6	N24
7	P5
8	RX
9	TX
10	CM232
11	-
12	FE

A3 (420mmx297MM)

[illegible]

DWG. NO. 3 4 2 1

CAR TOP PART

CPSW B'd

CN_SW1	CN_SW2	EBKO	ESCP
1 INT2	1 EST1	1 EST1	1 P48(SF)
2 GS2	2 EST2	2 EST2	2 ESTOP
3 ESIN			
4 XBYP5_I	CN_SW3	NORM	C06
5 N24	1 DS3B	1 -	1 A220F
6 P48F(SF)	2 DMC2	2 -	2 GOV.RST
7 ESCP	3 DBKA1	3 XNOR	3 GOV.TRP
8 CPR_A	4 DBKA2	4 MAT	4 A220F
9 CPR_B	5 N24	BYLD	5 GOV
10 ESPTX	6 DBKB	1 INT(TOP)	6 GOV.CWT
11 UDFLX	7 XNOR	2 ESIN	7 -
12 PAT	8 XEEO	3 XBYP5	8 FE
13 XNOR	9 BUF	4 N24	
14 XEEO	10 GOV	BYCD	C07
15 XUP		1 GS2	1 A220F
16 XDN		2 ESIN	2 GOV.RST(CWT)
17 XINIT		3 XBYP5	3 GOV.TWS(CWT)
18 P24		4 N24	4 A220F
19 DZU_D		UCTS	5 GOV.CWT
20 DZL_D		1 DS3B	6 BUF
21 A220F		2 TS1	7 -
22 B220		3 XNOR	8 FE
		4 XEEO	

CN_B2

1	CCH
2	CCL
3	XDZ_U
4	XDZ_L
5	XUL
6	XDL
7	GOV
8	ESIN
9	GS2
10	UDFLX
11	CPR_A
12	CPR_B
13	IAT
14	XFLR_INIT
15	XSLO_L
16	XPLUL2
17	XSLO_U
18	KSA_GEAR
19	P24
20	N24
21	PH1
22	PH2
23	PH3
24	PH4

CN_C3

1	22Y
2	FANS
3	LITS
4	FE

1	SPK1
2	SPK2
3	CALL
4	OBR
5	A55
6	A55
7	B55
8	B55
9	22X
10	22Y
11	FE
12	TSP01
13	TSP02
14	TSP03
15	TSP04
16	TSP05

CN_C4

1	OB
2	REC(L)
3	REC(R)
4	SP01
5	SP02

CN_C2

1	ESCT
2	ESIN

1	CCH
2	CCL
3	OAT
4	IAT
5	PH1
6	PH2
7	PH3
8	PH4
9	P24
10	N24
11	LS1
12	LS2
13	PH4
14	PH3
15	CSPK1
16	CSPK2

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK		TURN, PCH'G DIST. OF HOLE STR.	M.L.D. CIG. PROM. C'STG DRAW.	SHMET LIED GAS CIG.	C'STG FORG.
SIZE	OVER TO INCL.				
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.6
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25'	± 0.5'	± 1.0'	± 2.0'




표준	DRWN BY 제 도	DSND BY 실 계	CHKD BY 검 도	APPD BY 승 인 인
일시	J.H.Y		LTR	KMS
보류				
	2019. 01. 01		06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001098	1/1

[illegible]

[illegible]

[illegible]

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

내부처

CHANGE
개정

HDW-91-003A

1/1 HE001102



DWG. NO.
제 도 번 호

COL. 102 (EVACUATION COP_PHONE)

IN COP


+ EVACUATION

IO EXT B'd(IN COP)




(TWISTED, SHIELD)

CN13 (RELAY OUT)



MAIN OPB PHONE



SET : 4

TOLERANCES-UNLESS OTHERWISE SPECIFIED

WORK SIZE	TURN. PUNCH DIE	MLDG. DIE PROX. CSTG. DRAW	SKIMMET WELD GAS CSTG.	CSTG. FORG.
OVER 10 INCL				
1 4	± 0.1	± 0.2	± 0.3	± 0.5
4 16	± 0.2	± 0.3	± 0.5	± 0.7
16 63	± 0.3	± 0.4	± 0.7	± 0.9
63 250	± 0.4	± 0.6	± 1.2	± 1.3
250 500	± 0.6	± 0.8	± 1.5	± 1.8
500 1000	± 0.8	± 1.0	± 2.0	± 2.5
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°


HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY 제도	DSND BY 설계	CHKD BY 검토	APPD BY 승인
임시	J.H.Y		LTR	KMS
분류				
	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법		REF. NO 참고도면	DWG. NO 도면번호	1/1
			HE001102	

A3 (420mmx297MM)

1. N = SERVICE FLOOR



HPID-PIN ARRANGEMENT					
CH1		CH2		DNO	6
				DNI	5
				UPO	4
				UPI	3
				N24	2
4	N24			P24	1
3	HCL			DNO	6
2	HCH			DNI	5
1	P24			UPO	4
CH4		CH2B		UPI	3
				N24	2
				P24	1
				DLT	6
				DCHM	5
4	N24			ULT	4
3	HCL			UCHM	3
2	HCH			N24	2
1	P24			P24	1
CH3		CH3			


TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK	TURN, PUNCH DIST. OF HOLE STR.	M.L.D. DIE CASTG. PRAWN. CASTG DR.	SHAWT MELT GAS CASTG.	CASTG. FORG.
	OVER 1 INCH				
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.8
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	800	± 0.6	± 0.8	± 1.5	± 1.8
800	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY 제 도	DSND BY 실 계	CHKD BY 검 토	APPD BY 승 인
인시	J.H.Y		LTR	KMS
보류				
	2019.	01. 01	06/09	06/09

UNIT 단위	MM	APPAR.	GTLX, GTSS
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법			
REF. NO 참고도면	DWG. NO 도면번호	HE001103	1/1

[illegible]

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음



내부지

CHANGE
기정판

1/1 HE001105

DWG. NO
ON 9MG

COL. 105 (FIREMAN SWITCH_PHONE)




TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK SIZE	TURN. PUNCH/DIST. OF HOLE STR.	MOLD. DIE CASTG. PROX. CASTG. DRAW.	SHMET WELD GAS CASTG.	CSTG. FORG.	
OVER 1 INCL	± 0.1	± 0.2	± 0.3	± 0.5	
1 4	± 0.2	± 0.3	± 0.5	± 0.7	
4 16	± 0.3	± 0.4	± 0.7	± 0.9	
16 63	± 0.4	± 0.6	± 1.2	± 1.3	
63 250	± 0.6	± 0.8	± 1.5	± 1.8	
250 500	± 0.8	± 1.0	± 2.0	± 2.5	
500 1000	± 1.1	± 1.5	± 2.5	± 3.3	
1000 2000	± 0.25°	± 0.5°	± 1.0°	± 2.0°	
ANGLE					

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	승인	
임시	J.H.Y	LTR	KMS	
보류				
	2019.01.01	06/09	06/09	

UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제목	ELEM.W.DIAGRAM	
3RD ANGLE 3각법		REF. NO 참고도면	DWG. NO 도면번호	1/1
			HE001105	

네 부처



TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK TO FINISH	TURN. PHOTO DIST. OF HOLE STR.	M.L.D.G. DIST. PROM.CENT DRAW.	SLM.T WELT GAS CTG.	CSGT. FORM.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.0
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019. 01. 01	06/09	06/09	



UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HE001106	1/1

COL. 107 (SEISMIC SENSOR)

NOTE

1.

SYSTEM	XEQS	XEQP	REMARK
GSP	COL.65	COL.65	



SIGNAL	S1	S2	S3	P-WAVE
GAL	80	150	200	5,10

SIGNAL	S-LOW	S-MIDDLE	S-HIGH	P-WAVE
GAI	80	150	200	5.10

TOLERANCES—UNLESS OTHERWISE SPECIFIED					
SIZE	WORK TO INCH	TURN, PHOTO DIST. OF HOLE STR.	M.L.D.G. DIST. OF PRONGS DRAW.	SH. MET WELD GAS CTG.	CSGT. FORM.
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°



표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	J.H.Y		LTR	KMS
보류				
	2019. 01. 01	06/09	06/09	


UNIT 단위	MM	APPAR.	GTLX, GTSS	
SCALE 척도	N/S	TITLE 제 목	ELEM.W.DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면	DWG. NO 도면번호	HE001107		1/1

NOTE

- WBVF SERIES : JUMPER SG1 AND N24
- POSITION OF SENSORS

DOOR TYPE	POSITION OF SENSORS
CENTER OPEN (2 PANELS)	
SIDE OPEN	
CENTER OPEN (4PANELS)	

+4 PANEL DOORS



1/1 HE001108

DWG. NO. 108

COL. 108 (HNPS)

HNPS JUNCTION BOX

CAR TOP

HNPS JUNCTION BOARD

GT-CJB B'd

CC23

P24F

GND/N24

CC24B

P24F

EE1

GND/N24

CC24

EE1


EE2

GND/N24

CC70

OP

HNPS



+ SIDE OPEN
+4 PANELS

2PANEL DOOR
4PANEL

TOLERANCES-UNLESS OTHERWISE SPECIFIED

WORK	TURN. PUNCH TO DIST. OF HOLE STR.	MILD. DIE CSTG. PRICH. CSTG. DRAW.	SHMET WELD GDS. CSTG.	CSTG. FORG.
OVER 10 INCH	± 0.1	± 0.2	± 0.3	± 0.5
4 16	± 0.2	± 0.3	± 0.5	± 0.7
16 63	± 0.3	± 0.4	± 0.7	± 0.9
63 250	± 0.4	± 0.6	± 1.2	± 1.3
250 800	± 0.6	± 0.8	± 1.6	± 1.8
800 1000	± 0.8	± 1.0	± 2.0	± 2.5
1000 2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE	± 0.25°	± 0.5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	승인	
임시	J.H.Y	LTR	KMS	
보류				
	2019. 01. 01	06/09	06/09	

UNIT	MM	APPAR.	GTLX, GTSS
SCALE	N/S	TITLE	ELEM.W.DIAGRAM
3RD ANGLE 3 각 법		DWG. NO	HE001108
REF. NO 참고도면		도면번호	1/1


THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
형기없이 복사할 수 없음

1/1 601100EH

DWG. NO.
ON 9M5

COL. 109 (HNPS2)

CAR - HNPS2 & WALL LIGHT



NOTE

1. JE1 종단저항 120ohm 설정하여 출하할 것 (SHORT = 120 ohm)
(SHIP AFTER SET TERMINAL RESISTOR 120ohm AT JE1)
2. SW2 SET "C" FOR CAR

CHANGE	REVISION	DATE	BY	CHK
1	1	2021. 01. 06 JHY	정지훈	A

TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK	TURN.	MLDG.	SH.MET	CSTG.	
SIZE	PUNCHG.	DIE	YELD	FORG.	
OVER/INCL.	DIST.OF	PRON.	GAS		
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	900	± 0.6	± 0.8	± 1.5	± 1.8
900	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.1	± 1.5	± 2.5	± 3.3
ANGLE		± 0.25°	± 0.5°	± 1.0°	± 2.0°

HYUNDAI ELEVATOR CO., LTD.				
표준	DRWN BY	DSND BY	CHKD BY	APPD BY
임시	제도	설계	검토	승인
보류	J.H.Y		LTR	KMS
	2019. 01. 01	06/09	06/09	

UNIT	MM	APPAR.	GTLX, GTSS	
SCALE	N/S	TITLE	ELEM.W.DIAGRAM	
척도	각각	제 목		
3RD ANGLE	3 각 법	REF. NO	DWG. NO	1/1
참고도면	도면번호	HE001109		

[illegible]