

DONG YANG

JOB NO.

CUSTOMER

SCHEMATIC DIAGRAMS

TITLE		TITLE		TITLE		TITLE		TITLE
1 FRONT COVER	26	51 INDICATOR CIRCUITS(DIGITAL)	76	101				
2 SPEC TABLE	27 INS CIRCUITS	52	77	102				
3	28 SWITCH CIRCUITS(FINAL SD)	53	78 DOOR CONTROL CIRCUITS	103				
4	29 I/O CIRCUITS (CAGE)	54 HALL CALL & LANTERN	79	104				
5	30 LANDING SWITCH CIRCUITS	55 HALL LANTERN & CHIME	80	105 LIMITS S/W CIRCUIT				
6	31	56	81	106				
7	32	57	82	107				
8	33 MNIO,MNCU I/O CIRCUITS	58	83	108				
9	34 MNIO I/O CIRCUITS	59	84	109				
10	35 MNCU I/O CIRCUITS	60 CAR CONTROL(CCU-20 SOURCE)	85	110				
11 POWER SOURCE CIRCUITS(1)	36 DMCU CIRCUITS	61 CAR CONTROL(CAR CALL 1-40)	86	111				
12 POWER SOURCE CIRCUITS(2)	37	62 CAR CONTROL(CAR LAMP)	87	112				
13	38	63 CAR INDICATOR (COP내장TYPE)	88	113				
14 POWER SOURCE CIRCUITS(3)	39 비상S/W & 전광용 CIRCUITS	64 CAR INDICATOR (LAMP,JAMB TYPE)	89	114				
15	40 FAN,LIGHT,BGM CIRCUITS	65 장애자 CAR CALL CIRCUITS	90 INTERPHONE CIRCUITS	115				
16 IGBT CIRCUITS	41	66	91	116				
17	42	67 장애자 MAIN,SUB CAR INDICATOR	92	117				
18 IGBT BASE DRIVE	43 DOOR SWITCH CIRCUITS	68 장애자 MAIN,SUB CAR CALL LAMP	93	118				
19	44	69	94	119				
20 CC,DC CIRCUITS	45	70	95	120				
21	46	71	96 ARD CIRCUITS	121 T/B TABLE				
22 OPERATION CIRCUITS(BRK)	47 HALL CALL CIRCUITS(본리형)	72	97	122				
23 OPERATION CIRCUITS(AMC)	48 HIB CIRCUITS(일체형)	73	98	123				
24	49 장애자용 HALL CALL CIRCUITS(본리형)	74	99	124				
25	50	75	100	125				





'DY20-01'

DY-20 STD,OPTION,비상호기,ARD 1CAR

DONG YANG

APPROVED BY	CHECKED BY	DESIGEND BY	DRAWN BY
REGISTERED			


FRONT COVER
7KAE - 2000 -1




'DY20-11A'

DONG YANG


CHECKED BY	DESIGNED BY	POWER SOURCE CIRCUITS(1)
		7KAE - 2000 - 11
REGISTERED		



DONG YANG



'DY20-12A'


**DONG YANG**

CHECKED BY	DESIGNED BY	POWER SOURCE CIRCUITS (2)
		7KAE - 2000-12
REGISTERED		

W1XZ A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z


A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z



'DY20-14A'

DONG YANG

CHECKED BY	DESIGNED BY	POWER SOURCE (3)
		7KAE - 2000 - 14
REGISTERED		



'DY20-16A'


DONG YANG

CHECKED BY	DESIGNED BY	MAIN CIRCUITS(ARD적용시)
REGISTERED		7KAE - 2000 - 16



DONG YANG

CHECKED BY	DESIGNED BY	IGBT CIRCUITS
REGISTERED		
		7KAE - 2000 - 16



* NOTE1

GDU-22A : 75A, 7.5Kw 이하
 GDU-23A : 100A, 9.5Kw~15Kw
 GDU-24A : 200A, 18.5Kw~22Kw
 GDU-25A : 300A, 30Kw

* NOTE2

IG75-50A-DY20 (1200V/75A) : 7.5Kw이하
 IG100-50A-DY20 (1200V/100A) : 9.5Kw~15Kw
 IG200-100A-DY20 (1200V/200A) : 18.5Kw~22Kw
 IG300-100A-DY20 (1200V/300A) : 30Kw

(36R)

'DY20 - 18A'

DONG YANG


<DY-20 : ~ 30Kw>

CHECKED BY	DESIGNED BY	IGBT BASE DRIVE
		7KAE - 2000 - 18
REGISTERED		



CHECKED BY	DESIGNED BY	CC,DC CIRCUITS <비상호기>
		7KAE - 2000 - 20
REGISTERED		


NC
(12S)

NC
(22A)

CC	
A 1 - 2	20W
B 3 - 4	20Y
C 5 - 6	23M
LP1-D1201FD	
DC110V	


'DY20-20'

DONG YANG

CHECKED BY	DESIGNED BY	CC,DC CIRCUITS
		7KAE - 2000 - 20
REGISTERED		

PC2
(20Z)PC2
(33G)1BK
(36E)NC2
(36E)V202
(36E)BKA
(33G)

1BK		
A	1 - 2	22P
B	3 - 4	22P
D	13-14	22K
LC1-D1210M7		
AC220		

NC
(20Z)NC
(23L)


R \ B	TMB30B	TMB40E	TMB55B	TMB70C
B2R-1	30	20	—	5
B2R-2	15	10	10	5
B2R-3	—	—	—	5
---	5	—	—	5

*Unit: OHM


'DY20-22'

DONGYANG

CHECKED BY	DESIGNED BY	OPERATION CIRCUITS (BRK)
		7KAE - 2000 -22
REGISTERED		



AMC2		
1-2	16F	
3-4	16F	
5-6	16F	
a 13-14		
a 53-54		
b 61-62		
b 71-72		
a 83-84		
NOTE 참조		
AC200V		




NOTE

MOTOR	AMC2
5.5~11KW	LC1-D2510M7
13~22KW	LC1-D5011M7

'DY20-23'

DONGYANG

CHECKED BY	DESIGNED BY	OPERATION CIRCUITS (INV)
		7KAE - 2000 - 23
REGISTERED		




'DY20-27A'

DONG YANG

CHECKED BY	DESIGNED BY	INS CIRCUITS
		7KAE - 2000 -27
REGISTERED		

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z



A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z



'DY20-28'

DONG YANG

CHECKED BY	DESIGNED BY	SWITCH CIRCUITS (FINAL S.D)
REGISTERED		7KAE - 2000 -28


NC2
(36E)


(CAGE)

NC2
(12S)

<CAR DUCT>



(CAR DUCT CDU PCB)



'DY20-29'

DONGYANG

CHECKED BY	DESIGNED BY	I/O CIRCUIT
		7KAE - 2000 - 29
REGISTERED		




'DY20-30'

DONG YANG


CHECKED BY	DESIGNED BY	LANDING SWITCH CIRCUITS
		7KAE - 2000 - 30
REGISTERED		

MNIO CIRCUITS



SLS1 A,1B : CCU-20. AUTO ANA
 SLS 2A,2B : 감시반, HPI
 SLS 3A,3B : HCU34A(박수송) HCU36A(박수송) 장애자용 박수송, HCU36A(LANTERN)
 SLS4 A,4B : HCU34A(박수송) HCU36A(박수송), HCU36A(LANTERN)


MNCU CIRCUITS



'DY20-33'

DONG YANG

CHECKED BY	DESIGNED BY	MNIO CIRCUITS
REGISTERED		7KAE - 2000 -33



MNIO (CN1)(50P)

A1	RSHAF(X4)	B1	RHDC
A2	RFHDC	B2	RSHAF(X4)
A3	DCX	B3	BDCX
A4	DCCI	B4	BDCCI
A5	XCC(X9)	B5	CCXI(PC2)
A6	PC1	B6	HSPR
A7	3LS	B7	4LS
A8	5LS	B8	6LS
A9	BKA	B9	KDN
A10	KUP	B10	KNOR
A11	KINS	B11	LS1
A12	LD	B12	LU
A13	DLS	B13	BDLS
A14	KDC	B14	BKDC
A15	PGCLK	B15	PGDIR
A16	EP	B16	NP
A17	RTH	B17	FIRE
A18	PAK	B18	ARD
A19	SPR	B19	
A20	SMR	B20	DT
A21	BDT	B21	2ES
A22		B22	
A23		B23	
A24	COM	B24	COM
A25	COM	B25	COM


MNIO (CN2)(10P)

A1	5LS	B1	6LS
A2	1SD	B2	3SD
A3	5SD	B3	PSLD
A4		B4	
A5		B5	CCC

'DY20-34'

DONG YANG

CHECKED BY	DESIGNED BY	MNIO CIRCUITS
		7KAE - 2000 -34
REGISTERED		



MNCU (CN6)(40P)

A1	LND0	B1	LND8
A2	LND1	B2	LND9
A3	LND2	B3	LND10
A4	LND3	B4	LND11
A5	LND4	B5	LND12
A6	LND5	B6	LND13
A7	LND6	B7	LND14
A8	LND7	B8	LND15
A9	PD4	B9	PD5
A10	PD6	B10	PD7
A11	LU	B11	UX
A12	LD	B12	DX
A13	LS1	B13	PSLD
A14	DCX	B14	NOR
A15	PC2	B15	INS
A16		B16	WSE
A17	BAK	B17	
A18	COM	B18	COM
A19	PG-A	B19	PG-B
A20	BP5A	B20	BP5A

MNCU (CN8)(40P)

A1	PA1	B1	PA2
A2	PA3	B2	PA4
A3	PA5	B3	PA6
A4	PA7	B4	PA8
A5	PA9	B5	PA10
A6	PA11	B6	PA12
A7	PD0	B7	PD1
A8	PD2	B8	PD3
A9	PD4	B9	PD5
A10	PD6	B10	PD7
A11	GDPRAM	B11	EXLRD
A12	EXLWR	B12	IRQ6
A13		B13	
A14		B14	
A15		B15	
A16		B16	
A17	COM	B17	COM
A18	COM	B18	COM
A19	P5V	B19	P5V
A20	P5V	B20	P5V

MNCU (CN7)(50P)

A1	RSHAFT(X4)	B1	RHDC
A2	RFHDC	B2	RSHAFT(X4)
A3	DCX	B3	BDCX
A4	DCCI	B4	BDCCI
A5	XCC(X9)	B5	CCX(PC2)
A6	PC1	B6	HSPR
A7	3LS	B7	4LS
A8	5LS	B8	6LS
A9	BAK	B9	KDN
A10	KUP	B10	KNOR
A11	KINS	B11	LS1
A12	LD	B12	LU
A13	DLS	B13	BDLS
A14	KDC	B14	BKDC
A15	PGCLK	B15	PGDIR
A16	EP	B16	NP
A17	RTH	B17	FIRE
A18	PAK	B18	ARD
A19	SPR	B19	
A20	SMR	B20	DT
A21	BDT	B21	2ES
A22		B22	
A23		B23	
A24	COM	B24	COM
A25	COM	B25	COM


'DY20-35'

DONG YANG

CHECKED BY	DESIGNED BY	MNCU I/O CIRCUITS
REGISTERED		7KAE - 2000 - 35

A
B
C
D
E
F
G
H
I
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

A
B
C
D
E
F
G
H
I
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z



DMCU (CN6)(40P)

A1	LND0	B1	LND8
A2	LND1	B2	LND9
A3	LND2	B3	LND10
A4	LND3	B4	LND11
A5	LND4	B5	LND12
A6	LND5	B6	LND13
A7	LND6	B7	LND14
A8	LND7	B8	LND15
A9	PD4	B9	PD5
A10	PD6	B10	PD7
A11	LU	B11	UX
A12	LD	B12	DX
A13	LS1	B13	PSLD
A14	DCX	B14	NOR
A15	PC2	B15	INS
A16		B16	WSE
A17	BKA	B17	
A18	COM	B18	COM
A19	PG-A	B19	PG-B
A20	BP5A	B20	BP5A

DMCU (CN4)(10P)

A1	5LS	B1	6LS
A2	1SD	B2	3SD
A3	5SD	B3	PSLD
A4		B4	
A5		B5	CCC




GDU (180)

VDTS : STACK P-N간 저전압검출 신호
VDTH(VOP) : STACK P-N간 과전압검출 신호

'DY20-36'

DONG YANG

CHECKED BY	DESIGNED BY	DMCU CIRCUIT
		7KAE - 2000 - 36
REGISTERED		



'DY20-39'

DONG YANG

CHECKED BY	DESIGNED BY	소방S/W & 전망용 CIRCUITS
		7KAE - 2000 - 39
REGISTERED		

D/M OR (DUCT)

U203
(11T)

U203

V203
(11T)

V203

P24
(12S)

COP




CCU-20

FAN

LITR1

1ES

ES





ES		
a	9	5
b	1	
a	10	6
b	2	20E
a	11	7
b	3	20E
a	12	8
b	4	
MY4N-4C		
DC24V		

1ES		
a	9	5
b	1	20E
a	10	6
b	2	
a	11	7
b	3	
a	12	8
b	4	
MY4N-4C		
DC24V		


FANR		
a	1	5
b	9	40K
a	4	8
b	12	40K
MY2N-2C		
DC24V		

LITR1		
a	1	5
b	9	40K
a	4	8
b	12	40K
MY2N-2C		
DC24V		


'DY20-40'



POWER FAILURE LAMP CIRCUITS



BGM CIRCUIT




NOTICE1)
IF WIRING OF 3-WIRE SYSTEM
(WITH BROADCAST), DOTTED
LINE PART SHALL ALSO BE
CONNECTED, NOT REQUIRED IF
2-WIRE SYSTEM.

NOTE2)
MATCHING TRANSFORMER SHALL
BE OF 7K OHM TAP.

DONG YANG

CHECKED BY	DESIGNED BY	FAN. LIGHT. BGM CIRCUITS
		7KAE - 2000 - 40
REGISTERED		




NC2
(12S)

'DY20-43'


DONG YANG

CHECKED BY	DESIGNED BY	DOOR CIRCUITS
		7KAE - 2000 - 43
REGISTERED		

HC(2X+1)




HC(2X+2)




HB	FL	X
1	- 4F	0
5	- 8F	1
9	- 12F	2
13	- 16F	3
17	- 20F	4
21	- 24F	5
25	- 28F	6
29	- 32F	7
33	- 36F	8
37	- 40F	9


HALL BUTTON (4X+1)




HALL BUTTON (4X+2)



HALL BUTTON (4X+3)



HALL BUTTON (4X+4)



(HALL)

'DY20-47'

DONG YANG

CHECKED BY	DESIGNED BY	HALL CALL CIRCUITS (호리형)
		7KAE - 2000 - 47
REGISTERED		

HC(X+1)

END FLOOR


SLS3B : SHORT

SLS3B (33R)
SLS3A (33R)

CN1

한림사 4P
(LW1143-04)

HCU32A



P24X (12S)
NC2X (12S)

CN3

한림사 2P(LW1143-02)

CN2


MOLEX8P

1 P24X
2 P24X
3 (1X+1)U
4 (1X+1)D
5 L(1X+1)U
6 L(1X+1)D
7 NC2X
8 NC2X

(1X+1)

(48R)

HALL BUTTON (X+1)



(HALL)

HB	FL	X
1F		0
2F		1
3F		2
40F		39


주) HCU32A는 층당 1EA씩 적용됨.

'DY20-48'


DONG YANG

CHECKED BY	DESIGNED BY	HIB CIRCUITS (일체형)
		7KAE - 2000 - 48
REGISTERED		


HC(2X+1)




HC(2X+2)




HALL BUTTON (2X+1)




HALL BUTTON (2X+2)



HALL BUTTON (2X+1)



HALL BUTTON (2X+2)



(HALL)

장애자용 HALL CALL CIRCUITS (본리형)

주) 장애자용 HCU34A는 층당 1EA씩 적용됨.


DONG YANG

'DY20-49'

CHECKED BY	DESIGNED BY	HALL CALL CIRCUITS (본리형)
		7KDYE - 20 - 49
REGISTERED		

LCORY-20

HALL INDICATOR



*주 1) *LMP 신호는 - LOVER
- LIND(전용)
- LFIRE(비상운전)
중 사양에 따라 선택할것

**주 1) **LAUTP, LPAK 신호도 사양에 따라 변경가능







(HALL INDICATOR)

CHECKED BY	DESIGNED BY	HALL POSITION INDICATORS
		7KAE - 2000 - 51
REGISTERED		

DONG YANG

'DY20-51'

CHECKED BY	DESIGNED BY	HALL CALL & LANTERN (본리형) 7KAE - 2000 - 54
REGISTERED		




(HALL)

HB	FL	X
1	- 4F	0
5	- 8F	1
9	-12F	2
13	-16F	3
17	-20F	4
21	-24F	5
25	-28F	6
29	-32F	7
33	-36F	8
37	-40F	9

'0Y20-55'

DONGYANG



CHECKED BY	DESIGNED BY	HALL LANTERN & CHIME (본리항)
REGISTERED		7KAE - 2000 -55




'DY20-60'

DONG YANG


CHECKED BY	DESIGNED BY	CAR CONTROL (CCU SOURCE)
		7KAE - 2000 - 60
REGISTERED		



<M-COP>			
	(A)	(B)	(C)
1K - 8K	1	8	SCL0
9K - 16K	9	16	SCL1
17K - 24K	17	24	SCL2
25K - 32K	25	32	SCL3
33K - 40K	33	40	SCL4



<SUB-COP>			
	(A)	(B)	(C)
1K - 8K	1	8	SCL0
9K - 16K	9	16	SCL1
17K - 24K	17	24	SCL2
25K - 32K	25	32	SCL3
33K - 40K	33	40	SCL4



<SUB-COP>					
	(A)	(B)	(C)	(D)	(E)
1K - 8K	1	8	SCL0	A1	A1
9K - 16K	9	16	SCL1	B1	B1
17K - 24K	17	24	SCL2	A2	A2
25K - 32K	25	32	SCL3	B2	B2
33K - 40K	33	40	SCL4	A3	A3

주)
CN7A,8A : 인송용,장예자 MAIN
CN7B,8B : 인송용,장예자 SUB

주 1)
CN6A : A1,A2~A5 인송용 MAIN
CN6A : B1,B2~B5 인송용 SUB
CN6B : A1,A2~A5 장예자용 MAIN
CN6B : B1,B2~B5 장예자용 SUB

'DY20-61'

DONGYANG

CHECKED BY	DESIGNED BY	CAR CALL CIRCUITS
REGISTERED		7KAE - 2000 - 61

CCU-20

SUB COP

CN10B

CN10A

A1	A1
B1	B1
A2	A2
B2	B2
A3	A3
B3	B3
A4	A4
B4	B4
A5	A5
B5	B5
A6	A6
B6	B6
A7	A7
B7	B7
A8	A8
B8	B8
A9	A9
B9	B9
A10	A10
B10	B10
A11	A11
B11	B11
A12	A12
B12	B12
A13	A13
B13	B13
A14	A14
B14	B14
A15	A15
B15	B15
A16	A16
B16	B16
A17	A17
B17	B17
A18	A18
B18	B18
A19	A19
B19	B19
A20	A20
B20	B20

(62S)

P24
(63H)

CAR CALL
INDICATOR

L40K

L25K

L24K

(62L)

LDOL

DOOR
OPEN

LFIRE

비상운전

(63H)

LOVER

OVER-
LOAD

LUP

UP

LDN

DN

'DY20-62'

DONG YANG

CHECKED BY


DESIGNED BY

CAR CONTROL(CAR CALL LAMP)

REGISTERED


7KAE - 2000 - 62

CCU-20



SUB COP내
CPI가 적용될때

(DIGITAL INDICATOR)




(CAR POSITION INDICATOR)

CHECKED BY	DESIGNED BY	CAR INDICATOR ,COP 48TYPE (1 -40)
REGISTERED		7KAE-2000 -63



'DY20-63'

DONG YANG

CDO1

(2 - 24 stops
DOT INDICATOR)



(L0) (L4)




'DY20-64'

DONG YANG


CHECKED BY	DESIGNED BY	CAR INDICATOR (LAMP, JAMB TYPE) (1-40)
		7KAE - 2000 - 64
REGISTERED		



<M-COP>			
	(A)	(B)	(C)
1K - 8K	1	8	HSCL0
9K - 16K	9	16	HSCL1
17K - 24K	17	24	HSCL2
25K - 32K	25	32	HSCL3
33K - 40K	33	40	HSCL4



<SUB-COP>			
	(A)	(B)	(C)
1K - 8K	1	8	HSCL0
9K - 16K	9	16	HSCL1
17K - 24K	17	24	HSCL2
25K - 32K	25	32	HSCL3
33K - 40K	33	40	HSCL4





<SUB-COP>					
	(A)	(B)	(C)	(D)	(E)
1K - 8K	1	8	HSCL0	A1	A1
9K - 16K	9	16	HSCL1	B1	B1
17K - 24K	17	24	HSCL2	A2	A2
25K - 32K	25	32	HSCL3	B2	B2
33K - 40K	33	40	HSCL4	A3	A3

'DY20-65'

DONGYANG

CHECKED BY	DESIGNED BY	장애자 CAR CALL CIRCUITS
		7KAE - 2000 - 65
REGISTERED		



CDO1




'DY20-67'

DONGYANG

CHECKED BY	DESIGNED BY	장예자 MAIN,SUB CAR INDICATOR(1-40)
		7KAE - 2000 -67
REGISTERED		




INDICATOR LED=CDO
(9 - 40 STOP STANDARD)



'DY20-68'

DONG YANG

CHECKED BY	DESIGNED BY	장예자 MAIN,SUB CAR CALL LAMP
		7KAE - 2000 - 68
REGISTERED		




'DY20-78'

DONG YANG

CHECKED BY	DESIGNED BY	DOOR CONTORL CIRCUITS
REGISTERED		7KAE - 2000 -78

SPEAKER STATION

MASTER STATION



ALL TOGETHER BROADCASTING

TP-HF TYPE

'DY20-90'

DONG YANG

CHECKED BY	DESIGNED BY	INTERPHONE CIRCUITS
		7KAE - 2000 -90
REGISTERED		

BATTERY

DC12V x 3

AP36

AP24

ANC2

TB51-1

TB51-2

TB51-3

T1S

1

2

3

4

5

6

TAMC1

(96K)

1

2

5

6

T1F

(6A)

TP

(16M)

TN

(16M)

TB52-1

TB52-2

BATTERY CHARGER

CHARGE

FINISH

FAULT

LOW VOL

U203

(11T)

V203

(11T)

TB53-1

TB53-2

TB53-3

TB53-4

INPUT S/W

OUTPUT S/W

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2

TCS1

TCS2

TVD1

TVD2


TCS1

TCS2


TVD1

TVD2



TCS1



SPEED	A
30	130
45	320
60	550
90	1000
105~150 (m/M)	1300 mm



FINAL SLOW DOWN LIMIT SW
(UP)



'DY20-105'

DONG YANG

CHECKED BY	DESIGNED BY	LIMIT SWITCH DIAGRAM
REGISTERED		7KAE - 2000 - 105

MNIO PCB

CNH101		
WIRE	CN-NO	
1	PC1	
2	NC2	
3	PAK	
4	RSIAFT(X4)	
5	FIRE	

CNH102		
WIRE	CN-NO	
1	1SD	
2	3SD	
3	5SD	
4	5LS	
5	6LS	
6	P24	
7	NC2	
8	4LS	
9	3LS	

CNH103		
WIRE	CN-NO	
1	XCC	
2	HDC1	
3	HDC2	
4	HDC3	
5	HDC4	
6	RFHDC	
7		
8		
9		

관동사양시 CNH104		
WIRE	CN-NO	
1	RFHDC	
2	BHDC1	
3	BHDC2	
4	BHDC3	
5	BHDC4	
6	RHDC	
7		
8		
9		

CNK205		
WIRE	CN-NO	
1	RSIAFT(X4)	
2	RHDC	
3	RCAGE(X8)	
4	DCCI	
5	DCX	
6	KDO(PDO)	
7	KDC(PDC)	
8	DLS	
9	DT	

CNK206		
WIRE	CN-NO	
1	KINS(YINS)	
2	KNOR	
3	KUP(PLU)	
4	KDN(PLD)	
5		
6	LU	
7	LD	
8	LS1	
9		

1
2
3
4
5
6
7
8
9

관동사양시 CNK207		
WIRE	CN-NO	
1		
2		
3		
4	BDCI	
5	BDCX	
6	BKDC(BPDC)	
7	BKDC(BPDO)	
8	BDLS	
9	BDT	

CNR310		
WIRE	CN-NO	
1	RCAGE(X8)	
2		
3	NC2	
4	XCC(X9)	
5	RTH	

CNP308		
WIRE	CN-NO	
1	CCON	
2	BKA	
3		
4	RCAGE(X8)	
5	RCAGE(X8)	
6	PC2(CCXI)	
7	BKAH	
8		
9		

CNS309		
WIRE	CN-NO	
1	EP	
2	NP	
3	ARD	
4		
5		
6		
7		
8		
9		

E/L설치할때 CNT311		
WIRE	CN-NO	
1	PC1	
2		
3	PC1	
4	XCC	
5	DCX	

1
2
3
4
5
6
7
8
9

MNCU PCB

PG101(MOTOR PG)		
WIRE	CN-NO	
1	BP5A	
2	PG-B	
3	E	
4	PG-D	
5		
6	BNC2	
7	PG-A	
8	PG-C	
9		

PG102(GOVERNOR PG)		
WIRE	CN-NO	
1	BP5A	
2	E	
3	PG-D	
4	NC2	
5	PG-D	

SLS1		
WIRE	CN-NO	
1	SLS1A	
2		
3	SLS1A	
4	SLS1B	
5	SLS1B	

SLS2		
WIRE	CN-NO	
1	SLS2A	
2		
3	SLS2A	
4	SLS2B	
5	SLS2B	

SLS3		
WIRE	CN-NO	
1	SLS3A	
2		
3	SLS3A	
4	SLS3B	
5	SLS3B	

SLS4		
WIRE	CN-NO	
1	SLS4A	
2		
3	SLS4A	
4	SLS4B	
5	SLS4B	

1
2
3
4
5
6
7
8
9

DONG YANG

CHECKED BY	DESIGN BY	MNIO, MNCU CONNECTOR TABLE(1)	
이. H. Maeng	이. M. Jung	7KBE2001-106	
1998.11.25	1998.11.28	REV. MARK	
REGISTERED			

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21

CNK1		
WIRE	CN-NO	
1	P24	
2	P24	
3	P24	
4	PC1	
5		
6	NC	
7	NC2	
8	NC2	
9	NC2	
10	NC2	
11		
12	U202	
13	U202	
14	V202	
15	V202	
16		
17	U203	
18	U203	
19	V203	
20	V203	
21	E	

HPI 전원 CNH53		
WIRE	CN-NO	
1	P24X	
2	P24X	
3	P24X	
4	P24X	
5		
6	NC2X	
7	NC2X	
8	NC2X	
9	NC2X	

HCU 전원 CNH54		
WIRE	CN-NO	
1	P24X	
2	P24X	
3	P24X	
4	P24X	
5		
6	NC2X	
7	NC2X	
8	NC2X	
9	NC2X	

LANTERN사양시 CNH55		
WIRE	CN-NO	
1	U202	
2	U202	
3	U202	
4	U202	
5		
6	V202	
7	V202	
8	V202	
9	V202	

감시반사양시 CNV2		
WIRE	CN-NO	
1		
2		
3		
4		
5	V11	
6	V12	
7		
8		
9		

전망용사양시 CNK205		
WIRE	CN-NO	
1	OBU203	
2	OBU203	
3	OBU203	
4	OBU203	
5	OBS	
6	OBV203	
7	OBV203	
8	OBV203	
9	OBV203	

1
2
3
4
5
6
7
8
9

CNH101B		
WIRE	CN-NO	
1	PC1	
2	NC2	
3	PAK	
4	RSHAF1(X4)	
5	FIRE	
6		
7	*PAK	
8		
9	*FIRE	

1
2
3
4
5
6
7
8
9

*주 1) 비상온전판넬,간이감시반적용일때
PARKING S/W,FIR(비상온전S/W)적용할때 사용.

△	
△	
△	

DONG YANG

CHECKED BY	DESIGNED BY	CN-I/O CN CONNECTOR TABLE(2)	
B. H. Maeng	B. M. Jung	7KBE2001-107	
1998.11.25	1998.11.28	REGISTERED	

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

(CCU 2~40STOP)

CAD No. : BE2-110A

SV	MAIN MOTOR	AMC1	AMC2	REC-RV1~3	HSF	평활콘덴서 STACK 내장	R-DC 방전저항	R-CL	PBR	IGBT	MAIN TB
380V	5.5kW	SMC-35P	LC1-D2 510 M7	ZNR 23G 821	JR61-40 600VAC 40A	450 VW 4700 uF X2(2370 uF)	RQR-10-223 10W-22kohm*2	IRH-80L-05 (80W 5ohm)	1kW-36 ohm X 2	IG75A-40-DY20	KH60100-3P
	7.5kW	SMC-35P	LC1-D2 510 M7	ZNR 23G 821	JR61-40 600VAC 40A	450 VW 4700 uF X2(2370 uF)	RQR-10-223 10W-22kohm*2	IRH-80L-05 (80W 5ohm)	1kW-36 ohm X 2	IG75A-40-DY20	KH60100-3P
	9.5,11kW	SMC-35P	LC1-D2 510 M7	ZNR 23G 821	JR61-50 600VAC 50A	450 VW 4700 uF X2(2370 uF)	RQR-10-223 10W-22kohm*2	IRH-80L-05 (80W 5ohm)	1kW-36 ohm X 3	IG100A-50-DY20	KH60100-3P
	13,15kW	SMC-35P	LC1-D5 011 M7	ZNR 23G 821	JR61-50 600VAC 50A	450 VW 4700 uF X2(4700 uF)	RQR-10-223 10W-22kohm*2	IRH-80L-05 (80W 5ohm)	1kW-36 ohm X 4	IG100A-50-DY20	KH60100-3P
	18.5kW	SMC-40P	LC1-D5 011 M7	ZNR 23G 821	JR62-100 600VAC 100A	450VW 4700 uF X4(4700uF)	RQR-10-223 10W-22kohm*4	IRH-80L-05 (80W 5ohm)	1kW-36 ohm X 4	IG200A-100-DY20	KH60100-3P
	22kW	SMC-40P	LC1-D5 011 M7	ZNR 23G 821	JR62-100 600VAC 100A	450 VW 4700 uF X4(4700 uF)	RQR-10-223 10W-22kohm*4	IRH-80L-05 (80W 5ohm)	1kW-36 ohm X 6	IG200A-100-DY20	KH60100-3P

1S 수배 TABLE

SV	MAIN MOTOR	P-CTR MAIN WIRE		CS-U,V	GDU-PWB
		MAIN	PB(회생부)		
380V	5.5kW	5.5 SQ	3.5 SQ	HCS-20-50-AP 50A/4V(U-RD)	GDU-22A
	7.5kW	5.5 SQ	5.5 SQ	HCS-20-50-AP 50A/4V(U-RD)	GDU-22A
	9.5,11kW	8 SQ	8 SQ	HCS-20-50-AP 50A/4V(U-RD)	GDU-23A
	13,15kW	14 SQ	8 SQ	HCS-20-50-AP 50A/4V(U-RD)	GDU-23A
	18.5kW	22 SQ	14 SQ	HCS-20-50-AP 100A/4V(U-RD)	GDU-24A
	22kW	22 SQ	14 SQ	HCS-20-50-AP 100A/4V(U-RD)	GDU-24A

ELE TYPE	전 압
P6-45,P11-30	15 A
P6-60,P9-45,P11-45,P11-30	15 A
P6-60,P9-45,P13-45	15 A
P6-90,P9-60,P15-45	20 A
P6-90,P11-60,P15-60,P17-45	20 A
P11-90,P11-105,P17-60,P20-45	30 A
P13-90,P13-105,P15-90,P15-105,P17-90,P20-60,P24-45,P24-60	30 A
P17-105,P20-90	40 A
P20-105,P24-90	40 A

△	
△	
△	

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

TB단자 TABLE

TB15

(하모니카 단자)

NO	T-NO
1	P24
2	P24
3	P24
4	P24
5	P24
6	NC
7	NC
8	NC
9	NC2
10	NC2
11	NC2
12	NC2
13	NC2
14	NC2
15	NC2
16	NC2X
17	
18	P24X
19	
20	U202
21	U202
22	U202
23	U202
24	U202
25	U202
26	
27	V202
28	V202
29	V202
30	V202
31	V202
32	V202
33	
34	U203
35	U203
36	
37	V203
38	V203
39	
40	PC1

41	PC1
42	PC1
43	
44	BGM2
45	BGM4
46	BGM2A
47	BGM4A
48	MTHI
49	
50	MFANA
51	MFANC
52	
53	+
54	-
55	1
56	2
57	3
58	4
59	E
60	E

TB3 (TB 6PIN)

1	2	3	4	5	6
U203	V203		B1	B2	

TB10 (TB 12PIN)

1	2	3	4	5	6	7	8	9	10	11	12
U202	V202		PC2	B1	PC1	NC			NC		CC-A1

TB12 (TB 10PIN)

1	2	3	4	5	6	7	8	9	10
SLS 2A	SLS 2A	SLS 2B	SLS 2B		P24	P24		NC2	NC2

TB25 (TB 12PIN)

1	2	3	4	5	6	7	8	9	10	11	12
NC2	NC2	SG	NC	NC		E	E	E	E	E	E

DONG YANG

CHECKED BY	DESIGN BY	TB단자 TABLE
D. H. Maeng	S. M. Jung	
1998.8.21	1998.8.21	
REGISTERED		7KBE2001-121

REV. MARK