



IONS

SCHEMATIC DIAGRAMS

PAGE	TITLE	PAGE	Rev.	TITLE	Rev.
1-1	Power Source 1 with Neutral line	9		Power & Light for Car	
1-2	Power Source 1 with Neutral line				
1-3	Power Source 1 without Neutral line				
		10		Light – Well & PIT	
2-1	Power Source with ARD (Single-phase ARD option)	11		Governor Trip/Reset	
2-2	Power Source with ARD (Three-phase ARD option)				
3	Power Source 2	14		Emergency Light & Intercom	
4	Drive (CPIW)				
		15-1		Emergency Button Buzzer circuit	
		15-2		Emergency Button Buzzer circuit (HPNRT)	
5-1	Power Source 3 distribution with Neutral line				
5-2	Power Source 3 distribution with Neutral line				
		20		Safety Chain	
		21		Safety Chain-Door Lock	
6	Brake Control (CPIW)	22		Travel Contactor (CPIW)	
7	Emergency Rescue Operation (Applied 220V Light Power)	23		EER & Inspection Operating circuit	
8	Control Power distribution	24		Door Zone Switch circuit	

[illegible]

CAD No. : _____

APPROVED BY	CHECKED BY	DESIGNED BY	DRAWN BY
H.S Lee 2018.7.20	S.J Kim 2018.7.20	Y.J Choi 2018.7.20	Y.J Choi 2018.7.20
REGISTERED			
FRONT COVER			
D300157017-000-1			
Rev. 0			

VER NO.

00

TITLE.

MH2 SNO1

SCHEMATIC DIAGRAMS

PAGE	TITLE	Rev	PAGE	TITLE	Rev
30	CAR CAN Communication circuit 1		51	Door Edge circuit	
			100	Fire operation	
31	COP Switch operation circuit				
			101	Earthquake Control circuit	
32	Car Call Circuit (1~8 Floors)				
33	Car Call Circuit (9~16 Floors)		102	BMS, SMART RMS Reset circuit	
40	Landing CAN communication circuit 1				
41	Landing CAN communication circuit 1				
42	Landing Call Connection				
43	Landing Call Connection (For the disabled)				
44	Horning operation				
45	Homecall & LCD Indicator				
50	Car Door circuit				

CAD No. :

APPROVED BY	CHECKED BY	DESIGNED BY	DRAWN BY	FRONT COVER
H.S Lee 2018.7.20	S.J Kim 2018.7.20	Y.J Choi 2018.7.20	Y.J Choi 2018.7.20	D300157017-000-2
REGISTERED				Rev. mark

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

No.	Comp.Code	Position	Definition	Address (Zone)
1	A01	+F	Aircleaner board	9(X)
2	A02	+TS	UMI board	4(V) , 6(G)
3	A03	+TS	UMB board (Break Controller)	6(K) , 22(K)
4	A10	+TS	Phase Monitoring Relay	5-1(F,M)
5	A18	+TS	Mainboard MHC2	2-1(V), 2-2(V), 8-1(J), 21(B,U), 24(R), 25(O), 30(C), 35(D), 36(D)
6	A25	+F	CRIB board	9(J), 14(K), 23(B), 24(X)
7	A27	+TS	SRC Module	24(C)
8	A30	+F	CN-4A(Car Call Control 1-8)	30(J), 31(B), 32(B)
9	A31	+F	CN-5A(Car Call Control 9-16)	23(D,K),30(J), 31(F), 32(B,K)
10	A35	+F	CNIO board	23(S)
11	A38	+F	CNRY	102(E)
12	A41	+S	Hall node board	30(K)
13	A42		Earthquake detector	101(G)
14	A50	+TS	MHCON board	2(N), 102(J)
15	A60	+F	TFT LCD board	30(K)
16	A75	+TS	MH4-SIC board (Safety circuit Monitoring)	21(S)
17				
18				

No.	Comp.Code	Position	Definition	Address (Zone)
19	B03	+T	Motor Encoder	4(V)
20	B30	+S	Electrical Edge (Front)	51(B)
21	B30B	+S	Electrical Edge (Rear)	51(N)
22	B43	+F	LIMAX (Floor Selection APD)	30(F)
23	B50	+TS	Emergency call device (in machine)	15-1(Q)
24	B51	+F	Emergency call device (in car)	15-1(E)
25	B52	+E	Emergency call device (in External)	15-1(W)
26	B53	+TS	Emer. Call device (HPNRT)	15-2(F), 15-2(P)
27	B54	+TS	Emer. Call device (HPNRT)	15-2(P)
28	B55	+F	Emer. Call device (HPNRT)	15-2(F)
29	B56	+S	Emer. call device (HPNRT)	15-2(W)
30	B57	+E	Emer. Call device (HPNRT)	15-2(W)
31	B58	+F	Emer. Call device (HPNRT)	15-2(F)
32	B59	+TS	Emer. Call device (YESA)	15-3(P)
33	B60	+TS	Emer. Call device (YESA)	15-3(P)
34	B61	+S	Emer. Call device (YESA)	15-3(E)
35	B62	+S	Emer. Call device (YESA)	15-3(W)
36	B63	+E	Emer. Call device (YESA)	15-3(W)

CAD No. :

CHECKED BY	DESIGNED BY		COMPONENT DESCRIPTION
	H.S Lee	Y.J Choi	
	2018.7.20	2018.7.20	
REGISTERED			Rev. mark
			D300157017-000-3

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

No.	Comp.Code	Position	Definition	Address (Zone)
37	B64	+F	Emer.Call device(YESA)	15-3(E)
38	B65	+F	Inspection Light & Buzzer	23(G)
39	B68	+F	Load Weight Device	30(T)
40				
41	E01	+TS	Main Power pilot lamp	3(E)
42	E2	+TS	Car Light	9(T)
43	E4	+TS	CP Light	9(B)
43	E30	+TS	Hoistway Light	10(K)
44	E31	+F	Car Top Light	10(K)
45	E32	+S	PIT Light	10(T)
46				
47				
48	F00	+TS	Fuse (TM Brake Circuit)	3(G), 5-1(P)
49	F1	+TS	Fuse (11T Trans)	1-3(M)
50	F2	+TS	Fuse (11T Trans)	1-3(M)
51	F13.1	+TS	Fuse (Control Power)	8(J)
52	F13.2	+TS	Fuse (Control Power)	8(M)
53	F14.1	+TS	Fuse (Battery Charger)	8(P)

No.	Comp.Code	Position	Definition	Address (Zone)
54	FCBS1	+TS	Circuit Breaker (Control Power Source)	5-1(S), 5-2(S)
55	FCBS5	+TS	Light Power 1AC (Well Light & Pit Light)	10(C)
56	FCBS4	+TS	Light power 1AC (car)	1(P)
57	FNFB	-	Main 3AC (by Owner)	1-1(E), 1-2(E), 1-3(E), 2(C)
58	FNFB1	-	Main 1AC (by Owner)	1-1(E)
59	FSPD1	+TS	SPD Circuit Breaker	3(U)
60				
61	G03	+TS	Inverter (CPIW)	4(J)
62	G06	-	Single Phase ARD Controller	2-1(H)
63	G07	-	Three Phase ARD Controller	2-2(H)
64	G08	+F	SMPS (Car Light Power - DC 12V)	9(M)
65	G09	+F	SMPS (Control Power - DC 24 V)	
66	G13	+TS	SMPS (Control Power - DC 24 V)	8(F)
66	G14	+TS	Batter charger	8(P)
67	G50	+F	K400 - Front door Drive	50(C)
68	G50B	+F	K400 - Front door Drive	50(P)
69				
70	H30	+F	Autoannouncer	30(N)

CAD No. :

CHECKED BY	DESIGNED BY		COMPONENT DESCRIPTION
	H.S Lee 2018.7.20 REGISTERED	Y.J Choi 2018.7.20	
			Rev. Mark D300157017-000-4

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

No.	Comp.Code	Position	Definition	Address (Zone)
71	H50	+TS	Emergency intercom Lamp in CP	15-1(N)
72	H51	+F	Emergency intercom Lamp in Car	15-1(J)
73	H52	+E	Emergency intercom Lamp in External	15-1(V)
74	H60	+S	Hall Chime	43(P)
75	H61F	+S	Hall Lantern (Up)	43(P)
76	H61B	+S	Hall Lantern (Down)	43(P)
77				
78				
79	K00	+TS	Main contector for 3AC	5-1(G), 5-2(G), 8(L)
80	K01	+TS	Brake contactor	4(D), 6(N), 22(H)
81	K06	+TS	Motor contactor	6(N), 22(H)
82	K10	+TS	Rescue Operating Contactor	7(c)
83	K28	+TS	Relay / Contactor (Leveling zone)	24(V)
84	KEBRK	+TS	Emergency Brake Contactor	7-1(R), 7-2(R)
85	KEBZ	+F	Emergency call button input relay	15-1(B)
86	KPRST	-	Relay (Smart RMS Reset)	5-2(Q)
87				
88	LACL	+TS	AC Reactor	4(G)

No.	Comp.Code	Position	Definition	Address (Zone)
89	LDCL	+TS	DC Reactor	4(K)
90				
91	M01	+T	Traction Motor	4(N)
92	M20	+TS	Control cabinet ventilator	4(C)
93	M30	+TS	Car ventilator	9(L)
94				
95	P01	+TS	Ammeter	3(P)
96	P02	+TS	Voltage meter	3(R)
97	P05	+TS	ZCT (Earth Leakage Relay)	3(M), 5-1(L), 5-2(L)
98				
99	R01	+S	Dynamic braking Resister	4(Y)
100	R02	+T	TM Temperature sensor	4(R)
101				
102	S01	+TS	Emer.Recall Switch (Push-Button)	20(Q)
103	S01B	+TS	Emer.Recall Operation (Down-Button)	23(S)
104	S01S	+TS	Emer.Recall Switch (Common-Button)	20(W), 23(S)
105	S01F	+TS	Emer.Recall Operation (Up-Button)	31(M)
106	S28	+F	Leveling zone Sensor	24(Y)



CHECKED BY	DESIGNED BY		COMPONENT DESCRIPTION
	H.S Lee 2018.7.20	Y.J Choi 2018.7.20	
REGISTERED			Rev. mark D300157017-000-5

= A . B . C . D . E . F . G . H . J . K . L . M . N . P . Q . R . S . T . U . V . W . X . Y . Z

No.	Comp.Code	Position	Definition	Address (Zone)
107	S30	+F	Car call Button	32(G), 33(G)
108	S31	+F	Car call Button (for the disabled)	32(T), 33(T)
109	S32B	+S	Landing call (Down – Button)	42(F)
110	S32F	+S	Landing call (UP –Button)	42(P)
111	S33F	+S	Landing call for disabled (UP –Button)	43(P)
112	S32B	+S	Landing call for disabled (Down –Button)	43(F)
113				
114	S35	+S	PIT Inspection Reset switch	23(W)
115	S37	+S	.	31(G)
116	S38	+S	.	31(G)
117	S39	+F	Emergency Call Button	15–1(A), 15–2(A), 15–3(A)
118				
119	S44	+F	Safety Chain(Inspection switch)	20(Q), 23(D)
120	S44B	+F	Inspection Operation (Down Button)	23(D)
121	S44S	+F	Inspection Operation (Common Button)	20(U), 21(E), 23(D)
122	S44F	+F	Inspection Operation (Up Button)	23(F)
123	S45	+S	PIT Inspection Switch	20(P), 23(T)
124				

No.	Comp.Code	Position	Definition	Address (Zone)
125	S45S	+S	PIT Inspection Switch (Common Button)	20(V)
126	S45F	+S	PIT Inspection Switch (UP –Button)	23(V)
127	S45B	+S	PIT Inspection Switch (Down –Button)	23(W)
128				
129	S46	+TS	CAR FAN switch	9(L)
130	S56	+F	Safety Edge (Front)	51(F)
131	S56B	+F	Safety Edge (Rear)	51(S)
132				
133				
134	S100	+TS	Emer.stop Switch	5–1(G),5–2(G), 20(C)
135	S101	+T	Emer.stop Switch	20(D)
136	S103	+S	Pit Switch	20(D)
137	S103.1	+S	Pit Switch (Pit > 1.5m)	20(D)
138	S104	+S	Pit ladder Switch	20(D)
139	S105	+S	Car Governor rope Switch	20(D)
140	S105.1	+S	C/w Governor rope Switch	20(F)
141	S106	+S	Car Governor rope Switch	20(G)
142				

CAD No. :



CHECKED BY	DESIGNED BY		COMPONENT DESCRIPTION
	H.S Lee 2018.7.20	Y.J Choi 2018.7.20	
REGISTERED			Rev mark
			D300157017–000–6

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

No.	Comp.Code	Position	Definition	Address (Zone)
143	S106.1	+F	Car buffer Switch	20(G)
144	S109	+F	Car Governor Switch	20(G)
145	S109.1	+F	C/w Governor Switch	20(G)
146	S110	+F	Final Limit Switch	20(M)
149	S111	+F	Safety Link Switch	5(G), 20(M)
150	S112	+F	Emer.Stop Switch (Remote Control)	5-1(G), 20(M)
151				
152	S113	+F	CESTOP (in COP)	20(M)
153	S114	+F	MLS(Switch for emergency exit)	20(M)
154	S115	+F	Ladder switch	20(M)
155	S116	+F	Car Fixing Switch 1	20(P)
156	S116.1	+F	Car Fixing Switch 2	20(R)
157	S117	+F	Guide rail Switch	20(R)
158	S138n	+S	Hall Door Lock switch (Front)	21(K)
159	S138Bn	+S	Hall Door Lock switch (Rear)	21(M)
160	S139n	+S	Hall Door Lock switch (Front)	21(K)
161	S139Bn	+S	Hall Door Lock switch (Rear)	21(M)
162				

No.	Comp.Code	Position	Definition	Address (Zone)
163	S150	+F	Car Door Lock switch (Front)	21(E)
164	S150.1	+F	Car Door Lock switch (Rear)	21(G)
165	S150B	+F	Front Door Lock switch	21(E)
166				
167				
168	SCHG		Emergency charging Switch	7-1(L), 7-2(L), 20(D)
169	SHM1		Homing operation Switch	44(F)
170	SPBRK		Emergency brake open Switch	7-1(R), 7-2(R)
171	SRST	+S	Governor Reset Switch	11(P)
172	SPWLS1	+TS	Well Light Switch	10(F)
173	STWLS1	+TS	Well Light Switch	10(F)
174	STRIP		Governor trip Switch	11(H)
175				
176				
177	T7	+TS	1 KVA Transformer (380V -> 220V)	5-2(D)
178	T11	+TS	500VA Transformer (220V -> 110V)	1-3(K)
179	T52B	+TS	Transformer (TM Brake)	6(S)
180				

CAD No. :



CHECKED BY		DESIGNED BY		COMPONENT DESCRIPTION
H.S Lee	2018.7.20	Y.J Choi	2018.7.20	
REGISTERED				Rev. mark
				D300157017-000-7

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

No.	Comp.Code	Position	Definition	Address (Zone)	No.	Comp.Code	Position	Definition	Address (Zone)
181	V03	+TS	Bridge Diode (Emergency Brake)	7-1(U), 7-(U)					
182	VD4	+TS	Bridge Diode (Emergency Brake)	7-1(U), 7-(U)					
183	VD5	+TS	Diode (Emergency Brake)	8(P)					
184									
185	X00	+TS	Control cabinet outlet	9(E)					
186	X43	+F	RJC45	31(F)					
187	X46	+F	Car outlet	9(H)					
188	X48	+F	Pit outlet	10(U)					
189									
190	Y02	+TS	TM Brake Coil	6(N)					
191	Y06	+TS	Governor Trip Solenoid	11(J)					
192	Y07	+TS	Governor Reset Solenoid	11(Q)					
193									
194									
195	Z02	+TS	EMI Filter	4(D)					
196	Z03	+TS	Surge Protector	3(J)					
197	Z04	+TS	Lightning Safe Unit	3(U)					
198									

△	
△	
△	

CAD No. :



CHECKED BY		DESIGNED BY	COMPONENT DESCRIPTION
H.S Lee 2018.7.20		Y.J Choi 2018.7.20	
REGISTERED			D300157017-000-8
			Rev. mark

[illegible][illegible]





SYMBOLS

Symbol	Description	same symbol
	Operate key switch Normal open (maintain)	
	Push-button Normal open (return)	
	Push-button Normal closed (return)	
	Push-button Normal open (maintain)	
	Push-button Normal closed (maintain)	
	Limit-switch Normal open	
	Limit-switch Normal closed	
	Relay / Contactor contact Normal open	
	Relay / Contactor contact Normal closed	
	Power circuit breaker Normal open	
	Governor switch Normal closed	
	Emergency stop button Positive opening operation of a switch	
	Emergency stop button Normal closed	
	Temperature switch Normal closed	

Symbol	Description	same symbol
	Inductor	
	Diode	
	LED Light emitting diode	
	Resistor	
	Capacitor	
	R-C series circuit	
	Housing frame	
	Earth (ground)	
	Plug and socket	
	Terminals	
	Wires not joined	
	Wires joined	
	Variable limit-switch	
	Lamp	

Symbol	Description	same symbol
	Fuse	
	Fuse switch	
	Flicker lamp	
	Bridge rectifier	
	Photocoupler	
	Circuit breaker	
	Solenoid brake	
	Relay / Contactor	
	Thermistor	
	Bell	
	Voltmeter	
	Amperemeter	
	Pulse counter	
	Photoelectric switch Normal open	

SYMBOLS

Symbol	Description
	Traveling cable
	Hoistway cable
	Three phase Line filter
	Two phase Line filter
	Transformer
	Loudspeaker
	AC Motor / Fan
	Three phase AC Motor
	Proximity switch Normal closed
	Cam switch Normal open


[illegible][illegible]

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

Power source at distribution panel



Note 1) Car lighting power : by owner

[MHC2]

with Neutral line

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Power source 1
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	D300157017-001-1
REGISTERED		Rev. mark

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

Power source at distribution panel



Note 1) Car lighting power : by tkEK

[MHC2]

with Neutral line

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Power source 1
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	
REGISTERED		D300157017-001-2

Rev. mark




= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

Power source at distribution panel



[MHC2]

without Neutral line

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Power source 1
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	
REGISTERED		D300157017-001-3



= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Power source at distribution panel

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

△	
△	
△	

CAD No. :



[MHC2]

[OPTION] Single phase ARD

CHECKED BY	DESIGNED BY	Power source 1 with ARD
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	
REGISTERED		


D300157017-002-1

Rev. mark



A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Power source at distribution panel

-G07
ARDOR
OS
OT
ON
OPEU ○ → L1
(3.B)
V ○ → L2
(3.B)
W ○ → L3
(3.B)
N ○ → N
(3.B)
PE ○ → PEARDCN1
(5.H)

ARSTP

COMMON

3

4

G24

ARDTEST

-ARPW

G24

ARDCN9
(5.H)

-A50

MHCON

ARD

1

2

3

4


5

6

7

8

9

-KARSTP
(2.T)

-A18

MHC2

ARD

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309


310

311

312

313

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z



△	
△	
△	

CAD No. :




[MHC2]

CHECKED BY	DESIGNED BY	Power source 2
H.S Lee	Y.J Choi	
2018.7.20	2018.7.20	
REGISTERED		

D300157017-003

Rev. mark




△	
△	
△	

CAD No. :




[MHC2]		Drive	D300157017-004	Rev. mark
CHECKED BY	DESIGNED BY			
H.S Lee 2018.7.20	Y.J Choi 2018.7.20			
REGISTERED				

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z



CAD No. :




CAD No. :

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z



PE

[MHC2]

CPIW

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Brake control
H.S Lee	Y.J Choi	
2018.7.20	2018.7.20	
REGISTERED		


D300157017-006

Rev. mark






CHECKED BY	DESIGNED BY	Control Power distribution	Rev. mark
H.S Lee 2018.7.20	Y.J Choi 2018.7.20		
REGISTERED		D300157017-008	



= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z




[MHC2]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Light - well & PIT	Rev. mark
H.S Lee 2018.7.20	Y.J Choi 2018.7.20		
REGISTERED		D300157017-010	




△	
△	
△	

CAD No. :



[MHC2]

CHECKED BY	DESIGNED BY	Governor Trip/Reset	
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	D300157017-011	
REGISTERED			Rev. mark ○



[MHC2]

△	
△	
△	

CAD No. :




CHECKED BY H.S Lee 2018.07.20	DESIGNED BY Y.J Choi 2018.07.20	Emergency Light & Intercom D300157017-014	Rev. mark ○
REGISTERED			

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Intercom unit



[MHC2]

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Emergency Button Buzzer circuit	
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	D300157017-015-1	
REGISTERED			Rev. mark



A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Intercom unit (HPNRT)



[MHC2]


[HPNRT]



CHECKED BY	DESIGNED BY	Emergency Button Buzzer circuit	
H.S Lee	Y.J Choi	D300157017-015-2	
2018.7.20	2018.7.20	Rev. mark	
REGISTERED			

CAD No. :

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z



△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Safety chain	
H.S Lee	Y.J Choi	D300157017-020	
2018.7.20	2018.7.20	Rev. mark	
REGISTERED			



= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z



△	
△	
△	

CAD No. :



[MHC2]

CPIW



CHECKED BY H.S Lee 2018.7.20 REGISTERED	DESIGNED BY Y.J Choi 2018.7.20	Travel contactors D300157017-022	Rev. mark .
--	--------------------------------------	-------------------------------------	----------------

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z




A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Inspection operation



INSPECTION LIGHT & BUZZER




Elec.Emer.Recall operation



CONNECT WHEN TEMPORARY OPERATION

[MHC2]

PIT Inspection Operation




△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	EER&Inspection Operating Circuit
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	D300157017-023
REGISTERED		Rev. mark

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z



△	
△	
△	


CAD No. :



[MHC2]

CHECKED BY	DESIGNED BY	Door Zone Switch Circuit	Rev. mark
H.S Lee 2018.7.20	Y.J Choi 2018.7.20		
REGISTERED		D300157017-024	

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z




△	
△	
△	

CAD No. :



[MHC2]		[K400A DOOR]	
CHECKED BY	DESIGNED BY	CAR CAN Communication circuit 1	
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	D300157017-030	
REGISTERED			Rev. mark



[MHC2]

△		
△		
△		

CAD No. :



CHECKED BY	DESIGNED BY	Cop Switch operation circuit	Rev. mark
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-031	○


A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Car call input & Car call Acknowledgement – Normal

-A30


MHCN-04A
Node 1



Car call input & Car call Acknowledgement – Disable

-A31

MHCN-04A
Node 2



[MHC2]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20
REGISTERED	

Car call circuit (1~8 Floors)


D300157017-032

Rev. mark


= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

Car call input & Car call Acknowledgement – Normal



Car call input & Car call Acknowledgement –Disable




[MHC2]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Car call circuit (9~16 Floors)	Rev. mark
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-033	○

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
ZA
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

[MHC2]

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Smart COP(10Key PCB)	D300157017-035	Rev. mark
H.S Lee	Y.J Choi			
2018.7.20	2018.7.20			
REGISTERED				

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z



[MHC2]

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Smart COP(LCD COP & LCD CIP)	Rev. mark
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-036	

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z




△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Landing CAN Communication Circuit 1	
H.S Lee	Y.J Choi	D300157017-040	
2018.7.20	2018.7.20		
REGISTERED			Rev. mark





△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Landing CAN Communication circuit 2
H.S Lee 2018.7.20	Y.J Choi 2018.7.20	
REGISTERED		
		D300157017-041
		Rev. mark



= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z



*Note1

2 Car 이상인 경우, JP1100 Jumper PIN을 제거할 것
(JP1100 승강로 CAN 버스 종단 저항 = 120Ω)

[MHC2]

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	2Cars Landing CAN Communication D300157017-042	Rev. mark
H.S Lee 2018.7.20	Y.J Choi 2018.7.20		
REGISTERED			

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z


A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z


Top floor landing call



Middle floor landing call



Bottom floor landing call



[MHC2]

△	
△	
△	

CAD No. :




CHECKED BY	DESIGNED BY	Landing call connection	
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20	D300157017-043	
REGISTERED			Rev. mark ○

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z


A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Disabled landing call


Top floor landing call



Middle floor landing call



Bottom floor landing call



[MHC2]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Landing call circuit for the disabled
H.S Lee 2018.07.20	Y.J Choi 2018.07.20	
REGISTERED		D300157017-044

Rev. mark




= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

A
B
C
D
E
F
G
H
J
K
L
M
N
P
Q
R
S
T
U
V
W
X
Y
Z

Homing Switch



TKEK Rev

[MHC2]


△		
△		
△		

CAD No. :



CHECKED BY	DESIGNED BY	Homing operation	Rev. mark
H.S. Lee 2018.07.20	Y.J. Choi 2018.07.20	D300157017-045	○
REGISTERED			

LCD Indicator / Landing buttons in house



TKEK Rev

[MHC2]

△		
△		
△		

CAD No. :



CHECKED BY	DESIGNED BY	Homecall & LCD Indicator	Rev. mark
H.S Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-046	○


A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z



CHECKED BY	DESIGNED BY	CAR Door circuit	Rev. mark
H.S Lee 2018.7.20	Y.J Choi 2018.7.20		
REGISTERED		D300157017-050	①


업체배포용



= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

Fire Operation

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

[MHC2]


[Option]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Fire operation	Rev. mark
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-100	○



△		
△		
△		

CAD No. :




[MHC2]

[Option]

CHECKED BY	DESIGNED BY	Earthquake Control Circuit	Rev. mark
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-101	○


A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
ZA
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

Remote Power Reset system (SMART)




-A52

Emergency Call Device




Building monitoring system



DAU : Up signal for E/L status
 DAD : Down signal for E/L status
 ISCI : Independent Service Indicator
 FSI : Fire Service Indicator
 FALI : Fault Indicator
 EMCBI : Emergency Call Button Indicator
 MOV : Move lame
 AUTOI : Automatic mode Indicator

-A53

RMS-200(RMS)



[MHC2]

[Option]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	BMS, SMART RMS Reset Circuits	Rev. mark
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20		
REGISTERED		D300157017-102	

= A · B · C · D · E · F · G · H · J · K · L · M · N · P · Q · R · S · T · U · V · W · X · Y · Z


A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

-A18

MHC2

-A50

MHCON

A
·
B
·
C
·
D
·
E
·
F
·
G
·
H
·
J
·
K
·
L
·
M
·
N
·
P
·
Q
·
R
·
S
·
T
·
U
·
V
·
W
·
X
·
Y
·
Z

[MHC2]

△	
△	
△	

CAD No. :



CHECKED BY	DESIGNED BY	Signal Connection MHC2 with MHCON
H.S. Lee 2018.07.20	Y.J Choi 2018.07.20	
REGISTERED		D300157017-103

