

FILE NO.

2006.6.5 현재

PROJ. NO :

###

PROJ. NAME:

###

TITLE : ELECTRICAL WIRING DIAGRAM

EN81-1 적용 SSVF5 표준회로도
(2005.12.1 이후 건축허가분)

 HYUNDAI ELEVATOR CO., LTD.

COL1E, COL1F, COL2G, COL3E, COL3E-1, COL4H, COL7E, COL8E 이외의 도면은 표준도면임

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

1/1 HEC2210


ON GMD

COL 1E

INVERTER

TCB-5 Bd

DRIVE UNIT
HIVD700SS



NOTE
1.NFB4의 2차측은 구출목적으로 브레이크를 강제 개방할 때만 현장에서 결선한다
2.NFB4의 2차측 결선용 CABLE을 입고할것 (204B149도면 참조)

TC : TERMINAL BLOCK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MT30	PH 1	PH 2	PH 3	PH 4	SPK 1	SPK 2	N24 T	22 X	22 Y	A 110	B 110	A 220	B 220	N 24	N 24	P 24	P 24	22 X	22 Y

TD : TERMINAL BLOCK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
GOV	BLS	P110	FMR	PARK	ALARM	BKOP	P24	N24	B	B3	B4	RBK2	RBK1	RBKIN	BRT	P24	OBS	22X0	22Y0

TE : TERMINAL BLOCK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LI(A)	FULL	OVLD	EMPP	EMPA	EMPR	EMPS	EQS	EQSS	EQP	ELDI	ELDO	TH1	TH2	LI(B)

TA : TERMINAL BLOCK

1	2	3
RE	SE	TE

TABLE 1

MOTOR CAPA	APPLICATION
UNDER 11KW	HX57WDH04(Ø 31)
OVER 15KW	HX57WDH03(Ø 43)

T1 : CONNECTOR (TCB-3)

1	3	5	7	9	11	13	15	17	19
CANH		FMR	ILU	DLA	PITS	P110			
2	4	6	8	10	12	14	16	18	20
CANL		ULA	ILD	GS	ESIN	INTL			XAUTO

T1B : CONNECTOR



1	3	5	7	9
A220	N24	P24		
2	4	6	8	10
B220	N24	P24		

T2 : CONNECTOR

1	3	5	7	9	11
	PH2	PH4	SPK2	22X	
2	4	6	8	10	12
	PH1	PH3	SPK1	N24	22Y

TG : TERMINAL BLOCK

1	2	3
P24(B)		N24(B)



TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK		TURN PUNCH'D DIST. OF HOLE STR.	M.L.D.G. DIE CASTG. FROM CASTG. DRAW.	S.H.MET WELD GAS CTG.	CSTG. FORG.
SIZE	TO INCL.				
OVER					
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.2	± 1.5	± 2.5	± 3.3
ANGLE		± .25°	± .5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.


표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	승인	
임시	T.R.LEE			
보류	2006.3.14			

UNIT 단위	MM. #NCH	APPAR.	SSVF5-EN (HIVD 700SS)
SCALE 척도	1/1	TITLE 제목	ELEM. W. DIAGRAM
3RD ANGLE 3 각 법		DWG. NO 도면번호	HEC2210
REF. NO 참고도면			1/1

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음

1/1 HEC2211

ON GMD



NOTE
1.NFB4의 2차측은 구출목적으로 브레이크를 강제 개방할 때만 현장에서 결선한다
2.NFB4의 2차측 결선용 CABLE을 입고할것 (204B149도면 참조)

TC : TERMINAL BLOCK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
MT30	PH 1	PH 2	PH 3	PH 4	SPK 1	SPK 2	N24 T	22 X	22 Y	A 110	B 110	A 220	B 220	N 24	N 24	P 24	P 24	22 X	22 Y

TD : TERMINAL BLOCK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
GOV	BLS	P110	FMR	PARK	ALARM	BKOP	P24	N24	B	B3	B4	RBK2	RBK1	RBKIN	BRT	P24	OBS	22X0	22Y0

TE : TERMINAL BLOCK

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LI(A)	FULL	OVLD	EMPP	EMPA	EMPR	EMPS	EQS	EQSS	EQP	ELDI	ELDO	TH1	TH2	LI(B)

TA : TERMINAL BLOCK

1	2	3
RE	SE	TE

TABLE 1

MOTOR CAPA	APPLICATION
UNDER 11KW	HX57WDH04(Ø 31)
OVER 15KW	HX57WDH03(Ø 43)

T1 : CONNECTOR (TCB-3)

1	3	5	7	9	11	13	15	17	19	
CANH		FMR	ILU	DLA	PITS	P110				
2	4	6	8	10	12	14	16	18	20	21
CANL		ULA	ILD	GS	ESIN	INTL				XAUTO

T1B : CONNECTOR




1	3	5	7	9
A220	N24	P24		
2	4	6	8	10
B220	N24	P24		

T2 : CONNECTOR

1	3	5	7	9	11
	PH2	PH4	SPK2	22X	
2	4	6	8	10	12
	PH1	PH3	SPK1	N24	22Y

TG : TERMINAL BLOCK

1	2	3
P24(B)		N24(B)




TOLERANCES-UNLESS OTHERWISE SPECIFIED					HYUNDAI ELEVATOR CO., LTD.		UNIT	MM. INCH	APPAR. SSVF5-EN (HIVD 900SS)				
WORK	TURN PUNCHING DIST. OF HOLE STR.	MLDG. DIE CASTG. FROM CASTG. DRAW.	SH.MET WELD GAS CTG.	CSTG. FORG.	표준	DRWN BY 제도	DSND BY 설계	CHKD BY 검토	APPD BY 승인	SCALE	1/1	TITLE ELEM. W. DIAGRAM	
SIZE	OVER 16	16 63	63 250	250 500	500 1000	1000 2000	ANGLE	± .25°	± .5°	3RD ANGLE 3 각 법	REF. NO	DWG. NO	HEC2211
1	4	± 0.1	± 0.2	± 0.3	± 0.5						참고도면	도면번호	1/1
4	16	± 0.2	± 0.3	± 0.5	± 0.7								
16	63	± 0.3	± 0.4	± 0.7	± 0.9								
63	250	± 0.4	± 0.6	± 1.2	± 1.3								
250	500	± 0.6	± 0.8	± 1.5	± 1.8								
500	1000	± 0.8	± 1.0	± 2.0	± 2.5								
1000	2000	± 1.2	± 1.5	± 2.5	± 3.3								
		± .25°	± .5°	± 1.0°	± 2.0°								
					표준	T.R.LEE							
					임시								
					보류	2006.3.21							

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해기없이 복사할 수 없음

배 부 처

CHANGE
개 정 란

HDW-91-003A



MOTOR TYPE / 인승			BRAKE MODEL				RB RESISTOR	
GF TYPE	GL/GM TYPE	GS TYPE	B2-B(Ω)	B2-B3(Ω)	B3-B4(V)			
-	~11인승	~9인승	5410(S10)	40	147	START : 180V HOLDING : 120V	200Ω	200W
-	13~17인승	10~17인승	5420(S20)	36	137	START : 100V HOLDING : 50V	110Ω	200W
~11인승	-	-	5405(S05)	33	125	START : 180V HOLDING : 120V	200Ω	200W
13~17인승	-	-	DB180(R18)	10	85			
			5408(S08)	25	91			
			DB250(R25)	10	90			


TOLERANCES-UNLESS OTHERWISE SPECIFIED				
WORK	TURN PINCH'G DIST. OF HOLE STR.	MLDG. DIE CSTG. FROM CSTG. DRWG.	SH.MET WELD GAS CTG.	CSTG. FORG.
SIZE	OVER	TO INCL.		
1	4		± 0.1	± 0.2
4	16		± 0.2	± 0.3
16	63		± 0.3	± 0.4
63	250		± 0.4	± 0.6
250	500		± 0.6	± 0.8
500	1000		± 0.8	± 1.0
1000	2000		± 1.2	± 1.5
ANGLE			± .25°	± .5°

HYUNDAI ELEVATOR CO., LTD.				
표준	DRWN BY	DSND BY	CHKD BY	APPD BY
제도	설계	검토	승인	
임시	T.R.LEE			
보류	2006.3.21			

UNIT	MM. #NCH	APPAR.	SSVF5-EN	
SCALE	N/S	TITLE	ELEM. W. DIAGRAM	
3RD ANGLE	3 각 법	DWG. NO	HEC2212	
REF. NO	참고도면	도면번호	1/1	

A3 (420mm X 297mm)

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPR
WITHOUT THE PERMISSION OF HELCO
허가없이 복사할 수 없음




TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK		TURN FINCH/G DIST. OF HOLE STR.	MILDG. DIE CSTG. PRIM.CSTG DRAW.	SLMET WELD GAS CTG.	CSTG. FORM.
SIZE	TO INCL.				
OVER	TO INCL.				
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.2	± 1.5	± 2.5	± 3.3
ANGLE	± .25'	± .5'	± 1.0'	± 2.0'	




HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시 보류	T.R.	EE		
	2006.3.21			

UNIT 단위	MM. inch	APPAR.	SSVF5-EN	
SCALE 척도		TITLE 제목	ELEM. W. DIAGRAM	
3RD ANGLE 3 각 법				
REF. NO 참고도면		DWG. NO 도면번호	HEC2213	1/1

[illegible]

배 부 처



THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해기없이 복사할 수 없음

배 부 처

CHANGE
개정란

HDW-91-003A

COL 7E

CCB-5 Bd

M33 Bd

TCB-5 Bd

T1

CC54A
1 P24
2 CANH
3 CANL
4 GND

TO COL5A
VOICE CN2

+SUB OPB (OPB-3 Bd)

CC54A
1 P24
2 CANH
3 CANL
4 GND

MAIN OPB (OPB-3 Bd)

CC54A
1 P24
2 CANH
3 CANL
4 GND

+HLC-2004
LS Bd (LS-4PORT)

CN1
1 P24
2 P24
3 N24
4 N24

POTENTIOMETER #0

POTENTIOMETER #1

HALL LANTERN(UP)
HALL LANTERN(DN)
ONLY REFERENCE FLOOR

TOLERANCES-UNLESS OTHERWISE SPECIFIED					
WORK	TURN PINCH'G DIST. OF HOLE STR.	MLDG. DIE CSTG. FROM CSTG DRWG.	SH.MET WELD GAS CTG.	CSTG. FORG.	
SIZE	OVER	TO INCL.			
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.2	± 1.5	± 2.5	± 3.3
ANGLE		± .25°	± .5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표준	DRWN BY 제 도	DSND BY 설 계	CHKD BY 검 토	APPD BY 승 인
임시	T.R LEE			
보류	2006.3.22			


UNIT 단위	MM. #INCH	APPAR.	SSVF5-EN	
SCALE 척도		TITLE 제목	ELEM. W. DIAGRAM	
3RD ANGLE 3 각 법		DWG. NO 도면번호	HEC2217	1/1

A3 (420mm X 297mm)

THIS DRAWING IS PROPRIETARY TO HELCO
NO PART OF THIS DRAWING MAY BE REPRODUCED
WITHOUT THE PERMISSION OF HELCO
해기없이 복사할 수 없음

배 부 처

CHANGE
개 정 란



TOLERANCES—UNLESS OTHERWISE SPECIFIED					
WORK	TURN PUNCHING DIST. OF HOLE STR.	M.LDG. DIE CASTG. FROM CASTG. DRWG.	SH.MET WELD GAS CTG.	CSTG. FORG.	
SIZE	OVER	TO INCL.			
1	4	± 0.1	± 0.2	± 0.3	± 0.5
4	16	± 0.2	± 0.3	± 0.5	± 0.7
16	63	± 0.3	± 0.4	± 0.7	± 0.9
63	250	± 0.4	± 0.6	± 1.2	± 1.3
250	500	± 0.6	± 0.8	± 1.5	± 1.8
500	1000	± 0.8	± 1.0	± 2.0	± 2.5
1000	2000	± 1.2	± 1.5	± 2.5	± 3.3
ANGLE		± .25°	± .5°	± 1.0°	± 2.0°

HYUNDAI
ELEVATOR CO., LTD.

표 준	DRWN BY	DSND BY	CHKD BY	APPD BY
제 도	설 계	검 토	승 인	
임 시	T.RLEE			
보 류	2006.3.21			

UNIT	MM. #	APPAR.	SSVF5-EN	
단 위	척 도	제 목	ELEM. W. DIAGRAM	
3RD ANGLE	REF. NO	DWG. NO	HEC2215	
3 각 법	참고도면	도면번호	1/1	