



ANDROID STATIC ANALYSIS REPORT



 Hevy (1.29.11)


File Name: heavy.apk

Package Name: com.hevy

Scan Date: Jan. 31, 2023, 6:27 p.m.

App Security Score: 52/100 (MEDIUM RISK)

Grade:



Trackers Detection: 6/428

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
2	15	2	2	1

FILE INFORMATION

File Name: hevy.apk

Size: 36.87MB

MD5: 4a946fd35434192d034ca14e2837dadd

SHA1: 85051debddf92ecdd4de9ed59684df2fb915f826

SHA256: bc0546a93acacd3053a910173849062562486d25fc86c684090c579257dab49f

APP INFORMATION

App Name: Hevy

Package Name: com.hevy

Main Activity: com.hevy.MainActivity

Target SDK: 31

Min SDK: 21

Max SDK:

Android Version Name: 1.29.11

Android Version Code: 304704

APP COMPONENTS

Activities: 17

Services: 7

Receivers: 8

Providers: 13

Exported Activities: 6

Exported Services: 2

Exported Receivers: 3

Exported Providers: 1

CERTIFICATE INFORMATION

APK is signed

v1 signature: True

v2 signature: True

v3 signature: True

Found 1 unique certificates

Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2019-04-06 17:56:25+00:00

Valid To: 2049-04-06 17:56:25+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0x8149b9ef0af264f1963afb1953a38c24378014ed

Hash Algorithm: sha256

md5: aae44cd105ecc800cbe215b93fe1b407

sha1: 49cd20cb38d39acca8310ca681e4a7fe4d257345

sha256: add9aa0d804a1a14a04119d44fa7cb4cc229c86322991eda526f5455d11580ef

sha512: 49805bb75edfeb23b43acd97235d7e5c282d03cd7c58df6c20438b734338fdb77a0c51bd0773ae49c1d4998facabf9da793c66f8efd451a7613c5379369c328

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: ba7d91e845e26a2922b87a6e136a46914c485389700b54ab85acce53e4e5662c

APPLICATION PERMISSIONS

--	--	--	--

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.SYSTEM_ALERT_WINDOW	dangerous	display system-level alerts	Allows an application to show system-alert windows. Malicious applications can take over the entire screen of the phone.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.SCHEDULE_EXACT_ALARM	normal		Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
com.android.vending.BILLING	unknown	Unknown permission	Unknown permission from android reference
com.google.android.gms.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
		view network	Allows an application to view the status of all

android.permission.ACCESS_NETWORK_STATE	normal	status	networks.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.DOWNLOAD_WITHOUT_NOTIFICATION	unknown	Unknown permission	Unknown permission from android reference
android.permission.USE_BIOMETRIC	normal		Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
com.google.android.c2dm.permission.RECEIVE	signature	C2DM permissions	Permission for cloud to device messaging.
android.permission.POST_NOTIFICATIONS	unknown	Unknown permission	Unknown permission from android reference
android.permission.READ_MEDIA_IMAGES	unknown	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE	normal		Allows a regular application to use Service.startForeground.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	unknown	Unknown permission	Unknown permission from android reference

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.BOARD check possible Build.SERIAL check SIM operator check network operator name check device ID check possible VM check
	Obfuscator	Kiwi encrypter
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check
	Compiler	r8 without marker (suspicious)
classes3.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)

classes4.dex	FINDINGS		DETAILS	
	Anti-VM Code		Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check network operator name check possible VM check	
	Anti Debug Code		Debug.isDebuggerConnected() check	
	Compiler		r8 without marker (suspicious)	
classes5.dex	FINDINGS		DETAILS	
	Compiler		r8 without marker (suspicious)	
classes6.dex	FINDINGS		DETAILS	
	Anti-VM Code		Build.MANUFACTURER check	
	Compiler		r8 without marker (suspicious)	

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
	Schemes: heavy://, https://,

com.hevy.MainActivity	Hosts: hevypapp.app.link, www.hevy.com,
com.facebook.CustomTabActivity	Schemes: fbconnect://, Hosts: cct.com.hevy,

NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

MANIFEST ANALYSIS

NO	ISSUE	SEVERITY	DESCRIPTION
1	Clear text traffic is Enabled For App [android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections

			against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
2	Broadcast Receiver (com.hevy.notifications.HevyFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
3	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
4	Broadcast Receiver (com.amazon.device.iap.ResponseReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.amazon.inapp.purchasing.Permission.NOTIFY [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
5	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked.	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked

	Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
--	--	---

 CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
				cl/json/RNShareModule.java cl/json/social/InstagramShare.java cl/json/social/SingleShareIntent.java com/ReactNativeBlobUtil/ReactNativeBlobUtilReq. java com/amazon/a/a/g/d.java com/amazon/a/a/o/c.java com/amazon/c/a/a/d.java com/amazon/device/drm/LicensingService.java com/amazon/device/drm/a/d/c.java com/amazon/device/iap/PurchasingService.java com/amazon/device/iap/internal/c/e.java com/amazon/device/simplesignin/BroadcastHand ler.java com/amazon/device/simplesignin/SimpleSignInSe rvice.java com/amazon/device/simplesignin/a/c/b.java com/amplitude/api/AmplitudeClient.java com/amplitude/api/AmplitudeLog.java com/amplitude/api/DatabaseHelper.java com/brentvatne/exoplayer/ReactExoplayerView.ja va com/bumptech/glide/GeneratedAppGlideModuleI mpl.java com/bumptech/glide/Glide.java com/bumptech/glide/gifdecoder/GifHeaderParser .java com/bumptech/glide/gifdecoder/StandardGifDec

oder.java
com/bumptech/glide/load/data/AssetPathFetcher.
java
com/bumptech/glide/load/data/HttpUrlFetcher.ja
va
com/bumptech/glide/load/data/LocalUriFetcher.ja
va
com/bumptech/glide/load/data/mediastore/Thum
bFetcher.java
com/bumptech/glide/load/data/mediastore/Thum
bnailStreamOpener.java
com/bumptech/glide/load/engine/DecodeJob.java
com/bumptech/glide/load/engine/DecodePath.jav
a
com/bumptech/glide/load/engine/Engine.java
com/bumptech/glide/load/engine/GlideException.
java
com/bumptech/glide/load/engine/SourceGenerat
or.java
com/bumptech/glide/load/engine/bitmap_recycle
/LruArrayPool.java
com/bumptech/glide/load/engine/bitmap_recycle
/LruBitmapPool.java
com/bumptech/glide/load/engine/cache/DiskLruC
acheWrapper.java
com/bumptech/glide/load/engine/cache/Memory
SizeCalculator.java
com/bumptech/glide/load/engine/executor/Glide
Executor.java
com/bumptech/glide/load/engine/executor/Runti
meCompat.java
com/bumptech/glide/load/engine/prefill/BitmapP
reFillRunner.java
com/bumptech/glide/load/model/ByteBufferEnco
der.java
com/bumptech/glide/load/model/ByteBufferFileL
oader.java
com/bumptech/glide/load/model/FileLoader.java
com/bumptech/glide/load/model/ResourceLoade
r.java
com/bumptech/glide/load/model/StreamEncoder.
java

com/bumptech/glide/load/resource/ImageDecoderResourceDecoder.java
com/bumptech/glide/load/resource/bitmap/BitmapEncoder.java
com/bumptech/glide/load/resource/bitmap/BitmapImageDecoderResourceDecoder.java
com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java
com/bumptech/glide/load/resource/bitmap/Downsampler.java
com/bumptech/glide/load/resource/bitmap/DrawableToBitmapConverter.java
com/bumptech/glide/load/resource/bitmap/HardwareConfigState.java
com/bumptech/glide/load/resource/bitmap/TransformationUtils.java
com/bumptech/glide/load/resource/bitmap/VideoDecoder.java
com/bumptech/glide/load/resource/gif/ByteBufferGifDecoder.java
com/bumptech/glide/load/resource/gif/GifDrawableEncoder.java
com/bumptech/glide/load/resource/gif/StreamGifDecoder.java
com/bumptech/glide/manager/DefaultConnectivityMonitor.java
com/bumptech/glide/manager/DefaultConnectivityMonitorFactory.java
com/bumptech/glide/manager/RequestManagerFragment.java
com/bumptech/glide/manager/RequestManagerRetriever.java
com/bumptech/glide/manager/RequestTracker.java
com/bumptech/glide/manager/SupportRequestManagerFragment.java
com/bumptech/glide/module/ManifestParser.java
com/bumptech/glide/request/SingleRequest.java
com/bumptech/glide/request/target/CustomViewTarget.java
com/bumptech/glide/request/target/ViewTarget.java

com/bumptech/glide/signature/ApplicationVersionSignature.java
com/bumptech/glide/util/ContentLengthInputStream.java
com/bumptech/glide/util/pool/FactoryPools.java
com/bytedance/sdk/open/tiktok/base/MediaContent.java
com/bytedance/sdk/open/tiktok/share/Share.java
com/github/mikephil/charting/charts/BarChart.java
com/github/mikephil/charting/charts/BarLineChartBase.java
com/github/mikephil/charting/charts/Chart.java
com/github/mikephil/charting/charts/CombinedChart.java
com/github/mikephil/charting/charts/HorizontalBarChart.java
com/github/mikephil/charting/charts/PieRadarChartBase.java
com/github/mikephil/charting/components/AxisBase.java
com/github/mikephil/charting/data/ChartData.java
com/github/mikephil/charting/data/CombinedData.java
com/github/mikephil/charting/data/LineDataSet.java
com/github/mikephil/charting/data/PieEntry.java
com/github/mikephil/charting/listener/BarLineChartTouchListener.java
com/github/mikephil/charting/renderer/CombinedChartRenderer.java
com/github/mikephil/charting/renderer/ScatterChartRenderer.java
com/github/mikephil/charting/utils/FileUtils.java
com/github/mikephil/charting/utils/Utils.java
com/horcrux/svg/Brush.java
com/horcrux/svg/ClipPathView.java
com/horcrux/svg/ImageView.java
com/horcrux/svg/LinearGradientView.java
com/horcrux/svg/MaskView.java
com/horcrux/svg/PatternView.java

1

[The App logs information. Sensitive information should never be logged.](#)

info

CWE: CWE-532: Insertion of Sensitive Information into Log File
OWASP MASVS: MSTG-STORAGE-3

com/horcrux/svg/RadialGradientView.java
com/horcrux/svg/UseView.java
com/horcrux/svg/VirtualView.java
com/ibits/react_native_in_app_review/AppReviewModule.java
com/imagepicker/ImageMetadata.java
com/imagepicker/Metadata.java
com/imagepicker/VideoMetadata.java
com/jimmydaddy/imagemarker/ImageMarkerManager.java
com/jimmydaddy/imagemarker/ShadowLayerStyle.java
com/jimmydaddy/imagemarker/TextBackgroundStyle.java
com/jimmydaddy/imagemarker/Utils.java
com/oblador/keychain/KeychainModule.java
com/oblador/keychain/cipherStorage/CipherStorageBase.java
com/oblador/keychain/cipherStorage/CipherStorageFacebookConceal.java
com/oblador/keychain/cipherStorage/CipherStorageKeystoreAesCbc.java
com/oblador/keychain/cipherStorage/CipherStorageKeystoreRsaEcb.java
com/oblador/keychain/decryptionHandler/DecryptionResultHandlerInteractiveBiometric.java
com/oblador/keychain/decryptionHandler/DecryptionResultHandlerInteractiveBiometricManualRetry.java
com/reactcommunity/rndatetimepicker/MinuteIntervalSnappableTimePickerDialog.java
com/reactnativecommunity/art/ARTShapeShadowNode.java
com/reactnativecommunity/art/ARTSurfaceViewShadowNode.java
com/reactnativecommunity/asyncstorage/AsyncLocalStorageUtil.java
com/reactnativecommunity/asyncstorage/AsyncStorageExpoMigration.java
com/reactnativecommunity/asyncstorage/AsyncStorageModule.java
com/reactnativecommunity/asyncstorage/ReactD

atabaseSupplier.java
com/reactnativecommunity/imageeditor/ImageEditorModule.java
com/reactnativecommunity/webview/RNCWebViewManager.java
com/reactnativedocumentpicker/DocumentPickerModule.java
com/reactnativegooglesignin/PromiseWrapper.java
com/reactnativegooglesignin/RNGoogleSignInModule.java
com/revenuecat/purchases/CustomerInfoHelper\$getCustomerInfoFetchOnly\$2.java
com/revenuecat/purchases/common/DefaultLogHandler.java
com/revenuecat/purchases/hybridcommon/mappers/PurchasesPeriod.java
com/rnfs/Downloader.java
com/swmansion/gesturehandler/react/RNGestureHandlerRootHelper.java
com/swmansion/gesturehandler/react/RNGestureHandlerRootView.java
com/swmansion/reanimated/nodes/DebugNode.java
com/swmansion/rnscreens/ScreenStackHeaderConfigViewManager.java
com/th3rdwave/safeareacore/SafeAreaView.java
com/zmxv/RNSound/RNSoundModule.java
fr/bamlab/rnimageresizer/ImageResizer.java
fr/bamlab/rnimageresizer/ImageResizerModule.java
fr/greweb/reactnativeviewshot/RNViewShotModule.java
fr/greweb/reactnativeviewshot/ViewShot.java
io/branch/referral/BranchJsonConfig.java
io/branch/referral/PrefHelper.java
io/branch/referral/validators/IntegrationValidator.java
io/branch/rnbranch/RNBranchModule.java
io/sentry/SystemOutLogger.java
io/sentry/android/core/AndroidLogger.java

io/sentry/transport/StdoutTransport.java
ly/img/android/acs/Camera.java
ly/img/android/acs/opengl/textures/GlCameraTexture.java
ly/img/android/b.java
ly/img/android/e.java
ly/img/android/g.java
ly/img/android/opengl/canvas/GlAbstractShader.java
ly/img/android/opengl/canvas/GlLayerShape.java
ly/img/android/opengl/canvas/GlMakeCurrent.java
ly/img/android/opengl/canvas/GlObject.java
ly/img/android/opengl/canvas/GlProgram.java
ly/img/android/opengl/canvas/GlShape.java
ly/img/android/opengl/canvas/GlViewport.java
ly/img/android/opengl/egl/ContextFactory.java
ly/img/android/opengl/egl/EGLContextHelper.java
ly/img/android/opengl/egl/EGLSurfaceHandler.java
ly/img/android/opengl/egl/GLSurfaceView.java
ly/img/android/opengl/egl/GLThread.java
ly/img/android/opengl/textures/GlGifTexture.java
ly/img/android/opengl/textures/GlImageTexture.java
ly/img/android/opengl/textures/GlTexture.java
ly/img/android/opengl/textures/GlVideoTexture\$presentVideoFrame\$1.java
ly/img/android/pesdk/backend/brush/models/Painting.java
ly/img/android/pesdk/backend/decoder/ImageSource.java
ly/img/android/pesdk/backend/decoder/audio/NativeAudioDecoder.java
ly/img/android/pesdk/backend/decoder/system/NativeSupportedDecoder.java
ly/img/android/pesdk/backend/decoder/vector/CanvasDecoder\$drawInstance\$1.java
ly/img/android/pesdk/backend/decoder/vector/CanvasDecoder.java
ly/img/android/pesdk/backend/decoder/vector/XmlDrawableDecoder.java

ly/img/android/pesdk/backend/decoder/video/NativeVideoDecoder.java
ly/img/android/pesdk/backend/encoder/video/CompositionAudioEncoder.java
ly/img/android/pesdk/backend/encoder/video/NativeCodecEncoder.java
ly/img/android/pesdk/backend/encoder/video/NativeMediaMuxer.java
ly/img/android/pesdk/backend/exif/ExifData.java
ly/img/android/pesdk/backend/exif/ExifOutputStream.java
ly/img/android/pesdk/backend/exif/ExifParser.java
ly/img/android/pesdk/backend/exif/ExifReader.java
ly/img/android/pesdk/backend/exif/Exify.java
ly/img/android/pesdk/backend/filter/LutColorFilterAsset.java
ly/img/android/pesdk/backend/model/chunk/MultiRect.java
ly/img/android/pesdk/backend/model/chunk/Transformation.java
ly/img/android/pesdk/backend/model/config/FontAsset.java
ly/img/android/pesdk/backend/model/state/TransformSettings.java
ly/img/android/pesdk/backend/model/state/manager/ImglySettings.java
ly/img/android/pesdk/backend/model/state/manager/Settings.java
ly/img/android/pesdk/backend/model/state/manager/SettingsList.java
ly/img/android/pesdk/backend/model/state/manager/StateHandler.java
ly/img/android/pesdk/backend/model/state/manager/StateObservable.java
ly/img/android/pesdk/backend/operator/preview/GLOperator.java
ly/img/android/pesdk/backend/operator/rox/RoxOperation.java
ly/img/android/pesdk/backend/utils/MediaUtils.java

				ly/img/android/pesdk/ui/activity/EditorActivity.java ly/img/android/pesdk/ui/activity/ImgLyActivity.java ly/img/android/pesdk/ui/model/data/PanelData.java ly/img/android/pesdk/ui/model/state/UiConfigMainMenu.java ly/img/android/pesdk/ui/model/state/UiStateMenu.java ly/img/android/pesdk/utils/ExifUtils.java ly/img/android/pesdk/utils/ResourceUtils.java ly/img/android/pesdk/utils/Timelt.java ly/img/android/pesdk/utils/Trace.java ly/img/android/sdk/config/AudioClass.java ly/img/android/sdk/config/Color.java ly/img/android/sdk/config/CompositionClass.java ly/img/android/sdk/config/ConfigLoader.java ly/img/android/sdk/config/Configuration.java ly/img/android/sdk/config/Export.java ly/img/android/sdk/config/FilterClass.java ly/img/android/sdk/config/StickerClass.java ly/img/android/sdk/config/Text.java ly/img/react_native/vesdk/RNVideoEditorSDKModule.java org/conscrypt/Platform.java org/conscrypt/ct/CTVerifier.java org/slf4j/helpers/Util.java org/slf4j/impl/AndroidLoggerAdapter.java
2	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/reactnativecommunity/clipboard/ClipboardModule.java io/branch/referral/ShareLinkManager.java
3	App can read/write to External Storage. Any App can read data written to	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage	com/ReactNativeBlobUtil/ReactNativeBlobUtilFS.java com/ReactNativeBlobUtil/Utils/PathResolver.java com/danikula/videoCache/StorageUtils.java com/github/mikephil/charting/charts/Chart.java com/github/mikephil/charting/Utils/FileUtils.java

	External Storage.		OWASP MASVS: MSTG-STORAGE-2	com/reactnativecommunity/webview/RNCWebViewModule.java com/rnfs/RNFSManager.java io/sentry/android/core/DefaultAndroidEventProcessor.java ly/img/android/pesdk/utils/StorageUtils.java
4	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/amplitude/api/AmplitudeClient.java com/bumptech/glide/load/Option.java com/bumptech/glide/load/engine/DataCacheKey.java com/bumptech/glide/load/engine/EngineResource.java com/bumptech/glide/load/engine/ResourceCacheKey.java com/bumptech/glide/manager/RequestManagerRetriever.java com/bytedance/sdk/open/tiktok/AutoValue_TikTokConfig.java com/bytedance/sdk/open/tiktok/common/constants/ParamKeyConstants.java com/oblador/keychain/KeychainModule.java com/revenuecat/purchases/amazon/AmazonBillingKt.java com/revenuecat/purchases/amazon/AmazonCacheKt.java com/revenuecat/purchases/common/BackendKt.java com/revenuecat/purchases/common/caching/DeviceCache.java com/revenuecat/purchases/strings/ConfigureStrings.java com/revenuecat/purchases/subscriberattributes/SubscriberAttribute.java com/revenuecat/purchases/subscriberattributes/SubscriberAttributeKt.java io/branch/referral/Branch.java io/branch/referral/BranchPreinstall.java io/branch/referral/DeferredAppLinkDataHandler.java io/branch/referral/PrefHelper.java io/branch/referral/ServerRequest.java

				io/branch/referral/ServerRequestQueue.java io/branch/referral/UniversalResourceAnalyser.java io/branch/referral/validators/DeepLinkRoutingValidator.java ly/img/android/pesdk/giphy/data/Data.java ly/img/android/pesdk/giphy/data/User.java ly/img/android/pesdk/ui/activity/ImgLyActivity.java org/conscrypt/OpenSSLEKeyFactory.java org/conscrypt/OpenSSLRSAKeyFactory.java
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/amazon/a/a/b/b.java com/amazon/a/a/i/b.java com/amazon/a/a/l/c.java com/hevy/ShareStories.java io/sentry/SentryClient.java io/sentry/TracesSampler.java
6	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/ReactNativeBlobUtil/ReactNativeBlobUtilBody.java com/reactnativecommunity/imageeditor/ImageEditorModule.java com/reactnativecommunity/webview/RNCWebViewModule.java fr/greweb/reactnativeviewshot/RNViewShotModule.java ly/img/android/pesdk/backend/encoder/video/NativeMediaMuxer.java ly/img/android/pesdk/backend/model/state/CameraState.java ly/img/android/pesdk/backend/model/state/EditorSaveState.java ly/img/android/pesdk/backend/model/state/manager/SettingsList.java ly/img/android/pesdk/utils/UriHelper.java ly/img/react_native/vesdk/RNVideoEditorSDKModule.java
	App uses SQLite Database and execute			com/amplitude/api/DatabaseHelper.java com/danikula/videocache/sourcestorage/Databas

7	raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	eSourceInfoStorage.java com/reactnativecommunity/asyncstorage/AsyncLocalStorageUtil.java com/reactnativecommunity/asyncstorage/ReactDatabaseSupplier.java
8	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	com/amazon/device/drm/LicensingService.java com/amazon/device/iap/PurchasingService.java com/bytedance/sdk/open/tiktok/BuildConfig.java com/danikula/videocache/HttpProxyCacheServer.java org/conscrypt/CertificatePriorityComparator.java org/conscrypt/ChainStrengthAnalyzer.java org/conscrypt/EvpMdRef.java org/conscrypt/OAEPParameters.java org/conscrypt/OpenSSLCipherRSA.java org/conscrypt/OpenSSLProvider.java org/conscrypt/OpenSSLSignature.java org/conscrypt/TrustManagerImpl.java org/conscrypt/ct/CTConstants.java
9	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/amazon/a/a/o/b/a.java com/revenuecat/purchases/common/UtilsKt.java ly/img/android/pesdk/Utils/UriHelper.java
10	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/amazon/a/a/o/b/a.java com/amplitude/api/PinnedAmplitudeClient.java ly/img/android/pesdk/giphy/network/ApiService.java org/conscrypt/DefaultSSLContextImpl.java org/conscrypt/SSLParametersImpl.java
11	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/ReactNativeBlobUtil/ReactNativeBlobUtilUtils.java com/bytedance/sdk/open/tiktok/Utils/Md5Utils.java com/danikula/videocache/ProxyCacheUtils.java ly/img/android/pesdk/backend/decoder/Decoder.

				java
12	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	io/sentry/android/core/DefaultAndroidEventProcessor.java io/sentry/android/core/util/RootChecker.java
13	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	io/sentry/android/core/util/RootChecker.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
1	FCS_RBG_EXT.1.1	Security Functional Requirements	Random Bit Generation Services	The application implement DRBG functionality for its cryptographic operations.
2	FCS_STO_EXT.1.1	Security Functional Requirements	Storage of Credentials	The application does not store any credentials to non-volatile memory.
3	FCS_CKM_EXT.1.1	Security Functional Requirements	Cryptographic Key Generation Services	The application implement asymmetric key generation.
4	FDP_DEC_EXT.1.1	Security Functional Requirements	Access to Platform Resources	The application has access to ['network connectivity', 'camera'].
5	FDP_DEC_EXT.1.2	Security Functional Requirements	Access to Platform Resources	The application has access to no sensitive information repositories.
6	FDP_NET_EXT.1.1	Security Functional Requirements	Network Communications	The application has user/application initiated network communications.
7	FDP_DAR_EXT.1.1	Security Functional Requirements	Encryption Of Sensitive Application	The application implement functionality to encrypt sensitive data in non-volatile memory.

			Data	
8	FMT_MEC_EXT.1.1	Security Functional Requirements	Supported Configuration Mechanism	The application invoke the mechanisms recommended by the platform vendor for storing and setting configuration options.
9	FTP_DIT_EXT.1.1	Security Functional Requirements	Protection of Data in Transit	The application does encrypt some transmitted data with HTTPS/TLS/SSH between itself and another trusted IT product.
10	FCS_RBG_EXT.2.1,FCS_RBG_EXT.2.2	Selection-Based Security Functional Requirements	Random Bit Generation from Application	The application perform all deterministic random bit generation (DRBG) services in accordance with NIST Special Publication 800-90A using Hash_DRBG. The deterministic RBG is seeded by an entropy source that accumulates entropy from a platform-based DRBG and a software-based noise source, with a minimum of 256 bits of entropy at least equal to the greatest security strength (according to NIST SP 800-57) of the keys and hashes that it will generate.
11	FCS_CKM.1.1(1)	Selection-Based Security Functional Requirements	Cryptographic Asymmetric Key Generation	The application generate asymmetric cryptographic keys not in accordance with FCS_CKM.1.1(1) using key generation algorithm RSA schemes and cryptographic key sizes of 1024-bit or lower.
12	FCS_COP.1.1(1)	Selection-Based Security Functional Requirements	Cryptographic Operation - Encryption/Decryption	The application perform encryption/decryption not in accordance with FCS_COP.1.1(1), AES-ECB mode is being used.
13	FCS_COP.1.1(2)	Selection-Based Security Functional Requirements	Cryptographic Operation - Hashing	The application perform cryptographic hashing services not in accordance with FCS_COP.1.1(2) and uses the cryptographic algorithm RC2/RC4/MD4/MD5.
14	FCS_COP.1.1(3)	Selection-Based Security Functional Requirements	Cryptographic Operation - Signing	The application perform cryptographic signature services (generation and verification) in accordance with a specified cryptographic algorithm RSA schemes using cryptographic key sizes of 2048-bit or greater.
15	FCS_HTTPS_EXT.1.1	Selection-Based Security Functional Requirements	HTTPS Protocol	The application implement the HTTPS protocol that complies with RFC 2818.
		Selection-Based		

16	FCS_HTTPS_EXT.1.2	Security Functional Requirements	HTTPS Protocol	The application implement HTTPS using TLS.
17	FCS_HTTPS_EXT.1.3	Selection-Based Security Functional Requirements	HTTPS Protocol	The application notify the user and not establish the connection or request application authorization to establish the connection if the peer certificate is deemed invalid.
18	FIA_X509_EXT.1.1	Selection-Based Security Functional Requirements	X.509 Certificate Validation	The application invoked platform-provided functionality to validate certificates in accordance with the following rules: ['The application validate the revocation status of the certificate using the Online Certificate Status Protocol (OCSP) as specified in RFC 2560 or a Certificate Revocation List (CRL) as specified in RFC 5759 or an OCSP TLS Status Request Extension (i.e., OCSP stapling) as specified in RFC 6066', 'The certificate path must terminate with a trusted CA certificate'].
19	FIA_X509_EXT.2.1	Selection-Based Security Functional Requirements	X.509 Certificate Authentication	The application use X.509v3 certificates as defined by RFC 5280 to support authentication for HTTPS , TLS.
20	FIA_X509_EXT.2.2	Selection-Based Security Functional Requirements	X.509 Certificate Authentication	When the application cannot establish a connection to determine the validity of a certificate, the application allow the administrator to choose whether to accept the certificate in these cases or accept the certificate ,or not accept the certificate.
21	FPT_TUD_EXT.2.1	Selection-Based Security Functional Requirements	Integrity for Installation and Update	The application shall be distributed using the format of the platform-supported package manager.
22	FCS_CKM.1.1(2)	Optional Security Functional Requirements	Cryptographic Symmetric Key Generation	The application shall generate symmetric cryptographic keys using a Random Bit Generator as specified in FCS_RBG_EXT.1 and specified cryptographic key sizes 128 bit or 256 bit.

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION

twitter.com	ok	IP: 104.244.42.65 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map
img.ly	ok	IP: 35.190.50.119 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
unix4lyfe.org	ok	IP: 71.19.155.121 Country: United States of America Region: California City: Sunnyvale Latitude: 37.393200 Longitude: -122.037117 View: Google Map
en.wikipedia.org	ok	IP: 198.35.26.96 Country: United States of America Region: California City: San Francisco Latitude: 37.791256 Longitude: -122.400810 View: Google Map
hevyapp-com.firebaseio.com	ok	IP: 34.120.160.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

pinterest.com	ok	IP: 151.101.0.84 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api.revenuecat.com	ok	IP: 52.22.151.125 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
docs.revenuecat.com	ok	IP: 99.84.238.145 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
cdn.branch.io	ok	IP: 13.35.125.113 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
play.google.com	ok	IP: 142.250.191.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

www.photoeditorsdk.com	ok	IP: 151.101.65.195 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
schemas.android.com	ok	No Geolocation information available.
developer.android.com	ok	IP: 142.250.72.206 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
rev.cat	ok	IP: 52.72.49.79 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
errors.rev.cat	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
plus.google.com	ok	IP: 142.251.214.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991

		Longitude: -122.078514 View: Google Map
help.branch.io	ok	IP: 99.84.238.171 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
www.facebook.com	ok	IP: 157.240.22.35 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
www.amazon.com	ok	IP: 99.84.234.195 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
api.photoeditorsdk.com	ok	IP: 35.190.50.119 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
bnc.lt	ok	IP: 99.84.238.171 Country: United States of America Region: California City: San Francisco Latitude: 37.774929

		Longitude: -122.419418 View: Google Map
api.amplitude.com	ok	IP: 35.167.186.221 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
api2.branch.io	ok	IP: 99.84.238.96 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
www.slf4j.org	ok	IP: 83.173.251.158 Country: Switzerland Region: Zurich City: Zurich Latitude: 47.366669 Longitude: 8.550000 View: Google Map
api.branch.io	ok	IP: 99.84.238.168 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map
api.giphy.com	ok	IP: 199.232.194.2 Country: United States of America Region: California City: San Francisco

		Latitude: 37.775700 Longitude: -122.395203 View: Google Map
github.com	ok	IP: 140.82.114.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
branch.app.link	ok	IP: 99.84.238.118 Country: United States of America Region: California City: San Francisco Latitude: 37.774929 Longitude: -122.419418 View: Google Map

FIREBASE DATABASES

FIREBASE URL	DETAILS
https://hevyapp-com.firebaseio.com	info App talks to a Firebase Database.

EMAILS

EMAIL	FILE
danikula@gmail.com	com/danikula/video/cache/HttpUrlSource.java

sales@photoeditorsdk.com	ly/img/android/g.java
sales@photoeditorsdk.com	ly/img/android/LicenseInvalidException.java

TRACKERS

TRACKER	CATEGORIES	URL
Amplitude	Analytics, Profiling	https://reports.exodus-privacy.eu.org/trackers/125
Branch	Analytics	https://reports.exodus-privacy.eu.org/trackers/167
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

HARDCODED SECRETS

POSSIBLE SECRETS
"firebase_database_url" : "https://hevyapp-com.firebaseio.com"
"google_api_key" : "AlzaSyDsVWZnuFBwXR0Y-hz2Yb2oLMKZgrXfrDo"
"google_crash_reporting_api_key" : "AlzaSyDsVWZnuFBwXR0Y-hz2Yb2oLMKZgrXfrDo"

PLAYSTORE INFORMATION

Title: Hevy - Gym Log Workout Tracker

Score: 4.8698483 **Installs:** 1,000,000+ **Price:** 0 **Android Version Support:** **Category:** Health & Fitness **Play Store URL:** [com.hevy](https://play.google.com/store/apps/details?id=com.hevyapp)

Developer Details: Hevy Gym Workout Tracker, 4823551209314178104, Paseo Olabarria 60, Sant Cugat del Valles, 08173, Barcelona, Spain, <https://www.hevyapp.com>, hello@hevyapp.com,

Release Date: Jun 29, 2019 **Privacy Policy:** [Privacy link](#)

Description:

Get strong by logging your workouts and tracking your progress with Hevy - for free! Hevy has been designed to be the simplest, most intuitive workout tracker in the world. No ads and free. Log your gym workouts, get extensive statistics to track your progress over time, and join a growing community of athletes. Hevy is the perfect weightlifting tracker and planner that will allow you to reach your fitness goals. Workout Log & Gym Tracker Planner • Track your lifts with an intuitive, simple to use interface. • Plan and log your routines with the advanced routine planner • Use the calendar to stay on top of your training schedule • Hundreds of exercises with free high-quality videos for you to focus on your form • Follow your friend's progress by following their lifts and copying their routines • Create your own custom exercises for your workouts • Mark sets as Warmup, Normal, Drop sets, Failure and Supersets • Customize automatic rest timers • Analyze your gym sessions in detail with muscle group graphs • Calculation of One Rep Max • Create an unlimited amount of routines • Analyze the progression of your lifts with beautiful full-screen graphs of volume, best weight & total reps • Copy your friends' workouts

What Users Are Saying • "Seriously the best gym workout tracker I've ever used. Simple. Free. Tons of graphs. Amazing quality videos" - Sam Ilelaboye • "Seeing what my friends and other athletes are working out at the gym has totally changed my experience. Now I can log my friend's workouts and compare myself. It's super motivating" - James • "Tracking my workouts with Hevy has taken my fitness to the next level, I'm getting stronger every week. Being able to use the workout planner really helps me being efficient at the gym." - Carlos D. Using a Tracker for Training • The gym tracker can be used for a variety of different training types such as weight lifting, powerlifting, olympic exercises, 5x5, strength training, stronglifts, crossfit, and bodybuilding. • Track your routines like 3 day workout split, full body split, bodybuilding routines, 5x5, upper lower, and push pull legs. • Also perfect for bodyweight workouts such as calisthenics, cardio tracking and HIIT. • Use it as a gym tracker & workout journal planner to keep track of your gym sessions over time. • Create gym routines or home workouts and use the routine planner to prepare your sessions ahead of time • Whether your goal is to increase your strength in weightlifting exercises, lose some weight, or improve your level of fitness, Hevy helps you to stay on track with a gym planner. • Easily see your previous lift values, this helps you with progressive overload in your training, and will help you lift heavier over time. • Carefully follow proper form with +200 exercise videos such as Bench Press, Squat and Deadlift • Filter exercises by muscle groups and equipment type Whether you're doing heavy strength training at the gym or home workouts, trying to improve your fitness or to get strong, join Hevy workout tracker and be a part of the community! CONTACT US • <https://www.hevyapp.com> • <https://www.instagram.com/hevyapp> • <https://www.facebook.com/hevyapp> • <https://www.twitter.com/hevyapp> • hello@hevyapp.com Download Hevy and take your training to the next level!

Report Generated by - MobSF v3.6.2 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

