

```
{
  "currentUserLogin": "dofaromg",
  "threadUrl": "https://github.com/copilot/c/af2cf8f7-f1d5-4elf-9ffd-8e0943e9bccf",
  "threadName": "Finding previous Xcode connector projects",
  "messages": [
    {
      "id": "root",
      "role": "user",
      "createdAt": "",
      "threadID": "",
      "references": null
    },
    {
      "id": "c4187f68-0f10-4dfa-8232-7fe1942af853",
      "parentMessageID": "root",
      "intent": "conversation",
      "role": "user",
      "content": "夥伴幫我找出之前開發的xcode連結器",
      "createdAt": "2026-02-15T21:24:31.432923997",
      "threadID": "af2cf8f7-f1d5-4elf-9ffd-8e0943e9bccf",
      "references": [],
      "skillExecutions": []
    },
    {
      "id": "2f8188ab-469f-4e37-bcb0-8700538bbaef",
      "parentMessageID": "c4187f68-0f10-4dfa-8232-7fe1942af853",
      "intent": "conversation",
      "role": "assistant",
      "content": "我找到了您之前開發的 Xcode 連接器相關代碼！以下是主要的發現：\n\n 主要 Xcode 連接器項目\n\n 1. **MrLiou Xcode Connector** (主要"
      "createdAt": "2026-02-15T21:24:31.433103174Z",
      "threadID": "af2cf8f7-f1d5-4elf-9ffd-8e0943e9bccf",
      "references": [
        {
          "type": "snippet",
          "ref": "refs/heads/main",
          "repoID": 1101328762,
          "repoName": "claude-cookbooks",
          "repoOwner": "dofaromg",
          "url": "https://github.com/dofaromg/claude-cookbooks/blob/316c4a92a9a0cab8db60a8f416e4c06c1556e758/Package.swift#L1-L37",
          "path": "Package.swift",
          "commitOID": "316c4a92a9a0cab8db60a8f416e4c06c1556e758",
          "languageName": "Swift",
          "languageID": 362,
          "fileSize": 851,
          "range": {
            "start": 1,
            "end": 37
          }
        },
        {
          "type": "snippet",
          "ref": "refs/heads/main",
          "repoID": 1144604330,
          "repoName": "CopilotForXcode",
          "repoOwner": "dofaromg",
          "url": "https://github.com/dofaromg/CopilotForXcode/blob/02351b77aa6aa75143d0c83378d94e2b08d9f26f/Helper/main.swift#L1-L14",
          "path": "Helper/main.swift",
          "commitOID": "02351b77aa6aa75143d0c83378d94e2b08d9f26f",
          "languageName": "Swift",
          "languageID": 362,
          "fileSize": 304,
          "range": {
            "start": 1,
            "end": 14
          }
        },
        {
          "type": "snippet",
          "ref": "refs/heads/main",
          "repoID": 1130234040,
          "repoName": "mrliouword-system",
          "repoOwner": "dofaromg",
          "url": "https://github.com/dofaromg/mrliouword-system/blob/ec77b0cf10b0437d18f2471cccd48aae2542f845e/docs/integrations/cloudflare/xcode-connector.swift#L1-L88",
          "path": "docs/integrations/cloudflare/xcode-connector.swift",
          "commitOID": "ec77b0cf10b0437d18f2471cccd48aae2542f845e",
          "languageName": "Swift",
          "languageID": 362,
          "fileSize": 1775,
          "range": {
            "start": 1,
            "end": 64
          }
        },
        {
          "type": "snippet",
          "ref": "refs/heads/master",
          "repoID": 1104957152,
          "repoName": "Zip",
          "repoOwner": "dofaromg",
          "url": "https://github.com/dofaromg/Zip/blob/f3b041640078f478a4de8016d18cda3e017d5d8d/ZipTests/ZipTests.swift#L1-L88",
          "path": "ZipTests/ZipTests.swift",
          "commitOID": "f3b041640078f478a4de8016d18cda3e017d5d8d",
          "languageName": "Swift",
          "languageID": 362,
          "fileSize": 12895,
          "range": {
            "start": 1,
            "end": 88
          }
        },
        {
          "type": "snippet",
          "ref": "refs/heads/main",
          "repoID": 1144604330,

```

```

    "repoName": "CopilotForXcode",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/CopilotForXcode/blob/02351b77aa6aa75143d0c83378d94e2b08d9f26f/Tool/Sources/Logger/FileLogger.swift#L1-L107",
    "path": "Tool/Sources/Logger/FileLogger.swift",
    "commitOID": "02351b77aa6aa75143d0c83378d94e2b08d9f26f",
    "languageName": "Swift",
    "languageID": 362,
    "fileSize": 7060,
    "range": {
        "start": 1,
        "end": 107
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1110953155,
    "repoName": "FirebaseUI-iOS",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/FirebaseUI-iOS/blob/9c1f7235c3c3921efdd72688068b73b86459a04e/FirebaseUI.h#L1-L27",
    "path": "FirebaseUI.h",
    "commitOID": "9c1f7235c3c3921efdd72688068b73b86459a04e",
    "languageName": "Objective-C",
    "languageID": 257,
    "fileSize": 983,
    "range": {
        "start": 1,
        "end": 27
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1056421570,
    "repoName": "maps-sdk-for-ios-samples",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/maps-sdk-for-ios-samples/blob/86408feffd008565cd2cafce8aff3dc27f1f41bb/GoogleMaps/GoogleMapsDemos/main.m#L1-L100",
    "path": "GoogleMaps/GoogleMapsDemos/main.m",
    "commitOID": "86408feffd008565cd2cafce8aff3dc27f1f41bb",
    "languageName": "Objective-C",
    "languageID": 257,
    "fileSize": 837,
    "range": {
        "start": 1,
        "end": 24
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1156324711,
    "repoName": "gpt-oss",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/gpt-oss/blob/5f95682c01e370d21ef7b12a7bb69a9276804745/gpt_oss/metal/source/metal.m#L1-L89",
    "path": "gpt_oss/metal/source/metal.m",
    "commitOID": "5f95682c01e370d21ef7b12a7bb69a9276804745",
    "languageName": "Objective-C",
    "languageID": 257,
    "fileSize": 18257,
    "range": {
        "start": 1,
        "end": 89
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/master",
    "repoID": 1135796064,
    "repoName": "PnP",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/PnP/blob/29269a482ed815534ebd82dc912f328f4a183369/Samples/MicrosoftGraph.iOS.Objective-C.SendMail/MSGraph.M",
    "path": "Samples/MicrosoftGraph.iOS.Objective-C.SendMail/MSGraph.MailClient/MailClient.h",
    "commitOID": "29269a482ed815534ebd82dc912f328f4a183369",
    "languageName": "Objective-C",
    "languageID": 257,
    "fileSize": 1777,
    "range": {
        "start": 1,
        "end": 49
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1144604330,
    "repoName": "CopilotForXcode",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/CopilotForXcode/blob/02351b77aa6aa75143d0c83378d94e2b08d9f26f/Core/Sources/HostApp/AdvancedSettings/Logging",
    "path": "Core/Sources/HostApp/AdvancedSettings/LoggingSection.swift",
    "commitOID": "02351b77aa6aa75143d0c83378d94e2b08d9f26f",
    "languageName": "Swift",
    "languageID": 362,
    "fileSize": 1548,
    "range": {
        "start": 1,
        "end": 52
    }
},
{
    "type": "text",
    "text": "\nai_notes: Search result responses are limited to 10 results.\nYou MUST let the user know the results may be incomplete.\nYou MUST NOT\n"
},
{
    "type": "snippet",
}

```

```

    "ref": "refs/heads/develop",
    "repoID": 1144781670,
    "repoName": "device-os",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/device-os/blob/7946ee0b5923d9827f0065aa01c7f809cd8f5eba/hal/src/newhal/linker.ld#L1-L5",
    "path": "hal/src/newhal/linker.ld",
    "commitOID": "7946ee0b5923d9827f0065aa01c7f809cd8f5eba",
    "languageName": "Linker Script",
    "languageID": 202,
    "fileSize": 252,
    "range": {
        "start": 1,
        "end": 5
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/canary",
    "repoID": 1052274426,
    "repoName": "next.js",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/next.js/blob/5731c8e16f1dccbbe51af02becc6a7b490730eb7/turbopack/crates/turbopack-ecmascript/src/analyzer/mod.rs#L1-L76",
    "path": "turbopack/crates/turbopack-ecmascript/src/analyzer/mod.rs",
    "commitOID": "5731c8e16f1dccbbe51af02becc6a7b490730eb7",
    "languageName": "Rust",
    "languageID": 327,
    "fileSize": 161174,
    "range": {
        "start": 1,
        "end": 114
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1111930130,
    "repoName": "tool-silk",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/tool-silk-/blob/d1c5548719eb1410c48e36fcc01abc1246e1b46b/Mrliou Xcode連接器.md#L1-L76",
    "path": "Mrliou Xcode連接器.md",
    "commitOID": "d1c5548719eb1410c48e36fcc01abc1246e1b46b",
    "languageName": "Markdown",
    "languageID": 222,
    "fileSize": 6621,
    "range": {
        "start": 1,
        "end": 76
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/master",
    "repoID": 1127317545,
    "repoName": "git",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/git/blob/cacd2f0a3b634ae6770a8340981d9681a3434015/oss-fuzz/dummy-cmd-main.c#L1-L14",
    "path": "oss-fuzz/dummy-cmd-main.c",
    "commitOID": "cacd2f0a3b634ae6770a8340981d9681a3434015",
    "languageName": "C",
    "languageID": 41,
    "fileSize": 488,
    "range": {
        "start": 1,
        "end": 14
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/develop",
    "repoID": 1144781670,
    "repoName": "device-os",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/device-os/blob/7946ee0b5923d9827f0065aa01c7f809cd8f5eba/modules/shared/nRF52840/build_linker_script.mk#L1-L14",
    "path": "modules/shared/nRF52840/build_linker_script.mk",
    "commitOID": "7946ee0b5923d9827f0065aa01c7f809cd8f5eba",
    "languageName": "Makefile",
    "languageID": 220,
    "fileSize": 806,
    "range": {
        "start": 1,
        "end": 25
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1130234040,
    "repoName": "mrliouword-system",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/mrliouword-system/blob/ec77b0cf10b0437d18f2471ccd48aae2542f845e/docs/REPOS_INDEX.md#L33-L96",
    "path": "docs/REPOS_INDEX.md",
    "commitOID": "ec77b0cf10b0437d18f2471ccd48aae2542f845e",
    "languageName": "Markdown",
    "languageID": 222,
    "fileSize": 4219,
    "range": {
        "start": 33,
        "end": 96
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1010512921,

```

```

    "repoName": "flow-tasks",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/flow-tasks/blob/19398838569fcba962ef44e92a85605010a3ce78/connectors/dropbox_connector.py#L1-L58",
    "path": "connectors/dropbox_connector.py",
    "commitOID": "19398838569fcba962ef44e92a85605010a3ce78",
    "languageName": "Python",
    "languageID": 303,
    "fileSize": 1949,
    "range": {
        "start": 1,
        "end": 58
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1101328762,
    "repoName": "claude-cookbooks",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/claude-cookbooks/blob/316c4a92a9a0cab8db60a8f416e4c06c1556e758/CloudflareIntegrationView.swift#L29-L152",
    "path": "CloudflareIntegrationView.swift",
    "commitOID": "316c4a92a9a0cab8db60a8f416e4c06c1556e758",
    "languageName": "Swift",
    "languageID": 362,
    "fileSize": 9238,
    "range": {
        "start": 29,
        "end": 152
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/master",
    "repoID": 1104957152,
    "repoName": "Zip",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/Zip/blob/f3b041640078f478a4de8016d18cda3e017d5d8d/Package@swift-5.0.swift#L1-L29",
    "path": "Package@swift-5.0.swift",
    "commitOID": "f3b041640078f478a4de8016d18cda3e017d5d8d",
    "languageName": "Swift",
    "languageID": 362,
    "fileSize": 775,
    "range": {
        "start": 1,
        "end": 29
    }
},
{
    "type": "snippet",
    "ref": "refs/heads/main",
    "repoID": 1129509846,
    "repoName": "jupyterlab-git",
    "repoOwner": "dofaromg",
    "url": "https://github.com/dofaromg/jupyterlab-git/blob/63a9cc486dcc996ac3cd07e7cbf566581b4b58cb/.yarnrc.yml#L1-L1",
    "path": ".yarnrc.yml",
    "commitOID": "63a9cc486dcc996ac3cd07e7cbf566581b4b58cb",
    "languageName": "YAML",
    "languageID": 407,
    "fileSize": 25,
    "range": {
        "start": 1,
        "end": 1
    }
},
{
    "type": "text",
    "text": "\nai_notes: Search result responses are limited to 10 results.\nYou MUST let the user know the results may be incomplete.\nYou MUST NO"
},
],
"skillExecutions": [
{
    "slug": "lexical-code-search",
    "status": "completed",
    "arguments": "{\"query\": \"xcode OR Xcode language:Swift OR language:Objective-C user:dofaromg\"}",
    "references": [
        {
            "type": "snippet",
            "ref": "refs/heads/main",
            "repoID": 1101328762,
            "repoName": "claude-cookbooks",
            "repoOwner": "dofaromg",
            "url": "https://github.com/dofaromg/claude-cookbooks/blob/316c4a92a9a0cab8db60a8f416e4c06c1556e758/Package.swift#L1-L37",
            "path": "Package.swift",
            "commitOID": "316c4a92a9a0cab8db60a8f416e4c06c1556e758",
            "languageName": "Swift",
            "languageID": 362,
            "fileSize": 851,
            "range": {
                "start": 1,
                "end": 37
            }
        },
        {
            "type": "snippet",
            "ref": "refs/heads/main",
            "repoID": 1144604330,
            "repoName": "CopilotForXcode",
            "repoOwner": "dofaromg",
            "url": "https://github.com/dofaromg/CopilotForXcode/blob/02351b77aa6aa75143d0c83378d94e2b08d9f26f/Helper/main.swift#L1-L14",
            "path": "Helper/main.swift",
            "commitOID": "02351b77aa6aa75143d0c83378d94e2b08d9f26f",
            "languageName": "Swift",
            "languageID": 362,
            "fileSize": 304,
        }
    ]
}
]

```

```

        "range": {
            "start": 1,
            "end": 14
        },
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1130234040,
        "repoName": "mrliouword-system",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/mrliouword-system/blob/ec77b0cf10b0437d18f2471ccd48aae2542f845e/docs/integrations/cloudflare/xcode-conn",
        "path": "docs/integrations/cloudflare/xcode-connector.swift",
        "commitOID": "ec77b0cf10b0437d18f2471ccd48aae2542f845e",
        "languageName": "Swift",
        "languageID": 362,
        "fileSize": 1775,
        "range": {
            "start": 1,
            "end": 64
        },
    },
    {
        "type": "snippet",
        "ref": "refs/heads/master",
        "repoID": 1104957152,
        "repoName": "Zip",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/Zip/blob/f3b041640078f478a4de8016d18cda3e017d5d8d/ZipTests/ZipTests.swift#L1-L88",
        "path": "ZipTests/ZipTests.swift",
        "commitOID": "f3b041640078f478a4de8016d18cda3e017d5d8d",
        "languageName": "Swift",
        "languageID": 362,
        "fileSize": 12895,
        "range": {
            "start": 1,
            "end": 88
        },
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1144604330,
        "repoName": "CopilotForXcode",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/CopilotForXcode/blob/02351b77aa6aa75143d0c83378d94e2b08d9f26f/Tool/Sources/Logger/FileLogger.swift#L1-L1",
        "path": "Tool/Sources/Logger/FileLogger.swift",
        "commitOID": "02351b77aa6aa75143d0c83378d94e2b08d9f26f",
        "languageName": "Swift",
        "languageID": 362,
        "fileSize": 7060,
        "range": {
            "start": 1,
            "end": 107
        },
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1110953155,
        "repoName": "FirebaseUI-iOS",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/FirebaseUI-iOS/blob/9c1f7235c3c3921efdd72688068b73b86459a04e/FirebaseUI.h#L1-L27",
        "path": "FirebaseUI.h",
        "commitOID": "9c1f7235c3c3921efdd72688068b73b86459a04e",
        "languageName": "Objective-C",
        "languageID": 257,
        "fileSize": 983,
        "range": {
            "start": 1,
            "end": 27
        },
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1056421570,
        "repoName": "maps-sdk-for-ios-samples",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/maps-sdk-for-ios-samples/blob/86408feffd008565cd2cafce8aff3dc27f1f41bb/GoogleMaps/GoogleMapsDemos/main.m",
        "path": "GoogleMaps/GoogleMapsDemos/main.m",
        "commitOID": "86408feffd008565cd2cafce8aff3dc27f1f41bb",
        "languageName": "Objective-C",
        "languageID": 257,
        "fileSize": 837,
        "range": {
            "start": 1,
            "end": 24
        },
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1156324711,
        "repoName": "gpt-oss",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/gpt-oss/blob/5f95682c01e370d21ef7b12a7bb69a9276804745/gpt_oss/metal/source/metal.m#L1-L89",
        "path": "gpt_oss/metal/source/metal.m",
        "commitOID": "5f95682c01e370d21ef7b12a7bb69a9276804745",
        "languageName": "Objective-C",
        "languageID": 257,
        "fileSize": 18257,
        "range": {
            "start": 1,
        }
    }
}

```

```

        "end": 89
    },
    {
        "type": "snippet",
        "ref": "refs/heads/master",
        "repoID": 1135796064,
        "repoName": "PnP",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/PnP/blob/29269a482ed815534ebd82dc912f328f4a183369/Samples/MicrosoftGraph.iOS.Objective-C.SendMail/MSGra",
        "path": "Samples/MicrosoftGraph.iOS.Objective-C.SendMail/MSGraph.MailClient/MailClient.h",
        "commitOID": "29269a482ed815534ebd82dc912f328f4a183369",
        "languageName": "Objective-C",
        "languageID": 257,
        "fileSize": 1777,
        "range": {
            "start": 1,
            "end": 49
        }
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1144604330,
        "repoName": "CopilotForXcode",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/CopilotForXcode/blob/02351b77aa6aa75143d0c83378d94e2b08d9f26f/Core/Sources/HostApp/AdvancedSettings/Log",
        "path": "Core/Sources/HostApp/AdvancedSettings/LoggingSection.swift",
        "commitOID": "02351b77aa6aa75143d0c83378d94e2b08d9f26f",
        "languageName": "Swift",
        "languageID": 362,
        "fileSize": 1548,
        "range": {
            "start": 1,
            "end": 52
        }
    },
    {
        "type": "text",
        "text": "\nai_notes: Search result responses are limited to 10 results.\nYou MUST let the user know the results may be incomplete.\nYou MUS"
    }
],
"callId": "toolu_01FuvP42hXd97xrAnERGRkme"
},
{
    "slug": "githubbread",
    "status": "completed",
    "arguments": "{\"query\": \"Show me all repositories owned by dofaromg that contain Xcode or linker related code\"}",
    "references": [],
    "callId": "toolu_01AKLdzBF1DzftyE7Drakhya"
},
{
    "slug": "lexical-code-search",
    "status": "completed",
    "arguments": "{\"query\": \"linker OR 連接器 user:dofaromg\"}",
    "references": [
        {
            "type": "snippet",
            "ref": "refs/heads/develop",
            "repoID": 1144781670,
            "repoName": "device-os",
            "repoOwner": "dofaromg",
            "url": "https://github.com/dofaromg/device-os/blob/7946ee0b5923d9827f0065aa01c7f809cd8f5eba/hal/src/newhal/linker.ld#L1-L5",
            "path": "hal/src/newhal/linker.ld",
            "commitOID": "7946ee0b5923d9827f0065aa01c7f809cd8f5eba",
            "languageName": "Linker Script",
            "languageID": 202,
            "fileSize": 252,
            "range": {
                "start": 1,
                "end": 5
            }
        },
        {
            "type": "snippet",
            "ref": "refs/heads/canary",
            "repoID": 1052274426,
            "repoName": "next.js",
            "repoOwner": "dofaromg",
            "url": "https://github.com/dofaromg/next.js/blob/5731c8e16f1dccbbe51af02becc6a7b490730eb7/turbopack/crates/turbopack-ecmascript/src/analyze",
            "path": "turbopack/crates/turbopack-ecmascript/src/analyizer/mod.rs",
            "commitOID": "5731c8e16f1dccbbe51af02becc6a7b490730eb7",
            "languageName": "Rust",
            "languageID": 327,
            "fileSize": 161174,
            "range": {
                "start": 1,
                "end": 114
            }
        },
        {
            "type": "snippet",
            "ref": "refs/heads/main",
            "repoID": 1111930130,
            "repoName": "tool-silk-",
            "repoOwner": "dofaromg",
            "url": "https://github.com/dofaromg/tool-silk-/blob/d1c5548719eb1410c48e36fcc01abc1246e1b46b/Mrliou_Xcode連接器.md#L1-L76",
            "path": "Mrliou_Xcode連接器.md",
            "commitOID": "d1c5548719eb1410c48e36fcc01abc1246e1b46b",
            "languageName": "Markdown",
            "languageID": 222,
            "fileSize": 6621,
            "range": {
                "start": 1,
                "end": 1
            }
        }
    ]
}

```

```

        "end": 76
    },
    {
        "type": "snippet",
        "ref": "refs/heads/master",
        "repoID": 1127317545,
        "repoName": "git",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/git/blob/cacd2f0a3b634ae6770a8340981d9681a3434015/oss-fuzz/dummy-cmd-main.c#L1-L14",
        "path": "oss-fuzz/dummy-cmd-main.c",
        "commitOID": "cadcd2f0a3b634ae6770a8340981d9681a3434015",
        "languageName": "C",
        "languageID": 41,
        "fileSize": 488,
        "range": {
            "start": 1,
            "end": 14
        }
    },
    {
        "type": "snippet",
        "ref": "refs/heads/develop",
        "repoID": 1144781670,
        "repoName": "device-os",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/device-os/blob/7946ee0b5923d9827f0065aa01c7f809cd8f5eba/modules/shared/nRF52840/build_linker_script.mk#L1-L25",
        "path": "modules/shared/nRF52840/build_linker_script.mk",
        "commitOID": "7946ee0b5923d9827f0065aa01c7f809cd8f5eba",
        "languageName": "Makefile",
        "languageID": 220,
        "fileSize": 806,
        "range": {
            "start": 1,
            "end": 25
        }
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1130234040,
        "repoName": "mrliouword-system",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/mrliouword-system/blob/ec77b0cf10b0437d18f2471ccd48aae2542f845e/docs/REPOS_INDEX.md#L33-L96",
        "path": "docs/REPOS_INDEX.md",
        "commitOID": "ec77b0cf10b0437d18f2471ccd48aae2542f845e",
        "languageName": "Markdown",
        "languageID": 222,
        "fileSize": 4219,
        "range": {
            "start": 33,
            "end": 96
        }
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1010512921,
        "repoName": "flow-tasks",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/flow-tasks/blob/19398838569fcba962ef44e92a85605010a3ce78/connectors/dropbox_connector.py#L1-L58",
        "path": "connectors/dropbox_connector.py",
        "commitOID": "19398838569fcba962ef44e92a85605010a3ce78",
        "languageName": "Python",
        "languageID": 303,
        "fileSize": 1949,
        "range": {
            "start": 1,
            "end": 58
        }
    },
    {
        "type": "snippet",
        "ref": "refs/heads/main",
        "repoID": 1101328762,
        "repoName": "claude-cookbooks",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/claude-cookbooks/blob/316c4a92a9a0cab8db60a8f416e4c06c1556e758/CloudflareIntegrationView.swift#L29-L152",
        "path": "CloudflareIntegrationView.swift",
        "commitOID": "316c4a92a9a0cab8db60a8f416e4c06c1556e758",
        "languageName": "Swift",
        "languageID": 362,
        "fileSize": 9238,
        "range": {
            "start": 29,
            "end": 152
        }
    },
    {
        "type": "snippet",
        "ref": "refs/heads/master",
        "repoID": 1104957152,
        "repoName": "Zip",
        "repoOwner": "dofaromg",
        "url": "https://github.com/dofaromg/Zip/blob/f3b041640078f478a4de8016d18cda3e017d5d8d/Package@swift-5.0.swift#L1-L29",
        "path": "Package@swift-5.0.swift",
        "commitOID": "f3b041640078f478a4de8016d18cda3e017d5d8d",
        "languageName": "Swift",
        "languageID": 362,
        "fileSize": 775,
        "range": {
            "start": 1,
            "end": 29
        }
    }
]

```

```
},
{
  "type": "snippet",
  "ref": "refs/heads/main",
  "repoID": 1129509846,
  "repoName": "jupyterlab-git",
  "repoOwner": "dofaromg",
  "url": "https://github.com/dofaromg/jupyterlab-git/blob/63a9cc486dcc996ac3cd07e7cbf566581b4b58cb/.yarnrc.yml#L1-L1",
  "path": ".yarnrc.yml",
  "commitOID": "63a9cc486dcc996ac3cd07e7cbf566581b4b58cb",
  "languageName": "YAML",
  "languageID": 407,
  "fileSize": 25,
  "range": {
    "start": 1,
    "end": 1
  }
},
{
  "type": "text",
  "text": "\nai_notes: Search result responses are limited to 10 results.\nYou MUST let the user know the results may be incomplete.\nYou MUS"
},
],
"callId": "toolu_01U9ZFSL1UhD3whvNoNhnvM6"
},
{
  "slug": "get-github-data",
  "status": "completed",
  "arguments": "{\"endpoint\": \"/search/repositories?q=user:dofaromg+Xcode+linker\", \"endpointDescription\": \"search for repositories owned by us\"}",
  "references": [],
  "parentSlug": "githubbread",
  "callId": "call_3o7VbojsVc1kqpi7NYXGZ6GP"
},
{
  "slug": "get-github-data",
  "status": "completed",
  "arguments": "{\"endpoint\": \"/search/repositories?q=user:dofaromg+Xcode+linker\", \"endpointDescription\": \"search for repositories owned by us\"}",
  "references": [],
  "parentSlug": "githubbread",
  "callId": "call_3o7VbojsVc1kqpi7NYXGZ6GP"
}
]
},
"files": {
}
}
```