




hs_general_health
Would you say that in general your dog's health is:




hs_chronic_condition_present
Does your dog have any ongoing medical conditions?




pa_activity_level
Please choose the best description of your dog's lifestyle over the
past year:







pa_physical_games_frequency
How often does your dog fetch items or play other games (such as
Frisbee) that involve physical activity?



db_playful_frequency
Playful, puppyish, boisterous:



df_appetite_change_last_year
In the past 12 months, has your dog's appetite stayed about the same?
How has your dog's appetite changed in the past 12 months?



pa_swim
Does your dog go swimming?

Yes
0.81 [0.78–0.85]

No
Reference


p(FDR-adj) =
8.67e-18

Hazard Ratio


0.1


1.0

10.0



pa_avg_activity_intensity
Over the past year, when your dog is being active what is the average intensity level of that activity?





hs_new_condition_diagnosed_recently
In the past three months, has your dog been diagnosed with any new conditions?

Yes
1.24 [1.18–1.29]

No
Reference


p(FDR-adj) =
6.47e-17


Hazard Ratio

0.1


1.0

10.0







de_recreational_spaces
Do you ever take your dog to parks or other open spaces meant for
recreational activities?




df_weight_change_last_year
In the past 12 months, has your dog's weight stayed about the same?
How has your dog's weight changed in the past 12 months?







hs_chronic_condition_recently_changed_or_treated
In the past three months, has your dog had any changes to the status
of, or medications for, these conditions?




hs_health_conditions_neurological
Neurologic disorders




db_defecates_alone_frequency
Defecates when left alone at night or during the daytime:



db_chases_squirrels_frequency
Chases or would chase squirrels, rabbits, etc., given the chance:




de_eats_grass_frequency
How often do you see your dog eating grass?





db_training_obeyes_stay_command_frequency

Obeys a "stay" command immediately:




db_urinates_alone_frequency
Urinates when left alone at night or during the daytime:





pa_on_leash_walk_reasons_exercise_for_owner
What is the reason for your activities? Exercise for you



de_routine_toys
Does your dog regularly lick, chew, or play with toys?

Yes Reference $p(\text{FDR-adj}) = 1.04\text{e-}06$


No 1.12 [1.08–1.17]

Hazard Ratio

0.1

1.0

10.0



de_stairs_in_home
Is there a staircase with more than 8 stairs that your dog uses regularly?

Yes Reference $p(\text{FDR-adj}) = 1.44\text{e-}06$

No 1.11 [1.07-1.16]

Hazard Ratio


0.1


1.0

10.0


db_training_obey_sit_command_frequency

Obeys a "sit" command immediately:







pa_other_aerobic_activity_avg_intensity
During these periods of other aerobic activity, which of the following
best describes your dog's activity level?




db_barks_frequency
Barks persistently when alarmed or excited:




df_primary_diet_component_change_health_condition_specific
What were the reasons for the diet change? Health diagnosis prompted
change to a condition-specific diet



mp_recent_non_prescription_meds_upset_stomach
Given in past year: Medications for stomach or GI upset (such as
Pepcid)



pa_cold_weather_daily_hours_outside
How much time per day does your dog spend outdoors on average in cold weather (below 40 degrees Fahrenheit)?



df_primary_diet_component_change_recent

Have you made any changes to the primary component of your dog's diet
in the past 12 months?

Yes 1.11 [1.06–1.16]

No Reference


p(FDR-adj) =
0.000234

Hazard Ratio


0.1

1.0

10.0



db_chases_birds_frequency
Chases or would chase birds, given the chance:



de_drinks_outdoor_water
Does your dog drink from outdoor water sources (such as lake, river,
stream, pond, puddles, etc.)?

Yes
0.91 [0.87–0.95]

No
Reference


p(FDR-adj) =
0.000575

Hazard Ratio


0.1

1.0


10.0




pa_off_leash_walk_reasons_activity_and_enjoyment
What is the reason for your activities? General activity and enjoyment




pa_moderate_weather_outdoor_sand
Sand:




db_pulls_leash_frequency
Pulls excessively hard when on the leash:




pa_other_aerobic_activity_frequency
Other than the on-leash and off-leash activities already described above, what is the average frequency that your dog gets other aerobic (elevated heart rate) activity? These might include working, mushing, or herding.



df_ever_underweight
Has your dog ever been considered underweight?




hs_vet_frequency
How often is your dog seen by a veterinarian?




$p(\text{FDR-adj}) =$
0.00133

Hazard Ratio

hs_health_conditions_liver
Liver or pancreas disorders



pa_on_leash_off_leash_walk
Over the past year, if your dog leaves the house with you, they are:



pa_on_leash_walk_reasons_exercise_for_dog
What is the reason for your activities? Exercise for the dog

Yes Reference

p(FDR-adj) = 0.00235

No 1.11 [1.06–1.17]


Hazard Ratio

0.1

1.0

10.0

pa_off_leash_walk_reasons_exercise_for_owner
What is the reason for your activities? Exercise for you



hs_congenital_condition_present
Was your dog born with a congenital disorder (defect present at birth)?

Yes 1.19 [1.1–1.29]

No Reference

p(FDR-adj) =
0.00352


Hazard Ratio


0.1

1.0


10.0

de_wood_fireplace_present
Wood burning fireplace or wood stove present:






dt_weight_change
In the past 12 months, has your dog's weight stayed about the same?



df_ever_overweight
Has your dog ever been considered overweight?



hs_recent_hospitalization
In the past three months, has your dog been hospitalized for more than 24 hours?

Yes
1.26 [1.12–1.42]

No
Reference


p(FDR-adj) =
0.0124

Hazard Ratio


0.1

1.0


10.0




pa_moderate_weather_outdoor_other_hard_surface
Hard surface other than concrete or wood (asphalt, pavement, street):




de_routine_consistency
How consistent is your dog's daily routine? We understand that this can vary. Please just provide your best estimate.



db_hyperactive_frequency
Hyperactive, restless, has trouble settling down:



de_routine_toys_include_tennis_balls
Tennis ball



db_aggression_level_delivery_workers_at_home
When letter carriers or other delivery workers approach your home:

No aggression: no visible
signs of aggression 0

Reference

p(FDR-adj) =
0.0194

1

0.95 [0.91–0.99]

Moderate aggression:
growling/barking, baring
teeth 2

0.92 [0.88–0.97]

3

0.83 [0.75–0.92]

Serious aggression:
snaps, bites or attempts
to bite 4


0.95 [0.82–1.09]


Hazard Ratio

0.1


1.0

10.0







pa_on_leash_walk_reasons_training_obedience
What is the reason for your activities? Training and obedience



od_max_education
What is the highest degree or level of school you have completed? If currently enrolled, please indicate the highest degree received.



mp_recent_non_prescription_meds_eye_lubricant
Given in past year: Eye lubricants



pa_on_leash_walk_frequency
Over the past year, what is the average frequency that your dog is active on a lead/leash?

Less than once a month 1.16 [1.08–1.25]

Less than once a week 1.1 [1.02–1.18]

Once or twice a week 1.07 [1–1.14]

3–6 times a week 1.02 [0.96–1.08]

Once a day 1 [0.95–1.06]

More than once a day Reference

p(FDR-adj) =
0.0392

Hazard Ratio