

Hacking OAuth


Pitfalls and Remedies



Lead Developer Advocate







https://github.com/jwtk/jjwt

https://www.split.io/blog



Identity use cases (circa 2007)

- $\langle 01 \rangle$ Simple login forms and cookies
 - 02 Single sign-on across sites SAML
 - $\langle 03 \rangle$ Mobile app login ???
 - 04 Delegated authorization ???



Don't do it This Way!


(Password Anti-Pattern)

Are your friends already on Yelp? Many of your friends may already be here, now you can find out. Just log in and we'll display all your contacts, and you can select which ones to invite! And don't worry, we don't keep your email password or your friends' addresses. We loathe spam, too. Your Fmail Service AOL Mail msn. Hotmail YAHOO! MAIL Your Fmail Address ima.testguy@gmail.com (e.g. bob@gmail.com) Your Gmail Password (The password you use to log into your Gmail email) **Check Contacts** Skip this step



Don't do it This Way!

(Password Anti-Pattern)





The Delegated Authorization Problem

HOW CAN I LET A WEBSITE ACCESS MY DATA, WITHOUT GIVING IT MY PASSWORD?




A lot of confusion around OAuth:

- □ Terminology and jargon
- □ Incorrect advice
- ⇒ Hard to find a life-like example




The Hotel Analogy





OAuth 2.0: App Scenario





OAuth 2.0 Terminology

Hotel	Арр	OAuth	Description
Hotel Guest	End User	Resource Owner	Wants a Client App to do something on their behalf
Hotel	Yelp	Client Application	Needs authorization to interact with an API on behalf of a user
Hotel Receptionist	Google	Authorization Server	Grants access (in the form of tokens) to an app
Hotel Room	Contacts API	Resource Server	Has an API that an app can use if presented with a token



Delegated Authorization with OAuth 2.0

I trust Gmail and I kind of trust Yelp. I want Yelp to have access to my contacts only.




Connect with Google





OAuth 2.0 implicit flow



DEMO Implicit Flow Detector




Confidential Clients



Application running on a server

Has the ability to keep strings secret since code is running in a trusted environment

Public Clients




The application can't keep strings secret

Javascript/Single-Page apps: "view source" Native apps: decompile and extract strings



OAuth 2.0 authorization code flow



Go to authorization server (front channel)

Redirect URI: yelp.com/callback

Response type: **code**Scope: **profile contacts**


Resource owner

contacts.google.com

Exchange authorization code for access token (back channel)

Talk to resource server with access token (back channel)

yelp.com/callback Loading...



Request consent from resource owner

accounts.google.com

Authorization server

accounts.google.com

Email

Password


Allow Yelp to access your public profile and contacts?

No






Authorization Code Injection Attack



DEMO Auth Code Injection








Impact-driven development requires data

Only Split's unified platform closes The Impact Gap





Titanium Sponsors





Platinum Sponsors













































































Hacking OAuth: Pitfalls and Remedies

Micah Silverman @afitnerd

More on OAuth 2.0: oauth.com

@splitsoftware
Free developer account: split.io/signup



