

radial_maximum_clad_hoop_stress: state 80



radial_maximum_clad_hoop_stress: Assy (H-13), state 80





radial_minimum_gap_distance: state 80



radial_minimum_gap_distance: Assy (H-13), state 80





radial_maximum_clad_hoop_stress: state 214



radial_maximum_clad_hoop_stress: Assy (C-08), state 214





radial_minimum_gap_distance: state 214



radial_minimum_gap_distance: Assy (C-08), state 214





radial_maximum_clad_hoop_stress: state 273



radial_maximum_clad_hoop_stress: Assy (C-08), state 273





radial_minimum_gap_distance: state 273



radial_minimum_gap_distance: Assy (C-08), state 273





radial_maximum_clad_hoop_stress: state 412



radial_maximum_clad_hoop_stress: Assy (C-08), state 412





radial_minimum_gap_distance: state 412



radial_minimum_gap_distance: Assy (C-08), state 412





radial_maximum_clad_hoop_stress: state 437



radial_maximum_clad_hoop_stress: Assy (C-08), state 437





radial_minimum_gap_distance: state 437



radial_minimum_gap_distance: Assy (C-08), state 437





radial_maximum_clad_hoop_stress: state 459



radial_maximum_clad_hoop_stress: Assy (C-08), state 459





radial_minimum_gap_distance: state 459



radial_minimum_gap_distance: Assy (C-08), state 459





pin_max_wrlhr: state 39



pin_max_wrlhr: Assy (C-08), state 39





pin_max_wrlhr: state 98



pin_max_wrlhr: Assy (C-09), state 98





pin_max_wrlhr: state 22



pin_max_wrlhr: Assy (H-13), state 22





pin_max_wrlhr: state 47



pin_max_wrlhr: Assy (H-13), state 47





pin_max_wrlhr: state 74



pin_max_wrlhr: Assy (H-13), state 74