

# CLOTH PATTERN SERIES

## WPC wall panel

WPC uses polyethylene, polypropylene, and polyvinyl chloride instead of commonly used resin adhesives to mix with more than 50% of waste plant fibers such as wood powder, rice husk, and straw to form new wood materials.

Then, it produces boards or profiles through plastic processing processes such as extrusion, molding, and injection molding.



Waterproof



Insect prevention

E0

Environmental protection

B1

Flame-retardant



Thickness: 5mm&8mm



Bending and shaping




Waterproof and moisture-proof

## PRODUCTS


---

**LENGTH AND WIDTH:** 1120\*2800(mm)  
**THICKNESS:** 5mm&8mm  
**ENVIRONMENTAL PROTECTION GRADE:** ENF  
**FIRE RATING:** B1  
**PERFORMANCE:** waterproof&bendable


## ▼ **INSTALL**



- 1&4. Puttying and leveling  
2. Apply structural adhesive on the back  
3. Metal profile connection  
5. Rough wall




1. Apply structural adhesive on the back  
2. Metal profile connection  
3. Puttying and leveling



### **CORNER SLOTTING AND BENDING**

1. Slotting of trimming machine
2. Hot air gun heating bending
3. Apply structural adhesive on the back of the wall panel



Apply structural adhesive on the back


## ▼ PACKING METHOD

饰面板 / WPC WALL PANEL

托 盘 / TRAY

**20'**  
STD


Dimension	Cubic Capacity	Tare Weight	Payload
L : 5.89 m 19'4"	33.2 m <sup>3</sup>	2,220 kg	21,850 kg
W : 2.35m 7'9"	1,170 f <sup>3</sup>	4,894 lb	48,171 lb
H : 2.39m 7'10"			



20正常装货柜尺寸

**40'**  
STD

Dimension	Cubic Capacity	Tare Weight	Payload
L : 12.03m 39'6"	67.7 m <sup>3</sup>	3,740 kg	26,760 kg
W : 2.35m 7'9"	2,391 f <sup>3</sup>	8,245 lb	58,996 lb



40正常装货柜尺寸

# CLOTH PATTERN SERIES CASE ▼

#

CLOTH PATTERN SERIES

**6035**

WPC WALL PANEL



## CLOTH PATTERN SERIES 6035

**NAME:** WPC wall panel

**MATERIAL:** Nanofiber powder

**LENGTH AND WIDTH:** 1120\*2800(mm)

**THICKNESS:** 5mm&8mm

**ENVIRONMENTAL PROTECTION GRADE:** ENF

**FIRE RATING:** B1

**PERFORMANCE:** waterproof&bendable

CLOTH PATTERN SERIES

**6035**



WPC WALL PANEL

#

CLOTH PATTERN SERIES

**6021**

WPC WALL PANEL



## CLOTH PATTERN SERIES 6021

**NAME:** WPC wall panel

**MATERIAL:** Nanofiber powder

**LENGTH AND WIDTH:** 1120\*2800(mm)


**THICKNESS:** 5mm&8mm

**ENVIRONMENTAL PROTECTION GRADE:** ENF

**FIRE RATING:** B1

**PERFORMANCE:** waterproof&bendable

## ▼ COLOUR



**FT 25601**



**FT 25602**



**FT 25603**




**FT 25604**




**FT 25605**




**FT 25606**



**FT 25607**



**6001**




**6003**




**6004**



**6005**




**6009**



**6015**




**6016**



**6019**




**6021**




**6027**



**6035**



**6065**



**6066**



**6070**



**6071**



**6072**



**6073**



**6076**



**6079**



**6080**




**6081**

▼ BRAND FACTORY



Wall panel production base 30000 square metres



Decorative panel extrusion workshop



Bamboo charcoal fiber coating workshop

# ▼ BRAND PATENTS

