

BAIJAX®

ANTI-COLLISION WALL PANEL >



EP LEVEL



FIRE RATING




WATERPROOF




BENDABLE





SIZE (MM)	Width: 1100mm Length: 2800mm Customized length under 6meters	THICKNESS	5MM/8MM
MATERIAL	SPC anti-collision layer+ bamboo charcoal fiber	EP LEVEL	ENF
ADVANTAGE	Impact Resistance / Deformation Resistance / Bendable	FIRE RATING	B1
SPLICING METHOD	Tight splicing/Metal profile connection/ Process seam	PROCESS	PVC covered / PETG flat sticker

PRODUCT STRUCTURE DIAGRAM >




OPTIONAL COLOR >

Wood grain series



Solid color series



Metal series



Cloth pattern series





Stone series



PERFORMANCE SHOT >



Waterproof and moisture-proof: it will not shrink in winter because of dryness, and will not mold in spring because of moisture, it is very durable and does not deform.



Bending flexibility: hard but not brittle party for tough, can be bent 360°, easy to realize a variety of shapes customized.

STRONG RESISTANCE TO DEFORMATION AND HIGH IMPACT-RESISTANCE



Impact resistance



anti-deformation



ultra-stable



Eu Environmental
Certification



Internationally Recognized
Certification Body



International Organization
For Standardization



Eu Safety
Certification



CASE APPRECIATION >



CASE APPRECIATION >



CASE APPRECIATION >



CASE APPRECIATION >

