

FW Test Report


Generated on: 2026-06-26 14:33:03

MCU: **stm32f103**

Tested Peripherals

#	Peripheral	Sensor	Port	Pin
1	usart3	LOGGER_USART		

System Diagram



Logs

```
14:32:35.0486 [INFO] System bus created.
14:32:35.5706 [INFO] Downloading https://dl.antmicro.com/projects/renode/svd/STM32F103.svd.gz.
14:32:36.1055 [INFO] Download done.
14:32:36.1060 [INFO] Decompressing file
14:32:36.1083 [INFO] Decompression done
14:32:36.2736 [INFO] sysbus: Loaded SVD: /tmp/renode-29/cd830fcb-58d8-4220-9a64-5a81a5327895.tmp.
Name: STM32F103. Description: STM32F103.
14:32:36.6775 [INFO] machine-0: CPUs: ["machine-0.cpu"] were added to a new GDB server created on
port :3333
14:32:36.6775 [INFO] machine-0: GDB server with all CPUs started on port :3333
14:32:36.6900 [INFO] sysbus: Loading block of 33072 bytes length at 0x8000000.
14:32:36.6992 [INFO] sysbus: Loading block of 892 bytes length at 0x8008130.
14:32:36.6993 [INFO] sysbus: Loading block of 1540 bytes length at 0x80081A8.
14:32:36.7151 [INFO] cpu: Guessing VectorTableOffset value to be 0x8000000.
14:32:36.7172 [INFO] cpu: Setting initial values: PC = 0x8003859, SP = 0x20005000.
14:32:36.7189 [INFO] machine-0: Machine started.
14:32:36.7533 [WARNING] sysbus: [cpu: 0x8003A4A] ReadDoubleWord from an unimplemented register
FLASH:ACR (0x40022000), returning a value from SVD: 0x30
14:32:36.7545 [WARNING] sysbus: [cpu: 0x8003A52] WriteDoubleWord of value 0x30 to an unimplemented
register FLASH:ACR (0x40022000) generated from SVD
14:32:36.7597 [WARNING] sysbus: [cpu: 0x80042D0] ReadDoubleWord from an unimplemented register
FLASH:ACR (0x40022000), returning a value from SVD: 0x30
14:32:36.7597 [WARNING] sysbus: [cpu: 0x800517C] ReadDoubleWord from an unimplemented register
TIM1:CR1 (0x40012C00), returning a value from SVD: 0x0
14:32:36.7597 [WARNING] sysbus: [cpu: 0x80051F8] WriteDoubleWord of value 0x3E7 to an
unimplemented register TIM1:ARR (0x40012C2C) generated from SVD
14:32:36.7597 [WARNING] sysbus: [cpu: 0x8005200] WriteDoubleWord of value 0x7 to an unimplemented
register TIM1:PSC (0x40012C28) generated from SVD
14:32:36.7598 [WARNING] sysbus: [cpu: 0x8005210] WriteDoubleWord of value 0x0 to an unimplemented
register TIM1:RCR (0x40012C30) generated from SVD
14:32:36.7598 [WARNING] sysbus: [cpu: 0x8005214] ReadDoubleWord from an unimplemented register
TIM1:CR1 (0x40012C00), returning a value from SVD: 0x0
14:32:36.7598 [WARNING] sysbus: [cpu: 0x800521C] WriteDoubleWord of value 0x4 to an unimplemented
register TIM1:CR1 (0x40012C00) generated from SVD
14:32:36.7599 [WARNING] sysbus: [cpu: 0x8005222] WriteDoubleWord of value 0x1 to an unimplemented
register TIM1:EGR (0x40012C14) generated from SVD
14:32:36.7599 [WARNING] sysbus: [cpu: 0x8005228] WriteDoubleWord of value 0x0 to an unimplemented
register TIM1:CR1 (0x40012C00) generated from SVD
14:32:36.7599 [WARNING] sysbus: [cpu: 0x8004EC8] ReadDoubleWord from an unimplemented register
TIM1:DIER (0x40012C0C), returning a value from SVD: 0x0
14:32:36.7599 [WARNING] sysbus: [cpu: 0x8004ED2] WriteDoubleWord of value 0x1 to an unimplemented
register TIM1:DIER (0x40012C0C) generated from SVD
14:32:36.7599 [WARNING] sysbus: [cpu: 0x8004F00] ReadDoubleWord from an unimplemented register
TIM1:SMCR (0x40012C08), returning a value from SVD: 0x0
14:32:36.7599 [WARNING] sysbus: [cpu: 0x8004F12] ReadDoubleWord from an unimplemented register
TIM1:CR1 (0x40012C00), returning a value from SVD: 0x0
14:32:36.7600 [WARNING] sysbus: [cpu: 0x8004F1C] WriteDoubleWord of value 0x1 to an unimplemented
register TIM1:CR1 (0x40012C00) generated from SVD
14:32:36.7617 [WARNING] sysbus: [cpu: 0x80034CC] ReadDoubleWord from an unimplemented register
AFIO:MAPR (0x40010004), returning a value from SVD: 0x0
14:32:36.7617 [WARNING] sysbus: [cpu: 0x80034E4] WriteDoubleWord of value 0x20000000 to an
unimplemented register AFIO:MAPR (0x40010004) generated from SVD
14:32:36.7640 [WARNING] sysbus: [cpu: 0x8003CC2] WriteDoubleWord to non existing peripheral at
0x42420480, value 0x1.
14:32:36.7641 [WARNING] sysbus: [cpu: 0x8003FC2] ReadDoubleWord from an unimplemented register
FLASH:ACR (0x40022000), returning a value from SVD: 0x30
14:32:36.7654 [WARNING] sysbus: [cpu: 0x80040CE] ReadDoubleWord from an unimplemented register
FLASH:ACR (0x40022000), returning a value from SVD: 0x30
14:32:36.7654 [WARNING] sysbus: [cpu: 0x80042D0] ReadDoubleWord from an unimplemented register
FLASH:ACR (0x40022000), returning a value from SVD: 0x30
14:32:36.7654 [WARNING] sysbus: [cpu: 0x800517C] ReadDoubleWord from an unimplemented register
TIM1:CR1 (0x40012C00), returning a value from SVD: 0x0
```

14:32:36.7655 [WARNING] sysbus: [cpu: 0x80051F8] WriteDoubleWord of value 0x3E7 to an unimplemented register TIM1:ARR (0x40012C2C) generated from SVD
14:32:36.7655 [WARNING] sysbus: [cpu: 0x8005200] WriteDoubleWord of value 0x7 to an unimplemented register TIM1:PSC (0x40012C28) generated from SVD
14:32:36.7655 [WARNING] sysbus: [cpu: 0x8005210] WriteDoubleWord of value 0x0 to an unimplemented register TIM1:RCR (0x40012C30) generated from SVD
14:32:36.7655 [WARNING] sysbus: [cpu: 0x8005214] ReadDoubleWord from an unimplemented register TIM1:CR1 (0x40012C00), returning a value from SVD: 0x0
14:32:36.7656 [WARNING] sysbus: [cpu: 0x800521C] WriteDoubleWord of value 0x4 to an unimplemented register TIM1:CR1 (0x40012C00) generated from SVD
14:32:36.7657 [WARNING] sysbus: [cpu: 0x8005222] WriteDoubleWord of value 0x1 to an unimplemented register TIM1:EGR (0x40012C14) generated from SVD
14:32:36.7657 [WARNING] sysbus: [cpu: 0x8005228] WriteDoubleWord of value 0x0 to an unimplemented register TIM1:CR1 (0x40012C00) generated from SVD
14:32:36.7657 [WARNING] sysbus: [cpu: 0x8004EC8] ReadDoubleWord from an unimplemented register TIM1:DIER (0x40012C0C), returning a value from SVD: 0x0
14:32:36.7658 [WARNING] sysbus: [cpu: 0x8004ED2] WriteDoubleWord of value 0x1 to an unimplemented register TIM1:DIER (0x40012C0C) generated from SVD
14:32:36.7658 [WARNING] sysbus: [cpu: 0x8004F00] ReadDoubleWord from an unimplemented register TIM1:SMCR (0x40012C08), returning a value from SVD: 0x0
14:32:36.7658 [WARNING] sysbus: [cpu: 0x8004F12] ReadDoubleWord from an unimplemented register TIM1:CR1 (0x40012C00), returning a value from SVD: 0x0
14:32:36.7658 [WARNING] sysbus: [cpu: 0x8004F1C] WriteDoubleWord of value 0x1 to an unimplemented register TIM1:CR1 (0x40012C00) generated from SVD
14:32:36.7692 [WARNING] gpioPortA: Trying to set the state of the input pin #6
14:32:36.7692 [WARNING] gpioPortB: Trying to set the state of the input pin #13
14:32:36.7692 [WARNING] gpioPortB: Trying to set the state of the input pin #14
14:32:36.7692 [WARNING] gpioPortB: Trying to set the state of the input pin #15
14:32:36.7737 [WARNING] gpioPortA: Unhandled write to offset 0x0. Unhandled bits: [26] when writing value 0x42444444. Tags: CNF6 (0x0).
14:32:36.7737 [WARNING] sysbus: [cpu: 0x8004634] ReadDoubleWord from an unimplemented register AFIO:EXTICR1 (0x40010008), returning a value from SVD: 0x0
14:32:36.7737 [WARNING] sysbus: [cpu: 0x800469C] WriteDoubleWord of value 0x10 to an unimplemented register AFIO:EXTICR1 (0x40010008) generated from SVD
14:32:36.7740 [WARNING] gpioPortB: Unhandled write to offset 0x4. Unhandled bits: [22] when writing value 0x44244444. Tags: CNF13 (0x0).
14:32:36.7740 [WARNING] gpioPortB: Unhandled write to offset 0x4. Unhandled bits: [26] when writing value 0x42644444. Tags: CNF14 (0x0).
14:32:36.7740 [WARNING] gpioPortB: Unhandled write to offset 0x4. Unhandled bits: [30] when writing value 0x26644444. Tags: CNF15 (0x0).
14:32:36.7748 [WARNING] gpioPortB: Unhandled write to offset 0x4. Unhandled bits: [10-11] when writing value 0x66644B44. Tags: CNF10 (0x2).
14:32:36.7758 [WARNING] usart3: Unhandled read from offset 0x14.
14:32:36.7758 [WARNING] usart3: Unhandled write to offset 0x14, value 0x0.
14:32:36.7759 [WARNING] usart3: Unhandled read from offset 0x14.
14:32:36.7760 [WARNING] usart3: Unhandled write to offset 0x14, value 0x0.
14:32:36.7770 [INFO] usart3: [host: 0.2s (+0.2s)|virt: 0.1ms (+0.1ms)] application started!
14:32:36.7797 [WARNING] nvic: Trying to set the priority for interrupt 16 to 0xFF, but it should be maskable with 0xF0
14:32:36.7889 [WARNING] nvic: Unhandled write to offset 0x14. Unhandled bits: [24] when writing value 0x179F0A3. Tags: RESERVED (0x1).
14:32:37.7203 [INFO] usart3: [host: 1.15s (+0.94s)|virt: 1s (+1s)] hi
14:32:38.7193 [INFO] usart3: [host: 2.14s (+1s)|virt: 2s (+1s)] hi
14:32:39.7190 [INFO] usart3: [host: 3.14s (+1s)|virt: 3s (+1s)] hi
14:32:40.7190 [INFO] usart3: [host: 4.14s (+1s)|virt: 4s (+1s)] hi
14:32:41.7190 [INFO] usart3: [host: 5.14s (+1s)|virt: 5s (+1s)] hi
14:32:42.7189 [INFO] usart3: [host: 6.14s (+1s)|virt: 6s (+1s)] hi
14:32:43.7190 [INFO] usart3: [host: 7.14s (+1s)|virt: 7s (+1s)] hi
14:32:44.7189 [INFO] usart3: [host: 8.14s (+1s)|virt: 8s (+1s)] hi
14:32:45.7190 [INFO] usart3: [host: 9.14s (+1s)|virt: 9s (+1s)] hi
14:32:46.7192 [INFO] usart3: [host: 10.14s (+1s)|virt: 10s (+1s)] hi
14:32:47.7187 [INFO] usart3: [host: 11.14s (+1s)|virt: 11s (+1s)] hi
14:32:48.7188 [INFO] usart3: [host: 12.14s (+1s)|virt: 12s (+1s)] hi
14:32:49.7189 [INFO] usart3: [host: 13.14s (+1s)|virt: 13s (+1s)] hi
14:32:50.7187 [INFO] usart3: [host: 14.14s (+1s)|virt: 14s (+1s)] hi

```
14:32:51.7188 [INFO] uart3: [host: 15.14s (+1s)|virt: 15s (+1s)] hi
14:32:52.7189 [INFO] uart3: [host: 16.14s (+1s)|virt: 16s (+1s)] hi
14:32:53.7187 [INFO] uart3: [host: 17.14s (+1s)|virt: 17s (+1s)] hi
14:32:54.7189 [INFO] uart3: [host: 18.14s (+1s)|virt: 18s (+1s)] hi
14:32:55.7187 [INFO] uart3: [host: 19.14s (+1s)|virt: 19s (+1s)] hi
14:32:56.7188 [INFO] uart3: [host: 20.14s (+1s)|virt: 20s (+1s)] hi
14:32:57.7187 [INFO] uart3: [host: 21.14s (+1s)|virt: 21s (+1s)] hi
```

Custom Logs

[RX] application started!

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi

[RX] hi