

Operia

Quick Guide (rough, very)

Tech Stack

Backend:

Supabase (Postgres + RLS, Auth with Entra ID/MFA, Edge Functions (Deno), Storage, pg_cron) + Email sender: Resend (<https://resend.com>) – for sending logon + asset reminders.

Email receiver: Postmark (<https://postmarkapp.com/>) - for detecting asset bounce emails (invalid emails).

SMS: GatewayAPI (<https://gatewayapi.com>) – for sending asset reminders.

Domain control: one.com

Frontend:

Vite/React/TypeScript SPA + Tailwind/shadcn + TanStack Query/Router + i18next.

Icons: <https://lucide.dev/icons>; Animated icons here: <https://animate-ui.com/docs/icons> + <https://lucide-animated.com/>

Android:

Kotlin + Jetpack Compose + supabase-kt


Integrations

OpenRouteService (<https://openrouteservice.org/>) - for maps.

Google Maps – for maps.


General Elements

The **Operia Table** is a common feature used throughout the application.



+ New Q d					
☐	Name ▾	Reg. no. ▾	Products ▾	Active ▾	Created ▾ ☆
☐	Aarhus Medico ApS	22334455	2	Yes	11.07.2026 ☆
☐	Citypost Danmark ApS	20110009	2	Yes	11.07.2026 ☆
☐	DCA Demo A/S	12345678	3	Yes	10.07.2026 ☆
☐	Fjordbygd Entreprise ApS	20110007	1	Yes	11.07.2026 ☆
☐	Grøndal & Søn ApS	20110003	1	Yes	11.07.2026 ☆
☐	Kolding Teknik A/S	11223344	3	Yes	11.07.2026 ☆
☐	Møllegaården Ejendomme A/S	20110006	1	Yes	11.07.2026 ☆
☐	Nordvind Logistik ApS	20110001	2	Yes	11.07.2026 ☆
☐	Skovgaard Medico A/S	20110008	1	Yes	11.07.2026 ☆
Showing 1-9 of 9 customers					
< Previous 1 Next >					

Top/Right: search/filter; all columns are sortable; leftmost column has checkboxes which can be selected/unselected by clicking on the checkbox, rightmost column has stars which can be starred/unstarred by clicking on the star / or by right-clicking on a row. Checkbox column header has a drop down menu, which at a minimum has these two items: Select All; Starred + more depending on which table it is. When one or more rows have been selected, a selected row will be displayed under the table: this has at a minimum these two icons (right-aligned): Show only selected; Delete Selected.



Delete selected will popup a warning/confirmation dialog, where the user has to click on checkbox to confirm + type in “delete” (or “slet” in Danish) in their selected language. Under the table/to the right is the pagination. The table shows max 10 rows per pagination page.

Clicking on a table row displays a detail pane (or most tables) with two or more tabs. The leftmost tab is always “*Details*”, and the rightmost tab is always “*Actions*.” To the right of Actions, is always two icons: Maximize/Normalize (maximize/normalize the detail pane), and a “X” to remove the detail pane.

The **Details** tab typically has:

ID of the selected id (in a non-editable field + copy-to-clipboard icon). The ID is Operia’s internal ID, and used for issue tracking if a customer calls in with a problem.

Name, Description, Notes – where available.


Any changes will always display the Cancel/Save Changes bar at the bottom of the screen. Such that you always know precisely where it is.




The **Action** tab typically has a delete function. With the same popup warning dialog.

Menus

Icon toolbar (top/right screen)




- 1) **Refresh.** Load data from database, in case there have been an update (from another user working on the same customer) Refresh also happens at a regular interval (30 seconds), the interval time can be configured in Operia Configuration → General → Refresh Interval
- 2) **Feedback.** Allows the user to come with bug reports or ideas for improvements. Entries can be read in Operia Configuration → Feedback
- 3) **Search.** Not yet implemented.
- 4) **Account Menu**



1) **Account.** Takes you to the account page.


Account Page



The screenshot shows the 'Preferences' section of the account page. It has a subtitle 'Manage your account profile'. Under the 'Profile information' heading, there are four input fields: 'First name', 'Last name', 'Username' (with a note 'Display name used across the system'), and 'Email' (with a note 'Used for account notifications' and the example 'rune@predictioninstitute.com'). A 'Save' button is at the bottom right. Below this is the 'Appearance' section with the subtitle 'Choose how Opera looks and behaves'. It features a 'Theme mode' section with three options: 'System', 'Dark' (selected), and 'Light', each accompanied by a small preview image of the interface.

The user can change his **Name**, **Username**, **Email**. Username is used for display on the web; First, Last name are used for email, SMS, handheld greeting, etc.

Appearance. Choose same theme as computer (only supported on some OS), dark or light mode.




This screenshot shows the lower part of the account page. The 'Navigation' section offers 'Classic' (fixed sidebar) and 'Modern' (dropdown menu) options. The 'Language' section allows choosing between 'Dansk' (Danish) and 'English'. The 'Password' section includes fields for 'Current password' and 'New password' (with a note 'At least 8 characters') and a 'Save New Password' button. The 'Handheld app' section provides a 'QR code' for installation and a 'Download QR code' button.

Navigation. *Classic*: all menu-items are available on the sidebar. *Modern*: Only the package flow menu-items are visible (*should also be Asset flow I think*), and displayed as buttons instead of menu-texts. All the remaining functionality is available, from the pull-up start menu (bottom/left).

Language. Select language. Only Danish/English for now. Others can easily be added.

QR. Take picture with your Android or download for Mobile Android app install. The QR code is just an url pointing to the Supabase Amazon S3 bucket containing the APK.

Home



The home/landing page displays all the products the user has access to. Clicking on a product redirects to the product page. The Home page can be returned to by clicking Home in the side-menu/start-menu, where it is always the top menu-item.

The Home page can be configured under Configuration → Home Design (& Operia Configuration → Home Design)


Configuration

There are two configuration levels: *Operia Configuration* and *Customer Configuration*.

Operia Configuration is application-wise configuration options. They either apply to all customers, or determine the functionality which is available application-wise (for all customers, both on the web and the handheld), or functions as a template for configurations of new customers – depending on which Operia Configuration is chosen. Only Super-users can see the Operia Configuration.

Customer Configuration are configuration settings for a single customer. Will override the Operia Configuration, where the Operia Configuration is a template for Customer Configurations. Only Managers (& Super-users) can see the Operia Configuration.

The two configurations can be found at 1) the bottom of the side-menu (classic navigation layout), or bottom of drop-down menu (modern navigation layout)



Operia Configuration

The configuration options are available:

- 1) Customers
- 2) Users
- 3) Feedback
- 4) General
- 5) Products & Features
- 6) Home Design
- 7) Handheld Design
- 8) Carriers
- 9) Shipping & Billing
- 10) Assets
- 11) Maps & Routes
- 12) Data Transfer
- 13) API Keys
- 14) Integrations
- 15) Templates
- 16) Localization
- 17) Notifications
- 18) Billing
- 19) Logs
- 20) Log Drains

1) Customers.

This configurations shows all customers created in Operia.

Clicking on a row displays a detail pane (or most tables) with two or more tabs. The leftmost tab is always “Details”, and the rightmost tab is always “Actions.” To the right of Actions, is always two icons: Maximize/Normalize (maximize/normalize the detail pane), and a “X” to remove the detail pane.

Details tab:

ID

Company Name

Reg No.

Action tab

Deactivate customer (can be re-activated)

Delete customer

Other tabs:

- 2) Products
- 3) Billing
- 4) Shipping & Billing
- 5) Logo
- 6) Localization
- 7) Appearance

8) Data Transfer

9) Log Drains

Products

Products are whole systems the customer buys access to. They control which screens and menus are available.

Products the customer buys Select all

Parcels Track & trace for internal parcels (core product) ☐ No expiry ☒	Assets Asset and inventory management ☐
Inventory Stock management: quantity-based consumables, reorder points and stock movements ☐	Smart lockers Handover via smart lockers ☐
IoT sensors Sensor data and alerts ☐	Shipping Outbound shipments via carriers ☐
Route planning Internal distribution routes ☐	

Features

Change log Full audit trail of changes ☐	Export Export parcels to CSV/JSON ☐
Handheld: Multiple departments Scan parcels for different departments in one intake ☐	Handheld: Move Relocate parcels internally on the handheld (scan → new location/status) ☐
Handheld: Email on receive Send an arrival email to the receiver when a parcel is received on the handheld ☐	Handheld: Receive Receive parcels on the handheld (scan & register) ☐
Handheld: Route plan Show saved routes on the handheld and navigate via Google Maps ☐	Handheld: Search Search for parcels on the handheld ☐
Handheld: Condition Document parcels with photos and notes on the handheld ☐	Handheld: Hand out Hand out parcels on the handheld (find, receipt, signature) ☐

Here the Customer can be given access to products & Features. Features belong to Products, and only the Features of the activated Products are shown. Products and Features can also be given an expiry date. Customer managers can see his own enabled Products & Features (Configuration → Products & Features), but only in read-only mode.

Billing

Purchasing email (optional)

Purchase orders from Inventory are sent here. Can be overridden per order.

Only has this one configuration: purchasing email. ***This configuration option should be moved under Details.***

Shipping & Billing

Mainly a scaffold page for now, the functionality has not been developed or integrated further in the system.

Select Margin or BYOC

Shipping and invoicing rules. Margin model: Operia owns the shipping agreement and adds a margin. BYOC: the customer uses their own shipping agreement, and you invoice for the system.

Shipping model

Margin — Operia owns the shipping agreement

Customer price = cost price × (1 + percent) + fixed amount. Set one to 0 if you only want to use the other.

Markup (%)

0

Fixed amount per shipment (kr.)

0

Shipping and invoicing rules. Margin model: Operia owns the shipping agreement and adds a margin. BYOC: the customer uses their own shipping agreement, and you invoice for the system.

Shipping model

BYOC — customer's own shipping agreement

The customer pays the carrier directly. You invoice a subscription and/or fee per shipment. Set one to 0 if it should not be used.

Subscription per month (kr.)

0

Fee per shipment (kr.)

0

Customer's shipping agreements

Used with BYOC: the customer's own aggregator account or carrier agreement. The key is stored securely and can never be shown again — only replaced or removed. It is used only server-side at booking.

No shipping agreements yet.

+ New

Logo

Upload a customer logo. *I think the menu is deprecated, as the functionality has been moved under Home Design.*

Localization

Select language (templates, etc.), currency (used in Shipping & Billing), and timezone.

Appearance

Change colours, texts of individual products. *This features has not been implemented throughout, not sure if it is still required.*

Data Transfer

Enable / disable SFTP and/or Email data updates for this customer.

☐ SFTP
CSV over SFTP · ftp.predictioninstitute.com

☐ Automatic email
CSV sent as an email attachment.

If either of those are disabled, they'll be disabled (no displayed at all) for all customers.

Log Drains

Automatically send log messages to a third party system. Either HML/NDJSON (generic) or Grafana Loki. Can strengthen the NIS2 position.

This is an advanced feature which is usually only available for pro-packages.

New drain

Name

e.g. Datadog (production)

Destination

HTTP / NDJSON

Enabled

Endpoint (URL)

https://example.com/ingest

Events are POSTed as newline-delimited JSON (NDJSON). A token (if set) is sent as Bearer.

Token

Show

Paste token

Generate strong token

A shared secret you choose. Use the SAME value on your receiving endpoint. Stored write-only and cannot be read back.

Cancel Save

2) Users

This configurations shows all users created in Operia. Users are actually created in Supabase (Supabase → Dashboard → Project → Authentication) and only copied to Operia. For increased security and things like 2FA. The user name is an Operia add-on which is not stored in Supabase.

- **Details** tab: the name and email can be changed.
- **Access** tab: give individual roles to the user. Currently these roles are defined:

1) **Managers**: access to everything (that is accessible on the customer. Customer managers, still do not have access to Operia configurations, or other customers, etc. - same as the current users)

- all pages the other roles can access, including customer configuration

2) Data Managers

- can access the pages under Master Data; Employees, Departments, Lockers, Import/Export.

3) Package handlers

- can access the Parcel pages: Receive parcel, Hand out parcel.

4) Package managers

- in addition the pages of the Package handlers, can also access the parcel pages: Parcel Dashboard, Parcels, Parcel Reports, Parcel Statistics.

5) Handheld package handler

- Can register and hand out parcels on the handheld.

6) Asset handlers

- not yet defined.

7) **Asset managers**

- can access all pages under Assets.

8) **Handheld asset handler**

- not yet defined.

9) **Inventory handlers**

- not yet defined.

10) **Inventory managers**

- can access all pages under inventory.

11) **Handheld inventory handler**

- not yet defined.

12) **Route Planner handlers**

- not yet defined.

13) **Route Planner managers**

- can access all pages under Route Planner.

14) **Handheld Route Planner**

- can use the route planner on the handheld

Roles control which pages the user can access. A user can have several roles; every user can access the home page.

GENERAL

☒ Manager Full administration: all pages including company configuration.	☒ Data manager Access to the Master Data pages: Employees, Departments, Lockers and Import/Export.
---	--

PARCELS

☒ Parcel handler Access to the parcel pages Receive parcel and Hand out parcel.	☒ Parcel manager As parcel handler, plus Parcel dashboard, Parcels, Reports and Statistics.
☒ Handheld: parcels Can register and hand out parcels on the handheld. Signs in on the Android handheld app — not the web admin.	

ASSETS

☒ Asset handler Not defined yet — only grants access to the home page.	☒ Asset manager Access to all pages under Assets.
☒ Handheld: assets Not defined yet — only grants access to the home page. Signs in on the Android handheld app — not the web admin.	

INVENTORY

☒ Inventory handler Not defined yet — only grants access to the home page.	☒ Inventory manager Access to all pages under Inventory.
☒ Handheld: inventory Can update stock levels on the handheld. Signs in on the Android handheld app — not the web admin.	

- **Action** tab, has delete user (will also be deleted in Supabase) and change password

Change password

×

Set a new password directly, or switch this on to email the user a reset link.

Send a reset link instead

The user gets an email with a link and chooses a new password themselves.

☐

New password

At least 8 characters

Show

Generate strong password

Cancel

Change Password

New password can be explicitly written in (or automatically generated), or a link can be sent to the user, where he can change it himself.

3) Feedback

List what feedback has been received (through the icon toolbar – top/right). To types of feedback: Idea, Issue!

4) General

Some general settings. There is only this one for now: Refresh Interval. This determines how often the application will poll the backend for data updates. Default 30 seconds.

5) Products & Features

Lists the Products and Features which are available in the application. Turning off a Product or Feature removes the Product/Feature from all customers (they'll not be displayed)

6) Home Design


Design the look and functionality of the home/landing page. There are two tabs: *Details*, *Tiles*.

Details

Write in (optional) a **Welcome Title / Subtitle** (note. these are not language localized – will be the same for whatever language is selected. **This can be changed if necessary**)

Upload (optional) a logo (transparent PNG, landscape, about 480×120 px, max 4:1 ratio. Shown at full height without cropping). **I think perhaps this should be changed; logos should be square?**


Upload (optional) a hero (JPG about 1600×600 px. Cropped to fill, so keep the key content centred). **Ought to be changed, so it accepts other file formats (PNG)**



Tiles

Order, rearrange, resize and design the titles displayed on the home page.

- **Max columns / Rows:** determines how wide/high the tile space is.
- **Gap:** space between tiles.
- There: Metro, muted (theme should be removed I think, now that individual tiles can be given individual colours. Or else, the themes should have more difference, than just a muted alternative – the latter solution is best I think.)
- **Tile Area:** Drag tiles around to reorder. Click on maximize / normalize icon (top/left on all tiles) to set size to either 1x1 or 2x2 (it should be possible to set other sizes, 1x2. 1x3. Etc.)
- **Tile Configuration:** click on the configuration icon to open the tile configuration dialog.



- **Title:** Name on tile. Unclick the checkbox, to remove title entirely.
- **Show Icon.** Display icon on title.
- **Size:** 1x1 or 2x2. (it should be possible to set other sizes, 1x2. 1x3. Etc.)
- **Color.** Pick or set the background color of the tile.

- **Rounded Corners.** Set corner rounding.
- **Remove tile.** Remove tile.


7) Handheld Design

Design the Android handheld (changing the design does not necessitate a new APK file) The page has three tabs: *Details*, *Tiles*, *Actions*.

Details

Welcome title & Subtitle: What is displayed at the top of the handheld. Welcome title has a larger font, than Subtitle. Drag either up/down to determine which is on top. Use the special tags {{name}} = first name; {{lastname}} = last name; {{time-greeting}} = greeting depending on the time of the day, Good Morning, Good Evening, Good Night.

Logo & Hero. Add/Remove logo and hero to handheld.




Icon Theme. Happy = colorful icons; desktop = same icons as those used on the web; Outline, Solid, Mono = native Android icon sets.

Tiles

The mockup shows how the handheld will look.


Drag tiles to reposition. Click on (rightmost) X-icon to remove tile.

Click on configure icon, to open the configuration dialog:




In the tile configuration dialog, the tile title + subtitle can be set, the icons, and foreground/background colors.


The Parcels title is a special tile with sub-titles under it (like a file folder). Click on the folder icon, to open the folder configuration dialog. Drag titles around in the folder, or click on an individual tile configuration icon, to configure the tile.



Click on the “+ Add title” to add new tiles to the handheld.



Actions



Deploy: Only superuser developers.

QR Code: scan with handheld camera or download code to install application on the phone.

8) Carriers

Note Carrier Agreements is a stub, the functionality has not been fully implemented or integrated with the rest of the application.

Table of existing carrier agreements. Click on row in table to edit an existing agreement, or click on the “+ New” button to create a new carrier agreement. Carrier Agreements can be of either type: Aggregator Account or Carrier Agreement (direct). The type cannot be changed after having been made. The API key, after having been pasted in, cannot be edited or displayed again. If changes need to be made to this, a new API key will have to be inserted.

Details

ID

b08fe61f-0870-4e96-95bb-52ceb91dc15

Type

Carrier agreement (direct)

Provider

Sendcloud

Name

Test Agreement #1

API user / username

Customer no. / account id

API key / password ⓘ

.... key set

Paste key — never shown again

Replace key

9) Shipping & Billing

Mainly a scaffold page for now, the functionality has not been developed or integrated further in the system.

Select Margin or BYOC

Shipping and invoicing rules. Margin model: Operia owns the shipping agreement and adds a margin. BYOC: the customer uses their own shipping agreement, and you invoice for the system.

Shipping model

Margin — Operia owns the shipping agreement

Customer price = cost price × (1 + percent) + fixed amount. Set one to 0 if you only want to use the other.

Markup (%)

0

Fixed amount per shipment (kr.)

0

Shipping and invoicing rules. Margin model: Operia owns the shipping agreement and adds a margin. BYOC: the customer uses their own shipping agreement, and you invoice for the system.

Shipping model

BYOC — customer's own shipping agreement

The customer pays the carrier directly. You invoice a subscription and/or fee per shipment. Set one to 0 if it should not be used.

Subscription per month (kr.)

0

Fee per shipment (kr.)

0

Customer's shipping agreements

Used with BYOC: the customer's own aggregator account or carrier agreement. The key is stored securely and can never be shown again — only replaced or removed. It is used only server-side at booking.

No shipping agreements yet.

+ New

10) Assets

Configuration options for the Asset product.

- Default Expiry.
- Default Categories. Categories which will be given by default to new customers (they can edit or delete them if they want)

Assets

Platform defaults for the Assets product. Features are enabled per customer under Products & features; the customer's own categories, locations and import belong to the Assets module.

Default expiry for locker loans ⓘ

72 hours (3 days) ▾

Default categories

Starter set suggested for new customers. The customer's own categories are edited in the Assets module.

+ Category

No default categories yet.

11) Maps & Routes

Determine which route manager is used by Operia: **OpenRouteService**

(<https://openrouteservice.org/>) mostly free, as good as Google Maps – except for live congestion reporting; or Google Maps. Each map service requires an API key.

Maps & routes

Choose the maps and routing provider used for route planning.

☒ **OpenRouteService**
Free, OpenStreetMap-based. Good for Denmark; gives free-flow drive times (no live traffic).

☐ **Google Maps**
Best data and live-traffic ETAs, but requires an API key and a billing account.

API key ● Configured

ORS_API_KEY

Stored only as a Supabase edge secret and used server-side — never in the database or browser. Set or replace it with:

```
supabase secrets set ORS_API_KEY=
```

12) Data Transfer

Activate / deactivate and configure SFTP and/or Automatic Email for data uploads.

Both of these features have been implemented and test. The SFTP only on local server. Both will require an extra iteration of test before taking to production with a customer.

The SFTP requires an external server (Supabase cannot do active listening).

Here are some examples of costs:

* Hetzner : \$3.20/md (www.hetzner.com)

* fly.io : \$1.94/md (<https://fly.io/docs/about/pricing/>) + storage cost?

* Railway : (<https://railway.com/pricing>)

* Hostinger : \$2.99 / md - for 48 months up front. (<https://www.hostinger.com/pricing>) \$3.79/md includes daily backup.

Email includes some comprehensive added security checks, but I'm not sure they're 100% effective. Will require some additional consideration before just opening for automatic processing.

Data transfer

Choose which ingest channels the platform offers to customers. Customers can only enable the

☒ **SFTP**
Customers fetch/drop CSV over SFTP (their own or Operia's gateway).

SFTP server address

Host or IP, optionally with port (e.g. sftp.operia.com or 10.0.0.5:2222). Point a DNS name here so the address stays stable if you move servers.

☒ **Automatic email**
Customers email the CSV as an attachment to an Operia address.

Email base address

The domain customer addresses are formed under (e.g. operia.com → nordwind@opera.com).

Enable anti-spoofing (verify DKIM/SPF/DMARC) (recommended) ☒
Reject mail where sender verification fails — protects against forged senders.

Conservative anti-spoofing ☐
Also reject softfail/none DMARC. Stricter, but may reject legitimate senders with no DMARC policy.

Allow-list: reject when unset (recommended) ☒
Secure-by-default: a company's email ingest is rejected until at least one allowed sender is set.

☒ **Scheduled import**
Run the import only once a day at a fixed time instead of continuously.

Time of day

The default time customers' imports run (local time). Each customer can override this.

13) API Keys

Nothing here. Should probably be deleted.

14) Integrations

Integrations with third party software and services. Only one such is present at the current time: *Microsoft Active Directory*.

Microsoft Active Directory. *This is an advanced feature which is usually only available for pro-packages.*

This is for automatic update of the employees in the system. That is; parcel handlers.

- **Enable.** Checkbox; enable/disable MS AD. Sitewse.
- **Anonymize** retired employees. If enabled (recommended for NIS2), retired employees are anonymized in Operia. They will not be anonymized until all their outstanding parcels are sorted out.
- **Sync interval.** Hourly; 4hrs; 12hrs; Daily; Weekly

Integrations
Which external systems Operia offers, and what new customers inherit.

Integration

Microsoft Active Directory (AD)

☒ **Enable the integration**
While off, the AD integration is hidden from all customers.

☒ **Anonymize retired employees**
Default for new customers. Customers can override it.

ⓘ Employees removed from AD who still have parcels in progress get "EX-" prepended to their name, so managers can sort out the remaining parcels. Once every parcel is resolved, the employee is anonymized. Anonymization cannot be undone: name, email, phone and employee number are permanently removed, while the parcel history is kept.

Sync Interval

Daily

How often employees are fetched from AD. Every run is logged under Import runs.

15) Templates

Message and barcode/QR code templates.

Currently there are 15 templates defined in the system. Each can be given using all defined languages (currently only Danish & English)

Messages can have some special codes insert, which will be substituted when delivering the message: {{company name}} {{recipient name}} {{reference}} {{barcode}} {{carrier}} {{date}}. **We can add more to this list, as required.**

Perhaps we should integrate the web and SMS in a single template page, to cut down on the number, the same way language is already integrated.

- Asset Expiry
- Asset Expiry (SMS)
- Asset Manual Reminder
- Asset Manual Reminder (SMS)
- Asset Reminder 1
- Asset Reminder 1 (SMS)
- Asset Reminder 2
- Asset Reminder 2 (SMS)

- New Customer Invite
- Package Arrival
- Package Arrival (SMS)
- Package Reminder 1
- Package Reminder 1 (SMS)
- Package Reminder 2
- Package Reminder 2 (SMS)
- Package Label

The *Package Label* template has some special configuration options:

Templates
Edit the platform's templates (e.g. the invitation email).

Template: Package Label Language: Dansk

Setup

Size: 62 x 29 mm (small) Barcode/QR from: Parcel barcode

Fields on the label

☐ Heading	☐ Department
☒ Reference	☐ Date
☐ Recipient name	☒ Barcode
☐ QR code	☐ Carrier
☐ Company name	

[+ Add text field](#)

Click an element in the design to adjust it.

[Print test label](#)

Design
Drag the elements into place. Click an element to change font and position.

Preview of the label design showing a barcode and text: HEst, OPERIA-2026-000042

- **Size:** 62 x 29 mm (small); 62 x 100 mm (large); 100 x 150 mm (shipping); custom.
- **Barcode/QR from:** Reference (Operia); Parcel Barcode (should not parcel QR be here?)
- **Fields:** Can insert a number of fields, incl. Barcode & QR code.
- On the preview pane, the individual elements can be dragged around to reposition them as wanted. All fields can also be configured with regard to size, font, etc.

16) Localization

Set default values for language, and currency; as well as which languages and currencies are available for the customer. Only languages & currencies which are enabled here are available for customer managers to select.

17) Notifications

Configure site-wise notification protocols. Some overall configurations:

- **Activation:** *send parcel notifications; send asset reminders.*
- **Channels:** Email, SMS

Quit Hours: during which nothing will be sent. **This needs more testing.**

And some configuration that pertains to the type of thing being notified on.

Parcel Flow & Asset flow notifications (they're the same):

- **Reminder 1.** Send reminder after X number of days.
- **Reminder 2.** Send 2nd reminder after X number of days.
- **Maximum number of reminders per parcel/asset.** Keep sending 2nd reminder for only this number of times.

Notifications
Platform defaults for notifications — quiet hours and per-type rules.

General

Activation 

☐ Send parcel notifications

☒ Send asset reminders

Channels 

☒ Email

☐ SMS

Quiet hours 

None  - None 

Notification type

Parcel flow 

☒ **Reminder 1**
Send reminder after (days)

Parcels left uncollected for at least this many days get the reminder.

☒ **Reminder 2**
Send reminder after (days)

Parcels left uncollected for at least this many days get the reminder.

Max reminders per parcel

Applies only to the last enabled reminder type (the one that repeats) — with both enabled, reminder 1 is sent once. 0 = no limit (stops when the parcel is collected).


18) Billing

Nothing implemented here. Should be removed?

19) Logs

The logging is quite extensive. Which is a selling point for NIS2, and in general good for examining what is going on if users report some issue.

Filter by type, company, user, message...



TIME RANGE	DATE	ACTION	CATEGORY	COMPANY	USER	MESSAGE
Last 7 days	24.07.2024, 13:30:43	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
LEVEL	24.07.2024, 13:30:43	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Success	24.07.2024, 13:30:43	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Warning	24.07.2024, 13:30:43	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Error	24.07.2024, 13:30:43	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
CATEGORY	24.07.2024, 09:38:42	user.logged.in	Access & users	DCA Demo A/S	run@fredricksoninstitute...	Daniel Trapezech
Parcels	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Directory	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Assets	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Access & users	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Entitlements	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Branding & templates	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Report & Export	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Log	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Other	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
ACTION	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Feature granted	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Feature revoked	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Template created	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Parcel created	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Parcel status changed	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Report applied	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Home updated	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Extra type updated	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Asset loan updated	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
User removed	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
User created	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Asset reminder sent	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Extra config updated	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Employee deactivated	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Employee activated	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Product granted	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Product revoked	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—
Parcel documented	24.07.2024, 16:52:22	home.updated	Branding & templ...	DCA Demo A/S	Daniel Trapezech	—

RAW JSON

```
{
  "id": 1234,
  "created_at": "2024-07-24T16:52:22+00:00",
  "type": "home.updated",
  "category": "Branding",
  "company": "DCA Demo A/S",
  "user": "run@fredricksoninstitute...",
  "action": "Daniel Trapezech",
  "entity_type": "company_home_config",
  "entity_id": "company_home_config"
}
```

- Top/Left is a search/filter input, for isolating a particular log.
- Below the filter input, is the daily log activity bars.
- Clicking on a log row, will open up a detail pane below. Where the log message can be downloaded in text or JSON format.
- Hovering over the date, or a column which has been truncated will display a fuller message in a tooltip.
- On the left of the log table you can filter down the displayed log messages to the log levels, categories, actions you are interested in.
- Too/right is a icon toolbar. You can toggle which columns you want displayed, download the whole log, presse live to make log messages appear as they happen.

20) Log Drains

Automatically send log messages to a third party system. Either HML/NDJSON (generic) or Grafana Loki. Can strengthen the NIS2 position.

This is an advanced feature which is usually only available for pro-packages.

List of existing log drains. Click on the button new to create a new drain.

Customer Configuration

The customer configuration has a subset of the options on the Operia configuration, with a few variations. These configuration menus are available:

- Users
- Products & Features
- Templates
- Localization
- Notifications
- Billing
- Shipping & Billing
- Logo
- Appearance
- Home Design
- Handheld Design
- Data Transfer
- Integrations
- Log Drains

Users

Same as Operia Configuration → Users, except only displays users for the customer (and no superusers).

Products & Features

Displays the Products and Features turned on for the customer. Read only, so the user cannot change. **BUG: I think only products and features that are included should be displayed.**

Templates

Same as on Operia Configuration → Templates

Localization

Same as on Operia Configuration → Localization, except only those languages and currencies which have been turned on on Operia are included here.

Notifications

Same as on Operia Configuration → Notifications

Billing

Nothing here. Delete?

Shipping & Billing

Same as on Operia Configuration → Shipping. Mostly a stub page.

Logo

Same as on Operia Configuration → Logo. Page has been deprecated?

Appearance

Same as on Operia Configuration → Appearance. Page has been deprecated?

Home Design

Same as on Operia Configuration → Home Design

Handheld Design

Same as on Operia Configuration → Handheld Design

Data Transfer

Same as on Operia Configuration → Data Transfer.

Integrations

A few options are the same as on Operia Configuration → Integrations, but here the user also has options to set up the actual AD connection.

- Entra Tenant ID
- Entra Client ID
- Entra Secret
- Button: Test Connection
- Group Filter
- Initials Source

Operia is using the initial (to search employees in package intake), but AD does not have a dedicated initials field. An AD source can be given here, if none is given the initials are inferred from the First, Last names.

- Button: Dry Run

Make a test sync to see if everything looks sane. Nothing will actually be updated.

- Button: Sync now

Manually run an update.

Integrations

Connect your Microsoft Entra ID (Active Directory) as the source for the employee directory.

Integration

Microsoft Active Directory (AD) ▾

☒ **Enable AD sync**
The employee directory is fetched from Active Directory instead of CSV files.

Connection

Entra Tenant ID

82473350-2765-4f60-acb6-76a4d4e23c1d

Entra Client ID

af34c3b6-6611-4f9d-8a8c-10d84cae03c9

Entra Client Secret

..... (saved) Save

The secret is stored encrypted on the server and cannot be shown again. Enter a new one to replace it.

Test connection

Group filter (optional)

Group object ID

Without a filter the whole directory is fetched. Guest accounts are always excluded.

Initials source (optional)

mailNickname

The name of an Entra attribute, e.g. mailNickname. Leave empty to derive initials from the name.

Anonymize retired employees

Follow Operia default (On) ▾

ⓘ Employees removed from AD who still have parcels in progress get "EX-" prepended to their name, so managers can sort out the remaining parcels. Once every parcel is resolved, the employee is anonymized. Anonymization cannot be undone: name, email, phone and employee number are permanently removed, while the parcel history is kept.

Sync interval

Follow Operia default (Daily) ▾

Run

Dry run completed — sync can be run.

Run dry run Sync Now

Log Drains

Same as on Operia Configuration → Log Drains.

Automatically send log messages to a third party system. Either HML/NDJSON (generic) or Grafana Loki. Can strengthen the NIS2 position.

This is an advanced feature which is usually only available for pro-packages.

Parcel Handling

Parcel Overview

A quick overview of active parcels (unassigned, registered, in storage, in transit, in locker – as well as those that have been delivered, rejected, returned over the last 24hrs)

Parcels

Unassigned : 4

No receiver
TEST-UNASSIGNED-01

No receiver
DEMO-00305

No receiver
DEMO-00302

No receiver
DEMO-00348

Registered : 20

Charlotte Lindgren
9
Reol A1

Maria Skov
OPR-WUP-00204
Reol A1

Åse Østergaard
DEMO-00309
Kaldor

Mikkel Brøndby
2

Charlotte Lindgren
5
Reol A1

Maria Skov
DEMO-00307
Reol A2

Mikkel Brøndby
DEMO-00303
Reol A1

Åse Østergaard
DEMO-00372
Reol A1

Charlotte Lindgren
2
Reol A1

Mette Sørensen
DEMO-00309
Reol A2

Maria Skov
DEMO-00304
Reol A2

Jørgen Åberg
DEMO-00308
Reol A2

Charlotte Lindgren
13

Bo
12121212121
Reol A1

Åse Østergaard
DEMO-00307
Reol A1

Charlotte Lindgren
DEMO-00306
Reol A2

Charlotte Lindgren
0331121212

Maria Skov
OPERA-TEST-002

Åse Østergaard
9
Reol A2

Jørgen Åberg
DEMO-00309
Reol A1

In storage : 23

Maria Skov
TEST-LOCKER-01
Reol A1

Maria Skov
DEMO-00301
Reol A1

Lise Kjer Holm
DEMO-00213
Reol A1

Maria Skov
DEMO-00124
Reol A2

Charlotte Lindgren
DEMO-00044
Kaldor

Charlotte Lindgren
TEST-STORAGE-01
Reol A1

Mette Sørensen
DEMO-00301
Reol A2

Søren Kjaer
DEMO-00211
Reol A2

Charlotte Lindgren
DEMO-00099
Kaldor

Pia Nørregaard
DEMO-00029
Kaldor

Jens Havgard
DEMO-00373
Reol A2

Lise Kjer Holm
DEMO-00303
Kaldor

Jørgen Åberg
DEMO-00204
Reol A2

Søren Kjaer
DEMO-00094
Kaldor

Maria Skov
DEMO-00002
Reol A2

Maria Skov
DEMO-00374
Reol A1

Maria Skov
DEMO-00302
Kaldor

Bo
DEMO-00205
Kaldor

Pia Nørregaard
DEMO-00061
Kaldor

Charlotte Lindgren
DEMO-00309
Reol A1

Søren Kjaer
DEMO-00209
Reol A2

Åse Østergaard
DEMO-00133
Kaldor

Søren Kjaer
DEMO-00049
Kaldor

In transit : 5

Clicking on a parcel displays a popup dialog, where the user can chose to go to handout, move, or set condition of the parcel.

Parcel

DEMO-00387

Registered

Receiver
Department
Location
Received

Åse Østergaard
Drift
Reol A1
15.07.2026, 12.51

Hand out parcel

Move parcel

Condition

Dashboard

This page is only reachable in the Classic navigation theme. *Add to start menu in Modern theme?*
A quick overview of parcel statistics. *A stub page for further development.*

Parcels

This page is only reachable in the Classic navigation theme. **Add to start menu in Modern theme?**

A table with all parcels in the system. **This page is meant for administrators.**

Receive Parcel

The parcel intake.

- Barcode

Scan (using the pistol scanner) or manually type in a barcode number. The scanner can scan both barcodes and QR codes. **(should be called Bar/QR-code?)** Barcodes can also be typed manually **(is this only for test?)**

- Receiver

Type in the receiver. A drop down will show employees with the the letters typed in-

- Department. Drop Down.
- Carrier. Drop Down.
- Handling. Drop Down.
- Location. Drop Down.
- Condition Photo

Attach image from the computer or use webcam to take a photo.

- Note

Receive parcel

Barcode Ready to scan

Scan barcode/QR or type the code

Receiver

Search by name or initials...

Department Carrier

Handling Location

Condition photo

Upload file Use webcam

Note

e.g. dented corner, opened packaging...

Received this session

222
Åse Østergaard Registered

Receive Parcel

Hand Out Parcel

Use the pistol scanner to scan the barcode/QR code, or type in the barcode manually and press search. **(is the manual type only for test?)**

Hand out parcel

Barcode / reference

Ready to scan

Search

9

Registered

Receiver

Charlotte Lindgren

Department

Administration

Location

Reol A1

Handling

—

Hand out to

Charlotte Lindgren

Note

e.g. collected by colleague

Signature

Clear signature

Confirm Handout

Reject parcel

Handed out this session

No parcels handed out in this session yet.

The signature can be drawn using the mouse or by a dedicated signature pad.

Click on Confirm Handout or Reject Parcel.

Move Parcel

Use the pistol scanner to scan the barcode/QR code, or type in the barcode manually and press search. (is the manual type only for test?)

Move parcel

Barcode / reference

Ready to scan

Search

2

Registered

Receiver

Charlotte Lindgren

Location

Reol A1

New status

In storage

Location

Reol A1

Move

Select Status and Location and click on the button Move.

Condition

If a package is damaged or has some other issue, this can be documented here. Both with pictures and notes.

Use the pistol scanner to scan the barcode/QR code, or type in the barcode manually and press search. (is the manual type only for test?)

Condition

Barcode / reference

Ready to scan

Search

2

Registered

Receiver

Charlotte Lindgren

Department

Administration

Location

Reol A1

Condition photo



X Remove

Note

E.g. "Corner dented on arrival"

Add Documentation

Documentation


No documentation yet.

Attach image from the computer or use webcam to take a photo.

Search Parcel

Search package up in order to process it.

Use the pistol scanner to scan the barcode/QR code, or type in the barcode manually and press search. **(is the manual type only for test?)**



Click on buttons to go to handout, move, or set condition of the parcel.

Reports


This page is only reachable in the Classic navigation theme. **Add to start menu in Modern theme?**

Choose one of the report types. Download as PDF, CSV, Word.

Report types:

- Operations Report
- Exceptions Report
- Department Report
- Parcel History

The reports are suggestions/stubs. Review for desired KPIs etc.



Statistics

This page is only reachable in the Classic navigation theme. **Add to start menu in Modern theme?**



These are the current statistics:

- Pakkeflow pr. dag / Parcel flow per day
- Resultatfordeling / Outcome distribution
- Ugedagsprofil / Weekday profile
- Top-afdelinger / Top departments
- Ekspeditionstid / Processing time

Here are some other parameters which could be used:

- Modtager (Navn)
- Afsender
- Fragtfirma (PostNord, DHL, ..)
- Placering
- Type (brev)
- Status (unassigned, regustered, in storage, in transit, in locker, delivered, rejected, returned)

Master Data

The Master Data menus contain data which are shared across multiple products (Parcels + Assets).

Employees

Departments

Lockers

Input/Export