Milestone 1 Database Schemas

User(user_id ,first_name,middle_name,last_name,username,email,password)

User_Phones(user_id,phone)

User_Phones.user_id references User

Admin(user_id,role)

Admin.user_id references User

Super_Admin_Assigns_Zone_Admin(super_admin_id,zone_admin_id)

Super_Admin_Assigns_Zone_Admin.super_admin_id references Admin

Super_Admin_Assigns_Zone_Admin.zone_admin_id references Admin

Zone_Admins_Manage_Businesses(zone_admin_id,business_id)

Zone_ Admins_Manage_Businesses.zone_admin_id references Admin

Zone_ Admins_Manage_Businesses.business_id references Business

Zone_Admin_Manage_Users(zone_admin_id,user_id)

Zone_Admin_Manage_Users.zone_admin_id references Admin

Zone_Admin_Manage_Users.user_id references User

Partner(user_id,business_id)

Partner.user_id references User

Partner.business_id references Business

Rider(user_id,plate_number,vehicle_type,license_information,zone_id)

Rider.user_id references User

Rider.zone_id references Zone

Customer(user_id,wallet_amount)

Customer.user_id references User

Customer_Cards(customer_id,card_number,card_holder_name,expiration_date)

Customer_Cards.customerr_id references Customer

Customer_Addresses(customer_id,address_number,description,zone_id)

Customer_Addresses.zone_id references Zone

Customer_Addresses.customer_id references Customer

Business(business_id,name,description,web_link,opening_hours,closing_hours,approval_status,expected_delivery_time,zone_id)

Business.zone_id references Zone

Business_Phones(business_id,phone_number)

Business_Phones.business_id references Business

Restaurant(business_id,food_category,cuisine_type)

Restaurant.business_id references Business

Pharmacy(business_id,type)

Pharmacy.business_id references Business

Product(product_id,name,description,category,base_unit_price,availability,discount_amount,business_id)

Product.business_id references Business

Cart(cart_id,customer_id)

Cart.customer_id references Customer

Cart_Contains_Products(cart_id,product_id,quantity,customer_notes)

Cart_Contains_Products.cart_id references Cart

Cart_Contains_Products.product_id references Product

Order(order_id,date,status,discount_value,cart_id,zone_id,voucher_id,payment_id)

Order.cart_id references Cart

Order.zone_id references Zone

Order.voucher_id references Voucher

Order.payment_id references Payment

Where Order.status = All Sub_Order status

Sub_Order(sub_order_number,order_id,status,total_amount, business_id)

Sub_Order.order_id references Order

Sub_Order.business_id references Business

Delivery(delivery_id,date,leaves_at,arrives_at,duration,sub_order_number,order_id,rider_id)

Delivery.(sub_order_number, order_id) references Sub_Order

Delivery.rider_id references Rider

Where Delivery.duration = Delivery.arrives_at – Delivery.leaves_at

Payment(payment_id,amount,currency,method,date)

Feedback(feedback_id,headline,description,rating,sub_order_number,order_id)

Feedback.(sub_order_number, order_id) references Sub_Order

Voucher(voucher_id,promo_code,expiration_date,discount_amount,discount_type,used,customer_id)

Voucher.customer_id references Customer

Zone(zone_id,name,delivery_fee,super_admin_id,zone_admin_id)

Zone.super_admin_id references Admin

Zone.zone_admin_id references Admin

NB: Double Lined means Foreign Key and Primary Key, Dashed Line means Foreign Key only and Full Line means Primary Key only