Scenic Prima

Elevate Expose

CONFECTIONERY / PATISSERIE / ICE CREAM / GELATO



Confectionery Patisserie Ice Cream Gelato

Williams

Display Cabinet

Crafted for Excellence

Where innovation meets

Vertical design inspired by contemporary architecture in terms of aesthetics and functionality. The Scenic Prima refrigerated display in glass is not only optimized the space but also enhances the food and beverages (F&B) venue.

Williams refrigerated cabinets undergo extensive testing in environmental laboratories to ensure consistent core product temperatures. Our products are engineered to reduce operational costs.



Williams refrigeration

ISO 9001:2015

IAF

UKAS



Design

- A drain aperture has been incorporated to facilitate the expeditions cleansing of the system, thereby enhancing its maintenance accessibility.
- Heaters have been strategically installed surrounding the glass to prevent the formation of condensation.
- Sturdy wheels have been furnished to facilitate the smooth relocation of the system, thereby optimizing its mobility.

Glass structure

- Rack glasses are supported by SS304 standoff screws.
- Vacuumized three pane glasses are used which preserves the cooling in the system. Anti-condensation glass on all sides.





Material

- The material is fundamental for every planner or designer.
- AISI 304 food grade stainless steel with with matte finish.

Lighting

Light is essential for a proper display of products, this is why Williams chose to install an innovative indirect lighting system with LEDs, perfectly integrated with the display.





An Italian made electronic digital controller ensures precise temperature control and display for food items.



Refrigeration

- The system is sustainable, by using zero ODP refrigerants.
- Automatic defrost ensures the evaporator working to its optimum performance.
- Durable and energy efficient European make compressor.
- AISI 304 food grade stainless steel with with matte finish.
- Balanced, forced air refrigeration system enables rapid product pull down and even temperature throughout. (for cold model only)

Technical Specifications

Model	Scenic Prima 1900	
Series	Chiller	Freezer
Temperature Range (Confectionery / Patisserie)	-2°C to +15°C	-18°C to - 21°C
Voltage / Frequency	220-240V/ 50Hz	
Power & current Consumption	1060W /4.6A	1370W / 5.9A
Refrigerant	R134a	R404A
Unit Dimension (WxDxH)	660x660x1920mm	
Net Weight	235kg	
Number of Shelves	5	



Williams Refrigeration

UNIT-I
111 ‘C’, KIADB Industrial Area
1st Phase, Bommasandra, Hosur Main Road,
Bangalore-560099, Karnataka, India.
UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
wsr@williamsrefrigeration.in

www.williamsrefrigeration.co.in