Stella

Intriguing Transparency

ICE CREAM / GELATO DISPLAY



Ice Cream

Gelato

Williams

Display Cabinet

Crafted for Excellence

Linear Professional Gelato / Ice cream display

Professional ice-cream display cases with unique design and high-level technical features, offering a wide range of products to suit your needs. Multifunctional, adaptable and elegant ice-cream display cases, a perfect balance between aesthetics and functionality.

Features

- The frontal glass is associated with heater wires which avoids creation of fog.
- Polycarbonate sliding door. Possess brass nobs and the doors slide very smoothly.
- The side glass is provided with black ceramic paint.
- Front decorative panel material is customizable on request.




Williams refrigeration
ISO 9001:2015
IAF
UKAS



- The display is available in various sizes of 4' (12 flavours), 5.3' (18 flavours) and 7' (24 flavours).
- Work top is made of corian material.
  Lift - Up front curved Glass



- Hydraulic operated tilt forward glass is provided for easy cleaning of the display unit.
- The forward tilt open glass is supported by hydraulic piston which is embeded inside the display unit itself.



- Novel design of extrusion where dual LED strips are located at the top with optional white/neutral white colours.
- Dual LED provides enough light throw enhancing better displaying of the product.



- Scoop washer is provided as an optional feature.
- Specially designed scoop washer is an optional feature which helps in washing ice cream scoops instantly.



Key Features

- The system is sustainable where zero ODP refrigerants are used .
- Wide range: 12flv / 18flv / 24flv.
- Optimal cooling enhances the perfect preservation of the ice cream.
- Durable and energy efficient European make compressor.
- AISI 304 food grade stainless steel with with matte finish.
- Balanced, forced air refrigeration system enables rapid product pull down and even temperature throughout.
- Pull out refrigeration system for easy maintenance.
- Twin compressor condensing unit for 24 flavour Ice cream Display
- Aluminium condensing water evaporated tray provided.

Technical Specifications

Model	Stella 4'	Stella 5.3'	Stella 7'
Temperature Range	-15°C TO - 21°C	-15°C to - 21°C	-15°C TO - 21°C
Voltage / Frequency	1ph / 230V / 50Hz	1ph / 230V / 50Hz	1ph / 230V / 50Hz
Power & Current Consumption	1265 W / 5.5 A	1550W / 6.7 A	2875W / 12.5A
Cooling System	Ventilated	Ventilated	Ventilated
Climate class / Temp. / RH%	3 / 25°C / 55%	3 / 25°C / 55%	3 / 25°C / 55%
No. of Gelato pans	12	18	24
Gelato pan size	360x165x120mm	360×165×120mm	360x165x120mm
Refrigerant	R404A	R404A	R404A
Unit Dimension (WxDxH)	1201×1271×1360mm	1620×1271×1360mm	2120×1271×1360mm
Weight	230kg	320kg	422kg
No. of Sliding doors	2	2	2



Williams
refrigeration

Williams Refrigeration

UNIT-I
111 'C', KIADB Industrial Area
1st Phase, Bommasandra, Hosur Main Road,
Bangalore-560099, Karnataka, India.

UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
wsr@williamsrefrigeration.in

www.williamsrefrigeration.co.in