
Skyler

Exquiste Bliss

CONFECTIONERY & PATISSERIE



Confectionery

Patisserie

Williams

Display Cabinet


Crafted for Excellence

Savor the finest, crafted to perfection

Experience the pinnacle of display excellence with our premium product. Indulge in the finest flavors, carefully crafted for those who appreciate the art of exceptional taste. Our premium product showcases a blend of quality, innovation, and tradition, offering a true experience.



Williams refrigeration
9001:2015
UKAS



Design

- Anti-Skid legs are provided.
- Custom modular design to suit any F&B display requirements.

Glass structure

- The quality display relies on the perfect transparency and minimalist design of the showcase.
- Mechanically operated sliding doors provided for easy loading of the food items.
- Single pane glass used in the top and front gives clear visibility of the product.






Material

- The material is fundamental for every planner or designer.
- AISI 304 food grade stainless steel with with matte finish.
- Front Decorative panel and the top display material is Corian / Marble customizable on request.
- Easy opening handles are provided for the rear sliding door.


Lighting

- Electronic digital controller of Italian make is used for precise control and display of the temperature of the food items.
- Exclusive ON/OFF power switch is provided in the system. Also, ON/OFF switch for LED is given.





- Novel design of extrusion where LED strips are located at the top with optional white/neutral white colours.
- Lighting is crucial for effectively showcasing products, which is why Williams opted to incorporate an innovative indirect lighting system featuring no-spot LED strips seamlessly integrated into the display.



Refrigeration

- The cabinet's thermodynamics maintain a uniform temperature, while its electronic fans offer adjustable speeds and operate quietly.
- Auto defrost system.
- Auto drain removal system.
- The product presentation features high contrast for enhanced visibility. The refrigeration system includes easily removable air grills for compatibility.
- The system is sustainable that zero ODP refrigerants are used.
- Ideal humidity levels contribute to the optimal preservation of the product.
- Durable and energy efficient European make compressor.
- The refrigeration system is designed in such a way that the equipment can be used to display for both Pastry and Chocolate products.

Technical Specifications

Model	Skyler 6' (Pastry)	Skyler 6' (Chocolate)
Series	Cold	Cold
Temperature	+ 2°C to + 8°C	+14°C to +16°C
Climate class / Temp / RH%	3 / 25°C / 55%	3 / 25°C / 55%
Cooling System	Ventilated	Ventilated
Voltage / Frequency	220-240V / 50Hz	1220-240V / 50Hz
Power Current Consumption	1220W / 6.2A	1220W / 6.2A
Refrigerant	R404A	R404A
Unit Dimension (WxDxH)	1830×1050x1210mm	1830×1050x1210mm
Net Weight	250kg	250kg

Model	Skyler 8' (Pastry)	Skyler 8' (Chocolate)
Series	Cold	Cold
Temperature	+2°C to +8°C	+14°C to +16°C
Climate class / Temp / RH%	3 / 25°C / 55%	3 / 25°C / 55%
Cooling System	Ventilated	Ventilated
Voltage / Frequency	220-240V / 50Hz	1220-240V / 50Hz
Power Current Consumption	1794W / 7.8A	1794W / 7.8A
Refrigerant	R404A	R404A
Unit Dimension (WxDxH)	2440×1050x1210mm	2440x1050x1210mm
Net Weight	350kg	350kg



Williams Refrigeration
UNIT-I
111 ‘C’, KIADB Industrial Area
1st Phase, Bommasandra, Hosur Main Road,
Bangalore-560099, Karnataka, India.
UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
wsr@williamsrefrigeration.in

www.williamsrefrigeration.co.in