Slavia

Seamless Splendor

CONFECTIONERY & PATISSERIE



Confectionery

Patisserie

Williams

Display Cabinet

Crafted for Excellence

Continuous Display Mastery

Creating impressive line of cabinets, to showcase a wide variety of delectable delights. Williams products will also significantly reduce your operational costs.

Williams refrigerated cabinets have been tested to deliver consistent core product temperatures.



Williams refrigeration

9001:2015




Design

- The perfect transparency and the minimalist design of the showcase is fundamental for a quality display.
- Custom modular design to suit any food and beverage display requirements.
- Single pane glass used in the top and front gives clear visibility of the product.
- The racks are made of glass and stopper is provided for secure placement.

Glass structure

- The glass door glides effortlessly on an aluminium profile holder, ensuring smooth operation.
- Temperature indicator is provided at the front of the display.
- Mechanically operatable fixed glasses is provided for easy cleaning of the display unit.
- Anti-skid legs are provided.






Material

- The material is fundamental for every planner or designer.
- AISI 304 food grade stainless steel with with matte finish.
- Front decorative panel and the display top material is Customizable on request.
- Screen printed glass rack with stopper and name tags.
- The unit top features corian.
- The glass beading and rack stopper material is customizable on request.
- The glass rack support and work top are constructed from SS304 stainless steel.

Lighting

- Light is essential for a proper display of products: this is why Williams chose to install an innovative indirect lighting system with LEDs, perfectly integrated with the display.

- Novel design of extrusion where LEDs are located beneath the racks with optional white/neutral white colours.





- Electronic digital controller of Italian make is used for precise control and display of the temperature of the food items.

- The system is equipped with an exclusive ON/OFF power switch for easy operation and ON/OFF switch for LED.



Refrigeration

- The system is sustainable by using zero ODP refrigerants.
- Optimum humidity enhances the perfect preservation of the product.
- Durable and energy efficient European make compressor.
- The thermodynamics of the cabinet ensure the uniform temperature on all shelves.
- Auto defrost and auto drain removal system for hassle free maintenance.
- High-contrast product presentation. Easily removable air grilling compatible refrigeration system.
- For heated model, heater runs underneath the racks.

Technical Specifications

	Slavia-3			Slavia-4		
Series	Cold	Hot	Normal	Cold	Hot	Normal
Temperature	+4ºC to +6ºC	+40ºC to +55ºC	NA	+4ºC to +6ºC	+40ºC to +55ºC	NA
Voltage/frequency	220-240V/50Hz			220-240V/50Hz		
Cooling System	Ventilated	NA	NA	Ventilated	NA	NA
Climate class /Temp / RH%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%
Power Current Consumption	989W/4.3A	874W/3.8A	50W/0.16A	1090W/4.7A	874W/3.8A	75W/0.2A
Refrigerant	R134a			R134a		
Unit Dimension (WxDxH)	924x750x1280mm			1224x750x1280mm		
Net Weight	184kg	158kg	154kg	244kg	206kg	202kg
Number of Shelves	1+1/ 2+1/ 3+1			1+1 / 2+1 / 3+1		

	Slavia-5			Slavia-6		
Series	Cold	Hot	Normal	Cold	Hot	Normal
Temperature	+4ºC to +6ºC	+40ºC to +55ºC	NA	+4ºC to +6ºC	+40ºC to +55ºC	NA
Voltage/frequency	220-240V/50Hz			220-240V/50Hz		
Cooling System	Ventilated	NA	NA	Ventilated	NA	NA
Climate class /Temp / RH%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%	3/25ºC/55%
Power Current Consumption	1430W/6.2A	1725W/7.5A	90W/0.3A	1564W/6.8A	1840W/8A	110W/0.4A
Refrigerant	R404A			R404A		
Unit Dimension (WxDxH)	1524x750x1280mm			1824x750x1280mm		
Net Weight	306kg	262kg	258kg	368kg	322kg	318kg
Number of Shelves	1+1/ 2+1/ 3+1			1+1 / 2+1 / 3+1		



Williams Refrigeration

UNIT-I
111 ‘C’, KIADB Industrial Area
1st Phase, Bommasandra,Hosur Main Road,
Bangalore-560099, Karnataka, India.

UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
wsr@williamsrefrigeration.in

www.williamsrefrigeration.co.in