Sonnet

Beyond the showcase

CONFECTIONERY & PATISSERIE



Confectionery

Patisserie

Williams

Display Cabinet

Crafted for Excellence

Innovative design and technology

The Sonnet refrigerated displays have coplanar display area and they can be open on operator side through a pull-out drawer with soft closing.

The display cases have been redesigned by introducing new stylistic and technologic concepts: the pullout drawer occupies all the length of the display case (from side to side) and it can be customized in different finishes.



Williams refrigeration
9001:2015
UKAS

Features

- Soft -Closing drawers.
- Dimensions can be customized on request.
- Possibility to have two or more showcases joined together with the same aesthetics.



Style

The profiles and the hardware were designed with a unique and minimalist style, the majority of these showcases are made of steel, the standard finish is polished stainless steel .



Refrigeration is equalized on all display levels where the air flow doesnot affect the product. This refrigeration system has a high humidity level which favours correct conservation of the displayed products.

Refrigerated showcases for pastry (+4°C) with built-in compressor have zero ODP gas with automatic defrost and heated pan for water condensation evaporation.

Chocolate display cases are designed to control the humidity, ensuring the best chocolate conservation conditions. Refrigeration is ventilated with air supply and return is flush with the display area.



Refrigeration Features

- High efficiency ventilated refrigeration.
- Automatic defrost.
- Evaporator condensate water evaporation by heating.
- Automatic defrost.
- Humidity control for chocolate. (Optional)

Features



- Front and side decorative panel and the display top material is customizable on request,
- Heavy duty wheels are provided for easy movement of the system.



- Bottom drop light is provided all around the unit.
- Electronic digital controller of Italian make is used for precise control and display of the temperature of the food items.



- The system is equipped with an exclusive ON/OFF power switch for easy operation and ON/OFF switch for LED.



Key Features

- The system is sustainable by using zero ODP refrigerants .
- Wide range: 3 variants - 4feet, 5feet, and 6feet.
- High humidity enhances the perfect preservation of the product.
- Durable and energy efficient European make compressor.
- AISI 304 food grade stainless steel with matte finish.
- Balanced soft air refrigeration system enables even temperature throughout.

Technical Specifications

Model	Sonnet Display 4'	Sonnet Display 5'	Sonnet Display 6'
Temperature Range (Patisserie / Chocolates)	+4°C to +8°C / +14°C to +16°C	+ 4°C to +8°C / +14°C to +16°C	+4°C to +8°C / +14°C to +16°C
Voltage / Frequency	220-240V/ 50Hz	220-240V/ 50Hz	220-240V/ 50Hz
Cooling System	Ventilated	Ventilated	Ventilated
Defrost type	Auto	Auto	Auto
Climate class / Temp. / RH%	3 / 25°C / 55%	3 / 25°C / 55%	3 / 25°C / 55%
Power & current Consumption	766W/ 4.2 A	1260W/5.4A	1350W/5.8A
Refrigerant	R134a	R134a	R134a
Unit Dimension (WxDxH)	1216x800x1100mm	1516x800x1100mm	1816x800x1100mm
Net Weight	230kg	292kg	354kg
Number of Drawers	2	3	4



Williams Refrigeration

UNIT-I
111 ‘C’, KIADB Industrial Area
1st Phase, Bommasandra,Hosur Main Road,
Bangalore-560099, Karnataka, India.
UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
info@williamsrefrigeration.in

www.williamsrefrigeration.co.in