Steffania

See Max

CONFECTIONERY & PATISSERIE



Confectionery

Patisserie

Williams

Display Cabinet

Crafted for Excellence

Seamless Design

Steffania premium heavy-duty display cabinet is meticulously engineered to combine durability with aesthetic appeal. Designed for reliable performance, it enhances the visual charm of any space while ensuring long-lasting functionality.

Williams cold and heated cabinets is designed with precision, the display combines modern elegance with heavy duty strength meeting the needs of business.



Williams refrigeration
ISO 9001:2015
IAF
UKAS



Design

- The perfect transparency and the minimalist design of the showcase is fundamental for a quality display.
- Temperature indicator is placed at the front of the display for easy monitoring.
- Single pane glass used in the top and front gives clear visibility of the product.

Glass structure

- Glass door slides on aluminium profile holder. Possess hanldes and the doors slide very smoothly.
- Glass door slides installed on aluminium profile holder. The doors slide very smoothly.
- The glass door glides effortlessly on an aluminium profile holder, ensuring smooth operation.





Material

- The material is fundamental for every planner or designer.
- The glass rack is supported by acrylic and the workshop is constructed from 304 stainless steel with corian surface.
- The material is fundamental for every planner or designer.
- The material is fundamental for every planner or designer.

Lighting

- Light is essential for a proper display of products: this is why Williams choose to install an innovative indirect lighting system with LEDs, perfectly integrated with the display.
- The LEDs are integrated with unique aluminum light fixture with optional white/neutral white colours.





- Electronic digital controller of Italian make is used for precise control and display of the temperature of the food items.
- The system is equipped with an exclusive ON/OFF power switch for easy operation and ON/OFF switch for LED.



Refrigeration

- The system is sustainable by using zero ODP refrigerants.
- The system is sustainable, by using zero ODP refrigerants .
- Durable and energy efficient European make compressor.
- The thermodynamics of the cabinet ensure the same temperature on all shelves. The fans are electronic with variable speed and low acoustic impact.
- Auto defrost and auto drain removal system for hassle free maintenance.
- High-contrast product presentation. Easily removable air grills compatible refrigeration system.

Technical Specifications

	Steffania 4'		Steffania 5'	
Series	Cold	Hot	Cold	Hot
Temperature Range (Patisserie / Chocolates)	+4°C to +8°C / +14°C to +16°C	+40°C to +55°C	+4°C to +8°C / +14°C to +16°C	+40°C to +55°C
Climate class / Temp. / RH %	3 / 25°C / 55%	3 / 25°C / 55%	3 / 25°C / 55%	3 / 25°C / 55%
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Voltage/Frequency	220-240V/ 50Hz		220-240V/ 50Hz	
Power & Current Consumption	966 W/ 4.2 A	920W / 4A	1260W/5.4A	1564W / 6.8A
Refrigerant	R134a		R404A	
Unit Dimension (WxDxH)	1200x800x1250mm		1500x800x1250mm	
Net Weight	260kg / 248kg		320kg / 292kg	
Number of Shelves	1+1,2+1		1+1,2+1	

Steffania 6'

Series	Cold	Hot
Temperature Range (Patisserie / Chocolates)	+4°C to +8°C / +14°C to +16°C	+40°C to +55°C
Climate class / Temp. / RH %	3 / 25°C / 55%	3 / 25°C / 55%
Cooling System	Ventilated	Ventilated
Voltage/Frequency	220-240V/ 50Hz	
Power & Current Consumption	1350W/5.8A	1656W/ 7.2A
Refrigerant	R404A	
Unit Dimension (WxDxH)	1800x800x1250mm	
Net Weight	374kg / 340kg	
Number of Shelves	1+1,2+1	



Williams Refrigeration

UNIT-I
111 ‘C’, KIADB Industrial Area
1st Phase, Bommasandra,Hosur Main Road,
Bangalore-560099,Karnataka, India.
UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
wsr@williamsrefrigeration.in

www.williamsrefrigeration.co.in