Stellar

Allure Appeal

CONFECTIONERY & PATISSERIE



Confectionery

Patisserie

Williams

Display Cabinet

Crafted for Excellence

Prime Performer Par Excellence

Premium heavy duty display cabinet enjoys widespread trust among end users, maintaining its status as the preferred choice for numerous clients with guaranteed performance. These display cabinets possess limitless possibilities, functional and are reliable increasing the sales through great efficiency and product impact.

Williams cold and heated cabinets undergo rigorous testing ensure consistent core product temperatures. Designed with energy efficiency in mind, Williams products also contribute to significantly lowering your operational costs.



Williams refrigeration
ISO 9001:2015
IAF
UKAS



Design

- The perfect transparency and the minimalist design of the showcase is fundamental for a quality display.
- Sturdy wheels facilitated for effortless mobility.
- Temperature indicator is provided at the front of the display for easy monitoring.
- The side glasses is ceramic printed.

Glass structure

- The racks are made of glass and stopper is provided for secure placement.
- Single pane glass used in the top and front gives clear visibility of the product.
- Sliding glass door installed on aluminium profile holder. The doors slide very smoothly.
- The glass door glides effortlessly on an aluminium profile holder, ensuring smooth operation.





Material

- The material is fundamental for every planner or designer.
- The unit top features corian.
- The glass rack support and work top are constructed from SS304 stainless steel.
- Front decorative panel and the display top material is customizable on customer requirements.
- The glass rack stopper material is anodized finish.
- AISI 304 food grade stainless steel with with matte finish.

Lighting

- Light is essential for a proper display of products: which is why Williams integrated an innovative indirect lighting system with LEDs, seamlessly incorperated with the display.
- Novel design of extrusion where LEDs are located beneath the racks with optional white/neutral white colours.





- Electronic digital controller of Italian make is used for precise temperature control to ensure preservation of food.
- The system is equipped with an exclusive ON/OFF power switch for easy operation and ON/OFF switch for LED.



Refrigeration

- The system is sustainable by using zero ODP refrigerants.
- Optimum humidity enhances the perfect preservation of the product.
- Durable and energy efficient European make compressor.
- The thermodynamics of the cabinet ensure the uniform temperature on all shelves.
- Auto defrost and auto drain removal system for hassle free maintenance.
- High-contrast product presentation. Easily removable air grills for compatible refrigeration system.

Williams® refrigeration

Technical Specifications

	Stellar - 3'			Stellar - 4'		
Series	Cold	Hot	Normal	Cold	Hot	Normal
Temperature	+4ºC to +6ºC	+40ºC to +55ºC	NA	+4ºC to +6ºC	+40ºC to +55ºC	NA
Climate class / temp. / RH%	3/25ºC/55%	NA	NA	3/25ºC/55%	NA	NA
Voltage/ Frequency	220-240V/50Hz			220-240V/50Hz		
Power and Current Consumption	989W / 4.3A	874W/3.8A	50W/0.2A	1090W / 4.7A	874W/3.8A	75W/0.3A
Refrigerant		R134a			R134a	
Unit Dimension (WxDxH)	916x744x1365mm			1216x744x1365mm		
Net Weight	178kg	162kg	158kg	236kg	222kg	216kg
Number of Shelves	3+1			3+1		

	Stellar - 5'			Stellar - 6'		
Series	Cold	Hot	Normal	Cold	Hot	Normal
Temperature	+4ºC to +6ºC	+40ºC to +55ºC	NA	+4ºC to +6ºC	+40ºC to +55ºC	NA
Climate class / temp. / RH%	3/25ºC/55%	NA	NA	3/25ºC/55%	NA	NA
Voltage/ Frequency	220-240V/50Hz			220-240V/50Hz		
Power and Current Consumption	1430W/ 6.2A	1725W/7.5A	90W/0.3A	1564W/ 6.8A	1840W/8A	110W/0.4A
Refrigerant	R404A			R404A		
Unit Dimension (WxDxH)	1516x744x1365mm			1816x744x1365mm		
Net Weight	295kg	278kg	275kg	354kg	338kg	334kg
Number of Shelves	3+1			3+1		



Williams Refrigeration

UNIT-I
111 ‘C’, KIADB Industrial Area
1st Phase, Bommasandra, Hosur Main Road,
Bangalore-560099, Karnataka, India.

UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally,Bangalore-560099,
Karnataka, India.

+91-9844013768

sales@williamsrefrigeration.in
wsr@williamsrefrigeration.in

www.williamsrefrigeration.co.in