

English for Business Presentation — สคริปต์นำเสนอเดี่ยว 3 คน

หัวข้อใหญ่เดียวกัน: แอปฟี่เงิน (Phee Ngern) — แต่เนื้อหาข้างในคนละเรื่อง
คนละไม่เกิน 7 นาที · ทำตามรูปแบบในสไลด์ *Body of a Presentation*

⚠️ แต่ละคนพูดคนละรอบ ไม่ได้พูดต่อกัน
ทุกสคริปต์จึง **ยืนได้ด้วยตัวเอง** — มีบทเกริ่นแนะนำโปรเจกต์ของตัวเอง
และ **ห้ามมีประโยคอ้างถึงคนอื่น** เช่น *"Thank you, Ta"* หรือ
"my colleague will explain" เพราะผู้ฟังไม่ได้ฟังคนก่อนหน้า จะงงทันที
แต่ละคนต้องเกริ่นสั้น ๆ ว่าฟี่เงินคืออะไร (2–3 ประโยค) ก่อนเข้าเนื้อหาของตัวเอง

รูปแบบที่ต้องทำตาม (จากสไลด์อาจารย์)

โครงสร้าง

Introduction	→	Body	→	Conclusion
		Sub topic 1 (signpost)		
		Sub topic 2 (signpost)		
		Sub topic 3 (signpost)		
		Summary		

หลักที่ใช้

หลัก	ทำยังไงในสคริปต์นี้
Rule of three	ทุกคนแบ่งเนื้อหาเป็น 3 หัวข้อย่อยเป๊ะ ผู้ฟังจำได้แค่ 3 อย่าง
Signposting	บอกว่าตอนนี้อยู่ตรงไหน และเชื่อมแต่ละส่วนเข้าด้วยกัน
Sequencing	แต่ละคนเลือกลำดับการเล่าที่เหมาะสมกับเนื้อหาตัวเอง (ระบุไว้ในแต่ละพาร์ท)
Less is more	ตัดให้เหลือเท่าที่จำเป็น ไม่ยืดทุกอย่าง

คลังวลี Signpost ที่ใช้ในสคริปต์นี้

หน้าที่	วลีที่ใช้
เปิดหัวข้อ	<i>I'd like to talk to you about...</i>
บอกว่าแบ่งกี่ส่วน	<i>I've divided my talk into three parts...</i>
เปิดโอกาสถาม	<i>There will be time for questions at the end of my talk.</i>
เริ่ม Body	<i>So, let's start with... / The first point I would like to address is...</i>
ขยายความ	<i>For example... / This is especially important because...</i>
สรุปหัวข้อย่อย	<i>So, we can see that... / So much for...</i>
ขึ้นหัวข้อ 2	<i>That brings me to my second point... / Secondly, I'd like to turn to...</i>
ขึ้นหัวข้อ 3	<i>Finally, we need to look at... / ...and turn to...</i>
ปิดหัวข้อย่อย	<i>Let's leave that there. / Thus, the result is...</i>
สรุป Body	<i>To summarise... / To sum up...</i>
ปิดท้าย	<i>In conclusion...</i>

หัวข้อของแต่ละคน

ผู้นำเสนอ	หัวข้อ	ลำดับการเล่า (Sequence)
แตงกวา	Why People Fail to Manage Their Money	Cause / Effect
ต้า	How Phee Ngern Removes the Effort	Process
โดม	How We Prove the System Can Be Trusted	Problem / Solution

ตารางกันเนื้อหาซ้ำ — สำคัญที่สุด

ถึงจะพูดคนละรอบ แต่อาจารย์เป็นคนเดียวกันและจำได้ ถ้าเนื้อหาซ้ำจะโดนหักคะแนน

หัวข้อ	พูดได้	ห้ามพูด
แตงกวา	ปัญหา ผู้ใช้เป้าหมาย Persona คู่แข่ง	ฟีเจอร์ของแอป ผลการทดสอบ
ต้า	แอปทำงานยังไง 3 วิธีใช้งาน	ปัญหาเชิงตลาด ตัวเลขการทดสอบ
โดม	วิธีพิสูจน์ว่าเชื่อถือได้ ผลทดสอบ ข้อจำกัด	อธิบายฟีเจอร์ซ้ำ ปัญหาเชิงตลาด

บทเกริ่นโปรเจกต์ 2-3 ประโยคที่ทุกคนต้องมี — เขียนคนละสำนวน ห้ามลอกกัน

ใช้เท่าที่จำเป็นให้ผู้ฟังรู้ว่าฟิเงินคืออะไร แล้วรีบเข้าเนื้อหาของตัวเอง

1 • แต่งกา

Why People Fail to Manage Their Money

Sequence: Cause / Effect — เริ่มจากสาเหตุ ไปหาผลที่ตามมา

หัวข้อย่อย 3 ข้อ

#	Sub topic	เวลา
1	The hidden cost of recording expenses	1:30
2	Our target group and persona	2:00
3	Why existing apps do not solve it	1:30

จับเวลารวม

ช่วง	เวลา	
Introduction	0:00–1:00	ทักทาย + บอกว่าแบ่ง 3 ส่วน
Sub topic 1	1:00–2:30	ต้นทุนแฝงของการจด
Sub topic 2	2:30–4:30	กลุ่มเป้าหมาย + Persona
Sub topic 3	4:30–6:00	ทำไมแอปเดิมไม่ช่วย
Summary + Conclusion	6:00–6:45	

► INTRODUCTION

Good morning everyone. My name is Taengkwa.

I'd like to talk to you about a problem that almost every student in this room has, but very few people talk about — managing your own money.

Our team built a mobile application called Phee Ngern, which means "Brother Money" in Thai. It is an AI assistant that helps people track their spending. But before we talk about the application, we must understand the problem it solves.

I've divided my talk into three parts. First, I will explain why recording expenses is so difficult. Second, I will introduce our target group and our main persona. And third, I will explain why the applications we already have do not solve it.

There will be time for questions at the end of my talk.

So, if you are ready, shall we start?

► BODY — Sub topic 1

So, let's start with the first point: the hidden cost of recording expenses.

When you buy a coffee for fifty baht, and you want to record it, what do you have to do? You open the app, you choose a category, you type the amount, and you press save. That takes about twenty seconds.

For example, imagine you spend money six times a day. Twenty seconds each time. That is two minutes every day. Fourteen minutes every week. More than twelve hours every year — just to write down numbers.

This is especially important because people do not fail from one big mistake. They fail from a very small cost, repeated every single day.

So, we can see that the real cost of tracking money is not difficulty. It is repetition.

► **BODY — Sub topic 2**

That brings me to my second point: who suffers the most from this problem — in other words, our target group.

Our target users are Thai university students and people in their first job, roughly eighteen to twenty-five years old.

We chose this group for three reasons. First, this is the age when financial habits are formed. Second, their income is small, so every mistake hurts more. And third, they already live on their phone — so a financial tool must feel like chatting, not like accounting.

Let me give you our main persona.

Her name is Ploy. She is twenty-one, a third-year university student in Bangkok. Her parents send her eight thousand baht every month, and she also earns some money from a part-time job at weekends.

Her goal is to save for a new laptop.

Her problem is that by the twenty-fifth of every month, the money is gone — and she cannot explain where it went.

Her behaviour is important too: she checks her phone more than a hundred times a day, but she has never opened a spreadsheet in her life.

This is especially important because Ploy is not careless and she is not bad with money. She simply has no easy way to see the pattern.

So, we can see that our user does not need more financial knowledge. She needs less work.

Let's leave that there.

► **BODY — Sub topic 3**

Finally, we need to look at the applications that already exist.

Of course, expense-tracking apps are not new. There are many of them, and some are very well designed.

But we found the same weakness in all of them. They are very good at **storing** your data. But they still ask **you** to enter every single number by hand.

In other words, they solve the easy half of the problem, and they leave the hard half to the user.

Some applications try to fix this by reading your bank SMS messages. But in Thailand, most people now pay by scanning a QR code, so very often no SMS arrives at all.

Thus, the result is a market full of tools that only work for people who are already disciplined — and those people did not need help in the first place.

► SUMMARY

To summarise, I have made three points today.

First, recording expenses has a hidden cost, and that cost is repeated every day.

Second, our target group is young Thai people starting their financial life — people like Ploy, who need less work, not more knowledge.

And third, existing applications do not remove that daily cost.

► CONCLUSION

In conclusion, the problem is not that people do not want to save money. The problem is that recording money takes daily effort, and daily effort does not survive.

So the real opportunity is not to build a better place to store expenses. It is to remove the work of recording them completely — and that is exactly the goal our team set for Phee Ngern.

Thank you for listening. I am happy to take your questions.

(ประมาณ 640 คำ ≈ 5 นาที 20 วินาที ที่ความเร็ว 120 คำ/นาที)

คำศัพท์

คำ	ออกเสียง	ความหมาย
repetition	re-pe-TI-shan	การทำซ้ำ
discipline / disciplined	DIS-si-plin(d)	วินัย / มีวินัย
financial habit	fai-NAN-shal HAB-it	นิสัยทางการเงิน
pattern	PAT-tern	รูปแบบ แบบแผน
weakness	WEEK-nes	จุดอ่อน

2 • ต้า

How Phee Ngern Removes the Effort

Sequence: Process — เล่าเป็นขั้นตอนว่าใช้งานยังไง

หัวข้อย่อย 3 ข้อ

#	Sub topic	เวลา
1	Recording by chatting	1:30
2	Recording by photo	1:30
3	From recording to planning	1:30

จับเวลารวม

ช่วง	เวลา	
Introduction	0:00–1:00	ทักทาย + บอกว่าแบ่ง 3 ส่วน
Sub topic 1	1:00–2:30	
Sub topic 2	2:30–4:00	
Sub topic 3	4:00–5:30	
Summary + Conclusion	5:30–6:30	

► **INTRODUCTION**

Good morning everyone. My name is Ta.

Our team built a mobile application called Phee Ngern, which means "Brother Money" in Thai. It is an AI assistant that helps young people track their spending. Most people give up on expense tracking because writing everything down every day is simply too much work.

I'd like to talk to you about how our application solves that — and more importantly, how it removes the daily effort of recording money.

Our whole design follows one simple idea: **we removed the form.**

In most finance applications, when you spend money, you fill in a form — amount, category, date, note. In our application, you fill in nothing. You just say what happened, the same way you would tell a friend.

I've divided my talk into three parts. First, recording by chatting. Second, recording by sending a photo. And third, how the assistant helps you plan, not only record.

If you have any questions, please feel free to ask at the end.

So, let's begin.

► BODY — Sub topic 1

The first point I would like to address is the fastest way to record — chatting.

You open the chat and you type three words: *"coffee fifty baht"*.

That is all. The system reads your sentence, records it as an expense of fifty baht, chooses the category "cafe" for you, and shows a small card confirming what it saved. If the category is wrong, you can correct it with one tap.

This is especially important because it takes about three seconds instead of twenty. And three seconds is short enough that people actually keep doing it.

So, we can see that the fastest interface is not a better form. It is no form at all.

► BODY — Sub topic 2

Secondly, I'd like to turn to the second way of recording — sending a photo.

In Thailand, almost every payment produces a transfer slip on your phone. So instead of reading that slip and typing the number yourself, you simply send the picture into the chat, and the system reads it for you.

Now, this part was much harder than it sounds.

For example, every bank designs its slip differently. And some slips contain three different numbers at the same time — the full price, a government subsidy, and the amount the customer actually paid.

If the system chooses the wrong number, the user's balance becomes wrong, and they will never trust the app again. So the system must always choose the amount that really left your pocket.

It's evident that reading a slip is not simply reading text. It is understanding which number matters.

Let's leave that there.

► BODY — Sub topic 3

Finally, we need to look at what happens after the recording.

Recording is only the beginning. Because the assistant already holds your data, you can simply ask it questions in normal language.

You can ask, *"How much did I spend this month?"* and receive a real answer calculated from your real data.

You can say, *"I want to save thirty thousand baht for a laptop"*, and the assistant creates a savings goal and tells you how much you need to save each month.

And you can ask for a report, and it will produce a file — Excel or PDF — built from the conversation you just had.

Thus, the result is a change of role. A normal application waits for instructions. An assistant understands what you mean.

► SUMMARY

To summarise, I have shown you three things today.

First, you can record an expense by chatting, in about three seconds.

Second, you can record it by sending a photo, and the system chooses the correct amount for you.

And third, once your data is inside, the assistant helps you plan, not only store.

► CONCLUSION

In conclusion, other applications ask the user to do the work of recording. Our application does the recording, so the user only has to talk.

And that single design decision is what makes the difference between an app people download and an app people actually keep using.

Thank you very much. I am happy to take your questions.

(ประมาณ 660 คำ ≈ 5 นาที 30 วินาที)

คำแนะนำเฉพาะพาร์ทนี้

- ถ้าสาธิตสดได้ ให้พิมพ์ **coffee fifty baht** โซ่จริงตอน **Sub topic 1** มีพลังกว่าสไลด์มาก
- ซ้อมประโยค *"the amount that really left your pocket"* ให้คล่อง เป็นประโยคที่ทำให้ผู้ฟังเข้าใจทันทีว่าทำไมส่วนนี้ยาก

คำศัพท์

คำ	ออกเสียง	ความหมาย
effort	EF-fort	ความพยายาม ความยุ่งยาก
interface	IN-ter-face	หน้าจอที่ผู้ใช้ใช้งาน
subsidy	SUB-si-di	เงินอุดหนุน
confirm	con-FIRM	ยืนยัน
produce	pro-DUCE	ผลิต สร้าง

3 · โดม

How We Prove the System Can Be Trusted

Sequence: Problem / Solution — ตั้งปัญหาแล้วแสดงวิธีแก้และผลลัพธ์

หัวข้อย่อย 3 ข้อ

#	Sub topic	เวลา
1	Testing whether data can leak	1:30
2	Testing whether the numbers are correct	1:30
3	What we found, and what we still cannot prove	2:00

จับเวลารวม

ช่วง	เวลา	
Introduction	0:00–1:00	ทักทาย + แยก 2 คำถามของความเชื่อใจ
Sub topic 1	1:00–2:30	
Sub topic 2	2:30–4:00	
Sub topic 3	4:00–6:00	
Summary + Conclusion	6:00–6:45	

► INTRODUCTION

Good morning everyone. My name is Dome.

Our team built a mobile application called Phee Ngern — an AI assistant that records a user's income, spending, and savings goals.

I'd like to talk to you about the part that decides whether this becomes a real business or only a class project — trust. Because we are asking users for something very private. So the question is not "does the application work". The question is **"why should anyone believe it"**.

Before I start, let me clarify one point. Trust has two separate parts. The first is: can my data leak? The second is: are the numbers correct? These are completely different problems, so we tested them separately.

I've divided my talk into three parts. First, how we tested for data leaks. Second, how we tested for correct numbers. And third, what we found — including what we still cannot prove.

There will be time for questions at the end of my talk.

► BODY — Sub topic 1

So, let's start with the first question: can one user read another user's data?

To test this, we wrote a program that behaves like a real attacker. It creates two users — User A and User B. User B saves some private financial information. Then User A tries to read it, change it, and delete it, using every method we could think of.

The system must refuse every single time.

For example, even if User A knows the exact reference number of User B's transaction, the system must answer "not found" — not "you are not allowed". Saying "you are not allowed" would confirm the record exists, and that is already a small leak.

So, we can see that security is not only about blocking attacks. It is also about not confirming information by accident.

Today this test passes thirty-three out of thirty-three cases.

► **BODY — Sub topic 2**

Secondly, I'd like to turn to a completely different question: are the numbers correct?

A system can be perfectly secure and still calculate the wrong balance. For a financial application, that is just as serious.

Our method here is simple. We give the system data where we already know the correct answer, and we check what it reports back.

For example, we record eight transactions that add up to a known total, and we verify that the system reports exactly that total — not approximately, exactly.

We also test the mathematics itself. Our system never stores money as a decimal number. **This is especially important because** decimals in computers are not perfectly accurate. Adding ten satang ten thousand times gives us exactly one thousand baht — but the same calculation with decimals produces a small error.

It's evident that in a financial system, "almost correct" is not correct.

Let's leave that there.

► **BODY — Sub topic 3**

Finally, we need to look at what these tests actually found.

And here is the part I want you to remember. **The first time we ran them, we did not pass.** We passed twenty-seven out of thirty-three. We found six real problems inside our own system.

Let me give you the most surprising one.

When a user forgets their password, we send a code to their email. The security rule is that the system must reply with the **same message** whether or not that email exists — otherwise anyone could use our website to discover who has an account.

So we built that, and we wrote a test to confirm both replies were identical. The test passed.

Then we connected a real email service and measured the response **time**.

(หยุด 2 วินาที ก่อนอ่านตัวเลข)

For an email that does not exist, the reply came back in zero point one six seconds.

For an email that does exist, it took one hundred and twenty seconds.

The messages were identical. But the timing was seven hundred times different. Anyone with a stopwatch could tell which emails had accounts.

I'd like to stress that information can leak through time, not only through content. A test that only reads the reply will never find this.

I should also be honest about our limits. We tested our slip reading with ten sample formats, not fifty real bank slips, and we have not measured our forecast accuracy yet. Both are written in our documentation.

► **SUMMARY**

To summarise, I have covered three things.

First, we tested whether one user can reach another user's data.

Second, we tested whether the numbers are exactly correct, not approximately correct.

And third, these tests found six real problems — and two things we still cannot prove.

► **CONCLUSION**

In conclusion, we are not asking users to trust us because we say the system is safe. We are asking them to trust us because we tested it, we found six problems, and we fixed them.

For a financial product, that is not extra work. That is the product.

Thank you very much. I am happy to take your questions.

(ประมาณ 800 คำ ≈ 6 นาที 40 วินาที — ไกล่เพดาน ถ้าซ้อมแล้วเกิน ให้ตัดย่อหน้า "I also want to be honest..." เหลือ 1 ประโยค)

ตัวเลขที่ต้องท่องให้แม่นยำ

ตัวเลข	พูดเป็นภาษาอังกฤษ
33/33	thirty-three out of thirty-three
27/33	twenty-seven out of thirty-three
0.16 วินาที	zero point one six seconds
120 วินาที	one hundred and twenty seconds
700 เท่า	seven hundred times

คำศัพท์

คำ	ออกเสียง	ความหมาย
leak	LEEK	รั่วไหล
identical	ai-DEN-ti-cal	เหมือนกันทุกประการ
approximately	a-PROK-si-mat-li	โดยประมาณ
accuracy	AK-yu-ra-si	ความแม่นยำ
limitation	li-mi-TEI-shan	ข้อจำกัด

คำแนะนำรวมสำหรับทั้ง 3 คน

ก่อนวันนำเสนอ

1. **จับเวลาซ้อมจริงอย่างน้อย 3 รอบ** — คนไทยพูดอังกฤษมักช้ากว่าที่คิด 20–30%
2. ถ้าเกิน 7 นาที ให้**ตัดย่อหน้าออก อย่าพูดเร็วขึ้น** เพราะจะฟังไม่รู้เรื่อง
3. **ทองเฉพาะวลี signpost กับประโยคเปิด-ปิด** ส่วนเนื้อหาตรงกลางให้เข้าใจแล้วพูดด้วยคำตัวเอง
4. วลี signpost คือสิ่งที่อาจารย์ให้คะแนน ต้องออกมาชัดและถูกจังหวะ
5. **ซ้อมประโยคส่งต่อระหว่างคน** ให้ตรงกัน จะเป็นทีมเดียวกัน

ระหว่างนำเสนอ

- **หยุด 2 วินาทีก่อนพูด signpost ทุกครั้ง** เช่นก่อน *"That brings me to my second point"*

การเว้นจังหวะทำให้ผู้ฟังรู้ว่ากำลังเปลี่ยนหัวข้อ และทำให้เราดูมั่นใจ

- ถ้าลืมคำศัพท์ ให้พูดอ้อม เช่น ลืมคำว่า *vulnerability* ใช้ *"a security problem"* แทน

ห้ามหยุดนิ่งเพื่อนึกคำ

- อย่าอ่านสไลด์ ให้สไลด์มีแค่ตัวเลขหรือรูป ส่วนคำอธิบายอยู่ที่ปาก

สไลด์ที่แนะนำ (คนละ 6 แผ่น — ตามโครง Introduction / 3 Sub topics / Summary)

แผ่น	แตงกวา	ต้า	โตม
1 · Title	Why People Fail to Manage Their Money	How Phee Ngern Removes the Effort	How We Prove the System Can Be Trusted
2 · Outline	3 หัวข้อย่อย	3 หัวข้อย่อย	3 หัวข้อย่อย
3 · Sub 1	20 วินาที × 6 ครั้ง/วัน	ภาพหน้าจอแชท	User A → User B (ลูกศรถูกกากบาท)
4 · Sub 2	ภาพผู้ใช้เป้าหมาย	ภาพสลิปที่มี 3 ตัวเลข	1,000.00 กับ 1,000.0000000001
5 · Sub 3	ตารางเทียบคู่แข่ง	ภาพเป้าหมายการออม	27/33 ตัวใหญ่กลางจอ
6 · Summary	3 บรรทัด	3 บรรทัด	3 บรรทัด