

# Development of a Reference Application for the OWASP Mobile Application Security Testing Guide (MASTG)

BACHELOR'S THESIS  
**Dominic Kronig**

**Universität Bern**

Bern, January 27, 2026

*u<sup>b</sup>*

---

<sup>b</sup>  
**UNIVERSITÄT  
BERN**

|                         |                                                                           |
|-------------------------|---------------------------------------------------------------------------|
| <b>First Reviewer:</b>  | <b>Prof. Dr. Timo Kehr</b><br>Universität Bern<br>Institut für Informatik |
| <b>Second Reviewer:</b> | <b>Thomas Sutter</b><br>Universität Bern<br>Institut für Informatik       |



**Abstract:** The OWASP Mobile Application Security (MAS) project is the industry standard for Android mobile application security. It comprises all aspects of mobile application security, from documenting weaknesses to providing verification standards. Part of it is the Mobile Application Security Testing Guide (MASTG), which provides detailed instructions on how to thoroughly test mobile applications. The MASTG is complemented with a catalog of reference apps. These apps serve as educational resources by including intentionally built-in weaknesses that can be found using the MASTG. They can be used for benchmarking both static and dynamic application security testing tools. However, many of the existing reference apps are limited in scope and have become outdated due to a lack of maintenance. We evaluated the state of the art of the MASTG reference apps. We found that only about a third of the vulnerabilities documented by OWASP MAS are represented in the MASTG reference apps we analyzed. The ten most frequently implemented vulnerability types account for half of all implemented vulnerabilities. Based on the findings, we developed three open-source MASTG reference apps containing 28 vulnerabilities of both static and dynamic nature. Each implemented vulnerability is mapped to its OWASP counterpart and contains detailed documentation on where it can be found. We focused on vulnerabilities that received no coverage in existing reference apps. Our apps have increased the coverage of vulnerability types by 42%. The MASTG reference apps we developed can be used both as an educational resource and for benchmarking security testing tools.



# Contents

|                                                                      |           |
|----------------------------------------------------------------------|-----------|
| <b>1. Introduction</b>                                               | <b>1</b>  |
| 1.1. Motivation . . . . .                                            | 1         |
| 1.2. Problem statement . . . . .                                     | 1         |
| 1.3. Objectives of the Thesis . . . . .                              | 2         |
| 1.4. Methodology and Structure of the Thesis . . . . .               | 3         |
| <b>2. Related Work</b>                                               | <b>5</b>  |
| 2.1. State-Of-The-Art in OWASP MASTG Reference Apps . . . . .        | 5         |
| 2.1.1. Methodology . . . . .                                         | 5         |
| 2.1.2. Findings . . . . .                                            | 7         |
| 2.2. Literature Review - Academic relevance of OWASP MASTG . . . . . | 11        |
| <b>3. Background</b>                                                 | <b>17</b> |
| 3.1. Android Internals . . . . .                                     | 17        |
| 3.2. OWASP MAS . . . . .                                             | 19        |
| <b>4. Design</b>                                                     | <b>21</b> |
| 4.1. System Architecture . . . . .                                   | 21        |
| 4.1.1. System Architecture Overview . . . . .                        | 21        |
| 4.1.2. Feature-oriented Structure after OWASP MASVS . . . . .        | 22        |
| 4.1.3. Template Based Activity-Architecture . . . . .                | 23        |
| 4.2. Frameworks and Technologies . . . . .                           | 27        |
| 4.3. Vulnerabilities Selection Process . . . . .                     | 29        |
| <b>5. Implementation</b>                                             | <b>31</b> |
| 5.1. MASVS-STORAGE . . . . .                                         | 31        |
| 5.1.1. MASWE-0001 . . . . .                                          | 31        |
| 5.1.2. MASWE-0002 . . . . .                                          | 32        |
| 5.1.3. MASWE-0003 . . . . .                                          | 34        |
| 5.1.4. MASWE-0004 . . . . .                                          | 35        |
| 5.1.5. MASWE-0006 . . . . .                                          | 36        |
| 5.1.6. MASWE-0007 . . . . .                                          | 37        |

|                                                                             |           |
|-----------------------------------------------------------------------------|-----------|
| 5.2. MASVS-CRYPTO . . . . .                                                 | 38        |
| 5.2.1. MASWE-0009 . . . . .                                                 | 38        |
| 5.2.2. MASWE-0010 . . . . .                                                 | 39        |
| 5.2.3. MASWE-0011 . . . . .                                                 | 40        |
| 5.2.4. MASWE-0012 . . . . .                                                 | 42        |
| 5.2.5. MASWE-0014 . . . . .                                                 | 43        |
| 5.2.6. MASWE-0015 . . . . .                                                 | 44        |
| 5.2.7. MASWE-0016 . . . . .                                                 | 45        |
| 5.2.8. MASWE-0017 . . . . .                                                 | 46        |
| 5.2.9. MASWE-0018 . . . . .                                                 | 47        |
| 5.2.10. MASWE-0019 . . . . .                                                | 49        |
| 5.2.11. MASWE-0020 . . . . .                                                | 50        |
| 5.2.12. MASWE-0021 . . . . .                                                | 50        |
| 5.2.13. MASWE-0022 . . . . .                                                | 51        |
| 5.2.14. MASWE-0023 . . . . .                                                | 52        |
| 5.2.15. MASWE-0024 . . . . .                                                | 54        |
| 5.2.16. MASWE-0025 . . . . .                                                | 55        |
| 5.2.17. MASWE-0026 . . . . .                                                | 56        |
| 5.2.18. MASWE-0027 . . . . .                                                | 57        |
| 5.3. MASVS-PLATFORM . . . . .                                               | 58        |
| 5.3.1. MASWE-0053 . . . . .                                                 | 58        |
| 5.3.2. MASWE-0055 . . . . .                                                 | 59        |
| 5.3.3. MASWE-0064 . . . . .                                                 | 60        |
| 5.3.4. MASWE-0067 . . . . .                                                 | 62        |
| <b>6. Results</b>                                                           | <b>65</b> |
| 6.1. Developed MASTG Reference Applications . . . . .                       | 65        |
| 6.2. Comparison with Existing Intentionally Vulnerable Android Applications | 66        |
| 6.2.1. Total Vulnerability Coverage . . . . .                               | 66        |
| 6.2.2. Unique Vulnerability Coverage per App . . . . .                      | 68        |
| 6.3. Usability for Benchmarking Mobile App Security Testing Tools . . . . . | 71        |
| <b>7. Discussion</b>                                                        | <b>75</b> |
| 7.1. Threats to Validity . . . . .                                          | 75        |
| 7.1.1. Constant Flux of the Vulnerability Landscape . . . . .               | 75        |
| 7.1.2. Insufficient Reflection of real-world Vulnerabilities . . . . .      | 76        |
| 7.1.3. Insufficient Complexity of Vulnerabilities . . . . .                 | 76        |

---

|                                                                   |            |
|-------------------------------------------------------------------|------------|
| 7.1.4. Relevance of even MASWE Vulnerabilities Coverage . . . . . | 77         |
| 7.2. Open Problems . . . . .                                      | 78         |
| <b>8. Future Work</b>                                             | <b>81</b>  |
| <b>9. Conclusion</b>                                              | <b>83</b>  |
| <b>List of Figures</b>                                            | <b>87</b>  |
| <b>List of Tables</b>                                             | <b>90</b>  |
| <b>List of Listings</b>                                           | <b>92</b>  |
| <b>Bibliography</b>                                               | <b>100</b> |
| <b>A. Full MobSF Scan Results</b>                                 | <b>101</b> |
| <b>B. Full Semgrep Scan Results</b>                               | <b>173</b> |





# 1. Introduction

## 1.1. Motivation

Mobile applications (apps) can have a variety of vulnerabilities. Modern Android apps have, on average, a surprisingly large number of vulnerabilities, which greatly impacts their security and usage [1]. Because of this, it is of great importance to have tools that can detect vulnerabilities. These tools can evaluate an app's security either statically by inspecting the code or dynamically by executing the code and inspecting it at runtime. There exists a diverse landscape of such Static Security Application Testing (SAST) and Dynamic Security Application Testing (DAST) tools. But how can the effectiveness and accuracy of these tools be measured and compared to one another?

To measure the effectiveness of a tool, it is important to know both how many security vulnerabilities the tool detected and how many it failed to find. Most real-world mobile apps are closed source. This makes them a poor dataset for benchmarking these security analysis tools, as there is no ground truth against which their performance on the apps can be compared. A better approach for effectively measuring and comparing the accuracy of existing analysis tools is to evaluate them on intentionally vulnerable apps, of which the existing vulnerabilities are known to the person conducting the tests.

## 1.2. Problem statement

The Open Worldwide Application Security Project (OWASP) hosts such a dataset of intentionally vulnerable apps. The apps function as practical reference material for the OWASP Mobile Application Testing Guide (MASTG) [2]. They are a very valuable learning resource and teach mobile developers what security vulnerabilities can look like and how to find them. These intentionally vulnerable apps are furthermore good resources for benchmarking mobile security tools.

Many of these MASTG reference apps have unfortunately not been updated in years and have been designed for older versions of Android. Because of this, they do not adequately reflect and implement the modern vulnerabilities discussed by OWASP in

its testing guide or its Mobile Application Security Weakness Enumeration (MASWE) anymore. This greatly diminishes their educational value as learning and teaching resources. Very few of them contain documentation of their implemented vulnerabilities. Their usefulness for benchmarking security tools is negatively impacted because of this, as it makes it more difficult to assess how many vulnerabilities have not been found by the tools. All of this results in a gap between the educational value provided by the OWASP MAS project and how it is reflected in its MASTG reference apps, as well as the practical value it provides in mobile security testing and research.

### **1.3. Objectives of the Thesis**

The objectives of this thesis largely concern developing multiple open-source OWASP MASTG reference apps that include both static and dynamic security vulnerabilities. To achieve this, the thesis pursues the following objectives:

1. Analyze and understand the OWASP MAS ecosystem and its vulnerability categories.
2. Conduct a literature review to better understand how OWASP MASTG, its reference apps, as well as other related components, are used in the academic world.
3. Evaluate the state-of-the-art in intentionally vulnerable OWASP MASTG Android reference apps in terms of vulnerability coverage, documentation, educational value and usability for security tool benchmarking.
4. Design and implement new MASTG Android reference apps, adhering to the determined state-of-the-art standards. The focus lies on vulnerabilities which have seen little to no coverage in existing reference apps. Both static and dynamic vulnerabilities are to be included.
5. Document each implemented vulnerability by mapping it to its MASWE counterpart, explaining where it can be found in the implementations code, and how it can be exploited.
6. Compare our reference apps with the existing reference apps landscape and assess the contribution made by our apps. Compare the coverage of vulnerabilities with and without our apps. Evaluate our apps for suitability as teaching resource and for benchmarking security analysis tools.

## 1.4. Methodology and Structure of the Thesis

This thesis follows a design and implementation focused research approach. It consists of first reviewing and analyzing the existing work in the related field. Multiple pieces of software are then designed, implemented, and evaluated. The thesis begins with an analysis of the OWASP MASTG and its reference applications. The choice of which vulnerabilities to implement is made based on the results of this analysis. After coming up with the design and architecture for our new reference apps, we shift the focus to their development. The resulting applications are then compared to the existing catalog of MASTG reference apps. They are evaluated for their coverage of vulnerabilities, as well as for their suitability for educational purposes and the benchmarking of security analysis tools.

This thesis is structured as follows. Chapter 1 introduces the subject of the thesis, the motivation behind it, its objectives, and the methods for achieving them. In Chapter 2, we discuss the findings of both the literature review and the analysis of the state-of-the-art in existing OWASP MASTG reference apps. Chapter 3 provides essential background knowledge on the OWASP MAS ecosystem and key Android concepts discussed and used in this thesis. Chapter 4 discusses the design and project architecture for the to-be-developed reference apps and includes design decisions regarding vulnerability selection. In Chapter 5, each implemented vulnerability is covered in detail, supplemented with code snippets, implementation decisions, and challenges faced during their development. Chapter 6 concerns itself with the results of our work. Our developed reference apps are compared with the existing MASTG catalog, and their contributions are assessed. Chapter 7 discusses possible threats to the validity of our work, as well as any problems left open or newly discovered. In Chapter 8, we look forward to future work and outline how this thesis could be extended upon. Chapter 9 then summarizes our work and closes out the thesis.



## 2. Related Work

In this section we discuss two types of related work. The first consists of already existing OWASP MASTG reference apps for Android. The second is about academic publications that rely on the MASTG.

### 2.1. State-Of-The-Art in OWASP MASTG Reference Apps

There are 19 MASTG reference apps listed on the OWASP page [2] and its corresponding GitHub repository [3] at the time of writing. To evaluate the state of the art of MASTG reference apps, we examine each one of them in order to identify and categorize their implemented vulnerabilities. Only eight of these apps have both available source code and some form of documentation of their vulnerabilities. These were then mapped to their corresponding OWASP MASWE counterparts.

#### 2.1.1. Methodology

We evaluated 19 MASTG reference apps as to whether they have any source code available at all, and if so, whether they have any documentation of their weaknesses. The app selection includes four "Android Uncrackable" reference apps, named L1 [4], L2 [5], L3 [6] and L4 [7]. None of them have any documentation on their implemented weaknesses and are excluded from this review because of it. The other apps excluded for the same reason are: Android License Validator [8], DVHMA [9], Digitalbank [10], DodoVulnerable-Bank [11], disable-flutter-tls-verification [12], and MASTTestApp-Android-NETWORK [13]. The MASTG-Hacking-Playground-Kotlin-App [14] has been excluded from this literature review because there exists an identical Java version of this app, which has been evaluated.

The following apps have been included in the review: AndroGoat [15], DIVA Android [16], InsecureBankv2 [17], MASTG-Hacking-Playground [18], OVAA [19], InsecureShop [20], Finstergram [21] and Android BugBazaar [22]. A summary of this selection process can be seen in Table 2.1.

Table 2.1.: Overview of the availability of source code and documentation of MASTG reference apps, and whether they were included in our analysis.

| OWASP MASTG Reference Apps          |             |               |          |
|-------------------------------------|-------------|---------------|----------|
| App name                            | Source code | Documentation | Included |
| Uncrackable L1                      |             |               |          |
| Uncrackable L2                      |             |               |          |
| Uncrackable L3                      |             |               |          |
| Uncrackable L4                      |             |               |          |
| License Validator                   |             |               |          |
| DVHMA                               |             |               |          |
| Digitalbank                         | ✓           |               |          |
| Dodo Vulnerable Bank                | ✓           |               |          |
| disable-flutter-tls-verification    | ✓           |               |          |
| MASTestApp-Android-NETWORK          | ✓           |               |          |
| MASTG-Hacking-Playground-Kotlin-App | ✓           | ✓             |          |
| AndroGoat                           | ✓           | ✓             | ✓        |
| DIVA Android                        | ✓           | ✓             | ✓        |
| InsecureBankv2                      | ✓           | ✓             | ✓        |
| MASTG-Hacking-Playground            | ✓           | ✓             | ✓        |
| OVAA                                | ✓           | ✓             | ✓        |
| InsecureShop                        | ✓           | ✓             | ✓        |
| Finstergram                         | ✓           | ✓             | ✓        |
| BugBazaar                           | ✓           | ✓             | ✓        |

### 2.1.2. Findings

Across the eight evaluated OWASP MASTG reference apps, 163 weaknesses were implemented. We mapped them to their respective MASWE counterparts and grouped them by their vulnerability category (Storage, Crypto, Auth, etc.). An overview of the apps and their implemented vulnerabilities can be seen in Table 2.2.

Table 2.2.: Mapping of MASTG reference apps vulnerabilities to their MASVS categories.

| OWASP MASTG Reference Apps |         |        |        |      |        |        |      |        |        |
|----------------------------|---------|--------|--------|------|--------|--------|------|--------|--------|
| App name                   | # Vuln. | Stora. | Crypt. | Auth | Netwo. | Platf. | Code | Resil. | Priva. |
| AndroGoat                  | 24      | 7      | 1      | 1    | 4      | 8      | 1    | 2      |        |
| DIVA                       | 13      | 5      |        | 5    |        |        | 3    |        |        |
| InsecureB.                 | 25      | 4      | 2      | 4    | 1      | 8      | 1    | 5      |        |
| Playground                 | 15      | 5      | 1      |      | 1      | 3      | 3    | 2      |        |
| OVAA                       | 18      | 1      | 1      |      |        | 10     | 6    |        |        |
| Ins.Shop                   | 19      | 2      |        | 2    | 1      | 13     |      | 1      |        |
| Finster.                   | 5       |        |        |      |        | 3      | 2    |        |        |
| BugBaza.                   | 44      | 7      |        | 1    |        | 23     | 10   | 3      |        |

#### Lack of vulnerability documentation

A recurring issue with many of the reference apps lies in their documentation of the implemented vulnerabilities. 11 of the reference apps listed by OWASP MASTG do not have any documentation of their weaknesses at all, which led to their exclusion from this evaluation. The apps that do include some form of documentation of their vulnerabilities do so in a very minimal way. Most often, the documentation consists of a single list that only names the implemented weaknesses. None of the apps map the implemented weaknesses to their OWASP MASWE counterparts. Only two apps [18, 21] actually document what the weaknesses entail, how they are implemented, and how to fix or exploit them.

This additional documentation is not necessary for the apps to function as a penetration testing practice environment. But lacking it does reduce their value as an educational resource in reference to the MASTG. A simple mapping of the implemented vulnerabilities to their respective MASWE counterparts helps mobile developers better connect the theoretical concepts provided by the MAS project with the practical environment of the reference apps. By providing no documentation on the implemented weaknesses, developers using the apps to learn are unable to verify which vulnerabilities they have found and which ones they have not. This hinders them in assessing their

skills in detecting and exploiting mobile security vulnerabilities, which negatively impacts the educational value provided by the apps. The apps adequacy and function as a mobile security tool testing benchmark are much affected in the same way. If there is no documentation of the vulnerabilities implemented, it becomes extremely difficult to reliably assert how many of the vulnerabilities found by the tools are part of the intentionally created set and how many of the intentionally implemented ones have been missed by the tools. This means that without any documentation of the implemented vulnerabilities, the MASTG reference apps are just as unfit for benchmarking SAST and DAST tools as any real-world apps dataset. The apps we develop aim to address this issue by documenting all implemented weaknesses, including a mapping of the implemented vulnerabilities to their respective MASWE counterparts. Additionally, each implemented vulnerability will contain documentation on where it is found, which lines of code are relevant, how it can be exploited, and sometimes how it can be fixed.

### **Uneven distribution of vulnerability coverage**

At the time of writing, there are a total of 117 MASWE vulnerabilities across eight categories documented by OWASP [23]. Of these 117 vulnerabilities, only 42 are actually covered by any of these reference apps.

The eight apps together have 163 implemented weaknesses that can be mapped to only 42 different types of vulnerabilities as defined by MASWE. Because there are 117 different vulnerability types, this leaves a total of 75 vulnerabilities, as documented and classified by OWASP MASWE and referenced in the MASTG, completely without representation. This means that the vulnerabilities implemented in the MASTG apps serve as a reference to only a minority of the MASWE vulnerabilities. While the vulnerability types that make up this minority are covered on average almost four times, the vast majority of vulnerability types goes completely without a practical reference in the MASTG apps.

To make this point more clear; the ten most frequently covered vulnerabilities are implemented a total of 87 times, as seen in Figure 2.1. This means that they represent 53.4% (87/163) of all implemented vulnerabilities, despite only covering 8.5% (10/117) of all vulnerability types as referenced by MASTG. The most frequently implemented vulnerability is MASWE-0066, which deals with insecure intents. Of the ten most frequently covered vulnerabilities, five are of the category MASVS-Platform.






Figure 2.1.: Ten most frequently covered types of OWASP MASWE vulnerabilities.

### Coverage of vulnerability categories

There is not only a favoring of certain specific MASWE vulnerabilities, but an uneven coverage of the vulnerability categories themselves as well. The percentage-wise coverage of MASVS categories can be seen in Figure 2.2. Some categories see a high percentage of their vulnerabilities covered, such as MASVS-PLATFORM with 72.7% or MASVS-STORAGE with 66.7%, while others see very little to no coverage at all, such as MASVS-CRYPTO with 21.1% and MASVS-AUTH with only 10%. Worst of all is MASVS-PRIVACY, with a vulnerability coverage of 0%.

Viewing the coverage in absolute rather than percentage values makes it look slightly more even. As seen in Figure 2.3, all categories have between two and seven of their types of vulnerabilities covered. The only outliers are the categories MASVS-PLATFORM, which has a total of 16 out of 22 vulnerabilities implemented, and MASVS-PRIVACY, which has no vulnerabilities covered at all. This shows that vulnerabilities are covered rather evenly across the 8 categories, regardless of the amount of vulnerabilities each category has to offer, which explains the large differences in percentage-wise coverage seen in the previous Figure 2.2. This does not mean that the coverage of the different MASVS categories is proportional, as larger categories should have a larger group of implemented vulnerabilities than smaller ones when viewed in absolute numbers. This further enforces the fact that the vulnerability categories are not covered evenly.




Figure 2.2.: Relative coverage of MASVS categories.

The remarkably high coverage of MASVS-PLATFORM vulnerabilities further enforces the findings of Figure 2.2; not only are 5 of the 10 most frequently covered vulnerability types part of MASVS-PLATFORM, the category itself is also the most broadly implemented category when compared to others. The complete lack of coverage of Privacy vulnerabilities can in part be accounted for by the fact that the category itself is newer than the other seven, only having been introduced in MASVS version 2.1.0 [24].

Nevertheless, it can be concluded that the categories are unevenly covered, with MASVS-PLATFORM receiving a great deal more attention than the other categories, and MASVS-PRIVACY receiving none. It is clear that the coverage of many categories in these state-of-the-art reference apps is lacking, with only a concerning 21.1% and 10% of all MASVS-CRYPTO and MASVS-AUTH vulnerabilities, respectively, being covered. This stands in stark contrast to the amount of material provided on them by the OWASP MAS project. They represent a large part of the mobile security that OWASP deals with, considering they make up a third (33%) of all vulnerabilities as documented by MASWE and tested by MASTG.

The reference apps we develop aim to solve this issue by focusing on vulnerability types that have received no implementation in existing MASTG reference apps, as well as shifting the focus from over-represented categories such as MASVS-PLATFORM to more neglected ones, such as MASVS-CRYPTO and MASVS-AUTH.




Figure 2.3.: Absolute coverage of MASVS categories.

## 2.2. Literature Review - Academic relevance of OWASP MASTG

The OWASP MASTG is the industry standard for mobile app security. But what relevance does it have in the academic world, and what exactly is it used for? To answer these questions, a literature review was conducted to evaluate papers on their use of the OWASP MASTG, as well as other parts of the OWASP MAS project.

This literature review was conducted by searching for relevant papers that include and deal with the keywords "OWASP" and "MASTG" on Google Scholar. Only papers written in English have been considered. Furthermore, all evaluated papers have been published in the last three years, with no paper having been published prior to 2023. The top 22 papers matching these criteria have been carefully read, with seven of them discarded because their research focus did not match our defined scope. This left 15 papers [1, 25–38], which have then been evaluated for their usage of OWASP MASTG and grouped by similarities.

Of the 15 papers evaluated, eight [1, 25–28, 30, 33, 34] used OWASP MASTG to evaluate real-world Android apps based on whether they adhere to the security standard set by OWASP MASVS. Six papers [1, 25–28, 30] mapped Android app security vulnerabilities to the OWASP MASVS. Three papers [26, 27, 29] made use of the penetration testing guide, as laid out by OWASP MASTG, in order to conduct penetration

tests on Android apps. Three papers [32, 35, 38] used the MASTG reference apps by evaluating vulnerability assessment tools on them in order to verify their accuracy in finding such vulnerabilities. Two of these papers [35, 38] then compared their findings to results found when conducting the same tests on real-world apps. Lastly, four papers [31, 36–38] mentioned the OWASP MASTG in discussion. This was done either by the authors, comparing the OWASP mobile project to other Mobile Security Frameworks, or by interviewees, as a tool used. An overview of the different papers and how they made use of the OWASP MAS project can be seen in table 2.3.

Table 2.3.: Overview of how scientific papers make use of the OWASP MAS project.

| OWASP MAS usage by scientific papers |                                  |                          |                                 |                   |                    |
|--------------------------------------|----------------------------------|--------------------------|---------------------------------|-------------------|--------------------|
| Paper                                | Evaluating<br>real-world<br>apps | Vulnerability<br>mapping | Penetration<br>testing<br>guide | Reference<br>apps | In Discus-<br>sion |
| 1 [1]                                | ✓                                | ✓                        |                                 |                   |                    |
| 2 [25]                               | ✓                                | ✓                        |                                 |                   |                    |
| 3 [26]                               | ✓                                | ✓                        | ✓                               |                   |                    |
| 4 [27]                               | ✓                                | ✓                        | ✓                               |                   |                    |
| 5 [28]                               | ✓                                | ✓                        |                                 |                   |                    |
| 6 [29]                               |                                  |                          | ✓                               |                   |                    |
| 7 [30]                               | ✓                                | ✓                        |                                 |                   |                    |
| 8 [31]                               |                                  |                          |                                 |                   | ✓                  |
| 9 [32]                               |                                  |                          |                                 | ✓                 |                    |
| 10 [33]                              | ✓                                |                          |                                 |                   |                    |
| 11 [34]                              | ✓                                |                          |                                 |                   |                    |
| 12 [35]                              |                                  |                          |                                 | ✓                 |                    |
| 13 [36]                              |                                  |                          |                                 |                   | ✓                  |
| 14 [37]                              |                                  |                          |                                 |                   | ✓                  |
| 15 [38]                              |                                  |                          |                                 | ✓                 | ✓                  |

### Cryptographic security shortcomings in African mobile financial applications

Chiboora et al. [30] used the OWASP MASTG and MASVS to evaluate the mobile security of 18 Android apps belonging to different African financial institutions. They chose MASVS as a testing framework because of its focus on being a guide and checklist for evaluating the security of mobile applications. They applied the strictest level of MASVS, L2, and focused solely on unauthenticated client-side testing, following the black-box testing approach. They did not implement all MASVS tests. Nevertheless,

their findings in terms of security shortcomings are quite damning. All 18 apps allowed the taking of screenshots of sensitive data. 14 of the apps used outdated and thus insecure cryptographic protocols such as MD5, SHA-1, and DES. 10 apps used security libraries that are outdated and known to have vulnerabilities. Furthermore, eight apps were using insecure random number generation for their cryptographic protocols, and five apps had no certificate pinning. This shows a clear and dramatic shortcoming in terms of cryptographic mobile security. All of the shortcomings mentioned above are well documented by OWASP MASWE, tested for by MASTG and part of the security controls of MASVS. This shows that the OWASP mobile security project has a great use case in the real world, and is far from being outdated or redundant. In a survey conducted by the authors of this study, 78% of respondents said they avoided implementing security measures due to a lack of expertise and knowledge about mobile security. We aim to create an intentionally vulnerable reference app that increases the coverage of MASWE vulnerabilities in the cryptographic sector. This addresses an important shortcoming in the current landscape of available MASTG reference apps, which do not cover the MASVS-CRYPTO category sufficiently. It builds on the issues found and discussed in this paper, by enabling mobile developers to deepen their expertise and knowledge of cryptographic vulnerabilities in a hands-on way.

### **Lack of basis for Mutation Testing for Android app security testing**

Vasconcelos et al. [32] explored Mutation Testing as an approach for Android app security testing. The authors used the OWASP Top 10 Mobile Risks to assess common Android security vulnerabilities and create mutation operators based on these vulnerabilities. They then performed security tests on the mutants generated by the mutation operators, in the hope that these mutants are detected as vulnerabilities. They applied this procedure to 10 Android reference apps from the MASTG reference app catalog. They found that four of the eight generated mutant operators are not represented among the mutants at all, while two other are heavily overrepresented. To be more specific, all three tapjacking vulnerability mutant operators and the "ImplicitPendingIntent" operator have no representation in the apps, whereas ImproperExport and HardcodedSecret are both heavily overrepresented. This corroborates our own findings upon analyzing the implemented vulnerabilities in the reference apps; Only one of the 163 vulnerabilities implemented by the MASTG reference apps deals with tapjacking attacks. The same applies to implicit pending intents. On the contrary, eight vulnerabilities deal with hard coded secrets. Because of uneven distribution of implemented vulnerabilities, some

mutants are more likely generated than others. This shows that the large number of MASWE vulnerability types that go without a practical implementation in the reference apps affects the academic world as well. By focusing on these vulnerabilities for the development of our reference apps, we aim to address this issue.

### **Security shortcomings in the American mHealth sector**

Stevenson and Das [34] used the OWASP Mobile Audit to evaluate 95 real-world apps that are part of the mobile health sector in the USA. The OWASP Mobile Audit is an OWASP project that applies SAST aligned with the MASTG to detect mobile security vulnerabilities. The findings were once again quite devastating: these apps dealing with sensitive user health data had, on average, around 9,000 vulnerabilities, with two thirds of them being of medium to critical severity. Around half of the evaluated apps transmit data containing personal health information with no encryption over http, and/or make use of heavily outdated cryptographic algorithms. Furthermore, there were 2,252 instances of unnecessarily exported broadcast receivers and 1,232 cases of exported permissions without defined protection levels found.

This paper once again underlines the huge shortcomings of apps in the cryptographic sector of mobile security, even when it comes to sensitive user data. All of the found vulnerabilities are well documented by MASWE, and would not exist anymore if developers followed the standards laid out by the OWASP MAS project. The authors themselves conclude that the overall lack of security measures implemented is further worsened by the fact that the developers follow insecure coding practices. The authors specifically recommend the OWASP MASVS as the security standard that mobile developers should adopt. This paper emphasizes the real-world importance of the OWASP MASVS, the MASTG and the related reference apps. Many of the vulnerabilities detected by the OWASP Mobile Audit deal with cryptographic issues, which is a MASVS category with very limited coverage by existing MASTG reference apps. The reference apps we develop aim to address this issue by including all vulnerabilities documented in MASVS-CRYPTO.

### **Security Assessment for Digital Wallet Payment Partner Applications using the OWASP Method: A Case Study in Indonesia**

Saifulhakim and Fajar [25] made use of the OWASP MASTG and MASVS to assess the security standard of a digital wallet payment partner mobile app. The authors applied both dynamic (DAST) and static (SAST) application security testing. They mapped the

found vulnerabilities to the MASWE and used the OWASP Risk Rating Methodology to assess the security risks of the detected vulnerabilities. They find vulnerabilities with both the static and the dynamic approach. The paper finds that of the 84 MASVS verification points, 68 were met, 10 were deemed not applicable, and six failed due to vulnerabilities found. The authors reference multiple papers and articles showing that the OWASP mobile security project presents a viable solution for security assessment. They mention that financial transaction apps are particularly common to have a high vulnerability rate, and that insecure data storage occurs more frequently than other vulnerabilities types.

This paper shows that MASTG reference apps should include both dynamic and static vulnerabilities if they desire to mimic real-world app vulnerabilities. It goes on to discuss the high frequency in which storage vulnerabilities occur. The reference apps we develop builds on these findings by including both static and dynamic vulnerabilities. Our reference apps aim to implement all MASWE vulnerabilities related to storage. By doing so, our apps reflect vulnerabilities as they are found in real-world apps.

### **SoK: Hardening Techniques in the Mobile Ecosystem — Are We There Yet?**

The OWASP MASVS advises mobile app developers to implement so called hardening techniques. They serve as a layer of device protection by preventing tampering with the device and detecting jailbreaks. Steinböck et al. [38] aim to understand to which extent real-world apps adhere to the MASVS and implement such hardening techniques. To do so, they created HALY, a framework that allows for static as well as dynamic analysis of the adoption of hardening techniques in mobile apps. They discuss how MASVS-RESILIENCE specifies multiple hardening techniques which apps should implement as to conform to modern security standards. They used the MASVS as a base of operations since the MASVS is the standard used for Android apps that opt into Google Play's independent security review process [38]. This shows the importance of the recommendations and practices laid out in the standards laid out by the OWASP MAS project. Their framework HALY is built to detect vulnerabilities in three of the four categories defined by MASVS-RESILIENCE. The authors validate the accuracy of their framework by testing it on seven open source apps, including four Android and two iOS OWASP reference apps. They then go on to use their framework to evaluate 2,646 apps, both available on Android and iOS, for their use of hardening techniques. Their findings show that iOS apps heavily under-perform when it comes to implementing hardening techniques, as opposed to apps on Android devices. Of the 2,646 apps evaluated, about

75% of Android and 25% of iOS apps implement more than half of the protection techniques recommended by MASVS-RESILIENCE. Only 26 Android apps adopt all eight, while only one iOS app adopts all seven. This paper shows the real-world importance of the MASVS through its role as the standard used in Google Play’s data safety section. It displays the merit of MASTG reference apps and the MASVS to the academic world as a basis on which to conduct important research. The research furthermore shows that there are still many mobile apps which do not follow the security best practices defined by OWASP. The MASTG reference apps we develop provide a further basis on which future academic work similar to this paper can build on. They furthermore serve as an example from which mobile developers can learn to improve the security standards of mobile apps used globally.



## 3. Background

This chapter briefly covers the most important Android concepts and components that are relevant to this thesis. Cryptographic algorithms and related topics are deliberately excluded, as they lie outside the scope of our work.

### 3.1. Android Internals

#### Core Android Components

**Android Activities** [39] are the entry point for an Android app's interaction with the user. Android apps are also launched from an activity with special privileges that is called a launcher activity. An activity provides the screen in which the app displays its UI. An app needs to have an activity for each screen it wants to display. Activities call each other in order to perform the different actions that the app provides. For an app with login functionality, this might include a main activity which is the starting point of the app, a registration activity, a login activity and a profile activity.

An **Android Service** [40] is an Android application component designed for long running background processes. In contrast to activities, services do not provide any form of User Interface. When a service runs in the foreground, it means that they execute a process noticeable to the user, such as playing an audio. Otherwise they run in the background where the user won't notice them, for example when dealing with app storage management.

**Content providers** [41] are the standard Android interface used by an app to access data stored by itself or other apps on the device. They can furthermore be used to grant other apps permissions to certain files while protecting others. They encapsulate data and allow the app to specify which app has which permissions on which files and directories. This way, other apps cannot directly access and meddle with data stored internally within an app, and have to use the proper and app-defined way of requesting file permissions.

The **AndroidManifest.xml** [42] is the heart of every Android mobile application, and every app is required to have one. It has many functions, one of which is declaring

all components that are part of the app. This includes all activities, services, and content providers. It furthermore defines the permissions other apps need to access the components of the app. The Android manifest goes on to define the app's settings on concepts such as backup-creation and whether the app is debuggable or not.

### **Inter-Component Communication (ICC)**

**Intents** [43] are the standard way for the components of an Android app to communicate with one another. Activities make use of intents to call one another, as well as for starting services.

**URIs** [44], short for Uniform Resource Identifier, are strings in Android that are used to identify something in an app's internal storage, such as an image or a file. They share similarities with common file paths, but can also include permissions on who can read what resource. When a content provider gives an entity permission to read a certain file, it does so by returning the designated **File URI**.

### **Data Storage**

**SharedPreferences** [45] is an Android specific API that allows apps to store data persistently across user sessions. It is designed for storing small amounts of data in a dictionary-like key-value format. The data placed in shared preferences is stored in the app's private directory on internal storage.

**KeyStores** are a system designed for safely storing cryptographic keys, making them hard to extract but easy to use. Once a key is stored within a keystore, it can be used for cryptographic operations, but is hard if not impossible to extract. Modern keystores such as the **Android Keystore system** [46] allow for clearly defining what the key can and cannot do, as well as under what circumstances it can be used and what user authentication is required to do so. It is the modern and secure Android way of storing and managing cryptographic keys.

**Application Sandbox** [47] is an Android security mechanism that isolates all apps from the system and from other apps. Through this, each app has its own dedicated storage area and runs in its own process. It prevents malicious apps from directly reading or modifying data from other apps. This mechanism is enforced at the operating system level. To access the storage of another app's sandbox or system components such as the camera or location, an app has to request the appropriate permissions. This design forces apps to communicate with one another through controlled channels, such as **Intents** or **Content providers**.

## 3.2. OWASP MAS

The OWASP Mobile Application Security (MAS) project [48] aims to represent the industry standard for mobile application security. It comprises three main sub-projects. The OWASP Mobile Application Security Verification Standard (MASVS) [49] defines the security measures a mobile app should have. It provides mobile developers with a security standard to adhere to for security best practices. The OWASP Mobile Application Security Weakness Enumeration (MASWE) [23] lists and discusses a large range of mobile security vulnerabilities. This includes knowledge on how they can be introduced and how they can be avoided. The OWASP Mobile Application Security Testing Guide (MASTG) [50] is an industry standard manual for testing and evaluating the security of mobile apps. The MASVS lays out the requirements a mobile app has to fulfill for industry-standard security practices, the MASTG defines how these requirements can be tested, and the MASWE describes the vulnerabilities found through this testing process.

Part of the MASTG is a dataset of intentionally vulnerable applications that are hosted by OWASP MAS [2]. These apps serve as educational reference material for the MASTG.



## 4. Design

In terms of designing our apps, we explain the system architecture, the frameworks, and the technologies used. Furthermore, the selection process of the implemented vulnerabilities is explained. We cover the rationale behind our decisions and reasons why other approaches were considered but ultimately not chosen.

### 4.1. System Architecture

#### 4.1.1. System Architecture Overview

A modular, multi-app system architecture is used for the overarching structure of this Android project. The implemented MASWE vulnerabilities are grouped by their respective MASVS categories. This means that all implemented vulnerabilities of the category MASVS-STORAGE are part of the same module `masvs_storage`, whereas the vulnerabilities from the MASVS-CRYPTO category make up their own `masvs_crypto` module.

Each module is its own Gradle module, with its own `AndroidManifest`, activities, services, backup rules, and launcher activity. The advantage of this is a clean and structured separation of the different implementations by category. With our design, the categories are each their own Android app, and can be used and tested independently of one another. Another advantage comes from the fact that vulnerabilities that affect the `AndroidManifest` are contained within their category instead of affecting all vulnerabilities. Without this, a MASVS-PLATFORM vulnerability that sets the app to debuggable in the `AndroidManifest` would result in all vulnerabilities having to include this debuggable vulnerability.

We use a shared-library approach to minimize the amount of redundant code. This means that all independent MASVS app modules make use of the same `common` Android library module, which has a `res` folder containing the resource values shared by all apps. This includes values regarding layout spacing, strings, font sizes, and color values. The `common` library module also includes layouts shared by all apps, and abstract activity

templates, which are discussed in Subsection 4.1.3. A high-level diagram of this system architecture is shown in Figure 4.1.




Figure 4.1.: High-level view of the Android apps system architecture.

#### 4.1.2. Feature-oriented Structure after OWASP MASVS

Each app module is structured as follows. The launcher activity functions as the overview and hub from which all implemented vulnerabilities of the respective category can be chosen from. The vulnerabilities themselves are grouped into separate packages. These packages include all activities, services, and other Java files that are part of the vulnerability's code. Every vulnerability has a main activity that serves as the vulnerability's starting point. Furthermore, every package has a `RegisterActivity.java`, `LoginActivity.java`, and `ProfileActivity.java` that are used for user registration and login. This architecture is extended with other files depending on the vulnerability and its implementation, such as `EncryptionHandler.java`, which deals with cryptographic services. A high-level model of this structure can be seen in Figure 4.2.

This architecture further reinforces the clean separation and structure of the Android project. We package and isolate the code for each vulnerability's implementation and group the vulnerabilities themselves by their respective categories. This creates a clear and intuitive overview of which vulnerabilities have been implemented and where their code can be found. It allows for the isolated implementation, analysis, and testing of each vulnerability. This benefits both the development process of the apps as well as the usefulness and usability of the apps.




Figure 4.2.: High-level model of the feature oriented project structure.

#### 4.1.3. Template Based Activity-Architecture

We make use of custom templates to significantly reduce the amount of boilerplate code. All of our vulnerability implementations require a starting activity, as well as a registration, login, and profile activity. Between the different vulnerabilities, these might differ in code logic but are almost all identical in layout. Because of this, the `common` library module includes layout templates for all four of them. These are fitted with uniform styling, and the basic navigation buttons and user input fields expected of them.

In terms of code logic, the activities themselves share a lot of similarities and thus share boilerplate code as well. For example, many of the MASVS-CRYPTO vulnerabilities differ in the concrete implementation of cryptographic operations but are otherwise identical to each other, as well as to vulnerabilities of other categories. To make use of these shared pieces of logic and remove redundant code, the `common` module includes three abstract activity templates that all activities make use of. The first is `BaseActivityTemplate.java`, which all activities use, and the other two templates build on it. The other two activity templates used are `BaseRegisterActivity.java` and `BaseLoginActivity.java`. The way this inheritance hierarchy works is shown in the high-level model seen in Figure 4.3.




Figure 4.3.: High-level model of the inheritance templating approach used for the project.

### Base Activity Template

This template removes redundant code by implementing the functionalities shared by all activities in our Android project. A flow diagram of it can be seen in Figure 4.4. It provides a hook that can be used by inheriting activity subclasses to set the screen title of the activity. It also provides methods to be used for adding and mapping navigation buttons to the activity classes they link to.

### Base Register Activity

`BaseRegisterActivity.java` builds upon `BaseActivityTemplate.java` and extends it with the registration code logic shared by all vulnerability implementations. This logic consists of handling and sanitizing user inputs, potentially encrypting the user password, and saving the newly registered user credentials in JSON format in a designated `SharedPreferences` file. A flow diagram of this template can be seen in Figure 4.5.






Figure 4.4.: Flow diagram of the base activity template.




Figure 4.5.: Flow diagram of the register activity template.

Any inheriting registration activity only needs to implement the abstract getters for the concrete layout ID and UI buttons. All other code is handled by the abstract class. The advantage of this is clear, as it greatly reduces the amount of boilerplate code. The template provides two different hooks. The first allows the inheriting register activity to add custom encryption to the user credentials before storing them. This hook is where different MASVS-CRYPTO vulnerabilities introduce their vulnerable encryption methods. The second hook allows for custom post-registration behavior and logic.

### Base Login Activity

`BaseLoginActivity.java` builds upon `BaseActivityTemplate.java` in a similar fashion to `BaseRegisterActivity.java`, as can be seen in Figure 4.6. It requires the inheriting activity class to set the same getters as the registration activity template, which are specific to each login activity implementation. The template sets up the activity and its UI elements, sanitizes user input, and loads stored user credentials. It proceeds to possibly decrypt the stored credentials before comparing them to the user input. The user is then directed to the specified target activity if the login attempt is successful.

It provides five different hook methods. They allow the inheriting login activity classes to specify the path of the file containing the user credentials and to add custom decryption for the stored credentials. The subclasses can furthermore customize how the password verification process looks like and what the activity should do upon a failed login attempt.

## 4.2. Frameworks and Technologies

The apps are developed using native Android development in Java 11 and targeting API level 35, which translates to Android 15. The reason behind aiming for such a high API is that many of the existing MASTG reference apps suffer from being outdated, having not received any updates or maintenance in years. Because the OWASP MAS project is constantly evolving alongside the Android ecosystem, it would not make much sense to develop apps for an older Android version than the one the standard is based on, since the apps are supposed to be a reference resource for the standard. This ensures that the apps do not include vulnerabilities and technologies that are no longer relevant or have been removed in modern Android (and consequently in modern OWASP MAS) versions. The project uses Gradle with Kotlin DSL as its build automation tool. The




Figure 4.6.: Flow diagram of the login activity template.

core frameworks include the Android Framework, various APIs for cryptography, and AndroidX for backward compatibility.

### **Android Framework**

We use Activities and Services for UI logic and background processing. By default, user credentials are stored within SharedPreferences files. This is a simple and native Android way to persistently store data. Intents are used for communication between different components, such as Activities and Services. Android Keystore provides a modern, safe, and simple way to store and use cryptographic keys.

### **APIs for Cryptography**

For cryptographic algorithms and operations, we use both Java Cryptography Architecture (JCA) and Android-specific cryptography APIs. JCA is used as a less secure alternative to Android-specific APIs, which makes sense for designing security vulnerabilities. Besides operations such as key generation, encryption, and signature, JCA is also useful for implementing cryptographic features deemed deprecated and insecure by Android-specific APIs, such as older KeyStores. The Android-specific APIs include, for example, the Android Keystore System (`android.security.keystore.*`) for a hardware-backed, native Android approach of managing cryptographic keys, and the Base64 API (`android.util.Base64`) for encoding keys.

### **AndroidX Libraries**

The project makes use of AndroidX libraries to ensure the backward compatibility of our apps with older Android versions. This is especially relevant since the apps are based on Android 15, a relatively new Android version. We use AppCompat (`androidx.appcompat`) for backward-compatible UI elements, and all Activities extend `AppCompatActivity` to ensure our apps behave consistently and as intended across different Android API levels, especially the older ones.

## **4.3. Vulnerabilities Selection Process**

At the time of writing, there are 117 vulnerabilities documented by OWASP MASWE, with two of them classified as deprecated [23].

Of these 115 viable vulnerabilities, we decided to focus on those that have received little to no coverage in existing MASTG reference apps. Another approach would have been

to add more variations of vulnerability types already covered by other apps. This can add value to the existing reference app dataset as well, but only if these variations differ sufficiently from existing implementations. By focusing on vulnerabilities with little to no previous coverage, we can ensure that the vulnerabilities implemented in our apps are unique. This way, they add to both the educational value of the MASTG reference apps and the usefulness of the reference apps for benchmarking mobile application security analysis tools.

We decided to work on one category at a time. It appeared sensible for both educational and tool testing reasons to focus on having a few categories covered completely. The alternative would have been to touch on many categories, but only to a limited extent. It is important to keep in mind that we design the MASVS categories to be separate apps that can be run, analyzed, and tested as independent units. Because of this, it makes sense to have a few apps entailing an implementation for each of the app specific vulnerabilities instead of many apps that individually provide little value.

In terms of which categories to start with, we decided to first focus on MASVS-STORAGE. With only six storage vulnerabilities described by OWASP, it has the smallest number of vulnerabilities to implement, making it a good starting place. MASVS-STORAGE exclusively deals with Android-native features. This creates a useful environment for becoming more familiar with the Android ecosystem and its functionalities.

Afterwards, we shift our focus to the categories that best fit our system architecture and existing implementations, which have a large number of vulnerabilities with little to no prior coverage by other apps. Because of these criteria, we decided to implement MASVS-CRYPTO next, as it fits nicely into our template approach without needing many adjustments to the code of our project. The category has the second largest number of vulnerability types without implementations, with only 4 of 19 possible MASVS-CRYPTO vulnerabilities having received previous coverage. Furthermore, cryptographic vulnerabilities were discussed by multiple papers [30, 34] included in our literature review Section 2.2 as points of concern and focus.

## 5. Implementation

This chapter describes the concrete technical implementations of the selected MASWE vulnerability types. For each implementation, only code excerpts and architectural ideas relevant to the vulnerability are discussed instead of showing and going over the complete source code. Code that is not of relevance to the vulnerability is omitted and indicated as such. The complete source code is available on our GitHub repository [51]. The chapter is structured according to the MASVS categories, and the vulnerabilities are sorted in the same way as done by OWASP MASWE.

### 5.1. MASVS-STORAGE

#### 5.1.1. MASWE-0001

| Name                  | Insertion of Sensitive Data into Logs |
|-----------------------|---------------------------------------|
| Key Topics            | App Logs, System Logs                 |
| Key Components        | <code>RegisterActivity.java</code>    |
| Programming Languages | Java                                  |

Table 5.1.: Overview of our MASWE-0001 implementation.

To implement this vulnerability, we made use of the `onRegister` hook to call two methods whenever a new user registers. The first method writes the user credentials to system logs, while the second writes them to app logs, as shown in Listing 5.1.

```
1 @Override
2 protected void onRegister(String email, String password) {
3     userDataToSystemLogs(email, password);
4     userDataToAppLogs(email, password);
5 }
```

Algorithm 5.1: User registration hook invoking logging of sensitive credentials.

```

1 private void userDataToSystemLogs(String email, String password){
2     Log.d(LOG_TAG, "New User registered");
3     Log.d(LOG_TAG, "User E-Mail: " + email);
4     Log.d(LOG_TAG, "User Password: " + password);
5 }

```

Algorithm 5.2: Writing user credentials to system logs using logcat.

For system logs, we make use of the command-line tool `Logcat`, as shown in Listing 5.2. Listing 5.3 shows the second method. It takes the user credentials and writes them to the app's internal file system, which is part of its app logs.

```

1 private void userDataToAppLogs(String email, String password){
2     try {
3         File logFile = new File(getFilesDir(), CREDENTIALS_FILE_NAME + ".txt");
4         FileWriter writer = new FileWriter(logFile, true);
5         writer.append("Login - Username: ")
6             .append(email)
7             .append(", Password: ")
8             .append(password)
9             .append("\n");
10        writer.close();
11        Log.d(LOG_TAG, "Logged credentials to app logs");
12    } catch (IOException e) {
13        Log.e(LOG_TAG, "Error writing to log file: " + e.getMessage());
14    }
15 }

```

Algorithm 5.3: Writing user credentials to application log files.

### 5.1.2. MASWE-0002

| Name                  | Sensitive Data Stored With Insufficient Access Restrictions in Internal Locations |
|-----------------------|-----------------------------------------------------------------------------------|
| Key Topics            | FileProvider, File Permissions                                                    |
| Key Components        | AndroidManifest.xml,<br>RegisterActivity.java                                     |
| Programming Languages | Java, XML                                                                         |

Table 5.2.: Overview of our MASWE-0002 implementation.



The challenge of implementing this vulnerability stemmed from the fact that global file permissions have not been allowed by Android since Android 7.0 (API 24) [52]. For example, attempting to set the permissions of any file to world-writable or readable, as shown in Listing 5.4, will cause built-in Android security checks to throw a `SecurityException`.

```

1  SharedPreferences sharedPreferences =
    getSharedPreferences("maswe_0002_user_credentials",
2  Context.MODE_WORLD_READABLE | Context.MODE_WORLD_WRITEABLE);

```

Algorithm 5.4: Attempting to set permissions of a file to world read and writable.

To still implement this vulnerability, we made use of a custom `FileProvider`. This `FileProvider` attempts to share access to the file containing user credentials with anybody, without checking their permissions to do so. The relevant code for this is shown in Listing 5.5.

```

1  <provider
2      android:name="androidx.core.content.FileProvider"
3      android:authorities="com.dkronig.masvs_storage.CustomFileProvider"
4      android:exported="false"
5      android:grantUriPermissions="true"
6      android:permission="" >
7      <meta-data
8          android:name="android.support.FILE_PROVIDER_PATHS"
9          android:resource="@xml/file_paths" />
10 </provider>

```

Algorithm 5.5: Custom `FileProvider` that grants `Uri` permissions without checking access permissions.

This `FileProvider` is called every time a new user registers by hooking into the `onRegister` method. We first create a new `Uri` for accessing the file storing the user credentials. It then creates a new `Intent` for sharing, attaches the file in plaintext, and prompts the user to share it with any app of their choosing. The calling of the `FileProvider` is shown in Listing 5.6.

This approach is less dangerous than setting file permissions directly, as it makes the user aware of the issue by directly prompting them to share the file. A breach of sensitive user data can only occur if the user chooses to share the credentials with third parties. We decided to settle on this approach since it did not appear feasible to implement this vulnerability more directly on new Android versions.

```

1  @Override
2  protected void onRegister(String email, String password) {
3      Uri uri = FileProvider.getUriForFile(
4          this,
5          this.getPackageName() + ".CustomFileProvider",
6          new File(this.getFilesDir(), "maswe_0002_user_credentials.txt"));
7
8      Intent share = new Intent(Intent.ACTION_SEND);
9      share.setType("text/plain");
10     share.putExtra(Intent.EXTRA_STREAM, uri);
11     share.addFlags(Intent.FLAG_GRANT_READ_URI_PERMISSION);
12     startActivity(Intent.createChooser(share, "Share file via"));
13 }

```

Algorithm 5.6: Prompting the user to share a plaintext file containing user credentials.

### 5.1.3. MASWE-0003

| Name                  | Backup Unencrypted                               |
|-----------------------|--------------------------------------------------|
| Key Topics            | Backup Device Conditions and Backup Device Flags |
| Key Components        | backup_rules.xml                                 |
| Programming Languages | XML                                              |

Table 5.3.: Overview of our MASWE-0003 implementation.

Android does not enforce any encryption of backups made by Android applications. Instead, it checks whether the backup is encrypted and only proceeds with the backup process if this is the case. To counter this and implement the vulnerability, we specifically set the flag shown in Listing 5.7 to false. This ensures that Android does not hinder the backup from happening, allowing us to back up sensitive user data in plaintext. Part of the backup is the entire `SharedPreferences` directory, which includes `maswe_0003_user_credentials.xml`. This file contains the login credentials of everybody that used the `RegisterActivity.java` of this vulnerability.

```

1  <cloud-backup disableIfNoEncryptionCapabilities="false">
2      <include domain="sharedpref" path="."/>
3  </cloud-backup>

```

Algorithm 5.7: Backup rules for maswe\_0003.

We further ensured that client side encryption of the backup is not enforced by excluding the flag `<... requireFlags="clientSideEncryption"/>` for each include statement. This is done for both the cloud backup and device-to-device transfer.

#### 5.1.4. MASWE-0004

| Name                  | Sensitive Data Not Excluded From Backup |
|-----------------------|-----------------------------------------|
| Key Topics            | Cloud Backup Flags, Device-Transfer     |
| Key Components        | <code>backup_rules.xml</code>           |
| Programming Languages | XML                                     |

Table 5.4.: Overview of our MASWE-0004 implementation.

To ensure that user credentials are included in the backup, we explicitly include every `SharedPreferences` file in which the user credentials are stored by all our apps by default. This includes the file `maswe_0004_user_credentials.xml`, which includes the user credentials of this vulnerability. We do this for both the cloud backup, as shown in Listing 5.8, and for device-to-device transfer, as shown in Listing 5.9.

```

1 <cloud-backup disableIfNoEncryptionCapabilities="false">
2     <include domain="sharedpref" path="."/>
3 </cloud-backup>

```

Algorithm 5.8: Cloud backup rules for maswe\_0004.

```

1 <device-transfer>
2     <include domain="sharedpref" path="."/>
3 </device-transfer>

```

Algorithm 5.9: Device-to-device transfer rules for maswe\_0004.

### 5.1.5. MASWE-0006

| Name                  | Sensitive Data Stored Unencrypted in Private Storage Locations                                   |
|-----------------------|--------------------------------------------------------------------------------------------------|
| Key Topics            | Hard-coded Encryption Key, Broken Outdated Encryption (DES), Encryption Key Stored on Filesystem |
| Key Components        | <code>EncryptionHandler.java</code>                                                              |
| Programming Languages | Java                                                                                             |

Table 5.5.: Overview of our MASWE-0006 implementation.

For this vulnerability, we used a hard-coded key that is stored in the same file where it is used. This is used in combination with DES (Data Encryption Standard), which is considered a broken and outdated encryption algorithm. This is shown in Listing 5.10. We then use this weak encryption on user credentials upon registration and save this sensitive data in `SharedPreferences`, as shown in Listing 5.11.

```

1 public class EncryptionHandler {
2     private static final String ENCRYPTION_KEY = "EncryptK";
3     private static final String ALGORITHM = "DES/ECB/PKCS5Padding";
4     private static final String KEY_ALGORITHM = "DES";
5
6     // ... omitted ...
7 }

```

Algorithm 5.10: Setting up hard-coded encryption key and DES for cryptographic operations.

```

1 public String encryptData(String plaintext) throws Exception {
2     SecretKeySpec keySpec = createKeySpec();
3     Cipher cipher = Cipher.getInstance(ALGORITHM);
4     cipher.init(Cipher.ENCRYPT_MODE, keySpec);
5
6     // ... omitted ...
7 }

```

Algorithm 5.11: Using DES and a hard-coded encryption key for weak encryption.

**5.1.6. MASWE-0007**

|                       |                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------|
| Name                  | Sensitive Data Stored Unencrypted in Shared Storage Requiring No User Interaction |
| Key Topics            | MediaStore, Unencrypted User Data, External Storage                               |
| Key Components        | RegisterActivity.java                                                             |
| Programming Languages | Java                                                                              |

Table 5.6.: Overview of our MASWE-0007 implementation.

Writing to shared storage without user interaction has become increasingly difficult in newer Android versions. However, it is still possible to do so using `MediaStore`. `MediaStore` files are not part of the sandboxed app environment and are visible to all other apps on the device. If the reading permissions are not set properly, other apps are furthermore able to read the `MediaStore` files without restrictions.

To implement this vulnerability, we first create a new `MediaStore` entry to store future user credentials in, as shown in Listing 5.12. We then write user credentials to this entry whenever a new user registers.

```

1 private void createMediaStoreEntry(){
2     ContentValues values = new ContentValues();
3     values.put(MediaStore.MediaColumns.DISPLAY_NAME, FILENAME);
4     values.put(MediaStore.MediaColumns.MIME_TYPE, "text/plain");
5     values.put(MediaStore.MediaColumns.RELATIVE_PATH,
6         Environment.DIRECTORY_DOCUMENTS);
7
8     fileUri = getContentResolver().insert(MediaStore.Files.
9         getContentUri("external"), values);
10 }
11 private void writeToSharedStorage(String content) {
12     try (OutputStream out = getContentResolver().openOutputStream(fileUri)) {
13         assert out != null;
14         out.write(content.getBytes());
15         out.flush();
16     } catch (IOException e) {
17         e.printStackTrace();
18     }
19 }

```

Algorithm 5.12: Creating a `MediaStore` entry and writing user credentials to it.

## 5.2. MASVS-CRYPTO

### 5.2.1. MASWE-0009

| Name                  | Improper Cryptographic Key Generation                            |
|-----------------------|------------------------------------------------------------------|
| Key Topics            | Insufficient Entropy, Insufficient Key length, Broken Encryption |
| Key Components        | EncryptionHandler.java                                           |
| Programming Languages | Java                                                             |

Table 5.7.: Overview of our MASWE-0009 implementation.

We implemented this vulnerability in three different ways. Generating the cryptographic key used for encryption and decryption of user credentials is done using pseudo-random numbers with very little randomness. The cryptographic key generated is of insufficient length and is furthermore used with an encryption algorithm considered broken.

For generating our encryption key, we used a custom source of randomness. This is shown in Listing 5.13. For creating the source of randomness, we used a very predictable seed that is hard-coded into the `EncryptionHandler.java` file, which manages the entire encryption process. For generating pseudo-random numbers from this seed, we then use `SHA1PRNG`, which is extremely outdated.

```

1 private static final String ALGORITHM_PRNG = "SHA1PRNG";
2 private static final String KEY_SEED = "01234567";
3 private static final int DES_KEY_SIZE = 56;
4
5 private static SecretKey generateKey() throws Exception {
6     byte[] keySeed = KEY_SEED.getBytes(StandardCharsets.UTF_8);
7
8     SecureRandom random = SecureRandom.getInstance(ALGORITHM_PRNG);
9     random.setSeed(keySeed);
10
11     KeyGenerator keyGenerator = KeyGenerator.getInstance(ALGORITHM_DES);
12     keyGenerator.init(DES_KEY_SIZE, random);
13
14     return keyGenerator.generateKey();
15 }

```

Algorithm 5.13: Generating a DES key of short length using a weak pseudo-random number source and a hard-coded seed.

This predictable source of pseudo-random numbers is then used to generate our cryptographic key, as shown in the same Listing 5.13. For the cryptographic algorithm, we chose DES (Data Encryption Standard), which is an old and broken cryptographic algorithm. Broken here means that the encryption created by DES can be cracked by modern devices, rendering it obsolete. In addition to this, the DES key length is set to 56 bits. This, together with our insufficiently random source of pseudo-random numbers, poses a great threat to the functionality of the encryption used here, even if a modern cryptographic algorithm had been chosen in place of DES.

### 5.2.2. MASWE-0010

| Name                  | Improper Cryptographic Key Derivation            |
|-----------------------|--------------------------------------------------|
| Key Topics            | PBKDF2, AES, Insufficient Salting and Iterations |
| Key Components        | <code>EncryptionHandler.java</code>              |
| Programming Languages | Java                                             |

Table 5.8.: Overview of our MASWE-0010 implementation.

For this vulnerability, we decided to use Password-Based Key Derivation Function 2 (PBKDF2) to derive an Advanced Encryption Standard (AES) key, which is then used for encrypting and decrypting user credentials of the app. Both PBKDF2 and AES are considered secure if used properly. Since this vulnerability is about improper derivation of the cryptographic key, we focused on making the derivation process as exploitable and vulnerable as possible.

The idea behind PBKDF2 is to repeatedly hash a password into a strong cryptographic key. Adding a salt, which is a random and unique value added to the initial password, and repeating the hash process for a large number of iterations are required to make PBKDF2 cryptographically secure. For our PBKDF2 key derivation, we used a combination of vulnerable parameters, as shown in Listing 5.14. We use only 10 hashing iterations, whereas the recommended number of iterations for secure usage in 2025 is 300,000 or more. For the salt, we use a hard-coded, static 16 byte array of 0's, making the salting process useless. Combining this with the use of a weak, hard-coded password for the hashing process means that the PBKDF2 key derivation implemented here is completely insecure, making the AES key used for encrypting user credentials easily retrievable by any attacker.

```

1 private static final int ENCRYPTION_ITERATIONS = 10;
2 private static final int KEY_LENGTH = 128;
3 private static final byte[] SALT = new byte[16];
4 private static SecretKey secretKey;
5 private static final String PASSWORD_FOR_KEY_DERIVATION = "password";
6
7 private static SecretKey generateKey() throws Exception {
8     PBEKeySpec secretKeySpec = new PBEKeySpec(
9         PASSWORD_FOR_KEY_DERIVATION.toCharArray(),
10        SALT,
11        ENCRYPTION_ITERATIONS,
12        KEY_LENGTH);
13
14    SecretKeyFactory secretKeyFactory =
15        SecretKeyFactory.getInstance("PBKDF2WithHmacSHA256");
16
17    byte[] keyBytes =
18        secretKeyFactory.generateSecret(secretKeySpec).getEncoded();
19    SecretKey secretKey = new SecretKeySpec(keyBytes, "AES");
20
21    return secretKey;
22 }

```

Algorithm 5.14: Derivation of an AES key using PBKDF2.

### 5.2.3. MASWE-0011

| Name                  | Cryptographic Key Rotation Not Implemented     |
|-----------------------|------------------------------------------------|
| Key Topics            | Long-lived key, BKS (Deprecated Keystore), RSA |
| Key Components        | EncryptionHandler.java                         |
| Programming Languages | Java                                           |

Table 5.9.: Overview of our MASWE-0011 implementation.

This vulnerability is not about adding an insecure feature but instead leaving a security feature (key rotation) out. To make the vulnerability more interesting, we added some additional security flaws to the implementation. The relevant code is shown in Listing 5.15. We use Rivest-Shamir-Adleman (RSA) for encrypting and decrypting user data. Because there is no key rotation, the RSA key will never become invalid and will not be replaced by a new and secure one. This means that if it ever falls into the hands of attackers, they could decrypt user data at will for an indefinite amount of time.



The additional security flaws consist of using the deprecated Bouncy Castle Keystore (BKS) to store our RSA key. The issues of using BKS for storing and managing our key are discussed at great length in the vulnerability implementation 5.2.6, which is about deprecated keystores. In short; our implementation of BKS allows attackers to retrieve the private RSA key, which turns the theoretical security concern that the missing key rotation poses into a practical and detrimental security problem.

```
1 private static final String RSA_KEY_ALIAS = "maswe_0011_rsa_key";
2 private static final String KEYSTORE_FILE = "maswe_0011_keystore.bks";
3 private static final String KEYSTORE_PASSWORD = "Xk9$wR2!dF7pLq4Z";
4 private static final String KEY_PASSWORD = "S7v!Tz8#uK2qRj5M";
5 private static final String CIPHER_TRANSFORMATION = "RSA/ECB/PKCS1Padding";
6
7 public String encryptData(String plaintext) throws Exception {
8     Cipher cipher = Cipher.getInstance(CIPHER_TRANSFORMATION, "BC");
9     cipher.init(Cipher.ENCRYPT_MODE, getPublicKey());
10
11     byte[] encrypted = cipher.doFinal(plaintext
12         .getBytes(StandardCharsets.UTF_8));
13     return Base64.encodeToString(encrypted, Base64.NO_WRAP);
14 }
15
16 private static PublicKey getPublicKey() throws Exception {
17     if (keyStore == null) throw new IllegalStateException("Keystore not
18         loaded");
19     return keyStore.getCertificate(RSA_KEY_ALIAS).getPublicKey();
20 }
```

Algorithm 5.15: Using BKS for RSA encryption with no key rotation.

### 5.2.4. MASWE-0012

| Name                  | Insecure or Wrong Usage of Cryptographic Key                 |
|-----------------------|--------------------------------------------------------------|
| Key Topics            | Overloaded Cryptographic Key, Broken Cryptographic Algorithm |
| Key Components        | <code>EncryptionHandler.java</code>                          |
| Programming Languages | Java                                                         |

Table 5.10.: Overview of our MASWE-0012 implementation.

We implemented this vulnerability by using the same cryptographic key for multiple different purposes. These include the encryption and decryption of user credentials, as well as signing and verifying messages. RSA was chosen as the cryptographic algorithm because it relies on a long-lived key that typically remains valid and in use for an extended duration. This makes it even worse if our overloaded key is compromised.

As shown in Listing 5.16, we ensured that only RSA is used for message digests involved in the signing and verification process of signatures. Furthermore, RSA with Public-Key Cryptography Standards #1 (PKCS#1) v1.5 padding is used for encrypting and decrypting data. This makes the encryption vulnerable to oracle attacks, such as the Bleichenbacher attack [53]. If this key were to fall into an attacker’s hands, the attacker would be able to decrypt all existing user credentials and otherwise encrypted data. The attacker could furthermore forge message signatures and feed malicious data to the app.

```

1 private static void createAndStoreKey() throws Exception {
2     // ... omitted ...
3     KeyGenParameterSpec spec = new KeyGenParameterSpec.Builder(RSA_KEY_ALIAS,
4         KeyProperties.PURPOSE_SIGN |
5         KeyProperties.PURPOSE_VERIFY |
6         KeyProperties.PURPOSE_ENCRYPT |
7         KeyProperties.PURPOSE_DECRYPT)
8         .setDigests(KeyProperties.DIGEST_SHA1)
9         .setSignaturePaddings(KeyProperties.SIGNATURE_PADDING_RSA_PKCS1)
10        .setEncryptionPaddings(KeyProperties.ENCRYPTION_PADDING_RSA_PKCS1)
11        .setKeySize(2048)
12        .build();
13    // ... omitted ...
14 }

```

Algorithm 5.16: Creating an RSA key with multiple functionalities.

### 5.2.5. MASWE-0014

| Name                  | Cryptographic Keys Not Properly Protected at Rest  |
|-----------------------|----------------------------------------------------|
| Key Topics            | Lack of Encryption, <code>SharedPreferences</code> |
| Key Components        | <code>EncryptionHandler.java</code>                |
| Programming Languages | Java                                               |

Table 5.11.: Overview of our MASWE-0014 implementation.

For this vulnerability, we chose to use a modern and safe cryptographic algorithm, but we stored its key and initialization vector (IV) completely unencrypted in the device's `SharedPreferences`. This means that any attacker who has access to the device's files can retrieve the cryptographic key, making it completely unprotected at rest. Once the key has been retrieved, the encryptions made using it become obsolete. The relevant code for this is shown in Listing 5.17.

```

1  private static void storeKeyAndIV(Context context, String encodedKey, String
    encodedIV){
2      sharedPreferences = context
3          .getApplicationContext()
4          .getSharedPreferences(KEY_ALIAS, Context.MODE_PRIVATE);
5      SharedPreferences.Editor editor = sharedPreferences.edit();
6
7      editor.putString(ENCRYPTION_KEY, encodedKey);
8      editor.putString(IV, encodedIV);
9      editor.apply();
10 }

```

Algorithm 5.17: Storing cryptographic key and initialization vector unencrypted in `SharedPreferences`.

### 5.2.6. MASWE-0015

| Name                  | Deprecated Android KeyStore Implementations                                   |
|-----------------------|-------------------------------------------------------------------------------|
| Key Topics            | Bouncy Castle Keystore (BKS), Bouncy Castle Provider (BC), Filebased Keystore |
| Key Components        | <code>EncryptionHandler.java</code>                                           |
| Programming Languages | Java                                                                          |

Table 5.12.: Overview of our MASWE-0015 implementation.

Our implementation of this vulnerability makes use of the BKS and the Bouncy Castle Provider (BC) for storing and managing the RSA key used for encrypting user credentials. The relevant code for this is shown in Listing 5.18.

```

1  static {
2      if (Security.getProvider("BC") == null) {
3          Security.addProvider(new BouncyCastleProvider());
4      }
5  }
6
7  public static void loadBksKeystore(Context context) throws Exception {
8      if(keyStore != null){
9          return;
10     }
11
12     keyStore = KeyStore.getInstance("BKS", "BC");
13
14     try(InputStream inputStream = context.getAssets().open(KEYSTORE_FILE)) {
15         keyStore.load(inputStream, KEYSTORE_PASSWORD.toCharArray());
16     }
17 }

```

Algorithm 5.18: Loading BC and using BKS for managing cryptographic keys.

Android considers BKS to be a deprecated keystore. A significant issue with BKS is that it is a file-based keystore, meaning that the keystore stores the keys in the `maswe_0015_keystore.bks` file, which is bundled with the APK and is easily extractable. Because of this, any attacker that downloads the app has a copy of the keystore.

The second part of this vulnerability consists of having both the keystore and the private key password hard-coded into the `EncryptionHandler.java` file, as shown in Listing 5.19. This means that an attacker who decompiles the APK has access to the

file containing the private RSA encryption key used for encrypting user credentials, the password `KEYSTORE_PASSWORD` needed for opening the keystore file, as well as the `KEY_PASSWORD` needed for extracting the private RSA key. This makes it extremely easy for an attacker to gain access to decrypted user credentials.

```

1 public class EncryptionHandler {
2     private static final String RSA_KEY_ALIAS = "maswe_0015_rsa_key";
3     private static final String SIGNING_ALGORITHM = "SHA1withRSA";
4     private static final String CIPHER_TRANSFORMATION = "RSA/ECB/PKCS1Padding";
5     private static final String KEYSTORE_FILE = "maswe_0015_keystore.bks";
6     private static final String KEYSTORE_PASSWORD = "Xk9$wR2!dF7pLq4Z";
7     private static final String KEY_PASSWORD = "S7v!Tz8#uK2qRj5M";
8
9     // ... omitted ...
10 }

```

Algorithm 5.19: Hard-coded passwords for the keystore and private key stored in keystore.

### 5.2.7. MASWE-0016

| Name                  | Unsafe Handling of Imported Cryptographic Keys                                             |
|-----------------------|--------------------------------------------------------------------------------------------|
| Key Topics            | Key Import From Untrusted Storage, <code>MediaStore</code> , Missing Key Sanitization, RSA |
| Key Components        | <code>EncryptionHandler.java</code>                                                        |
| Programming Languages | Java                                                                                       |

Table 5.13.: Overview of our MASWE-0016 implementation.

This implementation makes use of `MediaStore Environment.DIRECTORY_DOCUMENTS` to store and retrieve a public RSA key. The issue with exporting and importing our cryptographic key to and from `MediaStore` is that we did not add any access restrictions on the `MediaStore` entry containing the key. Because of this, other apps with the appropriate storage permissions have access to the keys placed here, enabling them to read, modify, or replace our public RSA key with a key of their own. There is, furthermore, a complete lack of identity and integrity checks conducted upon importing the key for use. If an attacking party were to replace the public RSA key with a malicious key of their own, it would be used for the future encryption of user credentials without

the app noticing. Any user credentials that are encrypted using the malicious public key can then be decrypted with the attacker's private key. The app itself will start to malfunction, as it is unable to properly decrypt and log in users with its now mismatched private key.

The complete lack of sanitization and checks for the key's integrity, identity, and signature is what makes this attack possible. The import function that completely neglects to safely handle the imported key is shown in Listing 5.20.

```

1 private static PublicKey importKey(Uri keyUri) throws Exception {
2     InputStream inputStream =
3         encryptionContext.getContentResolver().openInputStream(keyUri);
4     byte[] keyBytes = readAllBytes(inputStream);
5
6     X509EncodedKeySpec spec = new X509EncodedKeySpec(keyBytes);
7     return KeyFactory.getInstance("RSA").generatePublic(spec);
8 }

```

Algorithm 5.20: Importing a public RSA key from untrusted storage without sanitization.

### 5.2.8. MASWE-0017

| Name                  | Cryptographic Keys Not Properly Protected on Export                               |
|-----------------------|-----------------------------------------------------------------------------------|
| Key Topics            | No Key-Wrapping, Key Import From Untrusted Storage, <code>MediaStore</code> , RSA |
| Key Components        | <code>EncryptionHandler.java</code>                                               |
| Programming Languages | Java                                                                              |

Table 5.14.: Overview of our MASWE-0017 implementation.

This vulnerability is the counterpart to the vulnerability discussed in the previous subsection 5.2.7. Instead of improperly importing a public RSA key from the `MediaStore Environment.DIRECTORY_DOCUMENTS`, which is an untrusted storage location that other apps can have access to, we are now improperly exporting a public RSA key to it.

The public RSA key is exported in its raw format, as shown in Listing 5.21. By implementing no key wrapping or integrity protection when exporting the key and not verifying any signatures or authenticity when importing it, we allow attackers to replace

the public key with a malicious one of their own. This allows them to decrypt any user data that they manage to gather, which poses a huge security liability.

```

1 private PublicKey generateAndStorePublicKey() throws Exception {
2     PublicKey publicKey = getKeystorePublicKey();
3     byte[] keyBytes = publicKey.getEncoded();
4
5     ContentValues values = new ContentValues();
6     values.put(MediaStore.MediaColumns.DISPLAY_NAME, PUBLIC_KEY_FILENAME);
7     values.put(MediaStore.MediaColumns.MIME_TYPE, "application/octet-stream");
8     values.put(MediaStore.MediaColumns.RELATIVE_PATH,
9         Environment.DIRECTORY_DOCUMENTS);
10
11     Uri uri = encryptionContext.getContentResolver().insert(
12         MediaStore.Files.getContentUri("external"), values);
13
14     OutputStream outputStream =
15         encryptionContext.getContentResolver().openOutputStream(uri);
16     outputStream.write(keyBytes);
17     outputStream.close();
18
19     return publicKey;
20 }

```

Algorithm 5.21: Exporting a public RSA key to untrusted storage without protecting it.

### 5.2.9. MASWE-0018

| Name                  | Cryptographic Keys Access Not Restricted                                                                          |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|
| Key Topics            | RSA, Key Accessible by Background Process, Key Accessible by Locked Device, Key Accessible Without Authentication |
| Key Components        | EncryptionHandler.java                                                                                            |
| Programming Languages | Java                                                                                                              |

Table 5.15.: Overview of our MASWE-0018 implementation.

This vulnerability was challenging to implement due to Android security features that cannot be overridden. An intuitive way to go about this is to remove any access-restricting settings in the key generation parameters, as shown in Listing 5.22.

The issue is that this does not add a real security vulnerability to the app. Allowing access to the key with the device locked does not create any issues; Android 7.0 intro-

duced the concept of File-Based Encryption (FBE), which partitions the device's storage into data that is available before and after booting. App data is, by default, stored in the partition that remains inaccessible until the device is fully unlocked. Because of this, an attacker cannot access any of the app's data, even if the key itself does not require the device to be unlocked to function. The authentication flag set to false runs into similar issues. It could pose a threat if the device were stolen while being unlocked. But in this case, the flag becomes redundant, as the thief would have access to the app, its data, and thus also the key, regardless of the flag. Disabling StrongBox does not create a real vulnerability, since StrongBox only adds an additional layer of physical security that is not necessary for the data storage to be considered secure.

```

1 private static void createAndStoreKeyPair() throws Exception{
2     // ... omitted ...
3
4     KeyGenParameterSpec spec = new KeyGenParameterSpec
5         // ... omitted ...
6         .setUserAuthenticationRequired(false)
7         .setUnlockedDeviceRequired(false)
8         .setIsStrongBoxBacked(false)
9         .setUserAuthenticationValidWhileOnBody(true)
10        .build();
11
12    keyPairGenerator.initialize(spec);
13    keyPairGenerator.generateKeyPair();
14 }

```

Algorithm 5.22: Removing any access-restricting settings from key generation parameters.

One way to make this vulnerability a real threat is to move the app's data to the storage partition available before booting the device. This way, the key is usable, and the user data is accessible even before the device is unlocked. A code example of this is shown in Listing 5.23. This, together with the unlocked device and user authenticated flags both set to false, could allow an attacker to use the app's cryptographic key, as well as its encryption and decryption methods on the app's data, all without the app being unlocked.

```

1 Context deContext = context.createDeviceProtectedStorageContext();
2 SharedPreferences dePrefs = deContext.getSharedPreferences("secrets",
3     MODE_PRIVATE);
4 dePrefs.edit().putString("encrypted_password", encryptedData).apply();

```

Algorithm 5.23: Storing encrypted user data in Device Encrypted (DE) storage.



**5.2.10. MASWE-0019**

| Name                  | Risky Cryptography Implementations                                                    |
|-----------------------|---------------------------------------------------------------------------------------|
| Key Topics            | Non-Cryptographic Functions, XOR Encryption, Use of Low-Level Mathematical Operations |
| Key Components        | <code>EncryptionHandler.java</code>                                                   |
| Programming Languages | Java                                                                                  |

Table 5.16.: Overview of our MASWE-0019 implementation.

This vulnerability has been implemented using low-level mathematical operations for the encryption and decryption of user credentials instead of proper cryptographic operations.

We used a circular bit-shifting approach for encrypting and decrypting data, as shown in Listing 5.24. For encryption, the string to be encrypted is converted into bytes. After shifting all bytes to the left by 2 bytes, any bytes that are shifted out are added back onto the right end. Afterward, the bytes are converted back to string format. The same operation, in reverse, is used for decryption.

An attacker will quickly spot the extremely weak vulnerability used here upon decompiling the app’s APK. They can decrypt any user credentials by applying the decryption operation found in the code to the user credentials stored in `SharedPreferences`.

```

1 public String encryptData(String plaintext) throws Exception {
2     byte[] textBytes = plaintext.getBytes();
3
4     for(int i = 0; i < textBytes.length; i++){
5         textBytes[i] = (byte)((textBytes[i] << 2)
6                               | ((textBytes[i] & 0xFF) >>> (6)));
7     }
8
9     return Base64.encodeToString(textBytes, Base64.DEFAULT);
10 }
```

Algorithm 5.24: Circular byte-shifting for low-level encryption of user data.

### 5.2.11. MASWE-0020

| Name                  | Improper Encryption                           |
|-----------------------|-----------------------------------------------|
| Key Topics            | Non-Cryptographic Operations, Base64 Encoding |
| Key Components        | EncryptionHandler.java                        |
| Programming Languages | Java                                          |

Table 5.17.: Overview of our MASWE-0020 implementation.

We decided to use plain **Base64** string encoding for our implementation of improper encryption, as shown in Listing 5.25. The idea is to convert the plaintext string to bytes, which are then converted back to string format using **Base64** encoding. For decryption, this process is simply reversed. An attacker will see the weak encryption used here upon decompiling the APK, and be able to decrypt any user credentials that are stored in the **SharedPreferences** file `maswe_0020_user_credentials.xml` with ease.

```

1 public String encryptData(String plaintext) throws Exception {
2     return Base64.encodeToString(plaintext.getBytes(), Base64.DEFAULT);
3 }
4
5 public String decryptData(String encrypted) throws Exception {
6     return new String(Base64.decode(encrypted, Base64.DEFAULT));
7 }

```

Algorithm 5.25: Base64 for encrypting and decrypting user credentials.

### 5.2.12. MASWE-0021

| Name                  | Improper Hashing                      |
|-----------------------|---------------------------------------|
| Key Topics            | SHA-1, Broken Cryptographic Algorithm |
| Key Components        | EncryptionHandler.java                |
| Programming Languages | Java                                  |

Table 5.18.: Overview of our MASWE-0021 implementation.

To implement this vulnerability, we used the Secure Hash Algorithm 1 (SHA-1) to hash user credentials for user registration and login. The concrete implementation is shown

in Listing 5.26. The idea is to hash the user’s password upon registration using SHA-1, then hash the attempted password during login again using SHA-1 and compare it to the existing password hashes. If there is a match of both the email and the hashed password, the user login is successful.

The vulnerability stems from the fact that SHA-1 is considered cryptographically broken, since collision attacks are practical. Google demonstrated this with the SHAttered project [54] in 2017. SHA-1 is optimized for speed, which makes brute-force attacks extremely fast.

```

1  public String hashData(String plaintext) throws Exception {
2      MessageDigest digestAlgorithm = MessageDigest.getInstance("SHA-1");
3
4      byte[] messageDigest = digestAlgorithm
5          .digest(plaintext.getBytes(StandardCharsets.UTF_8));
6
7      BigInteger hashInt = new BigInteger(1, messageDigest);
8
9      StringBuilder hashText = new StringBuilder(hashInt.toString(16));
10
11     while (hashText.length() < 40) {
12         hashText.insert(0, "0");
13     }
14
15     return hashText.toString();
16 }

```

Algorithm 5.26: SHA-1 hashing for user credentials.

### 5.2.13. MASWE-0022

| Name                  | Predictable Initialization Vectors (IVs) |
|-----------------------|------------------------------------------|
| Key Topics            | Hard-coded IVs, AES in CBC Mode          |
| Key Components        | <code>EncryptionHandler.java</code>      |
| Programming Languages | Java                                     |

Table 5.19.: Overview of our MASWE-0022 implementation.

IVs are meant to be random starting values used in the encryption process to ensure that two identical plaintexts still result in different ciphertexts. Since the point of this vulnerability is having predictable IVs, we decided to implement it by using a hard-

coded, static IV, which breaks the layer of security added by it. The relevant parts of code are shown in 5.27.

To make this vulnerability exploitable, we used the IV for encryption with AES in Cipher Block Chaining (CBC) [55] mode. Because we reuse the same hard-coded IV for all AES encryptions, the encryption becomes deterministic. If an attacker gains access to the `SharedPreferences` file containing the encrypted user passwords, they can use pattern analysis to determine how often each password is used. Furthermore, the deterministic nature of the encryption means that an attacker can identify which users have the same passwords. This is because deterministic encryption causes identical plaintexts to result in the same ciphertext. This leakage of information can improve the efficiency of brute-force attempts to steal user credentials.

```

1 private static final String CIPHER_TRANSFORMATION = "AES/CBC/PKCS5PADDING";
2 private static byte[] iv = {47, -98, 3, 120, 14, -55, 89, 6, -12, 33, 9, -44,
   63, -1, 77, 22};
3
4 public String encryptData(String plaintext) throws Exception {
5     IvParameterSpec ivSpec = new IvParameterSpec(iv);
6
7     Cipher cipher = Cipher.getInstance(CIPHER_TRANSFORMATION);
8     cipher.init(Cipher.ENCRYPT_MODE, getKey(), ivSpec);
9     byte[] encryptedBytes =
        cipher.doFinal(plaintext.getBytes(StandardCharsets.UTF_8));
10
11     return Base64.encodeToString(encryptedBytes, Base64.DEFAULT);
12 }

```

Algorithm 5.27: AES in CBC mode with a static IV.

#### 5.2.14. MASWE-0023

| Name                  | Risky Padding                                                     |
|-----------------------|-------------------------------------------------------------------|
| Key Topics            | Padding Oracle Attacks, Manual Unpadding, PKCS#7, AES in CBC Mode |
| Key Components        | <code>EncryptionHandler.java</code>                               |
| Programming Languages | Java                                                              |

Table 5.20.: Overview of our MASWE-0023 implementation.

In subsection 5.2.4, we implemented risky padding by using PKCS#1 v1.5 padding, which is vulnerable to the Bleichenbacher attack. We wanted to implement this vulnerability differently by using PKCS#7 padding. Since using AES in CBC mode with PKCS#7 padding is widely used and not broken in any way, we enable padding oracle attacks by manually unpadding the encrypted user data and providing detailed and varying error messages.

The relevant code for our implementation is shown in Listing 5.28. Instead of using a cipher mode for decryption that automatically removes padding, we implement our own custom unpadding process. This involves different checks, such as whether the padding length is valid or whether the padding values themselves are equal to the length of the padding. If any one of these checks fails, we throw a detailed error message. The encrypted user credentials are stored in a designated `SharedPreferences` file. If an attacker gains access to the file, they can alter the encrypted data, request the app to decrypt it, and monitor whether the padding is valid based on the response given. By repeating this process, starting from the second-to-last code block and working backward to the first, they can recalculate what the original message was.

```

1 public String decryptData(String encryptedData) throws Exception {
2     // ... omitted ...
3
4     Cipher cipher = Cipher.getInstance(CIPHER_TRANSFORMATION_DECRYPTION);
5     cipher.init(Cipher.DECRYPT_MODE, secretKey, ivSpec);
6
7     if(!checkEncryptedBytesLength(encryptedBytes)){
8         Log.e(TAG, "Invalid ciphertext format or length");
9         return null;
10    }
11
12    if(!checkPaddingLength(paddingLength)){
13        Log.e(TAG, "Invalid PKCS#7 padding length");
14        return null;
15    }
16
17    if(!checkPaddingValues(decryptedBytesWithPadding, paddingLength)){
18        Log.e(TAG, "Invalid PKCS#7 padding value");
19        return null;
20    }
21
22    // ... omitted ...
23 }

```

Algorithm 5.28: Manual unpadding of PKCS#7 with detailed error messages.

### 5.2.15. MASWE-0024

| Name                  | Improper Use of Message Authentication Code (MAC)                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Key Topics            | Non-Cryptographic Checksum, CRC-32, Missing Nonce Validation                                                                |
| Key Components        | <code>IntegrityVerifier.java</code> ,<br><code>ProfileActivity.java</code> ,<br><code>BankAccountManagerService.java</code> |
| Programming Languages | Java                                                                                                                        |

Table 5.21.: Overview of our MASWE-0024 implementation.

We implemented this vulnerability by using CRC-32 [56] to authenticate and validate bank commands sent to `BankAccountManagerService.java`, which functions as a bank account manager. Instead of a cryptographically secure Message Authentication Code (MAC), bank commands receive a CRC-32 checksum. The relevant code for this vulnerability implementation is shown in Listing 5.29.

The vulnerability stems from the fact that the CRC-32 algorithm is not intended for cryptographic use and has no security properties. CRC-32 is a public algorithm that anyone can use to generate valid checksums, which would then be valid MACs for our `BankAccountManagerService.java`. An attacker who intercepts and modifies a bank command would have no issue creating a new, valid MAC for this malicious bank command. Instead of intercepting and modifying a valid bank command, an attacker can just as easily forge malicious bank commands and equip them with valid MACs via CRC-32 checksum calculation. This poses a serious security threat.

```

1 private BankCommand createBankCommand(String command, int amountEuros) throws
   Exception {
2     BankCommand bankCommand = new BankCommand();
3     // ... omitted ...
4
5     String payload = buildSignaturePayload(bankCommand);
6     bankCommand.hmac = String.valueOf(IntegrityVerifier.crc32(payload));
7
8     return bankCommand;
9 }

```

Algorithm 5.29: Using CRC-32 checksum as MAC.

**5.2.16. MASWE-0025**

| Name                  | Improper Generation of Cryptographic Signatures    |
|-----------------------|----------------------------------------------------|
| Key Topics            | Weak Signature Algorithm, <code>SHA1withRSA</code> |
| Key Components        | <code>EncryptionHandler.java</code>                |
| Programming Languages | Java                                               |

Table 5.22.: Overview of our MASWE-0025 implementation.

We implemented this vulnerability by using the algorithm `SHA1withRSA` to create cryptographic signatures, as shown in Listing 5.30. The issue with this lies in the fact that SHA-1 is considered cryptographically broken and insecure for signatures, as explained in the previous subsection 5.2.12.

Using this hashing algorithm to create cryptographic signatures means that it is technically feasible for an attacker to construct a malicious message that generates the same valid hash as a real user message. This allows attackers to create fraudulent banking messages, resulting in fraudulent financial transactions that are authorized and executed by our app because of their valid signatures.

```

1 public static String sign(String message) throws Exception {
2     Signature signature = Signature.getInstance("SHA1withRSA");
3
4     signature.initSign(getPrivateKey());
5     signature.update(message.getBytes("UTF-8"));
6
7     byte[] signatureBytes = signature.sign();
8     return Base64.encodeToString(signatureBytes, Base64.NO_WRAP);
9 }

```

Algorithm 5.30: Creating cryptographic signatures using `SHA1withRSA`.

### 5.2.17. MASWE-0026

|                       |                                                              |
|-----------------------|--------------------------------------------------------------|
| Name                  | Improper Verification of Cryptographic Signature             |
| Key Topics            | Unverified Signature, Unverified Nonce, Unverified Timestamp |
| Key Components        | <code>EncryptionHandler.java</code>                          |
| Programming Languages | Java                                                         |

Table 5.23.: Overview of our MASWE-0026 implementation.

Our implementation of this vulnerability includes multiple ways in which a bank command message can be verified. This includes a nonce, a timestamp, and a Hash-based Message Authentication Code (HMAC). The code relevant for the implementation is shown in Listing 5.31.

```

1 private BankCommand createBankCommand(String command, int amountEuros) throws
   Exception {
2     BankCommand bankCommand = new BankCommand();
3     // ... omitted ...
4
5     bankCommand.timestamp = System.currentTimeMillis();
6     bankCommand.nonce = UUID.randomUUID().toString();
7
8     String payload = buildSignaturePayload(bankCommand);
9     bankCommand.signature = EncryptionHandler.sign(payload);
10
11     return bankCommand;
12 }

```

Algorithm 5.31: Creation of a bank command including a timestamp, a nonce and a cryptographic signature.

Our implementation then goes on to ignore all three of these unique message identifiers, and verifies any bank command as valid by returning true. The timestamp, nonce and cryptographic signature are not considered at all during this verification process, as shown in Listing 5.32.

We considered implementing a more complex and less obviously flawed verification of digital signatures. However, since any flawed verification methods of higher complexity would, once understood, boil down to giving a similarly flawed return, we decided to leave it at this and focus on other vulnerabilities.



```

1 public static boolean verify(BankCommand command) {
2     return true;
3 }

```

Algorithm 5.32: Verifying any passed banking command as true, regardless of its timestamp, nonce and signature.

### 5.2.18. MASWE-0027

| Name                  | Improper Random Number Generation     |
|-----------------------|---------------------------------------|
| Key Topics            | Risky Random APIs, Non-Random Sources |
| Key Components        | <code>EncryptionHandler.java</code>   |
| Programming Languages | Java                                  |

Table 5.24.: Overview of our MASWE-0027 implementation.

We made use of the `java.util.Random` API [57] to implement the vulnerability described by MASWE-0027. This API is not intended to be cryptographically secure. It uses a linearly congruential generator (LCG) to produce mathematically predictable random values. For this, it needs a starting seed, which we provide in the form of the system's current time in milliseconds. The code relevant for this is shown in Listing 5.33. This means that any attacker who knows the timespan during which the app was first installed can roughly guess what seed was used to create the random values. Of this estimated timespan, they only have to try 1,000 possible seeds per second. This makes finding the correct seed and the generated random values highly feasible.

Because we use these random values to generate the IV, and because we reuse this IV for AES in CBC mode, this poses a serious security threat. Reusing the same IV for AES in CBC mode makes the encryption deterministic. An attacker who reconstructs the generated random values used for the IV can analyze which ciphertexts stem from the same plaintext. This enables password frequency analysis, which can result in compromised user credentials.

```

1  import java.util.Random;
2
3  public class EncryptionHandler {
4      private static final String ENCRYPTION_ALGORITHM = "AES";
5      private static final String CIPHER_TRANSFORMATION = "AES/CBC/PKCS5PADDING";
6      // ... omitted ...
7
8      private static String createIV(){
9          byte[] iv = new byte[16];
10         Random javaRandom = new Random(System.currentTimeMillis());
11         javaRandom.nextBytes(iv);
12
13         String encodedIV = Base64.encodeToString(iv, Base64.DEFAULT);
14         return encodedIV;
15     }
16     // ... omitted ...
17 }

```

Algorithm 5.33: Using `java.util.Random` API and current system time for generating random values.

## 5.3. MASVS-PLATFORM

### 5.3.1. MASWE-0053

| Name                  | Sensitive Data Leaked via the User Interface                                                           |
|-----------------------|--------------------------------------------------------------------------------------------------------|
| Key Topics            | Missing Password Obfuscation, Password Autocomplete, Password Autocorrect, Password Saved to Clipboard |
| Key Components        | LoginActivity.java,<br>RegisterActivity.java                                                           |
| Programming Languages | Java                                                                                                   |

Table 5.25.: Overview of our MASWE-0053 implementation.

To introduce the risk of the users themselves leaking sensitive data, we removed any text obfuscation on input fields for user passwords both in `LoginActivity.java` and `RegisterActivity.java`. The code for this is shown in Listing 5.34. Additionally, we disabled all screenshot and screen recording protections.

By enabling copy and paste functionalities for the password field, any text that is copied or cut from the input field will be stored in the `Android Clipboard`. Data stored

```

1 private void removeObfuscation(){
2     EditText email_field = findViewById(R.id.et_email);
3     EditText password_field = findViewById(R.id.et_password);
4
5     password_field.setInputType(InputType.TYPE_CLASS_TEXT |
6         InputType.TYPE_TEXT_FLAG_AUTO_COMPLETE |
7         InputType.TYPE_TEXT_FLAG_AUTO_CORRECT);
8
9     email_field.setInputType(InputType.TYPE_TEXT_FLAG_AUTO_COMPLETE |
10        InputType.TYPE_TEXT_FLAG_AUTO_CORRECT);
11
12     password_field.setCustomSelectionActionModeCallback(null);
13 }

```

Algorithm 5.34: Removing text obfuscation and adding auto complete and auto correct flags for user input fields.

in the **Android Clipboard** is not confined to the app's sandbox and is accessible by all apps running in the foreground. This holds true even on newer Android versions [58]. This means that an attacker can run a service from a malicious app installed on the device that accesses data from the **Android Clipboard**, potentially reading and stealing sensitive user data.

### 5.3.2. MASWE-0055

| Name                  | Sensitive Data Leaked via Screenshots or Screen Recordings                                                        |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|
| Key Topics            | Missing Password Obfuscation, Missing Screenshot Protection                                                       |
| Key Components        | LoginActivity.java,<br>RegisterActivity.java,<br>activity_login_maswe0055.xml,<br>activity_register_maswe0055.xml |
| Programming Languages | Java, XML                                                                                                         |

Table 5.26.: Overview of our MASWE-0055 implementation.

To implement this vulnerability, we ensured that the password is not obfuscated. Additionally, we allowed screenshots and screen recordings of the activities where the password is visible. To differentiate this vulnerability from the implementation in the pre-

vious subsection 5.3.1, the password obfuscation is removed in the layout itself, instead of changing the password's type to plain text at runtime. The code for this is shown in Listing 5.35.

```

1 <EditText
2     android:id="@+id/et_password"
3     <!-- ... omitted ... -->
4
5     android:hint="@string/password_hint"
6     android:inputType="textVisiblePassword" />

```

Algorithm 5.35: Setting the password EditText to visible password as to remove text obfuscation.

We furthermore disable and clear any lingering any flags that would prevent screenshots and screen recordings from happening, as shown in Listing 5.36. This implementation introduces the security risk of the user leaking sensitive data via accidental screenshots and screen recordings. There are also tools that allow an attacker to record the device's screen via a USB connection, such as `scrcpy` [59].

```

1 private void clearScreenshotFlags(){
2     /**
3      * getWindow().setFlags(WindowManager.LayoutParams.FLAG_SECURE,
4      * WindowManager.LayoutParams.FLAG_SECURE);
5      */
6     getWindow().clearFlags(WindowManager.LayoutParams.FLAG_SECURE);
7 }

```

Algorithm 5.36: Disabling and clearing security flags that prevent screenshots and screen recordings from login and register activities.

### 5.3.3. MASWE-0064

| Name                  | Insecure Content Providers                                                                                          |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|
| Key Topics            | Exported Content Provider, Insecure File Reading Permissions, Unsanitized Path Construction, Missing Access Control |
| Key Components        | CustomContentProvider.java,<br>RegisterActivity.java,<br>AndroidManifest.xml                                        |
| Programming Languages | Java, XML                                                                                                           |

Table 5.27.: Overview of our MASWE-0064 implementation.

The core of this vulnerability's implementation comes from the code snippet of our custom content provider shown in Listing 5.37. The vulnerability comes from the fact that `uri.getLastPathSegment()` extracts the user-given file URI without any validation in place. The content provider tries to find the file, construct its full path and return a file descriptor granting reading permissions to the file. For all of this, the content provider directly uses the unsanitized user input.

```

1  @Override
2  public ParcelFileDescriptor openFile(Uri uri, String mode) throws
    FileNotFoundException {
3      String fileName = uri.getLastPathSegment();
4
5      if (fileName == null) {
6          throw new FileNotFoundException("No file name specified in URI");
7      }
8
9      File file = new File(getContext().getFilesDir(), fileName);
10     return ParcelFileDescriptor.open(file, ParcelFileDescriptor.MODE_READ_ONLY);
11 }

```

Algorithm 5.37: Custom `ContentProvider` granting reading permission to user-requested file without path traversal checks or sanitizing the input.

This allows for path traversal attacks by using path traversal sequences such as `../`. Without it, the content provider would only be able to provide access to files stored within the `/files/*` directory. This way, an attacker can access and read any of the app's files, given that they have access to the custom content provider. To ensure this is the case and further extend the impact of this vulnerability, the content provider is set to be exported in the `AndroidManifest.xml` of this app, as shown in Listing 5.38. By leaving the `permission` parameter empty, we enforce that no permissions are required by other apps to access this app's content provider.

```

1  <provider
2      android:name="com.dkronig.masvs_platform.maswe_0064.CustomContentProvider"
3      android:authorities="com.dkronig.masvs_platform.CustomContentProvider"
4      android:exported="true"
5      android:permission=""
6      tools:ignore="ExportedContentProvider" />

```

Algorithm 5.38: Exporting the custom `ContentProvider`, making it accessible to other apps without enforcing permissions.

This, in combination with the unsanitized content provider, means that any malicious app installed on the same device can trivially access any of the app's files, either directly or via path traversal. This is demonstrated in Listing 5.39.

```

1  // Direct file access
2  Uri.parse("content://com.dkronig.masvs_platform.CustomContentProvider
3      /maswe_0064_user_credentials.txt");
4  InputStream in = getContentResolver().openInputStream(uri);
5
6  // Read files via path traversal
7  Uri uri = Uri.parse("content://com.dkronig.masvs_platform.CustomContentProvider
8      ../../databases/app.db");
9  InputStream in = getContentResolver().openInputStream(uri);

```

Algorithm 5.39: Accessing and reading files containing sensitive user data from malicious apps, both directly and using path traversal.

### 5.3.4. MASWE-0067

| Name                  | Debuggable Flag Not Disabled                |
|-----------------------|---------------------------------------------|
| Key Topics            | Memory Inspection, Cryptographic Key Access |
| Key Components        | <code>AndroidManifest.xml</code>            |
| Programming Languages | XML                                         |

Table 5.28.: Overview of our MASWE-0067 implementation.

The implementation of this vulnerability is rather straightforward, as only one flag has to be set to true in the `AndroidManifest.xml` for the app to be debuggable. The code for this is shown in Listing 5.40.

```

1  <application
2      android:theme="@style/Theme.masvs_platform"
3      <!-- ... omitted ... -->
4
5      android:debuggable="true"
6      tools:ignore="HardcodedDebugMode">

```

Algorithm 5.40: Setting the app to debuggable in `AndroidManifest.xml`.

The issue with the app set to debuggable is that it directly weakens the app's protection. It allows an attacker to inspect, set breakpoints, control, and modify the app

at runtime. An attacker can furthermore access the app's private system directory `/data/data` by using the `run-as` command. Using this command, an attacker can inspect the app's `SharedPreferences`, SQLite databases, and internal storage at run-time. An attacker can, for example, learn more about the encryption in place for user credentials by creating new user profiles and analyzing the resulting ciphertexts. An example of how an attacker can access the user credentials stored in a `SharedPreferences` file is shown in Listing 5.41.

```
1 C:\Users\Domi>adb shell run-as com.dkronig.masvs_platform ls shared_prefs
2 maswe_0053_user_credentials.xml
3 maswe_0055_user_credentials.xml
4 maswe_0064_user_credentials.xml
5 maswe_0067_user_credentials.xml
6
7 C:\Users\Domi>adb shell run-as com.dkronig.masvs_platform cat
   shared_prefs/maswe_0053_user_credentials.xml
8 <?xml version='1.0' encoding='utf-8' standalone='yes' ?>
9 <map>
10   <string name="users_json">{"qwertz";{"password";
11     :&quot;doVMBwPTG2ISsgy06P\&quot;eJpfWXKT5d0JI09jYl8FzWhGfmA==&quot;}}&lt;/string>
12 </map>
```

Algorithm 5.41: Listing and reading `SharedPreferences` files containing user credentials.





## 6. Results

This chapter describes the MASTG reference apps we designed and implemented, as well as the MASWE vulnerability types they include. A comparison is made with the existing reference apps, and both the total coverage of MASWE vulnerability types across all apps and the coverage per individual app are evaluated. To conclude the chapter, we test two different SAST tools on our apps, and cover the most important findings.

### 6.1. Developed MASTG Reference Applications

We developed three separate apps, which are named `masvs_storage`, `masvs_crypto`, and `masvs_platform`. They contain a total of 28 vulnerabilities. All six vulnerabilities described by MASVS-STORAGE and all 18 MASVS-CRYPTO vulnerabilities are covered. The remaining four implemented vulnerabilities are part of MASVS-PLATFORM. This means we created implementations for 28 out of 115 vulnerability types as documented by OWASP MASWE, covering about 25% of the entire vulnerability catalog. Excluded here are the two vulnerability types that the OWASP MASWE lists as deprecated. Each vulnerability has its own documentation, explaining where it can be found in the code and how it can be exploited. Depending on the vulnerability, the documentation also includes links to interesting and relevant articles and tools related to the vulnerability. The documentation of some vulnerabilities contains descriptions of how the vulnerabilities can be fixed. All implemented vulnerabilities are mapped and linked to their respective OWASP MASWE counterpart.

The code for our apps is entirely open source and available on our GitHub repository [51]. It contains a checklist [60] of all vulnerabilities as described by OWASP MASWE, which provides an overview of the vulnerabilities implemented. Furthermore, it indicates the vulnerabilities that are being worked on, as well as those that have yet to receive attention. Every vulnerability in this overview has an indicator of its status in OWASP MASWE. Most MASWE vulnerability types have the status `placeholder`, indicating that the vulnerability is still in development and lacks proper documentation by OWASP. The rest is marked as fully documented but still in `beta`, with the exception of two flagged

as **deprecated**, indicating that they should no longer be considered. This benefits people using the apps and the GitHub repository for educational purposes by allowing them to better understand the complete picture of the OWASP vulnerability landscape. It further helps developers aiming to contribute to this project, as it points them to which vulnerabilities are yet to be worked on, and which should be ignored. To further enable future work on this project, the repository is complete with documentation on how developers can contribute, what the expected coding styles are, and what templates should be used when committing to the project. This enforces a clean and uniform coding style across the project. This further improves its usefulness as an educational tool by offering people learning security principles or penetration testing an environment free of confusing and inconsistent code.

For the documentation and the vulnerabilities themselves to stay relevant, and for the apps as a whole to be a valid reference resource for the OWASP MASTG, constant maintenance and updating of the Android project are necessary. Without it, our apps are exposed to the risk of becoming outdated and no longer accurately reflecting the standards set by the OWASP MAS project.

## 6.2. Comparison with Existing Intentionally Vulnerable Android Applications

### 6.2.1. Total Vulnerability Coverage

It is important to compare the apps we have developed to the existing pool of MASTG reference apps. This way, we can evaluate the contributions and value generated through the addition of our apps to the MASTG reference apps dataset. An intuitive way of doing so is to compare the coverage of different MASVS categories by all apps, both with and without the addition of our apps. Figure 6.1 shows the percentage-wise coverage of different MASVS categories by all apps, including our own. Comparing this with Figure 2.2, which displays the same but excludes our own apps, we can see the contribution made in terms of MASVS categories coverage. The difference made by including our apps is visualized in Figure 6.2.

The biggest contribution of our apps is to the MASVS-CRYPTO category. The number of MASVS-CRYPTO vulnerabilities described by MASWE but lacking a practical reference implementation in the MASTG reference apps has been reduced from 78.9% to 0%. This makes sense, as 18 of our 28 implemented vulnerabilities are intended to reflect MASVS-CRYPTO vulnerabilities. In a similar fashion, the coverage of MASVS-




Figure 6.1.: Relative coverage of MASWE vulnerabilities including our own apps

STORAGE vulnerabilities has been increased from 66.7% to 100%. And lastly, the amount of MASVS-PLATFORM vulnerabilities that are reflected in a vulnerability has been increased from 72.7% to 77.3%. This strongly concentrated effect of contribution reflects the vulnerability selection criteria we had set ourselves, of focusing on a few categories and implementing their vulnerabilities thoroughly. This has achieved the desired effect of making our `masvs_crypto` and `masvs_storage` apps valuable and useful standalone apps, both for evaluating security analysis tools and for learning purposes.

Figure 6.3 shows the same coverage of MASWE vulnerabilities by all apps, including our own, but uses absolute numbers instead of percentages. By comparing it to Figure 2.3, which shows the same results but excludes our own apps, we can again see the significantly improved and complete coverage of both MASVS-STORAGE and MASVS-CRYPTO vulnerabilities. Complete coverage here does not mean that all possible implementations of these vulnerabilities have been created, and that further such implementations would hold no value. It simply means that all vulnerability types in the categories MASVS-STORAGE and MASVS-CRYPTO now have at least one vulnerability implementation representing them in a practical context. The Figure further shows that although both categories now have a coverage of 100%, the contribution to MASVS-CRYPTO is significantly greater than the one to MASVS-STORAGE. This is because there are only 6 storage vulnerabilities required to cover them all, compared to




Figure 6.2.: Contribution of our apps to the relative coverage of MASWE vulnerabilities

the 18 vulnerabilities described by MASVS-CRYPTO. Here we are excluding the one MASVS-CRYPTO vulnerability that is flagged as deprecated by OWASP.

### 6.2.2. Unique Vulnerability Coverage per App

One of our criteria defined for the selection of vulnerabilities was to focus on vulnerabilities which have seen little to no coverage in existing MASTG reference apps. The purpose of this is to broaden the pool of MASWE vulnerabilities with practical reference implementations. Of our 28 implemented vulnerabilities, 18 have not been implemented in any way by the existing reference apps. This means that 64.3% of our implemented vulnerabilities are of MASWE vulnerability types only found in our MASTG reference apps. This is not to imply that the other vulnerabilities implemented are not unique in their own right. Even if two implementations address the same vulnerability, they will most likely still differ greatly in logic and design. It does mean however that 64.3% of the vulnerability types we included in our apps have not seen any coverage in any of the existing MASTG reference apps. This approach was intended to even out the coverage of vulnerabilities. The reason for this was our observation that more than half of all vulnerabilities implemented are a reference to only ten OWASP MASWE vulnerability types. Without our apps, the MASTG dataset includes 163 vulnerability implementations, which can be mapped to only 42 different MASWE vulnerabilities. This means that only 25.8% (42/163) of all vulnerabilities found in the existing MASTG reference




Figure 6.3.: MASWE vulnerabilities and their absolute coverage by reference apps

apps contribute to the coverage of different MASWE vulnerability types. Our own apps stand in stark contrast to this number, with a ratio of 64.3% (18/28). Figure 6.4 illustrates this by showing the total amount of MASWE vulnerabilities covered per app, which do not see coverage in any of the other existing apps of the dataset.

This furthermore means that our own apps improve the total coverage of OWASP MASWE vulnerabilities from 42 to 60 out of 117, resulting in an increase of coverage from 35.9% to 51.3%. The percentage of implementations that contribute to the coverage of different MASWE vulnerability types is increased from 25.8% to 31.4%.

If we add our own apps to the previous graph, as shown in Figure 6.5, the result of our focus on vulnerability types with no previous coverage becomes clear. Figure 6.6 better illustrates this by adding the total number of implemented vulnerabilities to each app.




Figure 6.4.: Amount of MASWE vulnerabilities covered per app which are not implemented by other MASTG reference apps




Figure 6.5.: Amount of MASWE vulnerabilities covered per app which are not implemented by other MASTG reference apps, including our own apps




Figure 6.6.: Ratio of MASWE vulnerabilities to amount of vulnerabilities implemented per app

### 6.3. Usability for Benchmarking Mobile App Security Testing Tools

A key motivation behind our work is the testing and benchmarking of SAST and DAST tools. Although our focus is on the design and development of MASTG reference apps, benchmarking different security testing tools using our apps would be a natural direction to take for future work. To take a first step in this direction, we used an online deployment of MobSF [61] and a free version of Semgrep [62] to statically evaluate our apps for security vulnerabilities. The complete results for both the MobSF and the Semgrep scans are provided in the Appendix A and B.

#### MobSF Results

Interestingly, both `masvs_storage` and `masvs_crypto` received a low risk grade by MobSF, having security scores of 64/100 and 60/100 each. `masvs_platform` was deemed to be of medium risk and received a security score of 52/100, which marks the lowest of all three.

In terms of storage vulnerabilities, MobSF managed to find the hard-coded cryptographic key in `maswe_0006`, and detected the logging of sensitive user data in `maswe_0001`.

However, it failed to understand the risk of storing sensitive user data in shared storage spaces and was unable to grasp the full extent of the backup vulnerabilities.

Of 18 implemented MASVS-CRYPTO vulnerabilities, MobSF managed to find the insecure random number generator and the usage of logs for enabling a padding oracle attack. It detected one implementation of SHA-1, and nine instances of hard-coded sensitive information. It is interesting that it found and flagged one instance of SHA-1, but failed to do so on the many other instances of SHA-1 across the app. It furthermore ignored all other broken or risky forms of cryptographic algorithms, such as DES, Base64 encoding, or AES in GCM or CBC mode with hard-coded IV's. These are all things that can be statically evaluated and detected.

The low security score of `masvs_platform` is a result of the app including a vulnerability that sets it to debuggable. MobSF did manage to find this vulnerability, as well as the insecure custom content provider. It did not find the vulnerabilities enabling the screenshots of sensitive user data, or simply did not consider it to be a real security threat. The same holds for the vulnerability enabling clipboard attacks for stealing user credentials.

A large part of the scan results by MobSF consists of possible hard-coded secrets that are false positives. These are public parameters used by cryptographic algorithms and libraries, and do not contain actual secrets. An example of this is `6b17d1f2e12c4247f-8bce6e563a440f277037d812deb33a0f4a13945d898c296`, which marks the x-coordinate of the generator point G of the NIST P-256 elliptic curve. This is a publicly documented value from FIPS 186-4 and is in no shape or form a hard-coded secret [63].

In summary, MobSF gave our intentionally vulnerable apps a surprisingly high security score. Of the 28 vulnerabilities implemented across the three apps, it managed to clearly identify 8 of them. It failed to detect many instances of deprecated cryptographic algorithms used, as well as all instances of custom low-level cryptographic algorithms. Besides failing to find many of our cryptographic vulnerabilities, MobSF flagged a large number of cryptographic constants as possible hard-coded secrets, leading to many false positives.

## Semgrep Results

For Semgrep, we used the free version on our apps, with the configurations set to `r/java.lang.security`. This scanned all three apps for static security vulnerabilities. It is important to state that Semgrep has more features and configurations that would



lead to improved performance. We decided to focus on the free version for monetary reasons.

Because of our configuration, Semgrep only found MASVS-CRYPTO vulnerabilities. It found 19 instances of vulnerable code across 8 of our implementations. Semgrep was able to detect more complex vulnerabilities than MobSF. Besides flagging the usage of SHA-1 as insecure, it did the same for any implementations that used DES. It detected hard-coded IV's and the combination of this with AES in GCM mode. However, it too failed to mark any of the low-level cryptographic operations used for encryption as insecure.



## 7. Discussion

Here we discuss possible threats to the validity of our work. These include the often limited descriptions of the vulnerabilities by OWASP MASWE and the possibility of the implemented vulnerabilities failing to mirror real-world equivalents. Furthermore, we discuss the risk of the implemented vulnerabilities having insufficient complexity and depth compared to those found in real-world applications. Following this, problems left open by this thesis are addressed, such as what it means to fully cover a MASVS category and what a valid metric for measuring the value presented by a MASTG reference app could look like.

### 7.1. Threats to Validity

#### 7.1.1. Constant Flux of the Vulnerability Landscape

A challenge to our work was the ever-changing nature of the mobile vulnerability landscape and its impacts on the OWASP MAS project. Because OWASP is constantly adapting to the rise of new vulnerabilities and the obsolescence of older ones, their vulnerability documentation is a permanent construction site. In an effort to keep up with real-world changes, older vulnerabilities are overworked, merged together into new ones, or altogether scrapped and considered deprecated. New vulnerabilities are introduced into the MASWE catalog in the form of placeholder vulnerabilities. These placeholder vulnerabilities contain very limited documentation on what they should look like, how they are usually introduced, and what they should entail. At the time of writing, 88 of 117 OWASP MASWE vulnerability types fall into this placeholder category. Because two vulnerability types are further classified as deprecated, this leaves only 27 vulnerabilities that have proper and complete documentation by MASWE.

Only 10 of the 28 vulnerabilities implemented in our apps have complete documentation by OWASP MASWE, with the remaining 18 still in the placeholder phase. This raises the question of whether our implementations accurately reflect the MASWE vulnerability types that they are supposed to serve as a practical reference for. We kept

this concern in mind during the development phase of the apps, and made sure to consult the links MASWE gives as pointers to the nature of the vulnerabilities. These resources are provided for all placeholder vulnerabilities, which counteracts the lack of real documentation on them by MASWE.

### **7.1.2. Insufficient Reflection of real-world Vulnerabilities**

A point of criticism often raised when discussing intentionally vulnerable Android apps, such as those found in the MASTG reference apps catalog, is about the extent to which these apps accurately reflect the vulnerabilities found in real-world Android apps. Especially when using them for benchmarking SAST and DAST tools, which are then used for testing real-world apps, it is important for the benchmarking apps to closely mimic real-world ones. If this is not the case, they lose their function for evaluating such security tools, since a low or high score on the reference apps would not necessarily translate to a similar performance on real apps. The reference apps might include vulnerabilities which are rarely seen in real apps, while missing crucial vulnerabilities that a tool has to be able to detect.

Speaking against this point of criticism is the relevance and status of the OWASP MASTG as an industry standard for evaluating mobile application security. There are numerous papers [1, 25, 27, 28, 30, 34] that show the effectiveness of the MASTG when it comes to finding vulnerabilities. Anwar et al. [26] even found that using the MASTG leads to finding more vulnerabilities in real world apps than using the automated testing tool MobSF. This solidifies the legitimacy and real world application of the vulnerabilities implemented in the MASTG reference apps, since the MASTG concerns itself with the same vulnerabilities that are discussed in the MASWE and found in the reference apps. For this to be case however, it is crucial that the MASTG reference apps are under constant maintenance and evolving alongside the OWASP MAS project, which in turn adapts to the security issues most prevalent at the time.

### **7.1.3. Insufficient Complexity of Vulnerabilities**

Besides not reflecting the vulnerabilities found in real world apps, it is furthermore possible that the vulnerabilities implemented the MASTG reference apps are of the right type, but are implemented in a shallow and unrealistic way, which fails to reflect how the vulnerabilities look like in real-world apps. This would lead to mobile app security testing tools performing well on the MASTG reference apps due to the easy-

to-spot nature of their implemented vulnerabilities, but struggle to do the same on real world apps that include similar yet more complex vulnerabilities.

To counter this argument a study would have to be conducted, collecting vulnerabilities from real world apps and comparing them to the ones found in the MASTG reference apps catalog. Zhu et al. [35] evaluated the effectiveness of 11 different SAST tools on four different benchmarks. Two of them are synthetic, and the other two are real-world benchmarks based on vulnerabilities found in real-world apps. One of the synthetic benchmarks is based on the OWASP MASTG reference apps catalog. The authors find that there is no significant difference in the performance of the 11 SAST tools between the synthetic and the real-world benchmarks. This illustrates that the vulnerabilities implemented in MASTG reference apps are similar in both type and complexity to the ones found in real-world apps.

#### **7.1.4. Relevance of even MASWE Vulnerabilities Coverage**

While deciding which MASWE vulnerabilities to implement, we focused on vulnerabilities that have not been implemented by other MASTG reference apps. Our rationale behind this decision was that all vulnerabilities described by OWASP MASWE are relevant. Because of this, they should all have some form of representation in the reference apps catalog, both for educational purposes and for evaluating security testing tools. An argument can be made against the validity of this approach, suggesting to focus on the more frequently implemented vulnerabilities instead of the opposite group. It can be argued that there is a reason as to why certain vulnerabilities receive most of the attention, which is that they are simply the most relevant vulnerabilities. The distribution of occurrences of different vulnerability types is likely uneven in the real world, with some happening more often than others. With this being the case, it seems intuitive that the reference apps, which to a certain extent should mirror the vulnerabilities found in the real world, would also have an uneven distribution of vulnerability types.

Although this argument makes sense, it does not address the issue of most MASWE vulnerabilities receiving no coverage at all. Even if an uneven coverage of the vulnerabilities is desired, it is still important that all vulnerabilities have at least one practical reference implementation. To focus on mirroring the real-world distribution of vulnerability type occurrences before having all MASWE vulnerabilities implemented at least once seems premature and the wrong criteria for vulnerability selection.

## 7.2. Open Problems

Through the developed apps, we increased the coverage of MASWE vulnerability types for both the storage and the cryptography categories to 100%. What we mean by this is that we created a reference implementation for every vulnerability type listed in these two categories. It does not mean that we implemented every possible vulnerability of these two categories. But what would it take to actually cover a MASVS category to 100%? It is important to discuss what it means for two implementations to reflect the same vulnerability, and what it would take to truly cover a MASVS category completely.

For many vulnerabilities described by MASWE, there are countless ways to implement them. This is because they describe types of mobile security shortcomings, and just like in the real-world, there are often multiple ways in which one can come short of meeting a security criterion. This means that vulnerability implementations that can be mapped to the same MASWE vulnerability can still be substantially different in form. Because of this, the educational and security tool testing value of a MASTG reference app can be increased by repeatedly developing implementations for MASWE vulnerabilities that have been previously covered. The same holds true if the vulnerability category itself has been fully covered by this app or other ones from the MASTG reference apps catalog. This raises multiple questions. Is the coverage of vulnerability types of MASVS categories a valid metric for measuring the value a reference app provides? And, following this line of thought, does it even make sense to aim for the complete coverage of MASVS categories?

Answering these questions can help us find a useful metric for evaluating the contributions made by a MASTG reference app, where its shortcomings lie, and how it can be further developed. For this, it is important to keep in mind the purpose of the OWASP MASTG and how it functions. The OWASP MASTG contains various knowledge areas on mobile app security testing concepts, techniques, tools and best practices. Its main function stems from the catalog of tests that it provides. These can be used to verify the security controls listed by the MASVS by testing for the vulnerabilities described by the MASWE. These tests are concrete ways in which developers can evaluate their own apps for certain implementations of MASWE vulnerabilities. The implementations that the MASTG tests for are defined by the OWASP MAS project. This stands in contrast to the MASTG reference apps, which are merely hosted but not developed by OWASP. These implementations give a clue to how OWASP MAS would implement the vulnerabilities described by the MASWE. Furthermore, since the reference apps are meant to be reference apps to the OWASP MASTG, it makes sense for the reference

apps to cover the vulnerability implementations found in the MASTG tests. This way, the apps function as a resource on which the concrete MASTG tests can be tried on.

Following this line of thinking, a possible metric for evaluating MASTG reference apps is to measure the extent to which they cover or contribute to the total coverage of vulnerability implementations found in the MASTG tests. By focusing on reflecting the material of the actual tests of the MASTG, the apps are ensured to provide real value as a reference resource for the testing guide. Some of the tests already include demos made by OWASP, which display the vulnerability that the test is made for. But the catalog of demos is incomplete, and the demos focus solely on the vulnerability. Because of this they lack elements of real-world applications that many of the MASTG reference apps include. Furthermore, the MASTG tests allow for different implementations of the same vulnerability that is tested for. This means that creating different vulnerability implementations for the same MASTG test cases can still provide new value, even if the test has an existing demo.

This approach helps evaluate whether a new implementation of an already covered vulnerability type is of value. But it leaves open the question of what it would mean for a vulnerability category to be covered completely. It seems that complete coverage of a vulnerability category is not feasible. Because of this, it should not be the goal of and metric for a valuable MASTG reference app. The focus of vulnerability selection should first be on covering all vulnerability types at least once. Once this has been achieved, there is merit in creating different vulnerability implementations of the same MASWE vulnerabilities. This way, the OWASP MASTG reference apps can be continuously improved and expanded upon.





## 8. Future Work

While the apps we developed significantly increased the coverage of different MASWE vulnerability types, there are still many such vulnerability types that lack a reference implementation. 57 MASWE vulnerability types do not have any representation in the MASTG reference apps, including our own. This means that only 51.3% (60/117) of all vulnerability types are included in the apps catalog. Our work can be expanded upon by moving on to new MASVS categories, designing and implementing vulnerabilities in a way similar to our methodology. The categories MASVS-AUTH and MASVS-PRIVACY are of special interest. They have the lowest ratio of described-to-implemented vulnerabilities, with only 2 out of 20 and zero out of nine vulnerability types, respectively, receiving any coverage in the reference apps.

Our work is not only motivated by improving the educational value of the OWASP MASTG reference apps, but also its ability to be used for benchmarking SAST and DAST tools. We have tested both MobSF and Semgrep for their performance in statically evaluating our apps. However, benchmarking the different tools that comprise the modern mobile testing tools landscape lies outside the scope and resources of our work. A natural next step would be to carry out a scientific evaluation and benchmarking process of modern mobile app testing tools. This should include tools of both static and dynamic nature. Furthermore, their performance on our apps can be compared to their performance on other MASTG reference apps, as well as against other existing mobile security tool testing benchmarks. This way, the value that our developed apps hold in terms of testing such tools can be measured.

The Android application landscape and its vulnerabilities are constantly evolving, and the OWASP MASTG alongside it. Because of this, an important next step is to uphold the maintenance of our apps. MASWE vulnerabilities and MASTG tests are constantly being deprecated and replaced with new ones. Even the MASVS categories themselves can change, with the most recent addition being MASVS-PRIVACY [24]. Our apps need to receive constant updates, because the MASTG reference apps can only retain their value both as a learning resource and as a security tool benchmarking dataset if they keep up with the ever-changing Android vulnerability landscape.

The OWASP MAS project does not concern itself exclusively with Android security. It includes a similar segment dedicated to the mobile security of iOS applications as well. A common belief is that iOS apps have better security standards due to the more regulated nature of the app platforms from which apps are distributed. There are, however, many security flaws and vulnerabilities that iOS apps can include, as described by the related OWASP MAS fields. Steinböck et al. [38] showed that iOS apps perform significantly worse in some security categories when compared to Android apps. Furthermore, the dataset of MASTG reference apps for Android [3] is vastly greater in size than the iOS reference app catalog [64], which includes only eight apps. All this goes to say that another way our work can be expanded upon is to create a sister project to ours, dedicated to developing iOS MASTG reference applications. If our goal of creating a set of MASTG reference apps to improve the educational value of the MASTG is further pursued, this would be a natural next step.

## 9. Conclusion

This thesis examined the state-of-the-art in intentionally vulnerable Android app design, as found in the OWASP MASTG reference apps. Furthermore, it conducted a literature review to understand how the overarching OWASP MAS project is used in the academic world. Building on this knowledge, a set of intentionally vulnerable Android apps was designed and developed. The purpose of this was to expand the MASTG reference app catalog and improve its function as a teaching resource and as a benchmark dataset for different types of mobile app security testing tools.

The literature review showed us the main use-case of the OWASP MAS project in academic works. It consists of using the MASTG to evaluate mobile apps based on the quality of their security and whether they meet the requirements laid out by the MASVS. In particular, the MASTG penetration testing guide is a popular tool for evaluating app security. Multiple papers used the MASVS vulnerability categories to map and classify real-world Android security vulnerabilities. The MASTG reference apps were used for testing and evaluating newly developed tools that deal with vulnerability detection. Overall, the literature review indicates that the academic world uses the OWASP MAS project mainly as a framework and tool for evaluating mobile app security.

The analysis of the existing OWASP MASTG reference apps showed that only a few have documentation on the vulnerabilities they include. Furthermore, only a small portion of the vulnerabilities as described by the OWASP MASWE find any representation in the reference apps. Most vulnerability types have no reference implementation in the apps, whereas a small group of them is implemented multiple times in different ways. The ten most frequently implemented vulnerability types make up more than half of all implemented vulnerabilities, despite there being 117 different vulnerability types described by the OWASP MASWE. The same trend can be found when examining the vulnerability categories themselves. A few categories, such as MASVS-PLATFORM or MASVS-STORAGE, have most of their respective vulnerability types implemented at least once in a MASTG reference app. Other categories see very little representation in the reference app catalog. Not one of the nine vulnerabilities described by MASVS-PRIVACY is included in any of the reference apps.

The apps we developed are designed to reflect the natural ordering of vulnerabilities done by the MASWE. Every MASVS category comprises its own app. These categories are, in turn, part of the whole project in the form of modules. For each app, the vulnerabilities that comprise its designated MASVS category are grouped into separate packages, with one package per implemented MASWE vulnerability. This architecture is further extended with a shared library module containing common attributes. Extensive use of custom templates and inheritance allows for a design that can easily be extended with new vulnerabilities and categories while producing minimal scaling costs. The vulnerability selection focused on MASWE vulnerability types that have not been implemented in any of the existing MASTG reference apps. Instead of working on multiple MASVS categories at once, the vulnerability categories were implemented one by one.

We developed three apps called `maswe_storage`, `maswe_crypto`, and `maswe_platform`. Together, they contain 28 vulnerability types. 18 of these types have not been implemented in any of the existing MASTG reference apps. All 6 and all 18 (excluding one that is deprecated) vulnerability types described by MASVS-STORAGE and MASVS-CRYPTO have been implemented. Through the addition of our apps, the total coverage of MASWE vulnerability types has increased from 35.9% to 51.3%. All implemented vulnerabilities are mapped to their MASWE counterparts and have extensive documentation. This documentation contains information on where they can be found, how they can be exploited, and sometimes how they can be fixed. The apps we developed are an important milestone in building a unified, well structured, and thoroughly documented MASTG reference apps benchmark.

A recurring challenge during the development of the apps was the limited documentation by OWASP on the MASWE vulnerabilities. The OWASP MAS project is constantly evolving, as new vulnerabilities become more relevant and older ones become obsolete. This leads to many of the vulnerabilities described by MASWE still being in development and having very little documentation on how they should be implemented and what they should include. This complicated the development process, as the vulnerabilities themselves need to have adequate depth for them to be useful both as an educational resource and as a benchmark for security testing tools.

This thesis can be expanded upon in many different ways. Half of the vulnerability types described by MASWE still have no representation in the MASTG reference apps. Now that the apps are developed, extensive benchmarking of both static and dynamic security testing tools can be carried out in order to better understand the landscape of mobile app security testing tools. A complementary set of iOS MASTG reference apps

can be developed, making use of the architecture and design we built to branch out to the iOS side of the OWASP MAS project.

This work greatly expands the coverage of MASWE vulnerability types made by the existing MASTG reference applications catalog. Through this, it contributes to making Android mobile security more accessible and easy to learn. The extensive documentation of the complete sets of implemented MASVS-STORAGE and MASVS-CRYPTO vulnerabilities builds towards a more systematic environment for mobile security research and education. The applications developed serve as the foundation for a complete OWASP MAS benchmark for evaluating mobile application security analysis tools. The scalable and modular architecture on which the apps have been developed enables them to change alongside the Android mobile security landscape and the OWASP MAS project as they continue to evolve, which allows for easy maintenance and continuous growth as a completely open-source benchmark for mobile application security.



## List of Figures

|                                                                                                                                                     |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2.1. Ten most frequently covered types of OWASP MASWE vulnerabilities. . .                                                                          | 9  |
| 2.2. Relative coverage of MASVS categories. . . . .                                                                                                 | 10 |
| 2.3. Absolute coverage of MASVS categories. . . . .                                                                                                 | 11 |
| 4.1. High-level view of the Android apps system architecture. . . . .                                                                               | 22 |
| 4.2. High-level model of the feature oriented project structure. . . . .                                                                            | 23 |
| 4.3. High-level model of the inheritance templating approach used for the project.                                                                  | 24 |
| 4.4. Flow diagram of the base activity template. . . . .                                                                                            | 25 |
| 4.5. Flow diagram of the register activity template. . . . .                                                                                        | 26 |
| 4.6. Flow diagram of the login activity template. . . . .                                                                                           | 28 |
| 6.1. Relative coverage of MASWE vulnerabilities including our own apps . . .                                                                        | 67 |
| 6.2. Contribution of our apps to the relative coverage of MASWE vulnerabilities                                                                     | 68 |
| 6.3. MASWE vulnerabilities and their absolute coverage by reference apps . .                                                                        | 69 |
| 6.4. Amount of MASWE vulnerabilities covered per app which are not imple-<br>mented by other MASTG reference apps . . . . .                         | 70 |
| 6.5. Amount of MASWE vulnerabilities covered per app which are not imple-<br>mented by other MASTG reference apps, including our own apps . . . . . | 70 |
| 6.6. Ratio of MASWE vulnerabilities to amount of vulnerabilities implemented<br>per app . . . . .                                                   | 71 |





## List of Tables

|                                                                                                                                                     |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2.1. Overview of the availability of source code and documentation of MASTG reference apps, and whether they were included in our analysis. . . . . | 6  |
| 2.2. Mapping of MASTG reference apps vulnerabilities to their MASVS categories. . . . .                                                             | 7  |
| 2.3. Overview of how scientific papers make use of the OWASP MAS project.                                                                           | 12 |
|                                                                                                                                                     |    |
| 5.1. Overview of our MASWE-0001 implementation. . . . .                                                                                             | 31 |
| 5.2. Overview of our MASWE-0002 implementation. . . . .                                                                                             | 32 |
| 5.3. Overview of our MASWE-0003 implementation. . . . .                                                                                             | 34 |
| 5.4. Overview of our MASWE-0004 implementation. . . . .                                                                                             | 35 |
| 5.5. Overview of our MASWE-0006 implementation. . . . .                                                                                             | 36 |
| 5.6. Overview of our MASWE-0007 implementation. . . . .                                                                                             | 37 |
| 5.7. Overview of our MASWE-0009 implementation. . . . .                                                                                             | 38 |
| 5.8. Overview of our MASWE-0010 implementation. . . . .                                                                                             | 39 |
| 5.9. Overview of our MASWE-0011 implementation. . . . .                                                                                             | 40 |
| 5.10. Overview of our MASWE-0012 implementation. . . . .                                                                                            | 42 |
| 5.11. Overview of our MASWE-0014 implementation. . . . .                                                                                            | 43 |
| 5.12. Overview of our MASWE-0015 implementation. . . . .                                                                                            | 44 |
| 5.13. Overview of our MASWE-0016 implementation. . . . .                                                                                            | 45 |
| 5.14. Overview of our MASWE-0017 implementation. . . . .                                                                                            | 46 |
| 5.15. Overview of our MASWE-0018 implementation. . . . .                                                                                            | 47 |
| 5.16. Overview of our MASWE-0019 implementation. . . . .                                                                                            | 49 |
| 5.17. Overview of our MASWE-0020 implementation. . . . .                                                                                            | 50 |
| 5.18. Overview of our MASWE-0021 implementation. . . . .                                                                                            | 50 |
| 5.19. Overview of our MASWE-0022 implementation. . . . .                                                                                            | 51 |
| 5.20. Overview of our MASWE-0023 implementation. . . . .                                                                                            | 52 |
| 5.21. Overview of our MASWE-0024 implementation. . . . .                                                                                            | 54 |
| 5.22. Overview of our MASWE-0025 implementation. . . . .                                                                                            | 55 |
| 5.23. Overview of our MASWE-0026 implementation. . . . .                                                                                            | 56 |

|                                                          |    |
|----------------------------------------------------------|----|
| 5.24. Overview of our MASWE-0027 implementation. . . . . | 57 |
| 5.25. Overview of our MASWE-0053 implementation. . . . . | 58 |
| 5.26. Overview of our MASWE-0055 implementation. . . . . | 59 |
| 5.27. Overview of our MASWE-0064 implementation. . . . . | 60 |
| 5.28. Overview of our MASWE-0067 implementation. . . . . | 62 |

## Listings

|                                                                                                                             |    |
|-----------------------------------------------------------------------------------------------------------------------------|----|
| 5.1. User registration hook invoking logging of sensitive credentials. . . . .                                              | 31 |
| 5.2. Writing user credentials to system logs using logcat. . . . .                                                          | 32 |
| 5.3. Writing user credentials to application log files. . . . .                                                             | 32 |
| 5.4. Attempting to set permissions of a file to world read and writable. . . . .                                            | 33 |
| 5.5. Custom <code>FileProvider</code> that grants <code>Uri</code> permissions without checking access permissions. . . . . | 33 |
| 5.6. Prompting the user to share a plaintext file containing user credentials. . .                                          | 34 |
| 5.7. Backup rules for <code>maswe_0003</code> . . . . .                                                                     | 34 |
| 5.8. Cloud backup rules for <code>maswe_0004</code> . . . . .                                                               | 35 |
| 5.9. Device-to-device transfer rules for <code>maswe_0004</code> . . . . .                                                  | 35 |
| 5.10. Setting up hard-coded encryption key and DES for cryptographic operations. . . . .                                    | 36 |
| 5.11. Using DES and a hard-coded encryption key for weak encryption. . . . .                                                | 36 |
| 5.12. Creating a <code>MediaStore</code> entry and writing user credentials to it. . . . .                                  | 37 |
| 5.13. Generating a DES key of short length using a weak pseudo-random number source and a hard-coded seed. . . . .          | 38 |
| 5.14. Derivation of an AES key using PBKDF2. . . . .                                                                        | 40 |
| 5.15. Using BKS for RSA encryption with no key rotation. . . . .                                                            | 41 |
| 5.16. Creating an RSA key with multiple functionalities. . . . .                                                            | 42 |
| 5.17. Storing cryptographic key and initialization vector unencrypted in <code>Shared Preferences</code> . . . . .          | 43 |
| 5.18. Loading BC and using BKS for managing cryptographic keys. . . . .                                                     | 44 |
| 5.19. Hard-coded passwords for the keystore and private key stored in keystore. .                                           | 45 |
| 5.20. Importing a public RSA key from untrusted storage without sanitization. .                                             | 46 |
| 5.21. Exporting a public RSA key to untrusted storage without protecting it. .                                              | 47 |
| 5.22. Removing any access-restricting settings from key generation parameters. .                                            | 48 |
| 5.23. Storing encrypted user data in Device Encrypted (DE) storage. . . . .                                                 | 48 |
| 5.24. Circular byte-shifting for low-level encryption of user data. . . . .                                                 | 49 |
| 5.25. <code>Base64</code> for encrypting and decrypting user credentials. . . . .                                           | 50 |

|                                                                                                                                                             |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 5.26. SHA-1 hashing for user credentials. . . . .                                                                                                           | 51 |
| 5.27. AES in CBC mode with a static IV. . . . .                                                                                                             | 52 |
| 5.28. Manual unpadding of PKCS#7 with detailed error messages. . . . .                                                                                      | 53 |
| 5.29. Using CRC-32 checksum as MAC. . . . .                                                                                                                 | 54 |
| 5.30. Creating cryptographic signatures using <code>SHA1withRSA</code> . . . . .                                                                            | 55 |
| 5.31. Creation of a bank command including a timestamp, a nonce and a cryptographic signature. . . . .                                                      | 56 |
| 5.32. Verifying any passed banking command as true, regardless of its timestamp, nonce and signature. . . . .                                               | 57 |
| 5.33. Using <code>java.util.Random</code> API and current system time for generating random values. . . . .                                                 | 58 |
| 5.34. Removing text obfuscation and adding auto complete and auto correct flags for user input fields. . . . .                                              | 59 |
| 5.35. Setting the password <code>EditText</code> to visible password as to remove text obfuscation. . . . .                                                 | 60 |
| 5.36. Disabling and clearing security flags that prevent screenshots and screen recordings from login and register activities. . . . .                      | 60 |
| 5.37. Custom <code>ContentProvider</code> granting reading permission to user-requested file without path traversal checks or sanitizing the input. . . . . | 61 |
| 5.38. Exporting the custom <code>ContentProvider</code> , making it accessible to other apps without enforcing permissions. . . . .                         | 61 |
| 5.39. Accessing and reading files containing sensitive user data from malicious apps, both directly and using path traversal. . . . .                       | 62 |
| 5.40. Setting the app to debuggable in <code>AndroidManifest.xml</code> . . . . .                                                                           | 62 |
| 5.41. Listing and reading <code>SharedPreferences</code> files containing user credentials. . . . .                                                         | 63 |

# Bibliography

- [1] L. Ferrari, F. Pagano, L. Verderame, and A. Merlo, “The owasp benchmark: An owasp-compliant vulnerable android app dataset,” in *2025 IEEE European Symposium on Security and Privacy Workshops (EuroS&PW)*, 2025, pp. 569–580. [Online]. Available: <https://ieeexplore.ieee.org/document/11129474>
- [2] T. O. Foundation, “Owasp mobile application security reference applications,” 09 2025. [Online]. Available: <https://mas.owasp.org/MASTG/apps/#>
- [3] —, “Owasp mastg reference applications overview,” 09 2025, as of commit Nr: ffde0bdd9bdfd375d93ddb433bd3134e3977c64d. [Online]. Available: <https://github.com/OWASP/mastg/tree/ffde0bdd9bdfd375d93ddb433bd3134e3977c64d/apps/android>
- [4] B. Mueller, “Android uncrackable l1,” 09 2025, as of commit Nr: ffde0bdd9bdfd375d93ddb433bd3134e3977c64d. [Online]. Available: <https://github.com/OWASP/mastg/blob/ffde0bdd9bdfd375d93ddb433bd3134e3977c64d/apps/android/MASTG-APP-0003.md>
- [5] —, “Android uncrackable l2,” 09 2025, as of commit Nr: ffde0bdd9bdfd375d93ddb433bd3134e3977c64d. [Online]. Available: <https://github.com/OWASP/mastg/blob/ffde0bdd9bdfd375d93ddb433bd3134e3977c64d/apps/android/MASTG-APP-0004.md>
- [6] —, “Android uncrackable l3,” 09 2025, as of commit Nr: ffde0bdd9bdfd375d93ddb433bd3134e3977c64d. [Online]. Available: <https://github.com/OWASP/mastg/blob/ffde0bdd9bdfd375d93ddb433bd3134e3977c64d/apps/android/MASTG-APP-0005.md>
- [7] —, “Android uncrackable l4,” 09 2025, as of commit Nr: ffde0bdd9bdfd375d93ddb433bd3134e3977c64d. [Online]. Available: <https://github.com/OWASP/mastg/blob/ffde0bdd9bdfd375d93ddb433bd3134e3977c64d/apps/android/MASTG-APP-0015.md>

- 
- [8] —, “Android license validator,” 09 2025, as of commit Nr: ffde0bdd9bdfd375d93ddb433bd3134e3977c64d. [Online]. Available: <https://github.com/OWASP/mastg/blob/ffde0bdd9bdfd375d93ddb433bd3134e3977c64d/apps/android/MASTG-APP-0002.md>
- [9] M. H. Achim D. Brucker, “Dvhma,” 08 2018, as of commit Nr: 30f76ee118f4cc37bdd9dc897f5241d872bbe2b5. [Online]. Available: <https://github.com/logicalhacking/DVHMA/tree/30f76ee118f4cc37bdd9dc897f5241d872bbe2b5>
- [10] K. S. Abhinav Sejjal, “Digitalbank,” 08 2015, as of commit Nr: 9fae450849d221a22cb16d6491ecabad4c97fbd9. [Online]. Available: <https://github.com/CyberScions/Digitalbank/tree/9fae450849d221a22cb16d6491ecabad4c97fbd9>
- [11] CSPF-Founder, “Dodovulnerablebank,” 10 2015, as of commit Nr: 8b9ac17fe4619720650169b86f9bb842aca5976c. [Online]. Available: <https://github.com/CSPF-Founder/DodoVulnerableBank/tree/8b9ac17fe4619720650169b86f9bb842aca5976c>
- [12] A. B. Jeroen Beckers, “disable-flutter-tls-verification,” 05 2025, as of commit Nr: 9decb9e11afa3269095a130de1e270a1f094c08f. [Online]. Available: <https://github.com/NVISOsecurity/disable-flutter-tls-verification/tree/9decb9e11afa3269095a130de1e270a1f094c08f>
- [13] J. Sydseter, “Mastestapp-android-network,” 05 2025, as of commit Nr: 5e5278c82f77ffc4cd5db9efc32d0b98dc0d7915. [Online]. Available: <https://github.com/sydseter/MASTestApp-Android-NETWORK/tree/5e5278c82f77ffc4cd5db9efc32d0b98dc0d7915>
- [14] S. Schleier, “Mastg-android-kotlin-app,” 10 2022, as of commit Nr: 211e1cb27be30c575a36c6ff3bbe6dfb43182f9f. [Online]. Available: <https://github.com/OWASP/MASTG-Hacking-Playground/tree/211e1cb27be30c575a36c6ff3bbe6dfb43182f9f>
- [15] S. Patnayak, “Androgoat,” 04 2020, as of commit Nr: 1f383989bf8435ba8aea245439e1b7f68f2f985d. [Online]. Available: <https://github.com/satishpatnayak/AndroGoat/tree/1f383989bf8435ba8aea245439e1b7f68f2f985d>

- [16] A. Jakhar, "Diva android," 01 2016, as of commit Nr: 2bb63b531ba66c22563ac0911973389e2a0cb723. [Online]. Available: <https://github.com/payatu/diva-android/tree/2bb63b531ba66c22563ac0911973389e2a0cb723>
- [17] A. S. Dinesh Shetty, "Insecurebankv2," 11 2019, as of commit Nr: 3c8cc3a3ce45ed56d0f58f236b541b41f992e51f. [Online]. Available: <https://github.com/dineshshetty/Android-InsecureBankv2/tree/3c8cc3a3ce45ed56d0f58f236b541b41f992e51f>
- [18] S. Schleier, "Mastg-hacking-playground," 10 2022, as of commit Nr: db219a1011e6735cf0c6c08ba929a27ef40e1873. [Online]. Available: <https://github.com/OWASP/MASTG-Hacking-Playground/tree/db219a1011e6735cf0c6c08ba929a27ef40e1873>
- [19] "Ovaa," 7 2024, as of commit Nr: 4c60d202918e33d3dc9dd7574260f75f761f6e2b. [Online]. Available: <https://github.com/oversecured/ovaa/tree/4c60d202918e33d3dc9dd7574260f75f761f6e2b>
- [20] R. G. Gaurang Bhatnagar, "Inseureshop," 09 2023, as of commit Nr: 76ed1772a12c61a60f4a685770482e0e1f6cf4a7. [Online]. Available: <https://github.com/hax0rgb/InsecureShop/tree/76ed1772a12c61a60f4a685770482e0e1f6cf4a7>
- [21] F. W. Jonas Mayer, "Finstergram," 07 2024, as of commit Nr: 11fd8b7e24dada74a751ca112956bb7944a17ca5. [Online]. Available: <https://github.com/netlight/finstergram/tree/11fd8b7e24dada74a751ca112956bb7944a17ca5>
- [22] A. K. Amit Kumar Prajapat, Vedant Wayal, "Android bugbazaar," 08 2024, as of commit Nr: fef6a899a684245eb70b2ab4be926f62be849ed9. [Online]. Available: <https://github.com/payatu/BugBazaar/tree/fef6a899a684245eb70b2ab4be926f62be849ed9>
- [23] T. O. Foundation, "Mobile application security weakness enumeration (maswe)," 01 2026, accessed: 2026-01. [Online]. Available: <https://mas.owasp.org/MASWE/#>
- [24] —, "Masvs v2.1.0 release & masvs-privacy," 01 2024. [Online]. Available: <https://mas.owasp.org/news/2024/01/18/masvs-v210-release--masvs-privacy/>

- [25] M. Saifulhakim and A. Fajar, "Security assessment for digital wallet payment partner applications using the owasp method: A case study in indonesia," *Journal of System and Management Sciences*, vol. 14, pp. 337–357, 02 2024. [Online]. Available: [https://www.researchgate.net/publication/378480579\\_Security\\_Assessment\\_for\\_Digital\\_Wallet\\_Payment\\_Partner\\_Applications\\_using\\_the\\_OWASP\\_Method\\_A\\_Case\\_Study\\_in\\_Indonesia](https://www.researchgate.net/publication/378480579_Security_Assessment_for_Digital_Wallet_Payment_Partner_Applications_using_the_OWASP_Method_A_Case_Study_in_Indonesia)
- [26] C. Anwar, C. Sumerli, N. Rahayu, and K. Kraugusteeliana, "The application of mobile security framework (mobsf) and mobile application security testing guide to ensure the security in mobile commerce applications," *Jurnal Sistim Informasi dan Teknologi*, vol. 5, pp. 97–102, 06 2023. [Online]. Available: [https://www.researchgate.net/publication/372132617\\_The\\_Application\\_of\\_Mobile\\_Security\\_Framework\\_MOBSF\\_and\\_Mobile\\_Application\\_Security\\_Testing\\_Guide\\_to\\_Ensure\\_the\\_Security\\_in\\_Mobile\\_Commerce\\_Applications](https://www.researchgate.net/publication/372132617_The_Application_of_Mobile_Security_Framework_MOBSF_and_Mobile_Application_Security_Testing_Guide_to_Ensure_the_Security_in_Mobile_Commerce_Applications)
- [27] S. Amir, D. F. Priambodo, A. A. Ajhari, and A. Widyasuri, "Analysis of fraud attacks using android package kit in indonesia," in *2024 International Conference on Computer, Control, Informatics and its Applications (IC3INA)*, 2024, pp. 285–290. [Online]. Available: <https://ieeexplore.ieee.org/document/10732435>
- [28] G. F. M. Karo-Karo, S. Windarta, Amiruddin, and I. R. Hikmah, "Evaluating compliance of of the xyz ministry's android messaging applications with owasp masvs: A comprehensive case study," in *2024 IEEE 2nd International Conference on Electrical Engineering, Computer and Information Technology (ICEECIT)*, 2024, pp. 35–40. [Online]. Available: <https://ieeexplore.ieee.org/document/10859915>
- [29] D. Aprilliansyah, I. Riadi, and Sunardi, "Penetration testing with owasp mobile for android security optimization," *Journal of Cyber Health and Computer*, vol. 1, no. 1, p. 10–14, 12 2023. [Online]. Available: <https://www.jurnalsibermu.com/index.php/jochac/article/view/3>
- [30] T. H. Chiboora, L. Chacha, T. Byagutangaza, and A. Gueye, "Evaluating mobile banking application security posture using the owasp's masvs framework," in *Proceedings of the 6th ACM SIGCAS/SIGCHI Conference on Computing and Sustainable Societies*, ser. COMPASS '23. New York, NY, USA: Association for Computing Machinery, 08 2023, p. 99–106. [Online]. Available: <https://doi.org/10.1145/3588001.3609367>





- [31] A. P. Tinuoye, "Evaluating penetration testing methodologies for mobile applications: A comparative study of android and ios security," 08 2025, preprint available via SSRN; not peer-reviewed and not associated with a formal conference proceedings. [Online]. Available: <https://ssrn.com/abstract=5384360>
- [32] E. Vasconcelos, M. Delamaro, and S. Souza, "Mutation testing to support the security testing of android applications," in *Anais do IX Simpósio Brasileiro de Testes de Software Sistemático e Automatizado*. Porto Alegre, RS, Brasil: SBC, 09 2024, pp. 29–38. [Online]. Available: <https://sol.sbc.org.br/index.php/sast/article/view/30213>
- [33] O. Mykhaylova, T. Fedynyshyn, A. Datsiuk, B. Fihol, and H. Hulak, "Mobile application as a critical infrastructure cyberattack surface," *Cybersecurity Providing in Information and Telecommunication Systems II 2023*, vol. 3050, pp. 29–43, 12 2023, deposited at Borys Grinchenko Kyiv Metropolitan University Institutional repository. [Online]. Available: <https://elibrary.kubg.edu.ua/id/eprint/47127/>
- [34] L. Stevenson and S. Das, "\"your doctor is spying on you\": An analysis of data practices in mobile healthcare applications," 12 2025. [Online]. Available: <https://arxiv.org/abs/2510.06015>
- [35] J. Zhu, K. Li, S. Chen, L. Fan, J. Wang, and X. Xie, "A comprehensive study on static application security testing (sast) tools for android," *IEEE Transactions on Software Engineering*, vol. 50, no. 12, pp. 3385–3402, 12 2024. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10738442>
- [36] G. W. W. Mukti and R. Roestam, "Enhancing password manager application security by root detection with usability and security evaluation," in *2023 Eighth International Conference on Informatics and Computing (ICIC)*, 2023, pp. 1–7. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10382115>
- [37] X. Zhang, H. Ye, Z. Huang, X. Ye, Y. Cao, Y. Zhang, and M. Yang, "Understanding the (in)security of cross-side face verification systems in mobile apps: A system perspective," in *2023 IEEE Symposium on Security and Privacy (SP)*, 2023, pp. 934–950. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/10179474>
- [38] M. Steinböck, J. Troost, W. Van Beijnum, J. Seredynski, H. Bos, M. Lindorfer, and A. Continella, "Sok: Hardening techniques in the mobile ecosystem — are we

- there yet?” in *2025 IEEE 10th European Symposium on Security and Privacy (EuroS&P)*, 2025, pp. 789–806. [Online]. Available: <https://ieeexplore.ieee.org/document/11129415>
- [39] G. LLC, “Intents and intent filters,” 10 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/guide/components/activities/intro-activities>
- [40] —, “Service,” 09 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/reference/android/app/Service>
- [41] —, “Content provider basics,” 10 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/guide/topics/providers/content-provider-basics>
- [42] —, “App manifest overview,” 10 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/guide/topics/manifest/manifest-intro>
- [43] —, “Intents and intent filters,” 10 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/guide/components/intents-filters>
- [44] —, “Uri,” 10 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/reference/android/net/Uri>
- [45] —, “SharedPreferences,” 10 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/reference/android/content/SharedPreferences>
- [46] —, “Android keystore system,” 04 2025, accessed: 2026-01-20. [Online]. Available: <https://developer.android.com/privacy-and-security/keystore>
- [47] —, “Android application sandbox,” 12 2025, accessed: 2026-01-26. [Online]. Available: <https://source.android.com/docs/security/app-sandbox>
- [48] T. O. Foundation, “Owasp mobile application security,” 01 2026, accessed: 2026-01. [Online]. Available: <https://mas.owasp.org/>
- [49] —, “Owasp masvs,” 01 2026, accessed: 2026-01. [Online]. Available: <https://mas.owasp.org/MASVS/>
- [50] —, “Owasp mastg,” 01 2026, accessed: 2026-01. [Online]. Available: <https://mas.owasp.org/MASTG/>

- [51] D. Kronig, “Reference\_application\_for\_owasp\_mastg,” [https://github.com/domi-cmd/Reference\\_Application\\_for\\_OWASP\\_MASTG](https://github.com/domi-cmd/Reference_Application_for_OWASP_MASTG), 2026, open-source. MIT License. Accessed: 2026-01-24.
- [52] G. LLC, “Android 7.0 behavior changes,” 05 2024, accessed: 2026-01-27. [Online]. Available: <https://developer.android.com/about/versions/nougat/android-7.0-changes#perm>
- [53] D. Bleichenbacher, “Chosen ciphertext attacks against protocols based on the rsa encryption standard,” in *Advances in Cryptology — CRYPTO '98*. Springer, 1998.
- [54] M. Stevens, E. Bursztein, P. Karpman, A. Albertini, and Y. Markov, “Shattered: First practical collision for sha-1,” <https://security.googleblog.com/2017/02/announcing-first-sha1-collision.html>, 2017, google Online Security Blog.
- [55] *Recommendation for Block Cipher Modes of Operation: Methods and Techniques*, National Institute of Standards and Technology Std. NIST SP 800-38A, 2001, available: <https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38a.pdf>.
- [56] “Cyclic redundancy check (crc-32),” [https://en.wikipedia.org/wiki/Cyclic\\_redundancy\\_check](https://en.wikipedia.org/wiki/Cyclic_redundancy_check), accessed: 2026-01-24.
- [57] O. Corporation, *Class Random (Java Platform SE 8)*, Oracle, 2023, <https://docs.oracle.com/javase/8/docs/api/java/util/Random.html>, Accessed: 2026-01-24.
- [58] G. LLC, “Secure clipboard handling,” 09 2024, accessed: 2026-01-24. [Online]. Available: <https://developer.android.com/privacy-and-security/risks/secure-clipboard-handling>
- [59] R. Vimont and Genymobile, “scrcpy: Display and control your android device,” <https://github.com/Genymobile/scrcpy>, 2018, open-source. Apache License 2.0. Accessed: 2026-01-24.
- [60] D. Kronig, “Reference\_application\_for\_owasp\_mastg checklist,” [https://github.com/domi-cmd/Reference\\_Application\\_for\\_OWASP\\_MASTG/blob/main/MAS\\_checklist.md](https://github.com/domi-cmd/Reference_Application_for_OWASP_MASTG/blob/main/MAS_checklist.md), 2026, open-source. Accessed: 2026-01-24.

- [61] MobSF Project, “Mobile security framework (mobsf),”  
<https://github.com/MobSF/Mobile-Security-Framework-MobSF>, 2026, accessed:  
2026-01-23.
- [62] Semgrep, Inc., “Semgrep: Static analysis tool,” <https://semgrep.dev/>, 2026,  
accessed: 2026-01-23.
- [63] National Institute of Standards and Technology, “FIPS PUB 186-4: Digital  
Signature Standard (DSS),” U.S. Department of Commerce, Tech. Rep., Jul. 2013,  
federal Information Processing Standards Publication. [Online]. Available:  
<https://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.186-4.pdf>
- [64] T. O. Foundation, “Owasp mastg ios reference applications overview,” 09 2025, as  
of commit Nr: 7cbccda6ab43128eb1a994b97c599fbffbfd520e. [Online]. Available:  
[https://github.com/OWASP/mastg/tree/  
7cbccda6ab43128eb1a994b97c599fbffbfd520e/apps/ios](https://github.com/OWASP/mastg/tree/7cbccda6ab43128eb1a994b97c599fbffbfd520e/apps/ios)

## **A. Full MobSF Scan Results**



 masvs\_storage (1.0)

|                     |                                                                                     |
|---------------------|-------------------------------------------------------------------------------------|
| File Name:          | masvs_storage_release.apk                                                           |
| Package Name:       | com.dkronig.masvs_storage                                                           |
| Scan Date:          | Jan. 26, 2026, 4:12 p.m.                                                            |
| App Security Score: | 64/100 (LOW RISK)                                                                   |
| Grade:              |  |

 FINDINGS SEVERITY

|  HIGH |  MEDIUM |  INFO |  SECURE |  HOTSPOT |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 0                                                                                      | 4                                                                                        | 1                                                                                      | 1                                                                                        | 0                                                                                           |

 FILE INFORMATION

File Name: masvs\_storage\_release.apk  
Size: 12.71MB  
MD5: 4c373aca361fcec5879235a7e129f990  
SHA1: fe8dcf737712e22becbfbacf1b95b2b300a5d7ca  
SHA256: 5545775ead37e443c5f07da277a176c44fcd063fb3fd6a9a84b13097d58f0052

 APP INFORMATION

App Name: masvs\_storage  
Package Name: com.dkronig.masvs\_storage  
Main Activity: com.dkronig.masvs\_storage.StorageMenu  
Target SDK: 35  
Min SDK: 35  
Max SDK:  
Android Version Name: 1.0  
Android Version Code: 1



 APP COMPONENTS

Activities: 18  
Services: 0  
Receivers: 1  
Providers: 2  
Exported Activities: 0  
Exported Services: 0  
Exported Receivers: 1  
Exported Providers: 0

 CERTIFICATE INFORMATION

Binary is signed  
v1 signature: False  
v2 signature: True  
v3 signature: False  
v4 signature: False  
X.509 Subject: CN=Dominic Kronig, OU=University, O=University of Bern, L=Bern, ST=Bern, C=3012  
Signature Algorithm: rsassa\_pkcs1v15  
Valid From: 2025-12-31 12:08:44+00:00  
Valid To: 2050-12-25 12:08:44+00:00  
Issuer: CN=Dominic Kronig, OU=University, O=University of Bern, L=Bern, ST=Bern, C=3012  
Serial Number: 0x1  
Hash Algorithm: sha256  
md5: 71d59136f94aa3f5454bae353851cb7b  
sha1: 62a94e3eabf027ca5dfdd42d912c2c5be84bd50b  
sha256: 4f2afb4afb5b8974656740ed44235ef4d3e4cff3b027afdde279058ad2fe13754  
sha512: e7ed3abdb5695aed963f9c948b0be09ef3bbf09a1a410cd4b6efcd3e2b1d24e834d73a9642b15db205c81d71e539ea7bb933336d7248426d562089edb8bda536  
PublicKey Algorithm: rsa  
Bit Size: 2048  
Fingerprint: 77428f4f4c526be66d196301e1335f4b576b37d16f9892b220b0ef75c37c346a  
Found 1 unique certificates

☰ APPLICATION PERMISSIONS

| PERMISSION                                                         | STATUS  | INFO               | DESCRIPTION                               |
|--------------------------------------------------------------------|---------|--------------------|-------------------------------------------|
| com.dkronig.masvs_storage.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION | unknown | Unknown permission | Unknown permission from android reference |

🔍 APKID ANALYSIS

| FILE        | DETAILS      |                                                               |
|-------------|--------------|---------------------------------------------------------------|
| classes.dex | FINDINGS     | DETAILS                                                       |
|             | yara_issue   | yara issue - dex file recognized by apkid but not yara module |
|             | Anti-VM Code | Build.FINGERPRINT check<br>Build.MANUFACTURER check           |
|             | Compiler     | unknown (please file detection issue!)                        |

| FILE         | DETAILS    |                                                               |
|--------------|------------|---------------------------------------------------------------|
| classes2.dex | FINDINGS   | DETAILS                                                       |
|              | yara_issue | yara issue - dex file recognized by apkid but not yara module |
|              | Compiler   | unknown (please file detection issue!)                        |
|              |            |                                                               |

 NETWORK SECURITY

| NO | SCOPE | SEVERITY | DESCRIPTION |
|----|-------|----------|-------------|
|----|-------|----------|-------------|

 CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

| TITLE              | SEVERITY | DESCRIPTION                                           |
|--------------------|----------|-------------------------------------------------------|
| Signed Application | info     | Application is signed with a code signing certificate |

## Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE                                                                                                                                                                                                                                                            | SEVERITY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Application Data can be Backed up<br>[android:allowBackup=true]                                                                                                                                                                                                  | warning  | This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.                                                                                                                                                                                                                                                                                                                                                                                                                |
| 2  | Broadcast Receiver<br>(androidx.profileinstaller.ProfileInstallReceiver)<br>is Protected by a permission, but the<br>protection level of the permission should be<br>checked. <strong>Permission:<br></strong>android.permission.DUMP<br>[android:exported=true] | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |

## </> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

| NO | ISSUE                                                                                                  | SEVERITY | STANDARDS                                                                                                                         | FILES                                                                                                                                                    |
|----|--------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | <a href="#">The App logs information. Sensitive information should never be logged.</a>                | info     | CWE: CWE-532: Insertion of Sensitive Information into Log File<br>OWASP MASVS: MSTG-STORAGE-3                                     | com/dkronig/masvs_storage/maswe_0001/RegisterActivity.java                                                                                               |
| 2  | <a href="#">Files may contain hardcoded sensitive information like usernames, passwords, keys etc.</a> | warning  | CWE: CWE-312: Cleartext Storage of Sensitive Information<br>OWASP Top 10: M9: Reverse Engineering<br>OWASP MASVS: MSTG-STORAGE-14 | com/dkronig/common/BaseLoginActivity.java<br>com/dkronig/common/BaseRegisterActivity.java<br>com/dkronig/masvs_storage/maswe_0006/EncryptionHandler.java |

 NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|----|------------|-------------|---------|-------------|
|----|------------|-------------|---------|-------------|

 BEHAVIOUR ANALYSIS

| RULE ID | BEHAVIOUR                          | LABEL | FILES                                     |
|---------|------------------------------------|-------|-------------------------------------------|
| 00125   | Check if the given file path exist | file  | com/dkronig/common/BaseLoginActivity.java |

 ABUSED PERMISSIONS

| TYPE                     | MATCHES | PERMISSIONS |
|--------------------------|---------|-------------|
| Malware Permissions      | 0/25    |             |
| Other Common Permissions | 0/44    |             |

**Malware Permissions:**

Top permissions that are widely abused by known malware.

**Other Common Permissions:**

Permissions that are commonly abused by known malware.

 HARDCODED SECRETS

| POSSIBLE SECRETS                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319                                          |
| 6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151 |
| 39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643                                          |
| 051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00                           |
| 115792089210356248762697446949407573530086143415290314195533631308867097853951                                                                                |
| 6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296                                                                                              |
| 11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650                           |
| 3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f                                                              |
| 4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5                                                                                              |
| c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66                            |
| b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef                                                              |
| aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7                                                              |
| 1157920892103562487626974469494075735299695522413576034242259061068512044369                                                                                  |
| 5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b                                                                                              |
| 6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449 |

|                  |
|------------------|
| POSSIBLE SECRETS |
|------------------|

## ☰ SCAN LOGS

| Timestamp           | Event                                    | Error |
|---------------------|------------------------------------------|-------|
| 2026-01-26 16:13:02 | Generating Hashes                        | OK    |
| 2026-01-26 16:13:02 | Extracting APK                           | OK    |
| 2026-01-26 16:13:02 | Unzipping                                | OK    |
| 2026-01-26 16:13:02 | Parsing APK with androguard              | OK    |
| 2026-01-26 16:13:03 | Extracting APK features using aapt/aapt2 | OK    |
| 2026-01-26 16:13:03 | Getting Hardcoded Certificates/Keystores | OK    |
| 2026-01-26 16:13:10 | Parsing AndroidManifest.xml              | OK    |

|                     |                                                                          |    |
|---------------------|--------------------------------------------------------------------------|----|
| 2026-01-26 16:13:10 | Extracting Manifest Data                                                 | OK |
| 2026-01-26 16:13:10 | Manifest Analysis Started                                                | OK |
| 2026-01-26 16:13:10 | Performing Static Analysis on: masvs_storage (com.dkronig.masvs_storage) | OK |
| 2026-01-26 16:13:10 | Fetching Details from Play Store: com.dkronig.masvs_storage              | OK |
| 2026-01-26 16:13:10 | Checking for Malware Permissions                                         | OK |
| 2026-01-26 16:13:10 | Fetching icon path                                                       | OK |
| 2026-01-26 16:13:10 | Library Binary Analysis Started                                          | OK |
| 2026-01-26 16:13:10 | Reading Code Signing Certificate                                         | OK |
| 2026-01-26 16:13:11 | Running APKID 3.0.0                                                      | OK |
| 2026-01-26 16:13:13 | Detecting Trackers                                                       | OK |
| 2026-01-26 16:13:16 | Decompiling APK to Java with JADX                                        | OK |



|                     |                                             |    |
|---------------------|---------------------------------------------|----|
| 2026-01-26 16:14:33 | Converting DEX to Smali                     | OK |
| 2026-01-26 16:14:33 | Code Analysis Started on - java_source      | OK |
| 2026-01-26 16:14:39 | Android SBOM Analysis Completed             | OK |
| 2026-01-26 16:15:13 | Android SAST Completed                      | OK |
| 2026-01-26 16:15:13 | Android API Analysis Started                | OK |
| 2026-01-26 16:15:15 | Android API Analysis Completed              | OK |
| 2026-01-26 16:15:16 | Android Permission Mapping Started          | OK |
| 2026-01-26 16:15:16 | Android Permission Mapping Completed        | OK |
| 2026-01-26 16:15:17 | Android Behaviour Analysis Started          | OK |
| 2026-01-26 16:15:50 | Android Behaviour Analysis Completed        | OK |
| 2026-01-26 16:15:50 | Extracting Emails and URLs from Source Code | OK |



|                     |                                                  |    |
|---------------------|--------------------------------------------------|----|
| 2026-01-26 16:15:51 | Email and URL Extraction Completed               | OK |
| 2026-01-26 16:15:51 | Extracting String data from APK                  | OK |
| 2026-01-26 16:15:51 | Extracting String data from Code                 | OK |
| 2026-01-26 16:15:51 | Extracting String values and entropies from Code | OK |
| 2026-01-26 16:15:57 | Performing Malware check on extracted domains    | OK |
| 2026-01-26 16:15:57 | Saving to Database                               | OK |

---

**Report Generated by - MobSF v4.4.5**

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



 masvs\_crypto (1.0)

File Name: masvs\_crypto\_release.apk  
Package Name: com.dkronig.masvs\_crypto  
Scan Date: Jan. 26, 2026, 1:45 p.m.

App Security Score: **60/100 (LOW RISK)**

Grade:



### FINDINGS SEVERITY

|  HIGH |  MEDIUM |  INFO |  SECURE |  HOTSPOT |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 0                                                                                      | 6                                                                                        | 1                                                                                      | 1                                                                                        | 0                                                                                           |

### FILE INFORMATION

**File Name:** masvs\_crypto\_release.apk  
**Size:** 18.03MB  
**MD5:** 3d4084b25b59b12dc63bbabe2a6809b1  
**SHA1:** f6e82483c86b91524187709531561b1e89dbab9c  
**SHA256:** 1d32649f0748338561f1b95505933d662310a2931e8fa4bf4b144f3ae5e4baea

### APP INFORMATION

**App Name:** masvs\_crypto  
**Package Name:** com.dkronig.masvs\_crypto  
**Main Activity:** com.dkronig.masvs\_crypto.CryptoMenu  
**Target SDK:** 35  
**Min SDK:** 35  
**Max SDK:**  
**Android Version Name:** 1.0  
**Android Version Code:** 1

 APP COMPONENTS

Activities: 74  
Services: 5  
Receivers: 1  
Providers: 1  
Exported Activities: 0  
Exported Services: 0  
Exported Receivers: 1  
Exported Providers: 0

 CERTIFICATE INFORMATION

Binary is signed  
v1 signature: False  
v2 signature: True  
v3 signature: False  
v4 signature: False  
X.509 Subject: CN=Dominic Kronig, OU=University, O=University of Bern, L=Bern, ST=Bern, C=3012  
Signature Algorithm: rsassa\_pkcs1v15  
Valid From: 2025-12-31 12:08:44+00:00  
Valid To: 2050-12-25 12:08:44+00:00  
Issuer: CN=Dominic Kronig, OU=University, O=University of Bern, L=Bern, ST=Bern, C=3012  
Serial Number: 0x1  
Hash Algorithm: sha256  
md5: 71d59136f94aa3f5454bae353851cb7b  
sha1: 62a94e3eabf027ca5dfdd42d912c2c5be84bd50b  
sha256: 4f2afb4afb5b8974656740ed44235ef4d3e4cff3b027afdde279058ad2fe13754  
sha512: e7ed3abdb5695aed963f9c948b0be09ef3bbf09a1a410cd4b6efcd3e2b1d24e834d73a9642b15db205c81d71e539ea7bb933336d7248426d562089edb8bda536  
PublicKey Algorithm: rsa  
Bit Size: 2048  
Fingerprint: 77428f4f4c526be66d196301e1335f4b576b37d16f9892b220b0ef75c37c346a  
Found 1 unique certificates

## ≡ APPLICATION PERMISSIONS

| PERMISSION                                                        | STATUS  | INFO               | DESCRIPTION                               |
|-------------------------------------------------------------------|---------|--------------------|-------------------------------------------|
| com.dkronig.masvs_crypto.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION | unknown | Unknown permission | Unknown permission from android reference |

## 🔍 APKID ANALYSIS

| FILE        | DETAILS                      |                                                               |
|-------------|------------------------------|---------------------------------------------------------------|
| classes.dex | FINDINGS                     | DETAILS                                                       |
|             | <a href="#">yara_issue</a>   | yara issue - dex file recognized by apkid but not yara module |
|             | <a href="#">Anti-VM Code</a> | Build.FINGERPRINT check<br>Build.MANUFACTURER check           |
|             | <a href="#">Compiler</a>     | unknown (please file detection issue!)                        |

| FILE         | DETAILS    |                                                               |
|--------------|------------|---------------------------------------------------------------|
| classes2.dex | FINDINGS   | DETAILS                                                       |
|              | yara_issue | yara issue - dex file recognized by apkid but not yara module |
|              | Compiler   | unknown (please file detection issue!)                        |
|              |            |                                                               |

 NETWORK SECURITY

| NO | SCOPE | SEVERITY | DESCRIPTION |
|----|-------|----------|-------------|
|----|-------|----------|-------------|

 CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

| TITLE              | SEVERITY | DESCRIPTION                                           |
|--------------------|----------|-------------------------------------------------------|
| Signed Application | info     | Application is signed with a code signing certificate |



## Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 2 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE                                                                                                                                                                                                                                          | SEVERITY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Application Data can be Backed up [android:allowBackup] flag is missing.                                                                                                                                                                       | warning  | The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.                                                                                                                                                                                                                                                                                                                                  |
| 2  | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. <strong>Permission: </strong>android.permission.DUMP [android:exported=true] | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |

## </> CODE ANALYSIS

HIGH: 0 | WARNING: 3 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|-------|
|----|-------|----------|-----------|-------|

| NO | ISSUE                                                                                                  | SEVERITY | STANDARDS                                                                                                                                   | FILES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----|--------------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | <a href="#">Files may contain hardcoded sensitive information like usernames, passwords, keys etc.</a> | warning  | CWE: CWE-312: Cleartext Storage of Sensitive Information<br>OWASP Top 10: M9: Reverse Engineering<br>OWASP MASVS: MSTG-STORAGE-14           | com/dkronig/common/BaseLoginActivity.java<br>com/dkronig/common/BaseRegisterActivity.java<br>com/dkronig/masvs_crypto/maswe_0009/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0010/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0011/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0014/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0015/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0022/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0023/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0024/EncryptionHandler.java<br>com/dkronig/masvs_crypto/maswe_0027/EncryptionHandler.java |
| 2  | <a href="#">SHA-1 is a weak hash known to have hash collisions.</a>                                    | warning  | CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-4 | com/dkronig/masvs_crypto/maswe_0021/EncryptionHandler.java                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 3  | <a href="#">The App logs information. Sensitive information should never be logged.</a>                | info     | CWE: CWE-532: Insertion of Sensitive Information into Log File<br>OWASP MASVS: MSTG-STORAGE-3                                               | com/dkronig/masvs_crypto/maswe_0023/EncryptionHandler.java                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 4  | <a href="#">The App uses an insecure Random Number Generator.</a>                                      | warning  | CWE: CWE-330: Use of Insufficiently Random Values<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-6              | com/dkronig/masvs_crypto/maswe_0027/EncryptionHandler.java                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

 NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|----|------------|-------------|---------|-------------|
|----|------------|-------------|---------|-------------|

 BEHAVIOUR ANALYSIS

| RULE ID | BEHAVIOUR                          | LABEL | FILES                                     |
|---------|------------------------------------|-------|-------------------------------------------|
| 00125   | Check if the given file path exist | file  | com/dkronig/common/BaseLoginActivity.java |

 ABUSED PERMISSIONS

| TYPE                     | MATCHES | PERMISSIONS |
|--------------------------|---------|-------------|
| Malware Permissions      | 0/25    |             |
| Other Common Permissions | 0/44    |             |

**Malware Permissions:**

Top permissions that are widely abused by known malware.

**Other Common Permissions:**

Permissions that are commonly abused by known malware.

 HARDCODED SECRETS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| E95E4A5F737059DC60DF5991D45029409E60FC09                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 6A941977BA9F6A435199ACFC51067ED587F519C5ECB541B8E44111DE1D40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 0418DE98B02DB9A306F2AFCD7235F72A819B80AB12EBD653172476FEC462AABFFC4FF191B946A5F54D8D0AA2F418808CC25AB056962D30651A114AFD2755AD336747F93475B7A1FCA3B88F2B6A208CCFE469408584DC2B2912675BF5B9E582928                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| B3312FA7E23EE7E4988E056BE3F82D19181D9C6EFE8141120314088F5013875AC656398D8A2ED19D2A85C8EDD3EC2AEF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 0100FAF51354E0E39E4892DF6E319C72C8161603FA45AA7B998A167B8F1E629521                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| FFFFFFFFFFFFFADF85458A2BB4A9AAFDC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3D<br>F1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3EFE8721DF158A136ADE73530ACCA4F483A797ABC0AB1<br>82B324FB61D108A94BB2C8E3FBB96ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8EE0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9C<br>E98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFFA886B4238611FCFDCDE35583B6519035BB8C34F4DEF99<br>C023861B46FC9D6E6C9077AD91D2691F7F7EE598CB0FAC186D91CAEFE130985139270B4130C93BC437944F4FD4452E2D74DD364F2E21E71F54BFF5CAE82AB9C9DF6<br>9EE86D2BC522363A0DABC521979B0DEADA1DBF9A42D5C4484E0ABCD06BFA53DDEFC31B20EE3FD59D7C25E41D2B669E1EF16E6F52C3164DF4FB7930E9E4E58857B<br>6AC7D5F42D69F6D187763CF1D5503400487F55BA57E31CC7A7135C886EFB4318AED6A1E012D9E6832A907600A918130C46DC778F971AD0038092999A333CB8B7A1<br>A1DB93D7140003C2A4CEA9F98D0ACCOA8291CDCEC97DFC8EC9B55A7F88A46B4DB5A851F44182E1C68A007E5E0DD9020BFD64B645036C7A4E677D2C38532A3A23<br>BA4442CAFS5EA63BB454329B7624C8917BDD64B1C0FD4CB38E8C334C701C3ACDAD0657FCCFEC719B1F5C3E4E46041F388147FB4CFDB477A52471F7A9A96910B855<br>322EDB6340D8A00EF092350511E30ABEC1FFF9E3A26E7FB29F8C183023C3587E38DA0077D9B4763E4E4B94B2BB8C194C6651E77CAF992EEAAC0232A281BF6B3A739C<br>1226116820AE8DB5847A67CBEP9C9091B462D538CD72B03746AE77F5E62292C311562A846505DC82DB854338AE49F5235C95B91178CCF2DD5CACF403EC9D1810C<br>6272B045B3B71F9DC6B80D4A8E9ADB1E6962A69526D43161C1A41D570D7938DAD4A40E329CFF46AAA36AD004CF600C8381E425A31D951AE64FDB23FCEC<br>9509D43687FEB69EDD1CC5E08CC3BD6F4B10EF86B63142A3AB882955582F747C932665CB2C0F1CC01BD70229388839D2AF05E454504AC78B7582822846C0BA35C<br>35F5C59160CC046FD8251541FC68C9C86B022BB7099876A460E7451A8A93109703FEE1C217E6C3826E52C51AA691E0E423CFC99E9E31650C1217B624816CDAD9A95<br>F9D5B8019488D9C0A0A1FE3075A577E23183F81D4A3F2FA4571EFC8CE0BA8A4FE8B6855D7E72B0A66EDED2FBABFBE58A30FAFABE1C5D71A87E2F741EF8C1FE86FEA<br>6BBFDE530677F0D97D11D49F7A8443D0822E506A9F4614E011E2A94838FF88CD68C8BB7C5C6424CFFFFFFFFFFFFFFFF |
| b28ef557ba31dfcbdd21ac46e2a91e3c304f44cb87058ada2cb815151e610046                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| a335926aa319a27a1d00896a6773a4827acdac73                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 10686D41FF744D4449FCC6D8EEA03102E6812C93A9D60B978B702CF156D814EF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                   |
| 96341f1138933bc2f503fd44                                                                                                                                           |
| 051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00                                |
| 040503213f78CA44883f1A3B8162f188E553CD265F23C1567A16876913B0C2AC245849283601CCDA380F1C9E318D90F95D07E5426FE87E45C0E8184698E45962364E34116177DD2259                 |
| 790408F2EEDAF392B012EDEFB3392F30F4327C0CA3F31FC383C422AA8C16                                                                                                       |
| 010092537397ECA4F6145799D62B0A19CE06FE26AD                                                                                                                         |
| 0443BD7E9AFB53D8B85289BCC48EE58FE6F20137D10A087EB6E7871E2A10A599C710AF8D0D39E2061114FDD05545EC1CC8AB4093247F77275E0743FFED117182EAA9C77877AAAC6AC7D35245D1692E8EE1 |
| B4E134D3FB59EB8BAB57274904664D5AF50388BA                                                                                                                           |
| D35E472036BC4FB7E13C785ED201E065F98FCFA6F6F40DEF4F92B9EC7893EC28FCD412B1F1B32E27                                                                                   |
| 11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650                                |
| 41ECE55743711A8C3CBF3783CD08C0EE4D4DC440D4641A8F366E550DFDB3BB67                                                                                                   |
| D35E472036BC4FB7E13C785ED201E065F98FCFA6F6F40DEF4F92B9EC7893EC28FCD412B1F1B32E24                                                                                   |
| 0403F0EBA16286A2D57EA0991168D4994637E8343E3600D51FBC6C71A0094FA2CDD545B11C5C0C797324F1                                                                             |
| 6db14acc9e21c820ff28b1d5ef5de2b0                                                                                                                                   |
| 22123dc2395a05caa7423daeccc94760a7d462256bd56916                                                                                                                   |
| 4D696E676875615175985BD3ADBADA21B43A97E2                                                                                                                           |

|                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                 |
| F5CE40D95B5EB899ABBCCFF5911CB8577939804D6527378B8C108C3D2090FF9BE18E2D33E3021ED2EF32D85822423B6304F726AA854BAE07D0396E9A9ADDC40F                                                                                                                                 |
| 10D9B4A3D9047D8B154359ABFB1B7F5485B04CEB868237DDC9DEDA982A679A5A919B626D4E50A8DD731B107A9962381FB5D807BF2618                                                                                                                                                     |
| EEAF0AB9ADB38DD69C33F80AFA8FC5E86072618775FF3C0B9EA2314C9C256576D674DF7496EA81D3383B4813D692C6E0E0D5D8E250B98BE48E495C1D6089DAD15DC7D7B46154D6B6CE8EF4AD69B15D4982559B297BCF1885C529F566660E57EC68EDBC3C05726CC02FD4CBF4976EAA9AFD5138FE8376435B9FC61D2FC0EB06E3 |
| 3FCDA526B6CDF83BA1118DF35B3C31761D3545F32728D003EEB25EFE96                                                                                                                                                                                                       |
| f8183668ba5fc5bb06b5981e6d8b795d30b8978d43ca0ec572e37e09939a9773                                                                                                                                                                                                 |
| 6b8cf07d4ca75c88957d9d670591                                                                                                                                                                                                                                     |
| 0236B3DAF8A23206F9C4F299D7B21A9C369137F2C84AE1AA0D                                                                                                                                                                                                               |
| 0307AF69989546103D79329FCC3D74880F33BBE803CB                                                                                                                                                                                                                     |
| 5667676A654B20754F356EA92017D946567C46675556F19556A04616B567D223A5E05656FB549016A96656A557                                                                                                                                                                       |
| 5AC635D8AA3A93E7B3EBBD55769886BC651D06B0CC53B0F63BCE3C3E27D2604B                                                                                                                                                                                                 |
| B99B99B099B323E02709A4D696E6768756151751                                                                                                                                                                                                                         |
| E95E4A5F737059DC60DFC7AD95B3D8139515620C                                                                                                                                                                                                                         |
| 32879423AB1A0375895786C4BB46E9565FDE0B5344766740AF268ADB32322E5C                                                                                                                                                                                                 |
| 048BD2AEB9CB7E57CB2C4B482FFC81B7AFB9DE27E1E3BD23C23A4453BD9ACE3262547EF835C3DAC4FD97F8461A14611DC9C27745132DED8E545C1D54C72F046997                                                                                                                               |

## POSSIBLE SECRETS

3EE30B568FBAB0F883CCEBD46D3F3BB8A2A73513F5EB79DA66190EB085FFA9F492F375A97D860EB4

04B6B3D4C356C139EB31183D4749D423958C27D2DCAF98B70164C97A2DD98F5CFF6142E0F7C8B204911F9271F0F3ECECF8C2701C307E8E4C9E183115A1554062CFB

04A3E8EB3CC1CFE7B7732213B23A656149AFA142C47AAFBC2B79A191562E1305F42D996C823439C56D7F7B22E14644417E69BCB6DE39D027001DABE8F35B25C9BE

7d7374168ffe3471b60a857686a19475d3bfa2ff

5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

7F519EADA7BDA81BD826DBA647910F8C4B9346ED8CCDC64E4B1ABD11756DCE1D2074AA263B88805CED70355A33B471EE

469A28EF7C28CCA3DC721D044F4496BCCA7EF4146F8F25C9

2E45EF571F00786F67B0081B9495A3D95462F5DE0AA185EC

6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296

01AF286BCA1AF286BCA1AF286BCA1AF286BC9FB8F6B85C556892C20A7EB964FE7719E74F490758D3B

7A1F6653786A68192803910A3D30B2A2018B21CD54

FFFFFFFF00000000FFFFFFFFFFFFFFFFBCE6FAADA7179E84F3B9CAC2FC632551

F1FD178C0B3AD58F10126DE8CE42435B3961ADBCABC8CA6DE8FCF353D86E9C03

00689918DBEC7E5A0DD6DFC0AA55C7

|                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                 |
| 64210519E59C80E70FA7E9AB72243049FEB8DECC146B9B1                                                                                                                                                                                                                  |
| 07A11B09A76B562144418FF3FF8C2570B8                                                                                                                                                                                                                               |
| 5F49EB26781C0EC6B8909156D98ED435E45FD59918                                                                                                                                                                                                                       |
| 00C9BB9E8927D4D64C377E2AB2856A5B16E3EFB7F61D4316AE                                                                                                                                                                                                               |
| 8138e8a0fc3a4e84a771d40fd305d7f4aa59306d7251de54d98af8fe95729a1f73d893fa424cd2edc8636a6c3285e022b0e3866a565ae8108eed8591cd4fe8d2ce86165a978d719ebf647f362d33fca29cd179fb42401cbaf3df0c614056f9c8f3cfd51e474afb6bc6974f78db8aba8e9e517fded658591ab7502bd41849462f |
| 9ba48cba5ebcb9b6bd33b92830b2a2e0e192f10a                                                                                                                                                                                                                         |
| b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef                                                                                                                                                                 |
| 02120FC05D3C67A99DE161D2F4092622FECA701BE4F50F4758714E8A87BBF2A658EF8C21E7C5EFE965361F6C2999C0C247B0DBD70CE6B7                                                                                                                                                   |
| 24B7B137C8A14D696E6768756151756FD0DA2E5C                                                                                                                                                                                                                         |
| D35E472036BC4FB7E13C785ED201E065F98FCFA5B68F12A32D482EC7EE8658E98691555B44C59311                                                                                                                                                                                 |
| FFFFFFFFFFFFFFFFC90FDA22168C234C4C6628B80DC1CD129024E088A67CC74020B8EA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE65381FFFFFFFFFFFFFFFF  |
| 39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643                                                                                                                                             |
| 4230017757A767FAE42398569B746325D45313AF0766266479B75654E65F                                                                                                                                                                                                     |
| 714114B762F2FF4A7912A6D2AC58B9B5C2FCFE76DAEB7129                                                                                                                                                                                                                 |
| 0452DCB034293A117E1F4FF11B30F7199D3144CE6DFAFFEF2E331F296E071FA0DF9982CFA7D43F2E                                                                                                                                                                                 |



## POSSIBLE SECRETS

4E13CA542744D696E67687561517552F279A8C84

DB7C2ABF62E35E668076BEAD2088

91771529896554605945588149018382750217296858393520724172743325725474374979801

7ae96a2b657c07106e64479eac3434e99cf0497512f58995c1396c28719501ee

046AB1E344CE25FF3896424E7FFE14762ECB49F8928AC0C76029B4D5800374E9F5143E568CD23F3F4D7C0D4B1E41C8CC0D1C6ABD5F1A46DB4C

115792089210356248762697446949407573530086143415290314195533631308867097853951

3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

D6031998D1B3BBFEBF59CC9BBFF9AEE1

03375D4CE24FDE434489DE8746E71786015009E66E38A926DD

AADD9DB8DBE9C48B3FD4E6AE33C9FC07CB308DB3B3C9D20ED6639CCA703308717D4D98009BC66842AECDA12AE6A380E62881FF2F2D82C68528AA6056583A48F3

fe0e87005b4e83761908c5131d552a850b3f58b749c37cf5b84d6768

103FAEC74D696E676875615175777FC5B191EF30

91E38443A5E82C0D880923425712B2BB658B9196932E02C78B2582FE742DAA28

1A62BA79D98133A16BBAE7ED9A8E03C32E0824D57AEF72F88986874E5AAE49C27BED49A2A95058068426C2171E99FD3B43C5947C857D

|                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                      |
| 1CEFA94720115657E18F938D7A7942394FF9425C1458C57861F9EEA6ADBE3BE10                                                                                                                                                                                                                                                     |
| 5363ad4cc05c30e0a5261c028812645a122e22ea20816678df02967c1b23bd72                                                                                                                                                                                                                                                      |
| 04161FF7528B899B2D0C28607CA52C5B86CF5AC8395BAFEB13C02DA292DDDED7A83                                                                                                                                                                                                                                                   |
| 77d0f8c4dad15eb8c4f2f8d6726cefd96d5bb399                                                                                                                                                                                                                                                                              |
| 00FDFB49BFE6C3A89FACADAA7A1E5BBC7CC1C2E5D831478814                                                                                                                                                                                                                                                                    |
| 2580F63CCFE44138870713B1A92369E33E2135D266DBB372386C400B                                                                                                                                                                                                                                                              |
| 040D9029AD2C7E5CF4340823B2A87DC68C9E4CE3174C1E6EFDEE12C07D58AA56F772C0726F24C6B89E4ECDAC24354B9E99CAA3F6D3761402CD                                                                                                                                                                                                    |
| 70B5E1E14031C1F70BBEFE96BDD66F451754B4CA5F48DA241F331AA396B8D1839A855C1769B1EA14BA53308B5E2723724E090E02DB9                                                                                                                                                                                                           |
| 7503CFE87A836AE3A61B8816E25450E6CE5E1C93ACF1ABC1778064FDCBEFA921DF1626BE4FD036E93D75E6A50E3A41E98028FE5FC235F5B889A589CB5215F2A4                                                                                                                                                                                      |
| 7167EFC92BB2E3CE7C8AAFF34E12A9C557003D7C73A6FAF003F99F6CC8482E540F7                                                                                                                                                                                                                                                   |
| 43FC8AD242B0B7A6F3D1627AD5654447556B47BF6AA4A64B0C2AFE42CADAB8F93D92394C79A79755437B56995136                                                                                                                                                                                                                          |
| b3fb3400dec5c4adceb8655d4c94                                                                                                                                                                                                                                                                                          |
| 004D696E67687561517512D8F03431FCE63B88F4                                                                                                                                                                                                                                                                              |
| 133531813272720673433859519948319001217942375967847486899482359599369642528734712461590403327731821410328012529253871914788598993103310567744136196364803064721377826656898686468463277710150809401182608770201615324990468332931294920912776241137878030224355746606283971659376426832674269780880061631528163475887 |
| DB7C2ABF62E35E668076BEAD208B                                                                                                                                                                                                                                                                                          |

## POSSIBLE SECRETS

0409487239995A5EE76B55F9C2F098A89CE5AF8724C0A23E0E0FF77500

ffffffff00000000ffffffffffffbce6faada7179e84f3b9cac2fc632551

D09E8800291CB85396CC6717393284AA0DA64BA

3086d221a7d46bcde86c90e49284eb153dab

04925BE9FB01AFC6FB4D3E7D4990010F813408AB106C4F09CB7EE07868CC136FFF3357F624A21BED5263BA3A7A27483EBF6671DBEF7ABB30EBEE084E58A0B077AD42A5A0989D1EE71B1B9BC0455FB0D2C3

6b016c3bdcf18941d0d654921475ca71a9db2fb27d1d37796185c2942c0a

FFFFFFFFFFFFFFFFFADF85458A2BB4A9AADC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3D  
F1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3FEF8721DF158A136ADE73530ACCA4F483A797ABC0AB1  
82B324FB61D108A94B2C8E3FB896ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8E0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9C  
E98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFA886B4238611FCFDCDE355B3B6519035BBC34F4DEF99  
C023861B46FC9D6E6C9077AD91D2691F7F7EE598CB0FAC186D91CAEFE130985139270B4130C93BC437944F4FD4452E2D74DD364F2E21E71F54BFF5CAE82AB9C9DF6  
9EE86D2BC522363A0DABC521979B0DEADA1DBF9A42D5C4484E0ABCD06BFA53DDEF3C1B20EE3FD59D7C25E41D2B669E1EF16E6F52C3164DF4FB7930E9E4E58857B  
6AC7D5F42D69F6D187763CF1D5503400487F55BA57E31CC7A7135C886EFB4318AED6A1E012D9E6832A907600A918130C46DC778F971AD0038092999A333CB8B7A1  
A1DB93D7140003C2A4CEA9F98D0ACC0A8291CDCEC97DCF8EC9B55A7F88A46B4DB5A851F44182E1C68A007E5E0DD9020BFD64B645036C7A4E677D2C38532A3A23  
BA4442CAF53EA63BB454329B7624C8917BDD64B1C0FD4CB38E8C334C701C3ACDAD0657FCCFEC719B1F5C3E4E46041F388147FB4CFDB477A52471F7A9A96910B855  
322EDB6340D8A00EF092350511E30ABEC1FFF9E3A26E7FB29F8C183023C3587E38DA0077D9B4763E4E4B94B2BBC194C6651E77CAF992EEAAC023A281BF6B3A739C  
1226116820AE8DB5847A67CB9F9C9091B462D538CD72B03746AE77F5E62292C311562A846505DC82DB854338AE49F5235C95B91178CCF2DD5CACEF403EC9D1810C  
6272B045B3B71F9DC6B80D63FDD4A8E9ADB1E6962A69526D43161C1A41D570D7938DAD4A40E329CD0E40E65FFFFFFFFFFFFFFFF

6127C24C05F38A0AAAF65C0EF02C

71169be7330b3038edb025f1d0f9

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 7B425ED097B425ED097B425ED097B425ED097B4260B5E9C7710C864                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| EE353FCA5428A9300D4ABA754A44C00DFEC0C9AE4B1A1803075ED967B7BB73F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 1f3bdba585295d9a1110d1df1f9430ef8442c5018976ff3437ef91b81dc0b8132c8d5c39c32d0e004a3092b7d327c0e7a4d26d2c7b69b58f9066652911e457779de                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 7BC86E2102902EC4D5890E8B6B4981ff27E0482750FEFC03                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 114ca50f7a8e2f3f657c1108d9d44cfd8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 04DB4FF10EC057E9AE26B07D0280B7F4341DA5D1B1EAE06C7D9B2F2F6D9C5628A7844163D015BE86344082AA88D95E2F9D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 4A6E0856526436F2F88DD07A341E32D04184572BEB710                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| BB8E5E8FBC115E139FE6A814FE48AAA6F0ADA1AA5DF91985                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 1A827EF00DD6FC0E234CAF046C6A5D8A85395B236CC4AD2CF3A0CADBD9CDDF620B0EB9906D0957F6C6FEACD615468DF104DE296CD8F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| FFFFFFFFFFFFFFFFADF85458A2BB4A9AAFDC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3D<br>F1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3EFE8721DF158A136ADE73530ACCA4F483A797ABC0AB1<br>82B324FB61D108A94BB2C8E3FBB96ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8EE0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9C<br>E98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFAA886B4238611FCFDCDE355B3B6519035BB34F4DEF99<br>C023861B46FC9D6E6C9077AD91D2691F7F7EE598CB0FAC186D91CAEFE130985139270B4130C93BC437944F4FD4452E2D74DD364F2E21E71F54BFF5CAE82AB9C9DF6<br>9EE86D2BC522363A0DABC521979B0DEADA1DBF9A42D5C4484E0ABCD06BFA53DDEF3C1B20EE3FD59D7C25E41D2B66C62E37FFFFFFFFFFFFFFFF |
| 0108B39E77C4B108BED981ED0E890E117C511CF072                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 04026EB7A859923FBC82189631F8103FE4AC9CA2970012D5D46024804801841CA44370958493B205E647DA304DB4CEB08CBBD1BA39494776FB988B47174DCA88C7<br>E2945283A01C89720349DC807F4FBF374F4AEADE3BCA95314DD58CEC9F307A54FFC61EFC006D8A2C9D4979C0AC44AEA74FBE8BB9F772AEDCB620B01A7BA7AF1B32<br>0430C8591984F601CD4C143EF1C7A3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

[illegible]

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 687D1B459DC841457E3E06CF6F5E2517B97C7D614AF138BCBF85DC806C4B289F3E965D2DB1416D217F8B276FAD1AB69C50F78BEE1FA3106EFB8CCBC7C5140116                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 040369979697AB43897789566789567F787A7876A65400435EDB42EFAFB2989D51FEFCE3C80988F41FF883                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| e9e642599d35f37c97ffd3567120b8e25c9cd43e927b3a9670fbec5d890141922d2c3bad2480093799869d1e846aab49fab0ad26d2ce6a22219d470bce7d777d4a21fbe9c270b57f607002f3cef8393694cf45ee3688c11a8c56ab127a3daf                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 4B337D934104CD7BEF271BF60CED1ED20DA14C08B3BB64F18A60888D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 0051953EB9618E1C9A1F929A21A0B68540EEA2DA725B99B315F3B8B489918EF109E156193951EC7E937B1652C0BD3BB1BF073573DF883D2C34F1EF451FD46B503F00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| FFFFFFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA48361C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C180E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AAAC42DAD33170D04507A33A85521ABDF1CBA64ECFB850458DBEFOA8AEA71575D060C7DB3970F85A6E1E4C7ABF5AE8CDB0933D71E8C94E04A25619DC EE3D2261AD2EE6BF12FFA06D98A0864D87602733EC86A64521F2B18177B200CBBE117577A615D6C770988C0BAD946E208E24FA074E5AB3143DB5BFCE0FD108E4B82D120A93AD2CAFFFFFFFFFFFFFFFF |
| 8CB91E82A3386D280F5D6F7E50E641DF152F7109ED5456B31F166E6CAC0425A7CF3AB6AF6B7FC3103B883202E9046565                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 072546B5435234A422E0789675F432C89435DE5242                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 77E2B07370EB0F832A6DD5B62DFC88CD06B884BE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| BDDB97E555A50A908E43B01C798EA5DAA6788F1EA2794EFCF57166B8C14039601E55827340BE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 90066455B5CFC38F9CAA4A8B4281F292C260FEEF01FD61037E56258A7795A1C7AD46076982CE6BB956936C6AB4DCFE05E6784586940CA544B9B2140E1EB523F009D20A7E7880E4E5BFA690F1B9004A27811CD9904AF70420EEFD6EA11EF7DA129F58835FF56B89FAA637BC9AC2EFAAB903402229F491D8D3485261CD068699B6BA58A1DDBBEF6DB51E8FE34E8A78E542D7BA351C21EA8D8F1D29F5D5D15939487E27F4416B0CA632C59EFD1B1EB66511A5A0FBF615B766C5862D08BD8A3FE7A0E0DA0FB2FE1FCB19E8F9996A8EA0FCCDE538175238FC8B0EE6F29AF7F642773EBE8CD5402415A01451A840476B2FCEB0E388D30D4B376C37FE401C2A2C2F941DAD179C540C1C8CE030D460C4D983BE9AB0B20F69144C1AE13F9383EA1C08504FB0BF321503EFE43488310DD8DC77EC5B8349B8BFE97C2C560EA878DE87C11E3D597F1FEA742D73EEC7F37BE43949EF1A0D15C3F3FC0A8335617055AC91328EC22B50FC15B941D3D1624CD88BC25F3E941FDDC6200689581BFEC416B4B2CB73 |
| 044A96B5688EF573284664698968C38BB913CBFC8223A628553168947D59DCC912042351377AC5FB32                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 7BC382C63D8C150C3C72080ACE05AFA0C2BEA28E4FB22787139165EFBA91F90F8AA5814A503AD4EB04A8C7DD22CE2826                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 0021A5C2C8EE9FEB5C4B9A753B7B476B7FD6422EF1F3DD674761FA99D6AC27C8A9A197B272822F6CD57A55AA4F50AE317B13545F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 32010857077C5431123A46B808906756F543423E8D27877578125778AC76                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 002757A1114D696E6768756151755316C05E0BD4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 10B51CC12849B234C75E6DD2028BF7FF5C1CE0D991A1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 040303001D34B856296C16C0D40D3CD7750A93D1D2955FA80AA5F40FC8DB7B2ABDBDE53950F4C0D293CDD711A35B67FB1499AE60038614F1394ABFA3B4C850D927E1E7769C8EC2D19037BF27342DA639B6DCCFFFE73D69D78C6C27A6009CBBCA1980F8533921E8A684423E43BAB08A576291AF8F461BB2A8B3531D2F0485C19B16E2F1516E23DD3C1A4827AF1B8AC15B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 91A091F03B5FBA4AB2CCF49C4EDD220FB028712D42BE752B2C40094DBACDB586FB20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 71169be7330b3038edb025f1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| CFA0478A54717B08CE64805B76E5B14249A77A4838469DF7F7DC987EFCFB11D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 026108BABB2CEEBCF787058A056CBE0CFE622D7723A289E08A07AE13EF0D10D171DD8D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                   |
| 68A5E62CA9CE6C1C299803A6C1530B514E182AD8B0042A59CAD29F43                                                           |
| 28E9FA9E9D9F5E344D5A9E4BCF6509A7F39789F515AB8F92DDBCBD414D940E93                                                   |
| DB7C2ABF62E35E7628DFAC6561C5                                                                                       |
| 030024266E4EB5106D0A964D92C4860E2671DB9B6CC5                                                                       |
| 8D91E471E0989CDA27DF505A453F2B7635294F2DDF23E3B122ACC99C9E9F1E14                                                   |
| E0D2EE25095206F5E2A4F9ED229F1F256E79A0E2B455970D8D0D865BD94778C576D62F0AB7519CCD2A1A906AE30D                       |
| 027B680AC8B8596DA5A4AF8A19A0303FCA97FD7645309FA2A581485AF6263E313B79A2F5                                           |
| 04B70E0CBD6BB4BF7F321390B94A03C1D356C21122343280D6115C1D21BD376388B5F723FB4C22DFE6CD4375A05A07476444D5819985007E34 |
| 31a92ee2029fd10d901b113e990710f0d21ac6b6                                                                           |
| A335926AA319A27A1D00896A6773A4827ACDAC73                                                                           |
| 3E1AF419A269A5F866A7D3C25C3DF80AE979259373FF2B182F49D4CE7E1BBC8B                                                   |
| c97445f45cdef9f0d3e05e1e585fc297235b82b5be8ff3efca67c59852018192                                                   |
| A7F561E038EB1ED560B3D147DB782013064C19F27ED27C6780AAF77FB8A547CEB5B4FEF422340353                                   |
| 3045AE6FC8422f64ED579528D38120EAE12196D5                                                                           |
| 9B9F605F5A858107AB1EC85E6B41C8AACF846E86789051D37998F7B9022D7598                                                   |



|                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                      |
| FD0D693149A118F651E6DCE6802085377E5F882D1B510B44160074C1288078365A0396C8E681                                                                                                                                                                                                                                          |
| 043B4C382CE37AA192A4019E763036F4F5DD4D7EBB938CF935318FDCED6BC28286531733C3F03C4FEE                                                                                                                                                                                                                                    |
| 9B9F605F5A858107AB1EC85E6B41C8AACF846E86789051D37998F7B9022D759B                                                                                                                                                                                                                                                      |
| 100997906755055304772081815535925224869841082572053457874823515875577147990529272777244152852699298796483356699682842027972896052747173175480590485607134746852141928680912561502802222185647539190902656116367847270145019066794290930185446216399730872221732889830323194097355403213400972588322876850946740663962 |
| 8CB91E82A3386D280F5D6F7E50E641DF152F7109ED5456B412B1DA197FB71123ACD3A729901D1A71874700133107EC50                                                                                                                                                                                                                      |
| 041D1C64F068CF45FFA2A63A81B7C13F6B8847A3E77EF14FE3DB7FCAFE0CBD10E8E826E03436D646AAEF87B2E247D4AF1E8ABE1D7520F9C2A45CB1EB8E95CFD55262B70B29FECC5864E19C054FF99129280E4646217791811142820341263C5315                                                                                                                    |
| 0405F939258DB7DD90E1934F8C70B0DFEC2EED25B8557EAC9C80E2E198F8CDBECD86B1205303676854FE24141CB98FE6D4B20D02B4516FF702350EDDB0826779C813F0DF45BE8112F4                                                                                                                                                                    |
| 04AA87CA22BE8B05378EB1C71EF320AD746E1D3B628BA79B9859F741E082542A385502F25DBF55296C3A545E3872760AB73617DE4A96262C6F5D9E98BF9292DC29F8F41DBD289A147CE9DA3113B5F0B8C00A60B1CE1D7E819D7A431D7C90EA0E5F                                                                                                                    |
| E87579C11079F43DD824993C2CEE5ED3                                                                                                                                                                                                                                                                                      |
| 0400C6858E06B70404E9CD9E3ECB662395B4429C648139053FB521F828AF606B4D3DBAA14B5E77EFE75928FE1DC127A2FFA8DE3348B3C1856A429BF97E7E31C2E5BD66011839296A789A3BC0045C8A5FB42C7D1BD998F54449579B446817AFBD17273E662C97EE72995EF42640C550B9013FAD0761353C7086A272C24088BE94769FD16650                                            |
| 040081BAF91FDF9833C40F9C181343638399078C6E7EA38C001F73C8134B1B4EF9E150                                                                                                                                                                                                                                                |
| 4D41A619BCC6EADF0448FA22FAD567A9181D37389CA                                                                                                                                                                                                                                                                           |

|                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                   |
| 0432C4AE2C1F1981195F9904466A39C9948FE30BBFF2660BE1715A4589334C74C7BC3736A2F4F6779C59BDCEE36B692153D0A9877CC62A474002DF32E52139F0A0 |
| A9FB57DBA1EEA9BC3E660A909D838D718C397AA3B561A6F7901E0E82974856A7                                                                   |
| 1243ae1b4d71613bc9f780a03690e                                                                                                      |
| d09e8800291cb85396cc6717393284aaa0da64ba                                                                                           |
| 04A1455B334DF099DF30FC28A169A467E9E47075A90F7E650EB6B7A45C7E089FED7FBA344282CAFBD6F7E319F7C0B0BD59E2CA4BDB556D61A5                 |
| 04188DA80EB03090F67CBF20EB43A18800F4FF0AFD82FF101207192B95FFC8DA78631011ED6B24CDD573F977A11E794811                                 |
| 07B6882CAAEFA84F9554FF8428BD88E246D2782AE2                                                                                         |
| 023b1660dd701d0839fd45eec36f9ee7b32e13b315dc02610aa1b636e346df671f790f84c5e09b05674dbb7e45c803dd                                   |
| db92371d2126e9700324977504e8c90e                                                                                                   |
| 0095E9A9EC9B297BD4BF36E059184F                                                                                                     |
| 3045AE6FC8422F64ED579528D38120EAE12196D5                                                                                           |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| FFFFFFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE135606D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA48361C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C180E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AAAC42DAD33170D04507A33A85521ABDF1CBA64ECFB850458DBEF0A8AEA71575D060C7DB3970F85A6E1E4C7ABF5AE8CDB0933D71E8C94E04A25619DCEE3D2261AD2EE6BF12FFA06D98A0864D87602733EC86A64521F2B18177B200CB8E117577A615D6C770988C0BAD946E208E24FA074E5AB3143DB5BFC0FD108E4882D120A92108011A723C12A787E6D788719A10BDBA5B2699C327186AF4E23C1A946834B6150BDA2583E9CA2AD44CE8DBBCC2DB04DE8EF92E8EFC141FBECAA6287C59474E6BC05D99B2964FA090C3A2233BA186515BE7ED1F612970CEE2D7AFB81BDD762170481CD0069127D5B05AA993B4EA988D8FDDC186FFB7DC90A6C08F4DF435C93402849236C3FAB4D27C7026C1D4DCB2602646DEC9751E763DBA37BDF8FF9406AD9E530EE5DB382F413001AEB06A53ED9027D831179727B0865A8918DA3EDBEBFC9B14ED44CE6CBACED4BB1BDB7F1447E6CC254B332051512BD77AF426FB8F401378CD2BF5983CA01C64B92ECF032EA15D1721D03F482D7CE6E74FEF6D55E702F46980C82B5A84031900B1C9E59E7C97FBEC7E8F323A97A7E36CC88BE0F1D45B7FF585AC54BD407B22B4154AAC8F6D7EBF48E1D814C5CED20F8037EQA79715EEF29BE32806A1D588B7C5DA76F550AA3D8A1FBFF0EB19CCB1A313D55CDA56C9CE2EF29632387FE8D76E3C0468043E8F663F4860EE12BF2D5B0B7474D6E694F91E6DCC4024FFFFFFFFFFFFFFFF |
| 7830A3318B603B89E2327145AC234C594CBDD8D3DF91610A83441CAEA9863BC2DED5D5AA8253AA10A2EF1C98B9AC8B57F117A72BF2C7B9E7C1AC4D77FC94CA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| b0b4417601b59cbc9d8ac8f935cadaec4f5fbb2f23785609ae466748d9b5a536                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 216EE8B189D291A0224984C1E92F1D16BF75CCD825A087A239B276D3167743C52C02D6E7232AA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| f7e1a085d69b3ddecbcab5c36b857b97994affbfa3aea82f9574c0b3d0782675159578ebad4594fe67107108180b449167123e84c281613b7cf09328cc8a6e13c167a8b547c8d28e0a3ae1e2bb3a6f75916ea37f0bfa213562f1fb627a01243bcc4f1bea8519089a883dfe15ae59f06928b665e807b552564014c3bfecf492a                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 29C41E568B77C617EFE5902F11DB96FA9613CD8D03DB08DA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 401028774D7777C7B7666D1366EA432071274F89FF01E718                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| FFFFFFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE135606D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA48361C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA237327FFFFFFFFFFFFFFFF                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 1E589A8595423412134FAA2DBDEC95C8D8675E58                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 5D9306BACD22B7FAEB09D2E049C6E2866C5D1677762A8F2F2DC9A11C7F7BE8340AB2237C7F2A0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 79885141663410976897627118935756323747307951916507639758300472692338873533959                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| BDB6F4FE3E8B1D9E0DA8C0D40FC962195DFAE76F56564677                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| E2E31EDFC23DE7BDEBE241CE593EF5DE2295B7A9CBAEF021D385F7074CEA043AA27272A7AE602BF2A7B9033DB9ED3610C6FB85487EAE97AAC5BC7928C1950148                                                                                                                                                                                                                                                                                                                                                                                             |
| FFFFFFFFFFFFFFFFC90FDA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA48361C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C180E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AA68FFFFFFFFFFFFFFFF |
| 6BA06FES1464B2BD26DC57F48819BA9954667022C7D03                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 659EF8BA043916EED8911702B22                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| A9FB57DBA1EEA9BC3E660A909D838D726E3BF623D52620282013481D1F6E5377                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 2472E2D0197C49363F1FE7F5B6D8075D52B6947D135D8CA445805D39BC345626089687742B6329E70680231988                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 85E25BFE5C86226CDB12016F7553F9D0E693A268                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 0620048D28BCBD03B6249C99182B7C8CD19700C362C46A01                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 883423532389192164791648750360308885314476597252960362792450860609699839                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 06973B15095675534C7CF7E64A21BD54EF5DD3B8A0326AA936ECE454D2C                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 26DC5C6CE94A4B44F330B5D9BBD77CBF958416295CF7E1CE6BCCDC18FF8C07B6                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7                                                                                                                                                                                                                                                                                                                                                                                                                             |

|                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                   |
| 6A91174076B1E0E19C39C031FE8685C1CAE040E5C69A28EF                                                                                   |
| 0066647EDE6C332C7F8C0923BB58213B333B20E9CE4281FE115F7D8F90AD                                                                       |
| FC1217D4320A90452C760A58EDCD30C8DD069B3C34453837A34ED50CB54917E1C2112D84D164F444F8F74786046A                                       |
| 6b8cf07d4ca75c88957d9d67059037a4                                                                                                   |
| E95E4A5F737059DC60DFC7AD95B3D8139515620F                                                                                           |
| 985BD3ADBAD4D696E676875615175A21B43A97E3                                                                                           |
| 0400FAC9DFCBAC8313BB2139F1BB755FEF65BC391F8B36F8F8EB7371FD558B01006A08A41903350678E58528BEBF8A0BEFF867A7CA36716F7E01F81052         |
| C8619ED45A62E6212E1160349E2BFA844439FAFC2A3FD1638F9E                                                                               |
| C302F41D932A36CDA7A3463093D18DB78FCE476DE1A86297                                                                                   |
| 3DF91610A83441CAEA9863BC2DED5D5AA8253AA10A2EF1C98B9AC8B57F117A72BF2C7B9E7C1AC4D77FC94CADC083E67984050B75EBAE5DD2809BD638016F723    |
| c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66 |
| 2AA058F73A0E33AB486B0F610410C53A7F132310                                                                                           |
| 39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319               |
| 0101D556572AABAC800101D556572AABAC8001022D5C91DD173F8FB561DA6899164443051D                                                         |
| B4C4EE28CEBC6C2C8AC12952CF37F16AC7EFB6A9F69F4B57FFDA2E4F0DE5ADE038CBC2FFF719D2C18DE02848B8BFEF3B52B8CC7A5F5BF0A3C8D2319A5312557E1  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 003088250CA6E7C7FE649CE85820F7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 0401F481BC5F0FF84A74AD6CDFEDEF4BF6179625372D8C0C5E10025E399F2903712CCF3EA9E3A1AD17FB0B3201B6AF7CE1B05                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 0429A0B6A887A983E9730988A68727A8B2D126C44CC2CC7B2A6555193035DC76310804F12E549BDB011C103089E73510ACB275FC312A5DC6B76553F0CA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 255705fa2a306654b1f4cb03d6a750a30c250102d4988717d9ba15ab6d3e                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 0402FE13C0537BBC11ACAA07D793DE4E6D5E5C94EEE80289070FB05D38FF58321F2E800536D538CCDAA3D9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 1A8F7EDA389B094C2C071E3647A8940F3C123B697578C213BE6DD9E6C8EC7335DCB228FD1EDF4A39152CBCAAF8C0398828041055F94CEEEC7E21340780FE41BD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 021085E2755381DCCCE3C1557AFA10C2F0C0C2825646C5B34A394CBFA8BC16B22E7E789E927BE216F02E1FB136A5F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 00C9517D06D5240D3CFF38C74B20B6CD4D6F9DD4D9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 7CBBBCF9441CFAB76E1890E46884EAE321F70C0BCB4981527897504BEC3E36A62BCDFA2304976540F6450085F2DAE145C22553B465763689180EA2571867423E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| FFFFFFFFFFFFFFFFC90FDAA22168C234C4C6628B80DC1CD129024E088A67CC74020BBEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1356D6D51C245E485B576625E7EC6F44C42E9A637ED6B0BFF5CB6F406B7EDEE386BFB5A899FA5AE9F24117C4B1FE649286651ECE45B3DC2007CB8A163BF0598DA48361C55D39A69163FA8FD24CF5F83655D23DCA3AD961C62F356208552BB9ED529077096966D670C354E4ABC9804F1746C08CA18217C32905E462E36CE3BE39E772C180E86039B2783A2EC07A28FB5C55DF06F4C52C9DE2BCBF6955817183995497CEA956AE515D2261898FA051015728E5A8AAAC42DAD33170D04507A33A85521ABDF1CBA64ECFB850458DBEF0A8AEA71575D060C7DB3970F85A6E1E4C7ABF5AE8CDB0933D71E8C94E04A25619DC EE3D2261AD2EE6BF12FFA06D98A0864D87602733EC86A64521F2B18177B200CB8E117577A615D6C770988C0BAD946E208E24FA074E5AB3143DB5BFC0FD108E4B82D120A92108011A723C12A787E6D788719A10BDBA5B2699C327186AF4E23C1A946834B6150BDA2583E9CAZAD44CE8DBBCC2DB04DE8EF92E8EFC141FBEC AA6287C59474E6BC05D99B2964FA090C3A2233BA186515BE7ED1F612970CEE2D7AFB81BDD762170481CD0069127D5B05AA993B4EA988D8FDDC186FFB7DC90A6C08F4DF435C934063199FFFFFFFFFFFFFFFF |
| BDB6F4FE3E8B1D9E0DA8C0D46F4C318CFE4AFE3B6B8551F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 108576C80499DB2FC16EDDF6853BBB278F6B6FB437D9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                 |
| 000E0D4D696E6768756151750CC03A4473D03679                                                                                         |
| 5DDA470ABE6414DE8EC133AE28E9BBD7FCEC0AE0FFF2                                                                                     |
| 10E723AB14D696E6768756151756FEBF8FCB49A9                                                                                         |
| 020A601907B8C953CA1481EB10512F78744A3205FD                                                                                       |
| 64210519e59c80e70fa7e9ab72243049feb8deccc146b9b1                                                                                 |
| bb85691939b869c1d087f601554b96b80cb4f55b35f433c2                                                                                 |
| 03eea2bae7e1497842f2de7769cfe9c989c072ad696f48034a                                                                               |
| 25FBC363582DCEC065080CA8287AAFF09788A66DC3A9E                                                                                    |
| 4099B5A457F9D69F79213D094C4BCD4D4262210B                                                                                         |
| 8d5155894229d5e689ee01e6018a237e2cae64cd                                                                                         |
| cc22d6dfb95c6b25e49c0d6364a4e5980c393aa21668d953                                                                                 |
| 8CB91E82A3386D280F5D6F7E50E641DF152F7109ED5456B412B1DA197FB71123ACD3A729901D1A71874700133107EC53                                 |
| 678471b27a9cf44ee91a49c5147db1a9aaf244f05a434d6486931d2d14271b9e35030b71fd73da179069b32e2935630e1c2062354d0da20a6c416e50be794ca4 |
| 393C7F7D53666B5054B5E6C6D3DE94F4296C0C599E2E2E241050DF18B6090BDC90186904968BB                                                    |
| 0163F35A5137C2CE3EA6ED8667190B0BC43ECD69977702709B                                                                               |

|                                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                             |
| 03E5A88919D7CAFCBF415F07C2176573B2                                                                                                                                                                                                                                                                                           |
| 1b9fa3e518d683c6b65763694ac8efbaec6fab44f2276171a42726507dd08add4c3b3f4c1ebc5b1222ddba077f722943b24c3edfa0f85fe24d0c8c01591f0be6f63                                                                                                                                                                                          |
| 04640ECE5C12788717B9C1BA06CBC2A6FEBA85842458C56DDE9DB1758D39C0313D82BA51735CDB3EA499AA77A7D6943A64F7A3F25FE26F06B51BAA2696FA9035D<br>A5B534BD595F5AF0FA2C892376C84ACE1BB4E3019B71634C01131159CAE03CEE9D9932184BEEF216BD71DF2DADF86A627306ECFF96DBB8BACE198B61E00F8B332                                                       |
| D2C0FB15760860DEF1EEF4D696E6768756151754                                                                                                                                                                                                                                                                                     |
| 68647976601306097149819007990813932172694353001433054093944634591855431833976553942450577463332171975329639963713633211138647686124403<br>80340372808892707005449                                                                                                                                                            |
| 02A29EF207D0E9B6C55CD260B306C7E007AC491CA1B10C62334A9E8DCD8D20FB7                                                                                                                                                                                                                                                            |
| e43bb460f0b80cc0c0b075798e948060f8321b7d                                                                                                                                                                                                                                                                                     |
| 0017858FEB7A98975169E171F77B4087DE098AC8A911DF7B01                                                                                                                                                                                                                                                                           |
| 42941826148615804143873447737955502392672345968607143066798112994089471231420027060385216699563848719957657284814898909770759462613437<br>66945636488273037083893479108083593264797677860191534347440096103423131667257868692048219493287863336020338479709268434224762105576023<br>5016132614780652761028509445403338652341 |
| fd7f53811d75122952df4a9c2eece4e7f611b7523cef4400c31e3f80b6512669455d402251fb593d8d58fabfc5f5ba30f6cb9b556cd7813b801d346ff26660b76b9950a5a49f<br>9fe8047b1022c24fba9d7feb7c61bf83b57e7c6a8a6150f04fb83f6d3c51ec3023554135a169132f675f3ae2b61d72aeff22203199dd14801c7                                                          |
| 020ffa963cdca8816ccc33b8642bedf905c3d358573d3f27fbbd3b3cb9aaaf                                                                                                                                                                                                                                                               |
| 0217C05610884B63B9C6C7291678F9D341                                                                                                                                                                                                                                                                                           |



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| C196BA05AC29E1F9C3C72D56DFFC6154A033F1477AC88EC37F09BE6C5BB95F51C296DD20D1A28A067CCC4D4316A4BD1DCA55ED1066D438C35AEBAAABF57E7DAE428782A95ECA1C143DB701FD48533A3C18F0FE23557EA7AE619ECACC7E0B51652A8776D02A425567DED36EABD90CA33A1E8D988F08BB92D02D1D20290113BB562CE1FC856EEB7CDD92D33EEA6F410859B179E7E789A8F75F645FAE2E136D252BFFAFF89528945C1ABE705A38DBC2D364AADE99BE0D0AAD82E5320121496DC65B3930E38047294FF877831A16D5228418DE8AB275D7D75651CEFED65F78AFC3EA7FE4D79B35F62A0402A1117599ADAC7B269A59F353CF450E6982D3B1702D9CA83 |
| 0481AE4BD82ED9645A21322E9C4C6A9385ED9F70B5D916C1B43B62EEF4D0098EFF3B1F78E2D0D48D50D1687B93B97D5F7C6D5047406A5E688B352209BCB9F8227DDE385D566332ECC0EABFA9CF78222DFD209F70024A57B1AA000C55B881F8111B2DCDE494A5F485E5BCA4BD88A2763AED1CA2B2FA8F0540678CD1E0F3AD80892                                                                                                                                                                                                                                                                 |
| 36DF0AAFD8B8D7597CA10520D04B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 60dcd2104c4cbc0be6eeefc2bdd610739ec34e317f9b33046c9e4788                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 04BED5AF16EA3F6A4F62938C4631EB5AF7BDBCD8C31667CB477A1A8EC338F94741669C976316DA6321                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 340E7BE2A280EB74E2BE61BADA745D97E8F7C300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 03188da80eb03090f67cbf20eb43a18800f4ff0afd82ff1012                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 046B17D1F2E12C4247F8BC6E6563A440F277037D812DEB33A0F4A13945D898C2964FE342E2FE1A7F9B8EE7EB4A7C0F9E162BCE33576B315ECCB86406837BF51F5                                                                                                                                                                                                                                                                                                                                                                                                 |
| 520883949DFBDC42D3AD198640688A6FE13F41349554B49ACC31DCCD884539816F5EB4AC8FB1F1A6                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 7A556B6DAE535B7B51ED2C4D7DAA7A0B5C55F380                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 42debb9da5b3d88cc956e08787ec3f3a09bba5f48b889a74aaf53174aa0fbe7e3c5b8fcd7a53bef563b0e98560328960a9517f4014d3325fc7962bf1e049370d76d1314a76137e792f3f0db859d095e4a5b932024f079ecf2ef09c797452b0770e1350782ed57ddf794979dcef23cb96f183061965c4ebc93c9c71c56b925955a75f94ccccf1449ac43d586d0beee43251b0b2287349d68de0d144403f13e802f4146d882e057af19b6f6275c6676c8fa0e3ca2713a3257fd1b27d0639f695e347d8d1cf9ac819a26ca9b04cb0eb9b7b035988d15bbac65212a55239cfc7e58fae38d7250ab9991ffbc97134025fe8ce04c4399ad96569be91a546f4978693c7a |
| MQVwithSHA384KDFAndSharedInfo                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| POSSIBLE SECRETS                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 127971af8721782ecffa3                                                                                                                                                                                             |
| 0667ACEB38AF4E488C40743FFAE4F1C811638DF20                                                                                                                                                                         |
| 0228F9D04E900069C8DC47A08534FE76D2B900B7D7EF31F5709F200C4CA205                                                                                                                                                    |
| 07A526C63D3E25A256A007699F5447E32AE456B50E                                                                                                                                                                        |
| 02197B07845E9BE2D96ADB0F5F3C7F2CFFBD7A3EB886FEC35C7FD67F26DDF6285A644F740A2614                                                                                                                                    |
| C302F41D932A36CDA7A3462F9E9E916B5BE8F1029AC4ACC1                                                                                                                                                                  |
| C302F41D932A36CDA7A3463093D18DB78FCE476DE1A86294                                                                                                                                                                  |
| 0238af09d98727705120c921bb5e9e26296a3cdc2f35757a0eafd87b830e7                                                                                                                                                     |
| 295F9BAE7428ED9CCC20E7C359A9D41A22FCCD9108E17BF7BA9337A6F8AE9513                                                                                                                                                  |
| 04015D4860D088DDB3496B0C6064756260441CDE4AF1771D4DB01FFE5B34E59703DC255A868A1180515603AEB60794E54BB7996A70061B1CFAB6BE5F32BBFA78324ED106A7636B9C5A7BD198D0158AA4F5488D08F38514F1FDF4B4F40D2181B3681C364BA0273C706 |
| 04017232BA853A7E731AF129F22FF4149563A419C26BF50A4C9D6EEFAD612601DB537DECE819B7F70F555A67C427A8CD9BF18AEB9B56E0C11056FAE6A3                                                                                        |
| 0713612DCDDCB40AAB946BDA29CA91F73AF958AFD9                                                                                                                                                                        |
| AADD9DB8DBE9C48B3FD4E6AE33C9FC07CB308DB3B3C9D20ED6639CCA703308717D4D9B009BC66842AECDA12AE6A380E62881FF2F2D82C68528AA6056583A48F0                                                                                  |
| 043AE9E58C82F63C30282E1FE7BBF43FA72C446AF6F4618129097E2C5667C2223A902AB5CA449D0084B7E5B3DE7CC01C9                                                                                                                 |
| 10B7B4D696E676875615175137C8A16FD0DA2211                                                                                                                                                                          |

|                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                              |
| 13945487119911582560140965510769071310704170705992803179775800145437576535772298409412436852228823983303911468164807668823692122073732<br>26721607407477717009111345504320538046476949046861201130878162407401848004770471573366629262494235712488239685422217536601433914856808<br>40520336859458494803187341288580489525163 |
| 0401A57A6A7B26CA5EF52FCDB816479700B3ADC94ED1FE674C06E695BABA1D                                                                                                                                                                                                                                                                |
| 2E2F85F5DD74CE983A5C4237229DAF8A3F35823BE                                                                                                                                                                                                                                                                                     |
| 68363196144955700784444165611827252895102170888761442055095051287550314083023                                                                                                                                                                                                                                                 |
| 000102030405060708090A0B0C0D0E0F101112131415161718191A1B1C1D1E1F                                                                                                                                                                                                                                                              |
| MQVwithSHA512KDFAndSharedInfo                                                                                                                                                                                                                                                                                                 |
| 7ffffffffffffffffffff80000cfa7e8594377d414c03821bc582063                                                                                                                                                                                                                                                                      |
| FFFFFFFFFFFFFFFFC90FDA22168C234C4C6628B80DC1CD129024E088A67CC740208BEA63B139B22514A08798E3404DDEF9519B3CD3A431B302B0A6DF25F14374FE1<br>356D6D51C245E485B576625E7EC6F44C42E9A63A3620FFFFFFFFFFFFFFFF                                                                                                                           |
| 30470ad5a005fb14ce2d9dcd87e38bc7d1b1c5facbaecbe95f190aa7a31d23c4dbbcbe06174544401a5b2c020965d8c2bd2171d3668445771f74ba084d2029d83c1c1585<br>47f3a9f1a2715be23d51ae4d3e5a1f6a7064f316933a346d3f529252                                                                                                                          |
| 90EAF4D1AF0708B1B612FF35E0A2997EB9E9D263C9CE659528945C0D                                                                                                                                                                                                                                                                      |
| BD71344799D5C7FCD45B59FA3B9AB8F6A948BC5                                                                                                                                                                                                                                                                                       |
| c49d360886e704936a6678e1139d26b7819f7e90                                                                                                                                                                                                                                                                                      |
| 00F50B028E4D696E676875615175290472783FB1                                                                                                                                                                                                                                                                                      |
| 9B9F605F5A858107AB1EC85E6B41C8AA582CA3511EDDFB74F02F3A6598980BB9                                                                                                                                                                                                                                                              |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 036768ae18bb92cfcf005c949aa2c6d94853d0e660bbf854b1c9505fe95a                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 617fab6832576cbbfed50d99f0249c3fee58b94ba0038c7ae84c8c832f2c                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 5EEEFCA380D02919DC2C6558BB6D8A5D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 71FE1AF926CF847989EF8DB459F66394D90F32AD3F15E8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 3086d221a7d46bcde86c90e49284eb15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 324A6EDDD512F08C49A99AE0D3F961197A76413E7BE81A400CA681E09639B5FE12E59A109F78BF4A373541B3B9A1                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 044BA30AB5E892B4E1649DD0928643ADC46F5882E3747DEF36E956E97                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 5FF6108462A2DC8210AB403925E638A19C1455D21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| B4050A850C04B3ABF54132565044B0B7D7BFD8BA270B39432355FFB4                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 95475cf5d93e596c3fcd1d902add02f427f5f3c7210313bb45fb4d5bb2e5fe1cbd678cd4bbdd84c9836be1f31c0777725aeb6c2fc38b85f48076fa76bcd8146cc89a6fb2f706dd719898c2083dc8d896f84062e2c9c94d137b054a8d8096adb8d51952398eecca852a0af12df83e475aa65d4ec0c38a9560d5661186ff98b99fc9eb60eee8b030376b236bc73be3acdbd74fd61c1d2475fa3077b8f080467881ff7e1ca56fee066d79506ade51edbb5443a563927dbc4ba520086746175c8885925ebc64c6147906773496990cb714ec667304e261faee33b3cbdf0080c3fa90650d97d3909c9275bf4ac86ffcb3d03e6dfc8ada5934242dd6d3bcca2a406cb0b |
| FFFFFFFFFFFFFADF85458A2BB4A9AADC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3DF1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3EFE8721DF158A136ADE73530ACCA4F483A797ABC0AB182B324FB61D108A94BB2C8E3FBB96ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8EE0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9CE98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFA886B423861285C97FFFFFFFFFFFFFFFF       |
| 6EE3CEEB230811759F20518A0930F1A4315A827DAC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| c469684435deb378c4b65ca9591e2a5763059a2e                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                         |
| 9cdbc84c9f1ac2f38d0f80f42ab952e7338bf511                                                                                                                                                                                                                                                                                                                                                                 |
| 9DEF3CAF8939277AB1F12A8617A47BBBDBA51DF499AC4C80BEEEA9614B19CC4D5F4F5F556E27CBDE51C6A94BE4607A291558903BA0D0F84380B655BB9A22E8DCD<br>F028A7CEC67F0D08134B1C8B97989149B609E0BE3BAB63D47548381DBC5B1FC764E3F4B53DD9DA1158BFD3E2B9C8CF56EDF019539349627DB2FD53D24B7C48665<br>772E437D6C7F8CE442734AF7CCB7AE837C264AE3A9BEB87F8A2FE9B8B5292E5A021FFF5E91479E8CE7A28C2442C6F315180F93499A234DCF76E3FED135F9BB |
| 962eddcc369cba8ebb260ee6b6a126d9346e38c5                                                                                                                                                                                                                                                                                                                                                                 |
| 9162fbe73984472a0a9d0590                                                                                                                                                                                                                                                                                                                                                                                 |
| 1053CDE42C14D696E67687561517533BF3F83345                                                                                                                                                                                                                                                                                                                                                                 |
| 03CE10490F6A708FC26DFE8C3D27C4F94E690134D5BFF988D8D28AAEAEDE975936C66BAC536B18AE2DC312CA493117DAA469C640CAF3                                                                                                                                                                                                                                                                                             |
| AADD9DB8DBE9C48B3FD4E6AE33C9FC07CB308DB3B3C9D20ED6639CCA70330870553E5C414CA92619418661197FAC10471DB1D381085DDADD8B58796829CA90069                                                                                                                                                                                                                                                                        |
| 027d29778100c65a1da1783716588dce2b8b4aee8e228f1896                                                                                                                                                                                                                                                                                                                                                       |
| 047B6AA5D85E572983E6FB32A7CDEBC14027B6916A894D3AEE7106FE805FC34B44                                                                                                                                                                                                                                                                                                                                       |
| 12702124828893241746590704277717644352578765350891653581281750726570503126098509849742318833348340118092599999512098893413065920561499<br>67242541210492743493570749203127695614516892241105793112488126102296785346384016935200132889950003622606842227508135323070045173416336<br>85004541062586971416883686778842537820383                                                                            |
| 023809B2B7CC1B28CC5A87926AAD83FD28789E81E2C9E3BF10                                                                                                                                                                                                                                                                                                                                                       |
| b8adf1378a6eb73409fa6c9c637ba7f5                                                                                                                                                                                                                                                                                                                                                                         |
| 3d84f26c12238d7b4f3d516613c1759033b1a5800175d0b1                                                                                                                                                                                                                                                                                                                                                         |
| 04A8C7DD22CE28268B39B55416F0447C2FB77DE107DCD2A62E880EA53EEB62D57CB4390295DBC9943AB78696FA504C11                                                                                                                                                                                                                                                                                                         |

| POSSIBLE SECRETS                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 040060F05F658F49C1AD3AB1890F7184210EFD0987E307C84C27ACCFB8F9F67CC2C460189EB5AAAA62EE222EB1B35540CFE902374601E369050B7C4E42ACBA1DACB<br>F04299C3460782F918EA427E6325165E9EA10E3DA5F6C42E9C55215AA9CA27A5863EC48D8E0286B |
| DC9203E514A721875485A529D2C722FB187BC8980EB866644DE41C68E143064546E861C0E2C9EDD92ADE71F46FCF50FF2AD97F951FDA9F2A2EB6546F39689BD3                                                                                       |
| 038D16C2866798B600F9F08BB4A8E860F3298CE04A5798                                                                                                                                                                         |
| 04C0A0647EAB6A48753B033C56CB0F0900A2F5C4853375FD614B690866ABD5BB88B5F4828C1490002E6773FA2FA299B8F                                                                                                                      |
| 5037EA654196CFF0CD82B2C14A2FCF2E3FF8775285B545722F03EACDB74B                                                                                                                                                           |
| c39c6c3b3a36d7701b9c71a1f5804ae5d0003f4                                                                                                                                                                                |
| 1AB597A5B4477F59E39539007C7F977D1A567B92B043A49C6B61984C3FE3481AAF454CD41BA1F051626442B3C10                                                                                                                            |
| 2866537B676752636A68F56554E12640276B649EF7526267                                                                                                                                                                       |
| E8C2505DEDFC86DDC1BD0B2B6667F1DA34B82574761CB0E879BD081CFD0B6265EE3CB090F30D27614CB4574010DA90DD862EF9D4EBEE4761503190785A71C760                                                                                       |
| 9CA8B57A934C54DEEDA9E54A7BBAD95E3B2E91C54D32BE0B9DF96D8D35                                                                                                                                                             |
| 04009D73616F35F4AB1407D73562C10F00A52830277958EE84D1315ED31886                                                                                                                                                         |
| FFFFFFFFE000000075A30D1B9038A115                                                                                                                                                                                       |
| 033C258EF3047767E7EDE01FDAA79DAEE3841366A132E163ACED4ED2401DF9C6BDCDE98E8E707C07A2239B1B097                                                                                                                            |
| 040356DCD8F2F95031AD652D23951BB366A80648F06D867940A5366D9E265DE9EB240F                                                                                                                                                 |
| fca682ce8e12caba26efccf7110e526db078b05edecbcd1eb4a208f3ae1617ae01f35b91a47e6df63413c5e12ed0899bcd132acd50d99151bdc43ee737592e17                                                                                       |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 00E8BEE4D3E2260744188BE0E9C723                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| A59A749A11242C58C894E9E5A91804E8FA0AC64B56288F8D47D51B1EDC4D65444FECA0111D78F35FC9FDD4CB1F1B79A3BA9CBEE83A3F811012503C8117F98E5048B089E387AF6949BF8784EBD9EF45876F2E6A5A495BE64B6E770409494B7FEE1DDB1E4B2BC2A53D4F893D418B7159592E4FFDF6969E91D770DAEBD0B5CB14C00AD68EC7DC1E5745EA55C706C4A1C5C88964E34D09DEB753AD418C1AD0F4FDFD049A955E5D78491C0B7A2F1575A008CCD727AB376DB6E695515B05BD412F5B8C2F4C77EE10DA48ABD53F5DD498927EE7B692BBBCDA2FB23A516C5B4533D73980B2A3B60E384ED200AE21B40D273651AD6060C13D97FD69AA13C5611A51B9085 |
| C49D360886E704936A6678E1139D26B7819F7E90                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 3826F008A8C51D7B95284D9D03FF0E00CE2CD723A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 04B8266A46C55657AC734CE38F018F2192                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 03F7061798EB99E238FD6F1BF95B48FEEB4854252B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| D7C134AA264366862A18302575D1D787B09F075797DA89F57EC8C0FF                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| b869c82b35d70e1b1ff91b28e37a62ecdc34409b                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 010090512DA9AF72B08349D98A5DD4C7B0532ECA51CE03E2D10F3B7AC579BD87E909AE40A6F131E9CFCE5BD967                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 11579208921035624876269744694940757352999695522413576034242259061068512044369                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| D7C134AA264366862A18302575D0FB98D116BC4B6DDEBCA3A5A7939F                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| F1FD178C0B3AD58F10126DE8CE42435B53DC67E140D2BF941FFDD459C6D655E1                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 0370F6E9D04289C4E89913CE3530BFDE903977D42B146D539BF1BDE4E9C92                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| e8b4011604095303ca3b8099982be09fcb9ae616                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                              |
| 8e722de3125bddb05580164bfe20b8b432216a62926c57502ceede31c47816edd1e89769124179d0b695106428815065                                                                                                                                                                                                                              |
| 02F40E7E2221F295DE297117B7F3D62F5C6A97FFCB8CEFF1CD6BA8CE4A9A18AD84FFABBD8EFA59332BE7AD6756A66E294AFD185A78FF12AA520E4DE739BACA0C7F<br>FEFF7F2955727A                                                                                                                                                                          |
| E4E6DB2995065C407D9D39B8D0967B96704BA8E9C90B                                                                                                                                                                                                                                                                                  |
| MQVwithSHA256KDFAndSharedInfo                                                                                                                                                                                                                                                                                                 |
| 0101BAF95C9723C57B6C21DA2EFF2D5ED588BDD5717E212F9D                                                                                                                                                                                                                                                                            |
| C2173F1513981673AF4892C23035A27CE25E2013BF95AA33B22C656F277E7335                                                                                                                                                                                                                                                              |
| A9FB57DBA1EEA9BC3E660A909D838D726E3BF623D52620282013481D1F6E5374                                                                                                                                                                                                                                                              |
| 1854BEBDC31B21B7AEFC80AB0ECD10D5B1B3308E6DBF11C1                                                                                                                                                                                                                                                                              |
| 1C97BEFC54BD7A8B65ACF89F81D4D4ADC565FA45                                                                                                                                                                                                                                                                                      |
| 0479BE667EF9DCBBAC55A06295CE870B07029BFCDB2DCE28D959F2815B16F81798483ADA7726A3C4655DA4FBFC0E1108A8FD17B448A68554199C47D08FFB10D4B<br>8                                                                                                                                                                                        |
| 10C0FB15760860DEF1EEF4D696E676875615175D                                                                                                                                                                                                                                                                                      |
| 6C01074756099122221056911C77D77E77A777E7E7E77FCB                                                                                                                                                                                                                                                                              |
| 04B199B13B9B34EFC1397E64BAEB05ACC265FF2378ADD6718B7C7C1961F0991B842443772152C9E0AD                                                                                                                                                                                                                                            |
| 14201174159756348119636828602231808974327613839524373876287257344192745939351271897363116607846760036084894662356762579528277471921224<br>19290710461342083806363940845126918288940005715246254452957693493567527289568315417754417631393844571917550968471078465956625479423122<br>93338483924514339614727760681880609734239 |



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 036b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 662C61C430D84EA4FE66A7733D0B76B7BF93EBC4AF2F49256AE58101FEE92B04                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 0257927098FA932E7C0A96D3FD5B706EF7E5F5C156E16B7E7C86038552E91D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 0400D9B67D192E0367C803F39E1A7E82CA14A651350AAE617E8F01CE94335607C304AC29E7DEFBD9CA01F596F927224CDECFC6C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 74D59FF07F6B413D0EA14B344B20A2DB049B50C3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| FFFFFFFFFFFFFADF85458A2BB4A9AAFDC5620273D3CF1D8B9C583CE2D3695A9E13641146433FBCC939DCE249B3EF97D2FE363630C75D8F681B202AEC4617AD3D<br>F1ED5D5FD65612433F51F5F066ED0856365553DED1AF3B557135E7F57C935984F0C70E0E68B77E2A689DAF3FEF8721DF158A136ADE73530ACCA4F483A797ABC0AB1<br>82B324FB61D108A94BB2C8E3FB896ADAB760D7F4681D4F42A3DE394DF4AE56EDE76372BB190B07A7C8EE0A6D709E02FCE1CDF7E2ECC03404CD28342F619172FE9C<br>E98583FF8E4F1232EEF28183C3FE3B1B4C6FAD733BB5FCBC2EC22005C58EF1837D1683B2C6F34A26C1B2EFAA886B4238611FCFDCDE355B3B6519035BBC34F4DEF99<br>C023861B46FC9D6E6C9077AD91D2691F7F7EE598CB0FAC186D91CAEFE130985139270B4130C93BC437944F4FD4452E2D74DD364F2E21E71F54BFF5CAE82AB9C9DF6<br>9EE86D2BC522363A0DABC521979B0DEADA1DBF9A42D5C4484E0ABCD06BFA53DDEF3C1B20EE3FD59D7C25E41D2B669E1EF16E6F52C3164DF4FB7930E94E58857B<br>6AC7D5F42D69F6D187763CF1D5503400487F55BA57E31CC7A7135C886EFB4318AED6A1E012D9E6832A907600A918130C46DC778F971AD0038092999A333CB8B7A1<br>A1DB93D7140003C2A4CEA9F98D0ACC0A8291CDCEC97DCF8EC9B55A7F88A46B4DB5A851F44182E1C68A007E5E655F6AFFFFFFFFFFFFFFFF |
| e4437ed6010e88286f547fa90abfe4c42212                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| F1FD178C0B3AD58F10126DE8CE42435B3961ADBCABC8CA6DE8FCF353D86E9C00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| D7C134AA264366862A18302575D1D787B09F075797DA89F57EC8C0FC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| AC6BDB41324A9A9BF166DE5E1389582FAF72B6651987EE07FC3192943DB56050A37329CBB4A099ED8193E0757767A13DD52312AB4B03310DCD7F48A9DA04FD50E8083969EDB767B0CF6095179A163AB3661A05FBD5FAAAE82918A9962F0B93B855F97993EC975EEAA80D740ADBF4FF747359D041D5C33EA71D281E446B14773BCA97B43A23FB801676BD207A436C6481F1D2B9078717461A5B9D32E688F87748544523B524B0D57D5EA77A2775D2ECFA032CFBDBF52FB3786160279004E57AE6AF874E7303CE53299CC041C7BC308D82A5698F3A8D0C38271AE35F8E9DBFBB694B5C803D89F7AE435DE236D525F54759B65E372FCD68EF20FA7111F9E4AFF73 |
| 9760508f15230bccb292b982a2eb840bf0581cf5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 3FA8124359F96680B83D1C3EB2C070E5C545C9858D03ECFB744BF8D717717EFC                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 13D56FFAEC78681E68F9DEB43B35BEC2FB68542E27897B79                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 7D5A0975FC2C3057EEF67530417AFFE7FB8055C126DC5C6CE94A4B44F330B5D9                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 51DEF1815DB5ED74FCC34C85D709                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 517cc1b727220a94fe13abe8fa9a6ee0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

☰ SCAN LOGS

| Timestamp           | Event             | Error |
|---------------------|-------------------|-------|
| 2026-01-26 15:02:41 | Generating Hashes | OK    |
| 2026-01-26 15:02:41 | Extracting APK    | OK    |

|                     |                                                                        |    |
|---------------------|------------------------------------------------------------------------|----|
| 2026-01-26 15:02:41 | Unzipping                                                              | OK |
| 2026-01-26 15:02:41 | Parsing APK with androguard                                            | OK |
| 2026-01-26 15:02:41 | Extracting APK features using aapt/aapt2                               | OK |
| 2026-01-26 15:02:42 | Getting Hardcoded Certificates/Keystores                               | OK |
| 2026-01-26 15:02:45 | Parsing AndroidManifest.xml                                            | OK |
| 2026-01-26 15:02:45 | Extracting Manifest Data                                               | OK |
| 2026-01-26 15:02:45 | Manifest Analysis Started                                              | OK |
| 2026-01-26 15:02:45 | Performing Static Analysis on: masvs_crypto (com.dkronig.masvs_crypto) | OK |
| 2026-01-26 15:02:45 | Fetching Details from Play Store: com.dkronig.masvs_crypto             | OK |
| 2026-01-26 15:02:46 | Checking for Malware Permissions                                       | OK |
| 2026-01-26 15:02:46 | Fetching icon path                                                     | OK |

|                     |                                        |    |
|---------------------|----------------------------------------|----|
| 2026-01-26 15:02:46 | Library Binary Analysis Started        | OK |
| 2026-01-26 15:02:46 | Reading Code Signing Certificate       | OK |
| 2026-01-26 15:02:46 | Running APKID 3.0.0                    | OK |
| 2026-01-26 15:02:48 | Detecting Trackers                     | OK |
| 2026-01-26 15:02:51 | Decompiling APK to Java with JADX      | OK |
| 2026-01-26 15:03:42 | Converting DEX to Smali                | OK |
| 2026-01-26 15:03:42 | Code Analysis Started on - java_source | OK |
| 2026-01-26 15:03:43 | Android SBOM Analysis Completed        | OK |
| 2026-01-26 15:03:46 | Android SAST Completed                 | OK |
| 2026-01-26 15:03:46 | Android API Analysis Started           | OK |

|                     |                                                  |    |
|---------------------|--------------------------------------------------|----|
| 2026-01-26 15:04:19 | Android API Analysis Completed                   | OK |
| 2026-01-26 15:04:19 | Android Permission Mapping Started               | OK |
| 2026-01-26 15:04:20 | Android Permission Mapping Completed             | OK |
| 2026-01-26 15:04:21 | Android Behaviour Analysis Started               | OK |
| 2026-01-26 15:04:23 | Android Behaviour Analysis Completed             | OK |
| 2026-01-26 15:04:23 | Extracting Emails and URLs from Source Code      | OK |
| 2026-01-26 15:04:23 | Email and URL Extraction Completed               | OK |
| 2026-01-26 15:04:23 | Extracting String data from APK                  | OK |
| 2026-01-26 15:04:24 | Extracting String data from Code                 | OK |
| 2026-01-26 15:04:24 | Extracting String values and entropies from Code | OK |



|                     |                                               |    |
|---------------------|-----------------------------------------------|----|
| 2026-01-26 15:04:28 | Performing Malware check on extracted domains | OK |
| 2026-01-26 15:04:28 | Saving to Database                            | OK |

---

**Report Generated by - MobSF v4.4.5**

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



 masvs\_platform (1.0)

|               |                            |
|---------------|----------------------------|
| File Name:    | masvs_platform_release.apk |
| Package Name: | com.dkronig.masvs_platform |
| Scan Date:    | Jan. 26, 2026, 4:13 p.m.   |

|                     |                      |
|---------------------|----------------------|
| App Security Score: | 52/100 (MEDIUM RISK) |
|---------------------|----------------------|

|        |  |
|--------|--|
| Grade: |  |
|--------|--|

A yellow square with a white letter 'B' inside, representing a grade.



### FINDINGS SEVERITY

|  HIGH |  MEDIUM |  INFO |  SECURE |  HOTSPOT |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 1                                                                                      | 5                                                                                        | 0                                                                                      | 1                                                                                        | 0                                                                                           |

### FILE INFORMATION

**File Name:** masvs\_platform\_release.apk  
**Size:** 12.71MB  
**MD5:** 5ee5a97e39dd75eeafe45dcb38cf92ca  
**SHA1:** 2540252e76c4dc737a481478824f4e1fe6982929  
**SHA256:** 43b15859919bc5e4fb795269fd78e4fca31d5033f30aaa943102ba1d70b628bd

### APP INFORMATION

**App Name:** masvs\_platform  
**Package Name:** com.dkronig.masvs\_platform  
**Main Activity:** com.dkronig.masvs\_platform.PlatformMenu  
**Target SDK:** 35  
**Min SDK:** 35  
**Max SDK:**  
**Android Version Name:** 1.0  
**Android Version Code:** 1

 APP COMPONENTS

Activities: 18  
Services: 0  
Receivers: 1  
Providers: 2  
Exported Activities: 0  
Exported Services: 0  
Exported Receivers: 1  
Exported Providers: 1

 CERTIFICATE INFORMATION

Binary is signed  
v1 signature: False  
v2 signature: True  
v3 signature: False  
v4 signature: False  
X.509 Subject: CN=Dominic Kronig, OU=University, O=University of Bern, L=Bern, ST=Bern, C=3012  
Signature Algorithm: rsassa\_pkcs1v15  
Valid From: 2025-12-31 12:08:44+00:00  
Valid To: 2050-12-25 12:08:44+00:00  
Issuer: CN=Dominic Kronig, OU=University, O=University of Bern, L=Bern, ST=Bern, C=3012  
Serial Number: 0x1  
Hash Algorithm: sha256  
md5: 71d59136f94aa3f5454bae353851cb7b  
sha1: 62a94e3eabf027ca5dfdd42d912c2c5be84bd50b  
sha256: 4f2afb4afb5b8974656740ed44235ef4d3e4cff3b027afdde279058ad2fe13754  
sha512: e7ed3abdb5695aed963f9c948b0be09ef3bbf09a1a410cd4b6efcd3e2b1d24e834d73a9642b15db205c81d71e539ea7bb933336d7248426d562089edb8bda536  
PublicKey Algorithm: rsa  
Bit Size: 2048  
Fingerprint: 77428f4f4c526be66d196301e1335f4b576b37d16f9892b220b0ef75c37c346a  
Found 1 unique certificates

## ≡ APPLICATION PERMISSIONS

| PERMISSION                                                          | STATUS  | INFO               | DESCRIPTION                               |
|---------------------------------------------------------------------|---------|--------------------|-------------------------------------------|
| com.dkronig.masvs_platform.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION | unknown | Unknown permission | Unknown permission from android reference |

## 🔍 APKID ANALYSIS

| FILE        | DETAILS                      |                                                               |
|-------------|------------------------------|---------------------------------------------------------------|
| classes.dex | FINDINGS                     | DETAILS                                                       |
|             | <a href="#">yara_issue</a>   | yara issue - dex file recognized by apkid but not yara module |
|             | <a href="#">Anti-VM Code</a> | Build.FINGERPRINT check<br>Build.MANUFACTURER check           |
|             | <a href="#">Compiler</a>     | unknown (please file detection issue!)                        |

| FILE         | DETAILS    |                                                               |
|--------------|------------|---------------------------------------------------------------|
| classes2.dex | FINDINGS   | DETAILS                                                       |
|              | yara_issue | yara issue - dex file recognized by apkid but not yara module |
|              | Compiler   | unknown (please file detection issue!)                        |
|              |            |                                                               |

 NETWORK SECURITY

| NO | SCOPE | SEVERITY | DESCRIPTION |
|----|-------|----------|-------------|
|----|-------|----------|-------------|

 CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

| TITLE              | SEVERITY | DESCRIPTION                                           |
|--------------------|----------|-------------------------------------------------------|
| Signed Application | info     | Application is signed with a code signing certificate |

## Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 3 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE                                                                                                                                                                                                                                          | SEVERITY | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1  | Debug Enabled For App [android:debuggable=true]                                                                                                                                                                                                | high     | Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.                                                                                                                                                                                                                                                                                                                                                                                           |
| 2  | Application Data can be Backed up [android:allowBackup] flag is missing.                                                                                                                                                                       | warning  | The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.                                                                                                                                                                                                                                                                                                                                  |
| 3  | Content Provider (com.dkronig.masvs_platform.maswe_0064.CustomContentProvider) is not Protected. [android:exported=true]                                                                                                                       | warning  | A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 4  | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. <strong>Permission: </strong>android.permission.DUMP [android:exported=true] | warning  | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |

## </> CODE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 0 | SECURE: 0 | SUPPRESSED: 0

| NO | ISSUE                                                                                                  | SEVERITY | STANDARDS                                                                                                                         | FILES                                                                                     |
|----|--------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 1  | <a href="#">Files may contain hardcoded sensitive information like usernames, passwords, keys etc.</a> | warning  | CWE: CWE-312: Cleartext Storage of Sensitive Information<br>OWASP Top 10: M9: Reverse Engineering<br>OWASP MASVS: MSTG-STORAGE-14 | com/dkronig/common/BaseLoginActivity.java<br>com/dkronig/common/BaseRegisterActivity.java |

### NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|----|------------|-------------|---------|-------------|
|----|------------|-------------|---------|-------------|

### BEHAVIOUR ANALYSIS

| RULE ID | BEHAVIOUR                          | LABEL | FILES                                     |
|---------|------------------------------------|-------|-------------------------------------------|
| 00125   | Check if the given file path exist | file  | com/dkronig/common/BaseLoginActivity.java |

### ABUSED PERMISSIONS

| TYPE                     | MATCHES | PERMISSIONS |
|--------------------------|---------|-------------|
| Malware Permissions      | 0/25    |             |
| Other Common Permissions | 0/44    |             |

Malware Permissions:  
Top permissions that are widely abused by known malware.

Other Common Permissions:  
Permissions that are commonly abused by known malware.

 **HARDCODED SECRETS**

| POSSIBLE SECRETS                                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319                                          |
| 6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151 |
| 39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643                                          |
| 051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00                           |
| 115792089210356248762697446949407573530086143415290314195533631308867097853951                                                                                |
| 6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296                                                                                              |
| 11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650                           |
| 3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f                                                              |
| 4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5                                                                                              |
| c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66                            |
| b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef                                                              |

|                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| POSSIBLE SECRETS                                                                                                                                              |
| aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7                                                              |
| 115792089210356248762697446949407573529996955224135760342422259061068512044369                                                                                |
| 5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b                                                                                              |
| 6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449 |

☰ SCAN LOGS

| Timestamp           | Event                                    | Error |
|---------------------|------------------------------------------|-------|
| 2026-01-26 17:32:16 | Generating Hashes                        | OK    |
| 2026-01-26 17:32:16 | Extracting APK                           | OK    |
| 2026-01-26 17:32:16 | Unzipping                                | OK    |
| 2026-01-26 17:32:16 | Parsing APK with androguard              | OK    |
| 2026-01-26 17:32:17 | Extracting APK features using aapt/aapt2 | OK    |



|                     |                                                                            |    |
|---------------------|----------------------------------------------------------------------------|----|
| 2026-01-26 17:32:17 | Getting Hardcoded Certificates/Keystores                                   | OK |
| 2026-01-26 17:32:17 | Parsing AndroidManifest.xml                                                | OK |
| 2026-01-26 17:32:17 | Extracting Manifest Data                                                   | OK |
| 2026-01-26 17:32:17 | Manifest Analysis Started                                                  | OK |
| 2026-01-26 17:32:17 | Performing Static Analysis on: masvs_platform (com.dkronig.masvs_platform) | OK |
| 2026-01-26 17:32:18 | Fetching Details from Play Store: com.dkronig.masvs_platform               | OK |
| 2026-01-26 17:32:18 | Checking for Malware Permissions                                           | OK |
| 2026-01-26 17:32:18 | Fetching icon path                                                         | OK |
| 2026-01-26 17:32:18 | Library Binary Analysis Started                                            | OK |
| 2026-01-26 17:32:18 | Reading Code Signing Certificate                                           | OK |
| 2026-01-26 17:32:19 | Running APKID 3.0.0                                                        | OK |

|                     |                                        |    |
|---------------------|----------------------------------------|----|
| 2026-01-26 17:32:20 | Detecting Trackers                     | OK |
| 2026-01-26 17:32:23 | Decompiling APK to Java with JADX      | OK |
| 2026-01-26 17:33:02 | Converting DEX to Smali                | OK |
| 2026-01-26 17:33:02 | Code Analysis Started on - java_source | OK |
| 2026-01-26 17:33:02 | Android SBOM Analysis Completed        | OK |
| 2026-01-26 17:33:36 | Android SAST Completed                 | OK |
| 2026-01-26 17:33:36 | Android API Analysis Started           | OK |
| 2026-01-26 17:33:38 | Android API Analysis Completed         | OK |
| 2026-01-26 17:33:38 | Android Permission Mapping Started     | OK |
| 2026-01-26 17:33:39 | Android Permission Mapping Completed   | OK |
| 2026-01-26 17:33:39 | Android Behaviour Analysis Started     | OK |

|                     |                                                  |    |
|---------------------|--------------------------------------------------|----|
| 2026-01-26 17:33:41 | Android Behaviour Analysis Completed             | OK |
| 2026-01-26 17:33:41 | Extracting Emails and URLs from Source Code      | OK |
| 2026-01-26 17:33:42 | Email and URL Extraction Completed               | OK |
| 2026-01-26 17:33:42 | Extracting String data from APK                  | OK |
| 2026-01-26 17:33:42 | Extracting String data from Code                 | OK |
| 2026-01-26 17:33:42 | Extracting String values and entropies from Code | OK |
| 2026-01-26 17:33:45 | Performing Malware check on extracted domains    | OK |
| 2026-01-26 17:33:45 | Saving to Database                               | OK |

---


**Report Generated by - MobSF v4.4.5**

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).



## **B. Full Semgrep Scan Results**



Scanning 332 files with 86 Code rules:



CODE RULES

| Language | Rules | Files | Origin    | Rules |
|----------|-------|-------|-----------|-------|
| java     | 82    | 150   | Community | 86    |
| kotlin   | 3     | 7     |           |       |

SUPPLY CHAIN RULES

💎 Sign in with ``semgrep login`` and run ``semgrep ci`` to find dependency vulnerabilities and advanced cross-file findings.

PROGRESS



masvs\_crypto\src\main\java\com\dkronig\masvs\_crypto\maswe\_0009\EncryptionHandler.java

» java.lang.security.audit.crypto.desede-is-deprecated.desede-is-deprecated

Triple DES (3DES or DESede) is considered deprecated. AES is the recommended cipher. Upgrade to use

AES.

Details: <https://sg.run/Geqn>

89 | KeyGenerator keyGenerator = KeyGenerator.getInstance(ALGORITHM\_DES);

» java.lang.security.audit.crypto.des-is-deprecated.des-is-deprecated

DES is considered deprecated. AES is the recommended cipher. Upgrade to use AES. See <https://www.nist.gov/news-events/news/2005/06/nist-withdraws-outdated-data-encryption-standard> for

more information.

Details: <https://sg.run/5Q73>

» | Autofix » "AES/GCM/NoPadding"

89 | KeyGenerator keyGenerator = KeyGenerator.getInstance(ALGORITHM\_DES);

: | -----

» | Autofix » "AES/GCM/NoPadding"

118 | Cipher cipher = Cipher.getInstance(CIPHER\_TRANSFORMATION);

: | -----

» | Autofix » "AES/GCM/NoPadding"

133 | Cipher cipher = Cipher.getInstance(CIPHER\_TRANSFORMATION);

masvs\_crypto\src\main\java\com\dkronig\masvs\_crypto\maswe\_0010\EncryptionHandler.java

» java.lang.security.audit.cbc-padding-oracle.cbc-padding-oracle

Using CBC with PKCS5Padding is susceptible to padding oracle attacks. A malicious actor could

discern the difference between plaintext with valid or invalid padding. Further, CBC mode does not

include any integrity checks. Use 'AES/GCM/NoPadding' instead.

Details: <https://sg.run/ydxr>

►► | Autofix ► "AES/GCM/NoPadding"

64 | Cipher cipher = Cipher.getInstance(CIPHER\_TRANSFORMATION);

: | -----

►► | Autofix ► "AES/GCM/NoPadding"

102 | Cipher cipher = Cipher.getInstance(CIPHER\_TRANSFORMATION);

masvs\_crypto\src\main\java\com\dkronig\masvs\_crypto\maswe\_0021\EncryptionHandler.java

» java.lang.security.audit.crypto.use-of-sha1.use-of-sha1

Detected SHA1 hash algorithm which is considered insecure. SHA1 is not collision resistant and is

therefore not suitable as a cryptographic signature. Instead, use PBKDF2 for password hashing or

SHA256 or SHA512 for other hash function applications.

Details: <https://sg.run/bXNp>

24 | MessageDigest digestAlgorithm =  
MessageDigest.getInstance(HASHING\_ALGORITHM);

masvs\_crypto\src\main\java\com\dkronig\masvs\_crypto\maswe\_0022\EncryptionHandler.java

» java.lang.security.audit.crypto.no-static-initialization-vector.no-static-initialization-vector

Initialization Vectors (IVs) for block ciphers should be randomly generated each time they are used.

Using a static IV means the same plaintext encrypts to the same ciphertext every time, weakening the

strength of the encryption.

Details: <https://sg.run/BkB5>

17 | public class EncryptionHandler {

18 | private static final String SECRET\_KEY\_ALIAS = "maswe\_0022\_secret\_key";



```

19 | private static final String ENCRYPTION_ALGORITHM = "AES";
20 | private static final String CIPHER_TRANSFORMATION = "AES/CBC/PKCS5PADDING";
21 | private static final String ENCRYPTION_KEY = "encryption_key";
22 | private static final int KEY_SIZE = 256;
23 |
24 | private static SharedPreferences sharedPreferences;
25 | private static byte[] iv = {47, -98, 3, 120, 14, -55, 89, 6, -12, 33, 9, -44, 63, -1,
    | 77, 22};
26 |
    | [hid 121 additional lines, adjust with --max-lines-per-finding]

```

masvs\_platform\src\main\java\com\dkronig\masvs\_platform\maswe\_0053\EncryptionHandler.java

➤ java.lang.security.audit.crypto.gcm-detection.gcm-detection

GCM detected, please check that IV/nonce is not reused, an Initialization Vector (IV) is a nonce

used to randomize the encryption, so that even if multiple messages with identical plaintext are

encrypted, the generated corresponding ciphertexts are different. Unlike the Key, the IV usually

does not need to be secret, rather it is important that it is random and unique. Certain encryption

schemes the IV is exchanged in public as part of the ciphertext. Reusing same Initialization Vector

with the same Key to encrypt multiple plaintext blocks allows an attacker to compare the ciphertexts

and then, with some assumptions on the content of the messages, to gain important information about

the data being encrypted.

Details: <https://sg.run/BLLb>

```

56 | Cipher cipher = Cipher.getInstance(AES_MODE);
    | -----

```

```

88 | Cipher cipher = Cipher.getInstance(AES_MODE);
   | :|-----
89 | GCMParameterSpec spec = new GCMParameterSpec(GCM_TAG_LENGTH, iv);

```

masvs\_platform\src\main\java\com\dkronig\masvs\_platform\maswe\_0055\EncryptionHandler.java

› java.lang.security.audit.crypto.gcm-detection.gcm-detection

GCM detected, please check that IV/nonce is not reused, an Initialization Vector (IV) is a nonce

used to randomize the encryption, so that even if multiple messages with identical plaintext are

encrypted, the generated corresponding ciphertexts are different. Unlike the Key, the IV usually

does not need to be secret, rather it is important that it is random and unique. Certain encryption

schemes the IV is exchanged in public as part of the ciphertext. Reusing same Initialization Vector

with the same Key to encrypt multiple plaintext blocks allows an attacker to compare the ciphertexts

and then, with some assumptions on the content of the messages, to gain important information about

the data being encrypted.

Details: <https://sg.run/BLLb>

```

55 | Cipher cipher = Cipher.getInstance(AES_MODE);
   | :|-----
87 | Cipher cipher = Cipher.getInstance(AES_MODE);
   | :|-----
88 | GCMParameterSpec spec = new GCMParameterSpec(GCM_TAG_LENGTH, iv);

```

masvs\_platform\src\main\java\com\dkronig\masvs\_platform\maswe\_0067\EncryptionHandler.java

› java.lang.security.audit.crypto.gcm-detection.gcm-detection

GCM detected, please check that IV/nonce is not reused, an Initialization Vector (IV) is a nonce used to randomize the encryption, so that even if multiple messages with identical plaintext are encrypted, the generated corresponding ciphertexts are different. Unlike the Key, the IV usually does not need to be secret, rather it is important that it is random and unique. Certain encryption schemes the IV is exchanged in public as part of the ciphertext. Reusing same Initialization Vector with the same Key to encrypt multiple plaintext blocks allows an attacker to compare the ciphertexts and then, with some assumptions on the content of the messages, to gain important information about the data being encrypted.

Details: <https://sg.run/BLLb>

```
55 | Cipher cipher = Cipher.getInstance(AES_MODE);
    | -----
87 | Cipher cipher = Cipher.getInstance(AES_MODE);
    | -----
88 | GCMParameterSpec spec = new GCMParameterSpec(GCM_TAG_LENGTH, iv);
```

masvs\_storage\src\main\java\com\dkronig\masvs\_storage\maswe\_0006\EncryptionHandler.java

» java.lang.security.audit.crypto.des-is-deprecated.des-is-deprecated

DES is considered deprecated. AES is the recommended cipher. Upgrade to use AES. See <https://www.nist.gov/news-events/news/2005/06/nist-withdraws-outdated-data-encryption-standard> for more information.

Details: <https://sg.run/5Q73>

►► Autofix ► "AES/GCM/NoPadding"

```
26 | Cipher cipher = Cipher.getInstance(ALGORITHM);
```

```

: | -----
  |
  | Autofix ▶ "AES/GCM/NoPadding"
42 | Cipher cipher = Cipher.getInstance(ALGORITHM);

```

Scan Summary

✅ Scan completed successfully.

- Findings: 19 (19 blocking)
- Rules run: 82
- Targets scanned: 157
- Parsed lines: ~100.0%
- Scan skipped:
  - Files larger than files 1.0 MB: 1
  - Files matching .semgrepignore patterns: 27
- For a detailed list of skipped files and lines, run semgrep with the --verbose flag

Ran 82 rules on 157 files: 19 findings.

💎 Missed out on 29 pro rules since you aren't logged in!

⚡ Supercharge Semgrep OSS when you create a free account at <https://sg.run/rules>.

# **Erklärung**

gemäss Art. 30 RSL Phil.-nat.18

Name/Vorname:

Matrikelnummer:

Studiengang:

Bachelor ☐

Master ☐

Dissertation ☐

Titel der Arbeit:

LeiterIn der Arbeit:

Ich erkläre hiermit, dass ich diese Arbeit selbständig verfasst und keine anderen als die angegebenen Quellen benutzt habe. Alle Stellen, die wörtlich oder sinngemäss aus Quellen entnommen wurden, habe ich als solche gekennzeichnet. Mir ist bekannt, dass andernfalls der Senat gemäss Artikel 36 Absatz 1 Buchstabe r des Gesetzes vom 5. September 1996 über die Universität zum Entzug des auf Grund dieser Arbeit verliehenen Titels berechtigt ist.

Für die Zwecke der Begutachtung und der Überprüfung der Einhaltung der Selbständigkeitserklärung bzw. der Reglemente betreffend Plagiate erteile ich der Universität Bern das Recht, die dazu erforderlichen Personendaten zu bearbeiten und Nutzungshandlungen vorzunehmen, insbesondere die schriftliche Arbeit zu vervielfältigen und dauerhaft in einer Datenbank zu speichern sowie diese zur Überprüfung von Arbeiten Dritter zu verwenden oder hierzu zur Verfügung zu stellen.

Ort/Datum

Unterschrift

