

qala

Solution Factory Operating System

Use Cases & User Workflows

Design · Deploy · Maintain · Manage · Administer · Control
March 2026 · Version 1.0

CONFIDENTIAL	INTERNAL USE ONLY	DRAFT v1.0
--------------	-------------------	------------

1. Introduction

This document describes how users interact with qala — the Solution Factory Operating System — to design, deploy, maintain, manage, administer, and control solutions of every type across every industry and scale. It covers the full operational lifecycle from initial onboarding through day-to-day production management, using concrete workflows and real-world examples drawn from beauty, healthcare, pharmaceuticals, manufacturing, software, agriculture, and professional services.

qala's central metaphor is the Distributed Solution Spreadsheet: a living, multi-dimensional platform record that every user reads, writes, and manipulates through a consistent interface — the Workspace — regardless of the complexity or domain of their solution. The workflows in this document map to that interface and to the underlying platform services that power it.

1.1 Who This Document Is For

User Role	How They Use qala	Typical Solutions They Manage
Solo Developer / Maker	Creates, builds, and ships personal or small-team projects within a Personal Factory	Apps, tools, scripts, physical prototypes, side-project products
Product Manager	Defines solution features, manages roadmaps, tracks maturity progression, and coordinates releases	Products, services, platforms — any solution requiring multi-team coordination
Engineering Lead / Architect	Designs solution models, configures SDEs, sets up CI/CD pipelines, governs technical standards	Applications, systems, platforms, internal developer tooling
Operations / DevOps Engineer	Manages deployment workflows, monitors running solutions, manages environments and resource allocation	All deployed solution types; infrastructure platforms; SDE management
QA / Release Manager	Manages testbeds, test suites, defect tracking, and release approvals across maturity gates	All solution types requiring formal testing and CM-stage promotion
Business Owner / Executive	Reviews solution portfolios, tracks value chain metrics, monitors KPIs, manages governance boards	Products, services, platforms — strategic portfolio level
Factory Administrator	Configures and governs a Solution Factory: policies, templates, tooling, user access, and portfolio oversight	The factory itself as a managed entity; all solutions within it
End Consumer / Client	Receives and deploys Solution Packages; interacts with solution outputs and distribution channels	Packaged products, delivered services, deployed applications

1.2 The Six Core User Actions

Every user interaction with qala falls into one of six core action categories. These actions apply uniformly across all solution types, industries, and scales:

Action	What It Means in qala	Primary Platform Systems Involved
Design	Author a Solution Model: blueprint, architecture, design, mockup, prototype. Define components, parts, features, and interfaces.	Workspace, Solution Model, Solution Book, Solution Registry
Deploy	Execute a deployment workflow to move a validated artifact into a target environment tier	Workflow CI/CD, Artifact Package, SDE Management, Notifications
Maintain	Apply patches, updates, dependency upgrades, and configuration changes to a running solution	SDE Management, CI/CD, Version Control, Change Control, Security SEM
Manage	Track solution health, monitor metrics, handle incidents, review dashboards, and manage the value chain	Data Platform, AI Agents, Benchmarking, Notifications, Workspace
Administer	Control user access, configure factory policies, manage templates and governance instruments	User Identity, Factory Management, Governance, Audit Logs
Control	Enforce CM gates, approve or reject maturity promotions, quarantine environments, manage release trains	CM Board Workflows, Security SEM, Solution Registry, Audit Logs

2. Universal Platform Workflows

The following workflows apply to all solution types, industries, and scales. They represent the canonical sequence of operations a user follows to move a solution from idea to production and through its full operational lifecycle.

2.1 Workflow: Onboarding & Factory Setup

Every user begins by establishing their working context — a Solution Factory and at least one SDE. This is a one-time setup that defines the governance tier, tooling baseline, and organizational structure for all subsequent work.

Step 1 Create or Join a Factory

Navigate to Factories → New Factory. Select factory tier: Personal (solo), Team, Enterprise, or Domain. The platform provisions a Root SDE template and default governance policy set for the selected tier.

Step 2 Configure Factory Governance

Set factory-level policies: naming conventions, maturity gate criteria, required security scans, deployment strategy preferences. Select or customize templates for SDEs, pipelines, and solution types.

Step 3 Provision the First SDE

From the Factory dashboard, select New SDE. Choose a template (e.g., 'Go Backend', 'React Web App', 'Physical Product', 'Service Delivery'). The platform provisions the environment, installs the defined toolset, and registers the SDE in the Factory Registry.

Step 4 Invite Team Members

Add users to the factory with defined roles (Developer, QA, Release Manager, Admin). RBAC policies are applied automatically. Each user gets workspace access scoped to their role.

Step 5 Connect Communication Channels

Configure notification channels: email, Slack/Teams webhook, or in-platform messaging. Set alert thresholds for build failures, security events, and SLA breaches.

2.2 Workflow: Designing a New Solution

Design is the first lifecycle stage for every solution. In qala, design is a structured, versioned activity captured in the Solution Model and Solution Book — not an informal pre-development phase.

Step 1 Create the Solution Record

Navigate to Solutions → New Solution. Enter: name, type (Application / Product / Service / Good / Platform / System / Factory / Environment), owner, and initial maturity level (SANDBOX). The platform assigns a UUID and creates the Solution record in the Registry.

Step 2 Author the Solution Charter

Open the Solution Book. Complete the Charter: problem statement, target audience, success metrics, value proposition, and strategic alignment. This is the gate criterion for SANDBOX → DEV promotion.

Step 3 Build the Solution Model

In the Solution Model tab, author the Blueprint (system architecture, interfaces, data contracts), attach Design files (wireframes, schematics, drawings), and create a Mockup for stakeholder review. For physical solutions, attach engineering drawings and BOM (Bill of Materials) drafts.

Step 4 Define Solution Components

Decompose the solution into Components. For each Component, define: type, owner, version, interface contracts (imports/exports), and message types (Event or State). Link each Component to its parent Solution in the Registry.

Step 5 Register Solution Parts & Vendors

For each Component, add its Parts — specifying part number, vendor, material, version, and cryptographic hash. Register new Vendors through the Vendor Qualification Workflow if not already approved.

Step 6 Build the Features List

In the Solution Book, add the Features List. For each feature: name, brief (one sentence), full specification (behavior, acceptance criteria, constraints), priority (MoSCoW), and status (Planned). This becomes the acceptance test basis.

Step 7 Create a Prototype (Optional)

For high-risk or novel solutions, provision a Sandbox Environment within the SDE. Build a working POC. The AI Agents service analyzes prototype results and synthesizes design recommendations into the Solution Model automatically.

Step 8 Submit for DEV Promotion

With Charter, Model, Components, and Features List complete, trigger a maturity promotion request: SANDBOX → DEV. The platform validates gate criteria and notifies approvers. On approval, the CI pipeline is provisioned.

2.3 Workflow: Building & Deploying a Solution

Once a solution is in DEV maturity, the build and deployment lifecycle is managed through the CI/CD system with hermetic build environments and progressive environment tier promotion.

Step 1 Configure the CI Pipeline

In the Workflow service, define the pipeline: source trigger (commit / PR / schedule), build stages, test suites to run, security scans to require, and artifact publication target. Pipeline definitions are version-controlled alongside source code.

Step 2 Trigger a Build

Commit or push code to the version control system. The CI pipeline triggers automatically: source fetch → hermetic environment provision → dependency resolution → compile → unit test → SAST scan → code quality gate → artifact package → attestation generation → artifact publication.

Step 3 Review Build Results

The pipeline dashboard shows stage-by-stage results. Failed stages display the exact failure reason. AI Agents surface bottleneck recommendations and flag high-risk code areas detected by predictive defect analysis.

Step 4 Promote to Integration

On CI green, the CD pipeline triggers: integration tests run, DAST scan executes on the staging-equivalent environment. Pass/fail gates are enforced. On pass, the artifact is promoted to the Integration tier.

Step 5 Run Acceptance Tests

QA or Release Manager reviews the test results dashboard. For semi-automated acceptance tests, human sign-off is required. Defects are logged with links to the failing build, test case, and affected component.

Step 6 Promote to Staging

On Integration pass, the deployment workflow automatically provisions the Staging environment and deploys the artifact. Performance benchmarks run. DAST is applied. Results feed the Benchmarking service.

Step 7 Request CM Promotion

When all gates are green and the solution is feature-complete, the Release Manager submits a CM promotion request. The governance workflow routes it to the CM board: all required signatories are notified with a full evidence package (test results, scan reports, performance benchmarks, attestation).

Step 8 Production Deployment

On CM board approval, the release is tagged as immutable. The deployment workflow executes the configured production deployment strategy (blue/green, canary, rolling). Post-deploy verification runs automatically. Notifications are dispatched to all stakeholders.

2.4 Workflow: Maintaining a Running Solution

Maintenance covers all post-deployment activities: patches, dependency updates, configuration changes, incident response, and continuous optimization.

Step 1 Monitor Solution Health

The Workspace dashboard shows real-time metrics for every running solution: latency (p50/p95/p99), error rates, resource utilization, and active alerts. AI Agents surface anomalies and predictions proactively.

Step 2 Respond to an Incident

When an alert fires, the on-call owner receives a notification via their configured channel. The incident is logged. The Workspace shows the Incident Playbook (from the Solution Book). The team runs diagnostics using the observability tools (metrics, traces, logs).

Step 3 Apply a Patch

Create a bug report linked to the incident. A developer creates a fix branch. The CI pipeline runs automatically on commit. On success, the patch follows the normal promotion workflow — accelerated via the Emergency Change procedure if critical.

Step 4 Update Dependencies

The Security SEM service surfaces a vulnerability advisory from the SCA tool. The developer runs the dependency update workflow: updates the lock file, triggers CI, verifies no breaking changes, and promotes the updated artifact through the standard pipeline.

Step 5 Snapshot the SDE

Before any significant maintenance operation, snapshot the SDE. This provides an instant rollback point. Snapshots are stored versioned in secure storage and linked to the SDE record in the Registry.

Step 6 Rotate Secrets

The Secrets Vault triggers an automated rotation event for expiring credentials. The rotation workflow updates all secrets, propagates new values to all dependent services, and logs the rotation event in the audit trail.

2.5 Workflow: Managing & Administering a Factory

Factory Administrators manage the factory as an operating entity: its policies, users, templates, tooling, and the aggregate health of its portfolio.

Step 1 Review the Portfolio Dashboard

Open the Factory → Portfolio view. See the full Solution Portfolio: maturity distribution (how many solutions are at each stage), governance health (open gates, policy violations, orphaned solutions), and value chain coverage.

Step 2 Manage Users & Roles

Navigate to Factory → Users. Add, remove, or modify user roles. RBAC changes take effect immediately across all factory resources. Audit logs record every access change with timestamp and administrator identity.

Step 3 Update Factory Policies

Navigate to Factory → Governance → Policies. Edit policy definitions (machine-readable YAML/JSON). Changes trigger a validation pipeline that tests the new policy against all active solutions before applying. Deviations in existing solutions are surfaced as policy violations requiring acknowledgment.

Step 4 Publish New Templates

Create or update SDE templates, pipeline definitions, or project scaffolds. Publish to the Templates Library with version, category (technology stack, solution type), and AI-recommendation tags. All factory members see updated templates immediately.

Step 5 Review Benchmarking Reports

Navigate to Factory → Benchmarking. Review cross-solution metrics: build velocity, deployment frequency, defect density, test coverage distribution, and resource utilization. AI Agents surface high-performing patterns and underperforming areas with specific recommendations.

Step 6 Conduct a CM Board Review

The CM Board workflow surfaces all solutions pending CM promotion. The board reviews the evidence package for each: test results, scan reports, performance benchmarks, change log, attestation. Approve, reject with comments, or request additional evidence.

3. Industry Use Cases

The following sections demonstrate how qala is applied across seven industries. Each section covers the specific solution types managed, the workflows that apply, and a set of concrete use cases at small, medium, and large scale.

3.1 Beauty Industry

Beauty — Skincare, Cosmetics, Hair Care, Fragrance, Personal Care

In the beauty industry, qala manages the full spectrum of solution types: physical goods (formulations, packaging), services (salon treatments, consultancy), products (branded SKUs), platforms (e-commerce and loyalty systems), and applications (booking systems, ingredient trackers). qala bridges the formulation lab, the supply chain, the digital storefront, and the customer experience into a single governed operating model.

3.1.1 Solution Types in Beauty

Solution Type	Beauty Example	Key Components / Parts
Good	A moisturizing serum formula	Active ingredient blend, base emulsion, preservative system, packaging: bottle + pump + label
Product	A branded skincare SKU (retail-ready)	Formulation good + packaging assembly + regulatory documentation + pricing data + retail listing
Service	In-store skin consultation service	Consultation protocol, consultant training materials, booking workflow, product recommendation engine
Application	Mobile beauty companion app	Skin analysis module, product recommendation engine, loyalty tracker, booking integration
Platform	D2C e-commerce platform for beauty brand	Product catalog, checkout, loyalty program, CRM integration, fulfillment API, analytics dashboard
Factory	New product development factory for brand	Formulation SDE, packaging SDE, regulatory SDE, digital SDE, coordinated under one Factory

3.1.2 Small Scale — Independent Cosmetics Maker

Scale: 1–5 people · Factory Tier: Personal · Solutions: 1–10 · Example: indie founder launching a serum line

Use Case: Launching a New Serum Product

An indie cosmetics founder uses qala to manage her first physical serum product from formulation through retail launch.

- Creates a Personal Factory and provisions a single SDE using the 'Physical Product' template
- Creates a Solution of type Good: 'Brightening Vitamin C Serum'. Authors the Charter: target audience (25–40F, dry skin), value proposition (visible brightening in 4 weeks), success metrics (30-day sell-through rate).

3. Builds the Solution Model: Blueprint lists formulation spec (L-ascorbic acid 15%, hyaluronic acid, niacinamide). Components: Formulation, Packaging, Regulatory Dossier. Parts: each raw ingredient with supplier (Part Vendor), lot number (Part ID), CoA reference (Part Design).
4. Registers ingredient vendors through Vendor Qualification: supply chain, safety data sheets, and lot traceability attached.
5. Creates a Product Solution wrapping the Good: adds pricing data, retail listing content, and marketing copy as Solution Book content.
6. Uses the Release workflow to manage batch production: each batch is a versioned build, tracked against the formulation blueprint. Deviations are logged as defects.
7. Deploys to distribution channels: D2C website and two retail accounts are registered as Distribution Channels in the factory.

3.1.3 Medium Scale — Regional Beauty Brand

Scale: 20–200 people · Factory Tier: Team · Solutions: 50–200 · Example: regional brand managing 80 SKUs and a booking platform

Use Case: Managing a Multi-SKU Product Line + Booking Service

A regional beauty brand uses qala to manage their skincare product line (80 SKUs), their in-salon booking service, and a companion mobile app.

8. Team Factory created with three child SDEs: Formulation SDE, Digital Products SDE, and Service Delivery SDE.
9. Each SKU is a Solution of type Product, containing a Good (formulation) as a component and a Design (packaging artwork + retail spec) as another.
10. The booking service is a Solution of type Service: components include booking protocol, staff training content, CRM integration, and payment flow. The Solution Book contains the service playbook and staff onboarding checklist.
11. The mobile app is a Solution of type Application within the Digital Products SDE. CI/CD pipeline runs automated tests on every commit. Releases are promoted through the standard maturity pipeline.
12. A Solution Chain links all three: Product SKU → Booking Service → Mobile App. This chain represents the complete customer journey.
13. The factory administrator reviews the Portfolio Dashboard weekly: maturity distribution, open defects, upcoming release trains, and channel performance metrics.
14. AI Agents surface ingredient supply chain risks when a vendor advisory is detected. The Vendor Registry triggers a review workflow automatically.

3.1.4 Large Scale — Global Beauty Conglomerate

Scale: 1,000+ people · Factory Tier: Enterprise · Solutions: 500+ · Example: multinational managing 20 brands across 50 markets

Use Case: Multi-Brand Global Portfolio Management

A global beauty conglomerate uses qala to operate 20 brand portfolios, each with their own Team Factory nested under the Enterprise Factory. New product development, regulatory compliance across 50 markets, supply chain, digital platforms, and retail logistics are all managed as governed solutions.

15. Enterprise Factory contains 20 Brand Factories (Team tier), each owning their Solution Portfolio.
16. A global ingredient registry is maintained at the Enterprise Factory level: all approved raw materials, suppliers, and CoAs are centrally governed. Brand Factories inherit this registry and can add brand-specific extensions.
17. Regulatory compliance for each market is modeled as a Solution of type Service: each market's submission dossier is a versioned Solution Package with its own maturity lifecycle (SANDBOX = in preparation, CM = filed and approved).
18. The global digital platform (e-commerce, loyalty, CRM) is a Solution of type Platform managed by the Enterprise Factory's Digital SDE. Brand Factories consume it as a dependency via the Solution Chain.
19. A cross-brand benchmarking dashboard surfaces product development velocity, time-to-market, defect density in formulations (batch failures), and regulatory approval cycle times. AI Agents identify which brands' development patterns predict faster time-to-market.
20. Global CM Board reviews all major product launches across brands: each launch requires a signed attestation record, regulatory sign-off document, and batch manufacturing validation before the CM gate is cleared.

3.2 Healthcare Industry

Healthcare — Clinics, Hospitals, Health Services, Medical Devices, Patient Platforms

Healthcare organizations use qala to manage clinical service delivery, patient-facing digital applications, medical device lifecycle management, compliance documentation, and operational workflows. qala's governed maturity model, immutable audit logs, and CM-stage controls provide the rigor required for regulated healthcare environments.

3.2.1 Solution Types in Healthcare

Solution Type	Healthcare Example	Governance Requirements
Service	Annual wellness check-up service	Clinical protocol versioning, staff credential tracking, outcome measurement
Application	Patient portal web application	HIPAA compliance, audit logging, MFA required, data encryption at rest and in transit
Good	Single-use diagnostic test kit	Manufacturing batch records, lot traceability, sterility validation, regulatory filing
Product	Point-of-care diagnostic device	FDA 510(k) documentation, design history file (DHF), risk management file
Platform	Integrated EHR/EMR platform	HL7/FHIR compliance, data residency controls, role-based access, immutable patient records
System	Hospital-wide clinical operations system	Multi-application integration, interoperability standards, disaster recovery, failover

3.2.2 Small Scale — Independent Medical Clinic

Scale: 1–20 people · Factory Tier: Personal/Team · Solutions: 5–20 · Example: single GP practice or specialist clinic

Use Case: Designing and Deploying a Patient Booking Application

- 21. Clinic owner creates a Team Factory and provisions an Application SDE using the 'Web App (Node.js)' template.
- 22. Solution created: 'Patient Online Booking' of type Application. Charter: reduce front-desk call volume by 60%, enable 24/7 appointment access.
- 23. Components defined: Booking Calendar, Patient Identity, Notification Engine, Payment Module. Each Component lists its interfaces (REST endpoints), message types (BookingCreated event, ReminderScheduled event), and data structures.

24. HIPAA compliance policy applied from the healthcare governance template library: PII handling rules, audit logging requirements, and data encryption standards are automatically enforced in the SDE configuration.
25. CI/CD pipeline runs SAST, SCA, and container scans on every build. HIPAA compliance scan integrated as a mandatory gate.
26. Patient data is classified in the Security SEM service: all fields containing name, DOB, and medical record number are tagged as PII. Data masking policies applied to test environments automatically.
27. Solution promoted to CM through governance workflow. Clinic owner signs off as the CM board for their Personal Factory.

3.2.3 Medium Scale — Regional Healthcare Network

Scale: 100–500 people · Factory Tier: Team/Domain · Solutions: 50–150 · Example: multi-location clinic group or community hospital

Use Case: Managing a Multi-Location EHR Deployment and Service Delivery

28. Domain Factory created for the healthcare network. Three Team Factories nested: Clinical Operations, Digital Products, and Facilities & Equipment.
29. EHR platform is a Solution of type Platform. HL7/FHIR compliance template applied. Deployment topology defined in the Blueprint: each location runs a stateless application instance connecting to a centralized, encrypted data store.
30. Clinical service protocols (annual wellness check, chronic disease management, vaccination program) are each Solutions of type Service. Each service protocol is authored in the Solution Book with clinical evidence references, staff training checklists, and quality measurement KPIs.
31. Medical supply inventory is tracked as Solutions of type Good: each consumable (gloves, test kits, medications) has a Solution record with vendor, lot number, expiry, and inventory count. The SAMS tracks inventory in real time.
32. The Platform Factory connects the EHR platform to clinic-level SDEs through a Solution Chain. Any update to the platform triggers a coordinated deployment workflow across all clinic instances.
33. The AI Agents service monitors patient volume patterns and predicts staffing and supply demand. Alerts fire when inventory falls below the configured threshold.

3.2.4 Large Scale — National Healthcare System

Scale: 5,000+ people · Factory Tier: Enterprise · Solutions: 1,000+ · Example: national hospital network or integrated healthcare provider

Use Case: Governing a National Patient Data Platform and Clinical Operations System

34. Enterprise Factory governs all digital and operational solutions. Regional Domain Factories (North, Central, South) contain their own Team Factories for each hospital group.

35. The national patient data platform is a Solution of type Platform at the Enterprise Factory level. Strict CM governance: only the Enterprise CM Board can approve deployments. All changes logged immutably. DAST and penetration testing required before every CM gate.
36. A Solution Chain maps the full patient journey: Referral Service → Appointment Service → Clinical Encounter Application → EHR Platform → Billing Service → Outcome Tracking Platform. Each link in the chain is a separately governed solution with its own maturity lifecycle.
37. Regulatory compliance for each jurisdiction is a Solution of type Service. Compliance dossiers (audit records, data processing agreements, security attestations) are Solution Packages with immutable CM-stage records.
38. Benchmarking surfaces patient wait time metrics, clinical outcome rates, and system uptime SLAs. The cross-solution dashboard lets the Enterprise CM Board compare performance across all regional factories.

3.3 Pharmaceuticals Industry

Pharmaceuticals — Drug Development, Clinical Trials, Regulatory Affairs, Manufacturing, Distribution

Pharmaceutical organizations require the highest levels of traceability, immutability, and governance. qala's CM-stage controls, build attestation, immutable audit logs, vendor qualification, and supply chain verification directly map to pharmaceutical quality management requirements including GxP, 21 CFR Part 11, and EU GMP compliance.

3.3.1 Solution Types in Pharmaceuticals

Solution Type	Pharma Example	Regulatory Mapping
Good	A drug substance (API) batch	Batch record, CoA, specification, ICH quality guidelines
Product	A finished drug product (e.g. tablet, injectable)	NDA/MAA dossier, drug master file, packaging specification, shelf-life data
Service	Clinical trial management service	ICH E6 GCP compliance, protocol versioning, site management, adverse event reporting
Application	Electronic Laboratory Notebook (ELN)	21 CFR Part 11 compliance: audit trails, electronic signatures, data integrity controls
Platform	Clinical data management platform (CDMS)	CDISC standards, EDC compliance, regulatory submission readiness
System	End-to-end drug development lifecycle management system	Full GxP coverage: GMP, GCP, GLP; integrated across all development stages

3.3.2 Small Scale — Biotech Startup

Scale: 5–50 people · Factory Tier: Team · Solutions: 10–30 · Example: early-stage biotech with 1–2 drug candidates

Use Case: Managing a Drug Candidate from Discovery to IND Filing

- 39. Team Factory created with SDEs: Discovery SDE, Preclinical SDE, Regulatory SDE.
- 40. Drug candidate 'Compound XQ-1' is a Solution of type Good. Solution Model contains: molecular structure blueprint, synthesis route design, stability profile data. Maturity begins at SANDBOX (exploratory synthesis).
- 41. Each development stage maps to a maturity promotion: SANDBOX (discovery) → DEV (lead optimization) → NIGHTLY (preclinical tox studies) → TEST (IND-enabling studies) → CM (IND filing package complete).

42. Regulatory Dossier for the IND filing is a Solution of type Good nested as a Component of Compound XQ-1. It contains CMC section, pharmacology/toxicology section, and clinical protocol section as Solution Book content.
43. All analytical data (assay results, stability data, tox reports) are versioned Artifacts linked to the relevant build of the drug candidate solution.
44. The CM gate for IND filing requires: all preclinical studies documented, regulatory dossier complete, build attestation on all analytical data packages, and CSO (Chief Scientific Officer) sign-off as CM board.

3.3.3 Medium Scale — Specialty Pharma Company

Scale: 200–1,000 people · Factory Tier: Domain · Solutions: 100–300 · Example: specialty pharma with 5–10 products in development and commercial

Use Case: Managing Commercial Manufacturing and Post-Market Surveillance

45. Domain Factory: R&D Factory, Regulatory Factory, Manufacturing Factory, and Commercial Factory — each as Team Factories.
46. Each commercial drug product is a Solution of type Product at CM maturity. The manufacturing process for each product is a Solution of type Service: batch manufacturing service with defined inputs (API, excipients, equipment), outputs (batch), and quality controls.
47. Each manufacturing batch is a versioned build of the manufacturing service solution. The build record contains: batch number, equipment IDs, operator IDs, in-process test results, and finished product CoA — all as versioned Artifacts.
48. Post-market surveillance is a Solution of type Service: adverse event reports are logged as defects, linked to the specific batch (build version) and product version. MTTR tracks time from AE report to CAPA closure.
49. The Regulatory Factory manages all submission dossiers. Each agency submission is a Solution Package: immutable, versioned, attested. The CM Board for the Regulatory Factory is the Head of Regulatory Affairs and the CMO.
50. Supply chain traceability: every API lot and excipient batch is a Solution Part with Vendor, lot number, CoA reference, and verification hash. The SAMS tracks inventory of all API lots across all manufacturing sites.

3.3.4 Large Scale — Global Pharmaceutical Company

Scale: 10,000+ people · Factory Tier: Enterprise · Solutions: 2,000+ · Example: global top-20 pharma managing 50+ products across 30 markets

Use Case: Global Drug Lifecycle Management from Phase I to Loss of Exclusivity

51. Enterprise Factory governs all global drug development and commercial operations. Regional Domain Factories handle market-specific regulatory and commercial activities.
52. Each drug product has a Master Solution Record at the Enterprise Factory level: owned by the Global Product Team, version-controlled from first-in-human through post-market. All

regional variants (different strengths, markets, presentations) are child Solutions linked to the master.

53. The global clinical development platform is a Solution of type Platform: EDC, CTMS, safety database, and regulatory submission system are all components within the platform solution. All clinical data artifacts are CM-stage solutions with immutable build attestation.
54. Technology transfer from R&D to manufacturing is a governed Workflow: the transfer package is a CM-qualified Solution Package containing process documentation, analytical methods, equipment specifications, and validated test procedures.
55. The global supply chain solution chain maps from API supplier → manufacturing site → packaging site → distribution center → market. Each link in the chain is a governed solution with its own maturity and its own SDE. Disruptions in any link trigger alerts through the Notifications service to the global supply chain team.
56. AI Agents monitor regulatory intelligence feeds across 30 markets and surface upcoming requirement changes. The Regulatory Factory provisions new compliance solutions for each change before the effective date.

3.4 Manufacturing Industry

Manufacturing — Discrete, Process, Electronics, Automotive, Aerospace, Consumer Goods

Manufacturing is the native domain of qala's solution component and part model. Physical goods, production services, manufacturing environments, and factory systems all map directly to qala's type system. qala provides the digital backbone for product lifecycle management (PLM), production scheduling, quality management, and supply chain coordination.

3.4.1 Solution Types in Manufacturing

Solution Type	Manufacturing Example	Key Platform Features Used
Good	A machined metal housing component	Part record (material, dimensions, tolerances), Vendor (material supplier), build attestation per batch
Product	A finished assembled consumer device	BOM (Solution Component tree), assembly procedure (workflow), quality inspection checklist
Service	Contract manufacturing service	Service specification, SLA tracking, capacity management, quality output measurement
Application	Shop floor monitoring application	Real-time telemetry, machine integration, production scheduling, defect logging
Environment	A configured manufacturing SDE	CNC toolchain, simulation toolset, CAD/CAM integration, ERP connector, safety compliance template
System	Integrated production management system	MES + ERP + QMS + SCM integrated through Solution Chains and event bus

3.4.2 Small Scale — Job Shop / Custom Manufacturer

Scale: 5–50 people · Factory Tier: Personal/Team · Solutions: 20–100 · Example: CNC machine shop producing custom parts for 10–20 clients

Use Case: Managing Custom Part Orders and Production Traceability

57. Team Factory created with a single Manufacturing SDE containing the CAD/CAM toolchain, CNC simulation tools, and quality inspection templates.
58. Each customer order is a Solution of type Good. The Solution Model contains the engineering drawing (Blueprint), material specification (Part record with material type, supplier, lot number), and tolerance specification.
59. Each production run is a versioned build of the Good solution. The build record contains: machine ID, operator ID, raw material lot, tool offsets used, inspection measurement records, and pass/fail outcome.

60. Defects (out-of-tolerance parts) are logged in the Defect Tracker linked to the specific build, the machine, and the operator. MTTR tracks rework and scrap rates.
61. The Solution Package for each shipped order contains: finished part dimensions report, material CoC, production record, and inspection certificate — all versioned and attested.
62. The SAMS tracks raw material inventory. Low-stock alerts fire when a material falls below a configured reorder point. Vendor Registry tracks supplier lead times for automatic reorder planning.

3.4.3 Medium Scale — Electronics Contract Manufacturer

Scale: 200–2,000 people · Factory Tier: Domain · Solutions: 300–1,000 · Example: EMS provider managing 50+ customer product programs

Use Case: NPI (New Product Introduction) and Production Ramp

63. Domain Factory: NPI Factory, Production Factory, Quality Factory. NPI handles design transfer; Production handles volume manufacturing; Quality governs inspection and compliance.
64. NPI process maps to qala maturity: SANDBOX (feasibility) → DEV (DFM analysis, prototype builds) → NIGHTLY (pilot builds) → TEST (qualification builds, HALT/HASS) → CM (production release).
65. The product BOM is the Solution Component tree: each assembly level is a Component, each component part is a Solution Part with part number, vendor, approved manufacturer list (AML), and current revision. The BOM is version-controlled; ECO (Engineering Change Orders) create new versions.
66. Production workflows are orchestrated by qala: build → test → inspection → pack → ship. Each stage is a Task in the deployment workflow. Pass/fail at inspection creates a defect record linked to the specific unit serial number and build lot.
67. First Article Inspection (FAI) is modeled as a Testbed: a structured test plan with defined test cases (dimensional check, functional test, environmental test). The FAI report is a versioned Artifact linked to the CM promotion request.
68. Supply chain disruption alerts: AI Agents monitor vendor lead time data and flag at-risk components. The SCM team is notified via the Emergency Channel when a single-source component has a supply risk.

3.4.4 Large Scale — Automotive Tier-1 Supplier

Scale: 5,000+ people · Factory Tier: Enterprise · Solutions: 2,000+ · Example: global Tier-1 supplier managing 200+ OEM programs across 15 plants

Use Case: Global Program Lifecycle Management and IATF 16949 Compliance

69. Enterprise Factory governs all global programs. Plant-level Domain Factories manage local manufacturing execution. Customer-level Team Factories manage each OEM program.
70. Each OEM program (e.g., 'Platform X Steering Column Assembly') is a Solution of type Product at the Enterprise level. Child solutions within it: the physical assembly (Good), the production process (Service), the test fixture (Good), and the control plan (Service).

71. IATF 16949 compliance is built into the factory-level governance template. All gate criteria include: PPAP (Production Part Approval Process) as the CM gate equivalent, FMEA and Control Plan as mandatory Design documents, and IMDS (material declaration) as a Part-level requirement.
72. Engineering changes (ECRs/ECOs) follow the Change Control workflow: impact assessment, customer notification, PPAP re-run if required, and immutable audit trail of all changes from initial design to current production version.
73. The global supply chain is a Solution Chain spanning 15 plants and 200+ tier-2 suppliers. SAMS tracks component inventory across all plants in real time. AI Agents predict shortages 6 weeks ahead using historical consumption and supplier lead time data.

3.5 Software Industry

Software — SaaS, Developer Tools, Enterprise Software, Open Source, APIs, Platforms

Software is qala's most native domain. Every capability in the platform was designed to support the full software development lifecycle. From a solo developer building an open-source CLI tool to an enterprise SaaS company managing hundreds of microservices, qala provides the hermetic builds, CI/CD pipelines, versioning, deployment automation, and AI-assisted development that modern software teams require.

3.5.1 Solution Types in Software

Solution Type	Software Example	Primary Workflows
Application	A SaaS web application (e.g. CRM, project management tool)	CI/CD pipeline, hermetic builds, SAST/DAST, blue/green deployment, feature flags
Platform	A developer platform (e.g. PaaS, API gateway, data platform)	Platform versioning, consumer SDK management, backward compatibility gates, SLA management
System	A microservices-based e-commerce system	Multi-service deployment coordination, integration testing, distributed tracing, resilience testing
Good	An SDK or library package	Semantic versioning, SBOM, license compliance, package registry publication
Service	A managed API service (e.g. payment processing, authentication)	SLA-governed service level objectives, uptime tracking, incident response, canary rollout
Tool Solution	A CLI tool, linter, or build plugin	Tool Registry management, version pinning, toolchain integration, security advisory monitoring

3.5.2 Small Scale — Solo Developer / Indie SaaS

Scale: 1–5 people · Factory Tier: Personal · Solutions: 1–20 · Example: indie developer building and shipping a SaaS tool

Use Case: Building, Shipping, and Iterating a SaaS Application

- 74. Personal Factory created. SDE provisioned from 'Go + React SaaS' template: Go backend toolchain, React frontend toolchain, PostgreSQL schema templates, Docker build environment, and Stripe integration pre-configured.

75. Solution created: 'InvoiceFlow' of type Application. Blueprint defines the system architecture: API gateway → billing service → notification service → frontend app. Each service is a Component with defined REST interface contracts.
76. CI pipeline triggers on every commit to main: hermetic build, unit tests, SAST scan, Docker image build, image scan, attestation generation, and publication to the personal container registry.
77. Feature flags configured for new features: each unreleased feature is deployed to production but gated behind a flag. The developer toggles features for specific users or segments through the Workspace without a new deployment.
78. When ready to release: CD pipeline runs integration tests, deploys to staging, performance benchmark runs (response time target: p95 < 200ms). On pass, the developer reviews and triggers production deployment (rolling strategy for this Personal Factory).
79. AI Agents surface a dependency vulnerability in the weekly SCA scan. The developer receives a notification with the affected package, CVE severity, and a one-click dependency update workflow.

3.5.3 Medium Scale — Growth-Stage SaaS Company

Scale: 50–500 people · Factory Tier: Team/Domain · Solutions: 50–300 · Example: Series B SaaS company with a growing microservices architecture

Use Case: Managing a Microservices Platform with Multiple Feature Teams

80. Domain Factory: Platform SDE (infrastructure, shared services), Product SDE (feature development), and Data SDE (analytics, ML pipeline).
81. The core platform is a Solution of type Platform. Each microservice within it is a Component with its own CI/CD pipeline configuration, test suite, and maturity tracking. Services at different maturity levels (some in DEV, some at CM) coexist in the platform solution.
82. Feature teams use the Workspace to view their services' build health, test coverage, and open defects. The Solution Book contains the engineering RFC (Request for Comments) for each major architectural decision.
83. Release trains are configured: every two weeks, all CM-qualified microservices are bundled into a platform release. The Release Manager reviews the CM board package and approves production deployment of the entire release set.
84. Canary deployments used for high-risk services: 5% of traffic routes to the new version. AI Agents monitor error rates and latency on the canary. Automatic rollback triggers if error rate exceeds 0.5% within 10 minutes.
85. The Data SDE manages the analytics pipeline as a separate Solution of type Platform. Data contracts between the product platform and the analytics platform are governed as Solution interfaces — breaking changes require a coordinated deprecation and migration workflow.

3.5.4 Large Scale — Enterprise Software Company

Scale: 1,000+ people · Factory Tier: Enterprise · Solutions: 500+ · Example: established enterprise software company managing a multi-product portfolio

Use Case: Multi-Product Portfolio with Enterprise Compliance and SOC 2 Governance

86. Enterprise Factory manages all products. Product-line Domain Factories (ERP Suite, Analytics Suite, Security Suite) each contain Team Factories for individual product teams.
87. SOC 2 compliance template applied at the Enterprise Factory level: all solutions inherit mandatory controls (audit logging, encryption at rest, MFA, penetration testing before CM, immutable change history). Compliance dashboard surfaces SOC 2 evidence for the annual audit.
88. SDK libraries published to an internal package registry are Solutions of type Good: each library has its own CI/CD, semantic versioning, SBOM, and deprecation timeline. Consuming products declare SDK versions as Solution Parts, enabling impact analysis when a library version changes.
89. A platform-wide API versioning policy is enforced as a governance standard: breaking changes require a 12-month deprecation window, a migration guide, and a CM board approval. The policy is machine-readable and automatically enforced by the API gateway.
90. Enterprise Observability: distributed tracing (OpenTelemetry) correlates requests across 50+ microservices. The Data Platform surfaces SLA compliance metrics for every customer-facing service. AI Agents predict SLA breaches 4 hours ahead based on traffic patterns and queue depth trends.

3.6 Agricultural Industry

Agriculture — Crop Production, Livestock, AgriTech, Food Processing, Supply Chain, Co-ops

Agricultural organizations use qala to manage growing operations, processing facilities, equipment fleets, digital precision agriculture platforms, and cooperative supply chains. qala's solution model handles the seasonal, batch-driven, and highly variable nature of agricultural production — from a single family farm tracking crop yields to a large agribusiness managing precision agriculture across thousands of hectares.

3.6.1 Solution Types in Agriculture

Solution Type	Agricultural Example	Platform Features Used
Good	A crop lot (e.g. harvest batch of wheat, soy, or tomatoes)	Lot traceability, quality grading, storage location, batch record, phytosanitary certificate
Service	Crop consultancy and agronomic advisory service	Service protocol, advisor assignment, field observation records, recommendation history
Application	Precision agriculture mobile app (field mapping, sensor dashboard)	CI/CD, SAST, real-time telemetry integration, offline-capable deployment
Platform	Farm management information system (FMIS)	Multi-user access, data ingestion from IoT sensors, analytics, compliance reporting
Product	Branded consumer food product (e.g. premium olive oil SKU)	Component tree (crop lot + processing + packaging), retail distribution channels, certification tracking
System	End-to-end supply chain management system for a co-op	Multi-farm data aggregation, logistics coordination, grading standardization, payment settlement

3.6.2 Small Scale — Family Farm

Scale: 1–10 people · Factory Tier: Personal · Solutions: 5–30 · Example: diversified family farm tracking crops, livestock, and equipment

Use Case: Crop Lot Tracking and Farm Records Management

- 91. Personal Factory created. SDE provisioned from the 'Agricultural Operations' template: crop record templates, lot traceability schema, equipment log structure, and compliance document library (GAP, organic certification, food safety).

92. Each crop variety per field is a Solution of type Good. The Solution Model contains the field Blueprint (GPS boundaries, soil type, irrigation system), the growing protocol Design (variety, seeding date, inputs applied), and the harvest plan.
93. Each season's growing cycle is a versioned build of the crop Good. The build record tracks: inputs applied (fertilizer, pesticide, water — each is a Solution Part with vendor, lot number, and application record), field observations, and weather data.
94. Harvest is the deployment event: the crop lot moves from the 'field' environment to the 'storage' environment. The SAMS updates inventory: lot quantity, quality grade, storage location.
95. Organic certification compliance: the Solution Book for each crop solution contains the organic system plan, field history, input records, and inspection reports. The CM gate is cleared when the certifying body approves the annual inspection.
96. Equipment maintenance is tracked as Solutions of type Good (equipment assets) with Service solutions for maintenance events (oil change, calibration). Defect Tracker logs breakdowns linked to the equipment solution version.

3.6.3 Medium Scale — Regional Agribusiness

Scale: 100–1,000 people · Factory Tier: Team/Domain · Solutions: 200–500 · Example: regional grain processor or specialty crop operation across multiple farms

Use Case: Multi-Farm Precision Agriculture and Processing Operations

97. Domain Factory: Field Operations Factory, Processing Factory, and Digital Products Factory.
98. A precision agriculture platform is a Solution of type Platform in the Digital Products Factory. Components: sensor data ingestion service, field analytics application, agronomic recommendation engine, and compliance reporting module.
99. Each farm is modeled as an Environment Solution: a specific, configured operational space within the Field Operations SDE with farm-specific parameters, field maps, equipment inventory, and input records.
100. Crop lots flow through a Solution Chain: Farm Environment → Harvest Good → Receiving Service → Processing Service → Finished Product. Each stage creates a versioned build record with full traceability back to the originating field.
101. Food safety traceability: when a food safety event is triggered (e.g., a recall), the SAMS can trace every finished product lot back to its originating crop lots, farms, inputs, and personnel. The full traceability package is a CM-stage Solution Package.
102. AI Agents analyze satellite imagery, soil sensor data, and weather forecasts to predict yield for each field. The predictions feed the logistics and processing scheduling solutions, enabling pre-positioned storage and transport capacity.

3.6.4 Large Scale — Global Agribusiness / Food Company

Scale: 5,000+ people · Factory Tier: Enterprise · Solutions: 1,000+ · Example: multinational food company sourcing from 10,000+ growers across 20 countries

Use Case: Global Supply Chain Governance and Sustainability Reporting

103. Enterprise Factory manages all sourcing, processing, and brand operations. Regional Domain Factories by geography; Product Domain Factories by category (Grain, Protein, Specialty Crops, Packaged Foods).
104. Supplier onboarding is a governed workflow: each new grower is a Solution Vendor going through the Vendor Qualification workflow. Qualification includes: GAP audit, sustainability assessment, food safety certification, and geolocation registration.
105. The global supply chain is a massive Solution Chain: for each SKU, the chain traces through all raw material lots, processing steps, and distribution touchpoints. The SBOM equivalent for each finished product lot is automatically generated as a Traceability Package — a CM-stage Solution Package.
106. Sustainability reporting: the SRMS tracks energy consumption, water usage, and carbon emissions per production facility. Each facility is an Environment Solution with energy and resource metrics fed into the Data Platform. The Enterprise sustainability dashboard aggregates across all facilities and generates regulatory reporting artifacts.
107. Deforestation compliance (EUDR, etc.): each sourcing region is mapped in the Registry with geolocation data. AI Agents monitor deforestation risk scores against sourcing locations and flag at-risk suppliers before the annual compliance cycle.

3.7 Professional Services

Professional Services — Consulting, Legal, Finance, Accounting, Marketing, Advisory, Design

Professional services firms use qala to manage service delivery, methodology libraries, client engagement workflows, deliverable production, and knowledge management. qala brings the rigor of solution design and lifecycle management to the inherently knowledge-intensive and relationship-driven world of professional services — enabling firms to standardize delivery, replicate high-quality engagements, and build an organizational knowledge base that compounds over time.

3.7.1 Solution Types in Professional Services

Solution Type	Professional Services Example	Key Platform Features Used
Service	A strategic consulting engagement	Service specification, engagement playbook, deliverable tracking, client communication channels, outcome measurement
Product	A packaged consulting methodology or framework	Methodology versioning, licensing management, training material bundling, IP protection
Application	A client-facing reporting portal or analytics dashboard	CI/CD, user access management, data privacy, white-label deployment
Good	A research report or strategic analysis deliverable	Document versioning, artifact management, deliverable distribution, review/approval workflow
Platform	A client engagement management platform (CRM + project + billing)	Multi-tenant access, billing integration, SLA management, knowledge base
System	An integrated delivery management system for a large firm	Multi-service coordination, cross-engagement resource management, portfolio analytics

3.7.2 Small Scale — Independent Consultant / Boutique Firm

Scale: 1–15 people · Factory Tier: Personal/Team · Solutions: 10–50 · Example: solo management consultant or small advisory boutique

Use Case: Managing Client Engagements and Building a Methodology Library

108. Personal Factory with a single Service Delivery SDE. Template used: 'Professional Services Engagement' — includes engagement charter template, deliverable review workflow, client communication channel setup, and time-tracking integration.

109. Each client engagement is a Solution of type Service. The Charter defines: client name, engagement scope, deliverables, timeline, success criteria, and fee structure. The Solution Book contains all engagement content: meeting notes, research references, analysis workpapers, and draft deliverables.
110. Each deliverable (e.g., a strategic options memo, a market analysis report) is a Solution Part, with the document as the Blueprint. The review and approval workflow is the deployment pipeline: draft → client review → revision → final delivery.
111. The consultant builds a personal Methodology Library: each repeatable framework or diagnostic tool is a Solution of type Product with its own version history. When applied to a client engagement, the methodology version is referenced as a Component of the engagement service solution.
112. The Solution Book's Charter and Playbook for each engagement type (e.g., 'Growth Strategy', 'Operational Review') form a reusable template. New engagements are provisioned from these templates, reducing setup time and ensuring consistent quality.
113. Client communication is structured through Communication Channels: each client engagement has a dedicated channel in the Notifications service. Meeting summaries, deliverable submissions, and status updates are dispatched through the channel and archived in the engagement Solution Book.

3.7.3 Medium Scale — Mid-Size Advisory Firm

Scale: 50–500 people · Factory Tier: Team/Domain · Solutions: 100–500 · Example: regional management consultancy, accounting firm, or marketing agency

Use Case: Standardizing Delivery and Managing a Growing Client Portfolio

114. Domain Factory with three Team Factories: Client Engagement Factory, Methodology & IP Factory, and Digital Tools Factory.
115. The Methodology & IP Factory manages the firm's intellectual property: each methodology, framework, diagnostic tool, and training program is a versioned Solution. Methodology updates go through the full CI/CD maturity lifecycle — including peer review (the QA/Test stage) and Partner approval (the CM gate).
116. Each active client engagement is a Solution of type Service within the Client Engagement Factory. The engagement SDE contains: the project plan (Workflow), the deliverable tracker (Testbed-style checklist), the client communication channel, and the team assignment (Resource Management).
117. Resource management: the SRMS tracks consultant availability, skills profiles, and assignment status across all active engagements. The capacity planning dashboard surfaces over-utilization risks and recommends reallocation.
118. Knowledge Management: completed engagements are archived in the Solution Registry with their Solution Books intact. The Workspace search function enables consultants to find prior engagement work, methodologies applied, and client-specific insights across the entire firm knowledge base.
119. Client billing is tracked as a Solution of type Service with financial resource allocation tracked by the SRMS: hours logged, expenses, and fee burn against engagement budget. Alerts fire when an engagement approaches its budget ceiling.

3.7.4 Large Scale — Global Professional Services Firm

Scale: 5,000+ people · Factory Tier: Enterprise · Solutions: 5,000+ · Example: global consulting, legal, accounting, or financial advisory firm

Use Case: Global Knowledge Management, IP Governance, and Delivery Excellence

120. Enterprise Factory governs the global knowledge platform and IP registry. Regional Domain Factories (Americas, EMEA, APAC) contain Practice Domain Factories (Strategy, Operations, Digital, Finance, Legal) which contain Team Factories for specific client sectors.
121. The firm's global methodology library is a Solution Portfolio at the Enterprise Factory level. Each methodology is a versioned, CM-qualified Solution of type Product. Regional customizations are child solutions linked to the global parent. A global Methodology Council acts as the CM Board for the methodology library.
122. Engagement delivery standards are enforced through factory-level governance policies: every engagement solution must reference an approved methodology version, have a signed Charter before DEV stage, and produce a quality-reviewed deliverable before CM promotion (final client delivery).
123. Global knowledge search across 5,000+ archived engagements: the Solution Registry's search and cross-reference capabilities enable any consultant to find prior work on a specific sector, problem type, or methodology. AI Agents surface the most relevant prior engagements and highlight reusable components.
124. Regulatory compliance management for legal and financial services practices: each jurisdiction's compliance requirement set is a Solution of type Service. Compliance posture dashboards give the firm's risk management leadership a real-time view of regulatory coverage across all markets.
125. Benchmarking at scale: the cross-engagement dashboard surfaces delivery metrics — engagement cycle time, revision rates (defect density proxy), client satisfaction scores, budget adherence, and resource utilization — across all geographies and practices. AI Agents identify which practice areas and teams are outperforming and surface their workflow patterns for adoption elsewhere.

4. End-to-End Solution Lifecycle Walkthroughs

The following walkthroughs demonstrate the complete qala experience for three representative solutions — a software SaaS product, a physical manufactured good, and a professional service — showing every platform interaction from creation to retirement.

4.1 Walkthrough: SaaS Application (Software)

A two-person startup builds and ships a SaaS project management tool for small teams.

Lifecycle Stage	qala Actions	Platform Systems Used	Maturity
Ideation	Create Solution record; author Charter in Solution Book; define value proposition; provision SDE from 'React + Node SaaS' template	Solution Registry, Workspace, SDE Management	SANDBOX
Design	Author Blueprint (API design, data model, component architecture); create UI mockups; build feature list; define REST interface contracts	Solution Model, Solution Book, Workspace	SANDBOX → DEV
Development	Configure CI pipeline; commit code; build runs automatically; unit tests, SAST scan, and SCA run on every PR	Workflow CI/CD, Security SEM, Artifact Package	DEV
Nightly	Nightly builds trigger integration tests; CI green on main branch; performance baseline captured; AI surfaces code quality recommendations	CI/CD, Data Platform, AI Agents, Benchmarking	DEV → NIGHTLY
Testing	Full test suite runs; DAST scan on staging deploy; no P1 defects open; UAT with beta users; accessibility testing	Testbed, Security SEM, Notifications	NIGHTLY → TEST
Release	CM promotion request submitted; founders sign off as CM Board; build attestation generated; changelog and release	Governance, CM Workflow, Artifact Package	TEST → CM

Lifecycle Stage	qala Actions	Platform Systems Used	Maturity
	notes authored in Solution Book		
Deployment	Rolling deployment to production; post-deploy verification; canary watch period; feature flag enables new onboarding flow for 20% of users	Workflow CI/CD, SDE Management, AI Agents	CM (Live)
Operation	Real-time monitoring dashboard; weekly benchmarking review; AI Agents flag memory leak in one service; patch applied through standard maintenance workflow	Data Platform, Benchmarking, AI Agents, Notifications	CM (Maintained)
Retirement	Feature sunset announced via Distribution Channel; migration guide published as Solution Package; Solution archived; knowledge preserved in Registry	Solution Registry, Notifications, SAMS	Archived

4.2 Walkthrough: Physical Product (Manufacturing)

A small hardware company designs and manufactures a wireless sensor device for industrial use.

Lifecycle Stage	qala Actions	Platform Systems Used	Maturity
Ideation	Solution created (type: Product); Charter authored; components defined: PCB assembly, enclosure, firmware, packaging; key vendors identified	Solution Registry, Solution Book, Workspace	SANDBOX
Design	Engineering drawings attached as Blueprints; BOM built as Solution Component tree with Part records; Design FMEA begun	Solution Model, Vendor Registry, Solution Book	SANDBOX → DEV

Lifecycle Stage	qala Actions	Platform Systems Used	Maturity
Prototype	Prototype builds tracked as sandbox builds; hardware defects logged; design iterations versioned in Solution Model; DFM review completed	Testbed, Defect Tracker, Solution Model	DEV
Verification & Validation	DVT (Design Validation Test) build executed; test plan run in Testbed; EMC, environmental, and functional tests logged as test cases; all pass required for TEST gate	Testbed, Solution Registry, Benchmarking	DEV → TEST
Production Release	PPAP-equivalent CM gate: all validation tests pass; regulatory certifications (CE, FCC) attached as CM-stage Artifacts; CM Board signs off	Governance, CM Workflow, Artifact Package	TEST → CM
Manufacturing	Each production batch is a versioned build; SAMS tracks component inventory; assembly workflow is an Orchestration workflow; inspection results logged per unit	Workflow, SAMS, Defect Tracker, Artifact Package	CM (Production)
Distribution	Solution Packages (each unit + certificate) distributed through registered Distribution Channels; inventory tracked in SAMS; logistics tracked in SRMS	SAMS, Distribution Channels, Notifications	CM (Distributed)
Field Support	Field returns logged as defects; root cause analysis links defects to build version and component; product updates follow Change Control workflow	Defect Tracker, Change Control, Security SEM	CM (Maintained)

4.3 Walkthrough: Consulting Service (Professional Services)

A management consulting firm delivers a strategic growth engagement for a mid-size client.

Lifecycle Stage	qala Actions	Platform Systems Used	Maturity
Scoping	Solution created (type: Service); Charter authored: scope, deliverables, timeline, fees; methodology version referenced as Component	Solution Registry, Solution Book, Workspace	SANDBOX
Proposal	Proposal document authored in Solution Book; approved methodology Blueprint attached; team assigned through SRMS; client communication channel opened	Solution Book, SRMS, Notifications, Methodology Registry	SANDBOX → DEV
Engagement Kick-off	Engagement workflow launched; project plan (WBS + Gantt) added to Solution Book; SDE provisioned as the engagement working environment	Workflow, Workspace, Solution Book, SDE Management	DEV
Delivery	Workstream deliverables tracked as Parts of their respective Components; each draft submitted through the review workflow; revisions logged as defects; client feedback captured	Workflow, Defect Tracker, Testbed, Notifications	DEV → TEST
Quality Review	Internal quality review of all deliverables; peer reviewer signs off each deliverable Component; final presentation rehearsal logged as acceptance test	Testbed, Governance, Workflow	TEST
Final Delivery	CM gate: Partner sign-off on all deliverables; client acceptance captured; engagement Solution Package assembled and delivered via Distribution Channel	Governance, CM Workflow, Distribution Channels	TEST → CM

Lifecycle Stage	qala Actions	Platform Systems Used	Maturity
Knowledge Archival	Engagement archived in Registry; key insights and reusable frameworks promoted to Methodology Library; engagement metrics logged in Benchmarking	Solution Registry, Methodology Registry, Benchmarking	Archived

5. Cross-Cutting Workflow Patterns

Certain workflow patterns recur across all industries and solution types. The following patterns represent the most common operational sequences that platform users encounter regardless of their domain.

5.1 The Hotfix Pattern

A critical defect is discovered in a CM-stage solution. The team needs to patch the running solution as quickly as possible while maintaining audit integrity.

126. A monitoring alert fires: error rate on the payment service exceeds threshold. The incident is logged automatically by the Notifications service.
127. On-call engineer acknowledges the alert. The Incident Playbook (from the Solution Book) is opened. Rollback is assessed first: prior artifact version identified in SAMS, rollback workflow readied.
128. Root cause identified in logs (Data Platform). The specific commit that introduced the defect is found via Change Impact Analysis. A defect record is created and linked to the build, commit, and component.
129. Fix branch created. CI pipeline runs immediately on commit. Emergency Change procedure invoked: CI results fast-tracked to a single approver (Engineering Lead) rather than the full CM board.
130. On approval, CD pipeline deploys the patched artifact via rolling deployment. Post-deploy verification confirms error rate returns to baseline. Incident closed with resolution record.
131. Post-mortem: a post-implementation review is automatically scheduled (as defined in the factory's Governance policy). The review links the incident, the defect, the fix, and the pipeline results into a single audit trail entry.

5.2 The Dependency Upgrade Pattern

A security advisory is issued for a third-party library used by multiple solutions in the factory. The team needs to assess impact, update all affected solutions, and release patches.

132. The Security SEM service receives the advisory feed. It identifies all solutions with the affected library version as a Solution Part. Owners of each affected solution are notified via their configured channels.
133. Impact assessment: the Dependency Graph (in the Solution Registry) shows which Components reference the vulnerable Part. Severity is assessed using the CVSS score. P1 severity triggers the Emergency Change workflow.
134. For each affected solution: a developer creates an update PR (dependency lock file updated). CI runs automatically, verifying the update doesn't break any test suites.
135. Updated artifacts promoted through the pipeline: unit test → integration test → staging deploy → verification. Solutions at CM maturity require CM Board approval for the patch release.
136. All patched solutions are released. The vulnerability record in the Security SEM service is updated to 'Resolved' with links to the resolving commits and release versions.

137. A retroactive improvement action is created in the Governance system: the factory's dependency review policy is updated to scan for this class of vulnerability weekly rather than monthly.

5.3 The New SDE Onboarding Pattern

A new team joins the factory and needs a configured SDE ready for development within minutes, not days.

138. Factory Administrator selects the appropriate SDE template from the Templates Library (e.g., 'Python ML Service' or 'React Web App' or 'Physical Product'). Templates are pre-configured with: toolchain, CI/CD pipeline definition, security scan configuration, and governance policies.
139. New SDE provisioned from the template. The platform installs the toolset, configures the build environment, registers the SDE in the Factory Registry, and applies factory governance policies.
140. Team members are added to the SDE with RBAC roles. Each member's workspace is configured to their preferences (IDE bindings, notification settings, dashboard views).
141. A starter Solution is automatically created in the SDE: a skeleton with placeholder Components, a Charter template in the Solution Book, and a connected CI pipeline awaiting the first commit.
142. The team begins development. From the first commit, they have: automatic hermetic builds, test results, SAST scan results, and AI code review suggestions — all without any manual configuration.

5.4 The Multi-Factory Collaboration Pattern

Two teams in different Factory tiers need to share a solution component. One team owns and maintains the component; the other team consumes it as a dependency.

143. The producing team publishes their Component as a versioned Solution of type Good (a library or service package) to the Factory's Artifact Repository. The solution is CM-qualified and attested.
144. The consuming team adds the Component as a Solution Part in their solution, referencing the specific version from the Artifact Repository. The Dependency Graph in the Registry records the cross-factory dependency.
145. When the producing team releases a new version, the Notifications service alerts all consuming solutions. A deprecation notice for the prior version is sent if applicable.
146. The consuming team reviews the changelog (in the producer's Solution Book), runs compatibility tests (the Solution Part version change triggers their CI pipeline), and upgrades on their own schedule.
147. Breaking changes are managed through the Change Control workflow: the producing team must notify consumers via the Distribution Channel at least one release cycle ahead, provide a migration guide as a Solution Package, and maintain the prior version for the defined deprecation window.

6. Scale Reference

The following table summarizes how qala is configured and used at different organizational scales. All scales use the same platform model — the differences are in factory tier, governance weight, and the number of solutions managed.

Dimension	Small (1–20 people)	Medium (20–500 people)	Large (500+ people)
Factory Tier	Personal or lightweight Team Factory	Team or Domain Factory	Enterprise Factory with nested Domain and Team Factories
Governance Model	Owner is the sole approver; minimal CM board; lightweight policies	Team Lead + Release Manager CM board; moderately enforced policies	Formal multi-tier CM board; strictly enforced governance policies; exception tracking
SDE Count	1–3 SDEs	5–50 SDEs	50–thousands of SDEs across factory hierarchy
Solutions Managed	1–30 solutions	50–500 solutions	500–tens of thousands of solutions
CI/CD	Single pipeline per solution; manual triggers acceptable	Automated pipelines per solution; release trains for coordinated releases	Automated pipelines; multi-environment promotion; global release trains; canary and blue/green at scale
Security & Compliance	Basic SAST + SCA; owner-reviewed vulnerability reports	SAST + DAST + SCA + container scan; quarterly security review; compliance templates	Full SAST/DAST/IAST/SCA/pentest; continuous compliance monitoring; SOC 2 / GxP / ISO 27001 dashboards
AI Usage	Vulnerability alerts; build recommendations; anomaly detection	Pipeline optimization; predictive defect detection; test case generation; resource recommendations	Full AI suite: self-healing tests; capacity prediction; cross-portfolio intelligence; regulatory monitoring
Key Platform Features	Workspace, Solution Book, CI/CD, Artifact Package, basic Notifications	All small features + Benchmarking, Defect Tracker, CM Board, SAMS, SRMS, Testbed	All medium features + Enterprise Portfolio Dashboard, Cross-Factory Dependency Graph, Global Compliance Dashboards, Multi-Region Deployment, Sustainability Reporting

7. Quick Reference — Actions by Solution Type

The following table maps the six core user actions (Design, Deploy, Maintain, Manage, Administer, Control) to the specific qala operations performed for each solution type.

Action	Application	Good / Product	Service	Platform	Factory / Environment
Design	Author Blueprint (API spec, data model); define Components (services, modules); set interface contracts; build feature list	Author Blueprint (engineering drawing, BOM); define Components; register Parts + Vendors; attach CoA / regulatory docs	Author Service Specification; define service Components (protocol, staff, tools); author Playbook; define SLA	Author Platform Architecture; define service topology; specify integration contracts; design SDK/API surface	Configure Factory policies; provision SDE from template; define toolchain and governance rules
Deploy	CI/CD pipeline → staging → CM gate → production (rolling/canary/blue-green)	Manufacturing build run → inspection (testbed) → CM gate → distribution (SAMS → Distribution Channels)	Activate service SDE; assign staff; open Communication Channels; distribute service playbook	Multi-component coordinated deployment workflow; environment tier promotion; platform versioning	Provision SDE instances; configure networking; apply governance policies; register in Factory Registry
Maintain	Patch via CI/CD; dependency updates; feature flag management; configuration changes	ECO (Engineering Change Order) via Change Control; BOM version update; re-validation if required; batch record updates	Protocol update via Change Control; staff re-training tracked as Solution Part; SLA revision workflow	API versioning governance; deprecation workflows; consumer notification; SDK upgrade coordination	SDE snapshot before changes; policy updates via governance pipeline; tooling version upgrades
Manage	Monitor metrics dashboard; respond to incidents; review AI recommendations; track feature delivery against roadmap	Monitor inventory (SAMS); track batch quality; review supply chain; manage vendor SLA compliance	Monitor service delivery KPIs; track client outcomes; manage capacity through SRMS; review SLA performance	Monitor platform uptime and SLA; manage consumer dependency health; review usage analytics	Review Portfolio Dashboard; monitor SDE health; track resource utilization; review cross-solution benchmarks
Administer	Manage team access	Manage vendor approvals;	Manage service team	Manage platform	Manage factory users and

Action	Application	Good / Product	Service	Platform	Factory / Environment
	(RBAC); configure notification channels; update pipeline definitions; manage environment templates	update BOM governance rules; configure inventory alert thresholds	roles; update service templates and playbooks; configure client channels	consumer access; govern API versioning policy; manage SDK distribution	roles; publish/update templates; set factory-level policies
Control	CM Board review and sign-off; production deployment approval; emergency rollback authorization	CM Board review (PPAP/DHF/regulatory approval); batch release sign-off; field action authorization	Service launch CM approval; SLA change authorization; engagement closure sign-off	Platform release CM gate; breaking change authorization; deprecation timeline approval	Factory governance policy changes; CM Board charter updates; SDE quarantine authorization