


Customer Part:

Description

 Standard 7 x 5mm crystal oscillator in a ceramic package with a seam sealed metal lid, hermetically sealed.

Model CFPS-73Model Issue number 14



Frequency
Frequency Stability
Operating Temperature Range
Ageing
12.0MHz
±50.00ppm
-40.00 to 85.00°C
±3ppm per year max

Electrical Parameters

Supply Voltage 3.3V ±10%
Current Draw 7.000mA
Note: parameters are referenced to 15pF load

Output Details

Output Compatibility HCMOS

Drive Capability
Rise and Fall Time
Duty Cycle
15pF std, 50pF max
10.0ns max
45/55

Start up time: 10ms max.

0.9ms typ to 90% of final amplitude (under ideal conditions @ $25^{\circ}\text{C})$

Output Control

Standby Operation:

Logic '1' (>70% VS) to pad 1 enables oscillator output Logic '0' (<30% VS) to pad 1 disables oscillator output; the oscillator output goes to the high impedance state No connection to pad 1 enables oscillator output Standby Current: 10µA max, 0.9µA typ @ 25°C

Noise Parameters

Phase Noise @125MHz (typical):

10Hz -54dBc 100Hz -92dBc 1kHz -130dBc 10kHz -149dBc 100kHz -159dBc 1MHz -163dBc

RMS Phase Jitter @125MHz: 52fs typical

Environmental Parameters

Shock: MIL-STD-202, Method 213, Condition E

Vibration: MIL-STD-883, Method 2007, Condition A

Storage Temperature Range: -55 to 125°C


Manufacturing Details

RoHS Terminations NiAuRoHS Reflow Temp 260degC 10s






Outline (mm)



Test Circuit



Sales Office Contact Details:

UK: +44 (0)1460 270200 France: 0800 901 383 Germany: 0800 1808 443 USA: +1.760.318.2824 Email: info@iqdfrequencyproducts.com Web: www.iqdfrequencyproducts.com



Customer Part:

Compliance

RoHS Status (2015/863/EU)
REACh Status
MSL Rating (JDEC-STD-033):
Not Applicable


Packaging Details

■ Pack Style: Reel Tape & reel in accordance with EIA-481-D


Pack Size: 1,000

Alternative packing option available

Wave Form



Phase Noise / Jitter



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

IQD Frequency Products:

LFSPXO019966Reel