BTB Connector



Title	BTB		
Size B	Document Number Sipeed_TANG_MEGA_60K		Rev 1.0
Date:	Friday, June 27, 2025	Sheet 1 of 7	



Title	Peripherals
Size B	Document Number Sipeed_TANG_MEGA_60K
Rev	1.0
Date:	Monday, September 16, 2024
Sheet	2 of 7

2 x DDR3

Note:::
BANK 9,10,11 IO Voltage is 1.5V !!!



Title	2 x DDR3	
Size C	Document Number Sipeed_TANG_MEGA_60K	Rev 1.0
Date: Wednesday, October 16, 2024	Sheet 3 of 7	

BANK 1/2/5





表 4-2 GW5AT-138/GW5AST-138 配置模式选择

配置模式	MODE[2:0][1]	Bus Width	相关说明
JTAG	XXX/101[3]	-	外部 Host 通过 JTAG 接口对 GW5AT & GW5AST 系列 FPGA 产品进行配置
MSPI[2]	001	x1,x2,x4	FPGA 作为 Master，通过 SPI 接口从外部 Flash（或其他器件）读取配置数据进行配置
SSPI[2]	010	x1,x4	外部 Host 通过 SPI 接口对 GW5AT & GW5AST 系列 FPGA 产品进行配置
Master SERIAL	000	x1	FPGA 作为 Slave 以前，通过 DIN 接口从外部读取配置数据进行配置
Slave SERIAL	111	x1	外部 Host 通过 DIN 接口对 GW5AT & GW5AST 系列 FPGA 产品进行配置
Master CPU	100	x8,x16,x32	FPGA 作为 Slave 以前，通过 DBUS 接口从外部读取配置数据进行配置
Slave CPU	110	x8,x16,x32	外部 Host 通过 DBUS 接口对 GW5AT & GW5AST 系列 FPGA 产品进行配置

注！

- [1]对于一些 MODE 管脚没有全部封装出来的器件，需要查看 PINOUT 手册确认 MODE 脚状态。
- [2] SSPI 和 MSPI 模式的 SPI 接口是互相独立的。
- [3] JTAG 配置模式与 MODE[2:0]输入值无关；当 MODE 设置为 101 时，只有 JTAG 接口生效。





Title	BANK 1/2/5	
Size B	Document Number Sipeed_TANG_MEGA_60K	Rev 1.0
Date: Monday, September 16, 2024	Sheet 4 of 7	

BANK 3/4/6/7/8/12/GT/ADC



Title	BANK3/4/6/7/8/12/GT/ADC	
Size B	Document Number Sipeed_TANG_MEGA_60K	Rev 1.0
Date: Wednesday, October 16, 2024	Sheet 5 of 7	


FPGA POWER
U1N
Ground
GW5AT-60K-PG484A
GND
1V8_VDDH_ADC
FB20
NC
1V8_Q1_VDDHA
0V9_M0_VDDA
FB21
0V9_Q0_VDDA
VREFN
VREFP
CP259
NC
C0201
CP253
CP254
CP255
CP256
Compatible With 138K
U1M
Power
0.9V
1.2V
1.8V 0.52A Peak
0V9_VCCC
1V2_VCC_REG
1V8_VCCX
VCCIO1_2
3V3
FB15
MPZ1608S121ATAH0
1V8_Q0_VDDHA
1V8_Q1_VDDHA
0V9_Q0_VDDA
VCCIO_DDR
MPZ1608S121ATAH0
FB11
1V5
VCCIO_138B5
UPZ1005D121-1R3TF
FB13
VCCIO_678
FB14
VCCIO_45
FB16
VCCIO_CFG
FB12
put one 470nF close to each VCC_REG BALL
FPGA POWER
Title
Size C
Document Number
Sipeed_TANG_MEGA_60K
Rev 1.0
Date: Monday, September 16, 2024
Sheet 6 of 7

Board Power



Title	Board Power	
Size C	Document Number Sipeed_TANG_MEGA_60K	Rev 1.0
Date: Monday, September 16, 2024	Sheet 7 of 7	