Warning: include(/opt/bitnami/apps/moodle/htdocs/local/aws/version.php): failed to open stream: No such file or directory in /opt/bitnami/apps/moodle/htdocs/lib/classes/plugin\_manager.php on line 305

**Warning**: include(): Failed opening '/opt/bitnami/apps/moodle/htdocs/local/aws/version.php' for inclusion (include\_path='/opt/bitnami/apps/moodle/htdocs/lib/pear:.:/opt/bitnami/php/lib/php') in

## /opt/bitnami/apps/moodle/htdocs/lib/classes/plugin\_manager.php on line 305

Plugin local\_aws does not declare valid \$plugin->component in its version.php.

- line 315 of /lib/classes/plugin\_manager.php: call to debugging()
- line 335 of /lib/classes/plugin\_manager.php: call to core\_plugin\_manager->load\_present\_plugins()
- line 217 of /lib/classes/plugininfo/base.php: call to core\_plugin\_manager->get\_present\_plugins()
- line 143 of /lib/classes/plugininfo/base.php: call to core\plugininfo\base->load\_disk\_version()
- line 97 of /lib/classes/plugininfo/base.php: call to core\plugininfo\base::make\_plugin\_instance()
- line 395 of /lib/classes/plugin\_manager.php: call to core\plugininfo\base::get\_plugins()
- line 646 of /lib/classes/plugin\_manager.php: call to core\_plugin\_manager->get\_plugins\_of\_type()
- line 405 of /auth/oauth2/classes/api.php: call to core\_plugin\_manager->get\_plugin\_info()
- line 43 of /auth/oauth2/lib.php: call to auth\_oauth2\api::is\_enabled()
- line 5035 of /lib/navigationlib.php: call to auth\_oauth2\_extend\_navigation\_user\_settings()
- line 4582 of /lib/navigationlib.php: call to settings\_navigation->generate\_user\_settings()
- line 4014 of /lib/navigationlib.php: call to settings\_navigation->load\_user\_settings()
- line 759 of /lib/pagelib.php: call to settings navigation->initialise()
- line 820 of /lib/pagelib.php: call to moodle\_page->magic\_get\_settingsnav()
- line 3436 of /lib/navigationlib.php: call to moodle\_page->\_\_get()
- line 612 of /theme/boost/classes/output/core renderer.php: call to navbar->get items()
- line 42 of /theme/boost/layout/columns2.php: call to theme\_boost\output\core\_renderer->region\_main\_settings\_menu()
- line 1261 of /lib/outputrenderers.php: call to include()
- line 1191 of /lib/outputrenderers.php: call to core renderer->render page layout()
- line 437 of /lib/outputrenderers.php: call to core renderer->header()
- line 53 of /mod/quiz/renderer.php: call to plugin\_renderer\_base->\_\_call()
- line 259 of /mod/quiz/review.php: call to mod\_quiz\_renderer->review\_page()

Dashboard / My courses / Inadmin / Quiz / Linux Test

Started on	Monday, 16 July 2018, 10:30 AM
State	Finished
Completed on	Monday, 16 July 2018, 10:55 AM
Time taken	25 mins 17 secs
Marks	13.00/25.00
Grade	<b>5.20</b> out of 10.00 ( <b>52</b> %)
Feedback	Excellent you have passed the test.

~ ~ ~ · · ·	
Correct	
√lark 1.0	00 out of 1.00
In the	shell, by default, all variables are considered and stored as
Selec	t one:
	a. string 🗸
	b. integer
	c. character
	d. float
Your	answer is correct.
The c	orrect answer is: string
Duestion	
Question	<b>2</b>
Correct	0 out of 1.00
Correct	
Correct Mark 1.0 Which	o out of 1.00  n of the following commands will allow the user to search contents of a file for a particular
Correct  Mark 1.0  Which patter	of the following commands will allow the user to search contents of a file for a particular in?
Correct Mark 1.0 Which patter	of the following commands will allow the user to search contents of a file for a particular rn?  t one:
Which patter	of the following commands will allow the user to search contents of a file for a particular rn?  t one:  a. touch
Which patter	of the following commands will allow the user to search contents of a file for a particular rn?  t one:  a. touch  b. grep
Which patter	of the following commands will allow the user to search contents of a file for a particular rn?  t one: a. touch b. grep   c. find
Which patter	of the following commands will allow the user to search contents of a file for a particular rn?  t one:  a. touch  b. grep
Which patter	of the following commands will allow the user to search contents of a file for a particular rn?  t one: a. touch b. grep   c. find

Correct	3
/lark 1.0	O out of 1.00
Which	command sets the number for all lines in vi?
Select	one:
	a. :set li
	b. :set In
	c. :set nu 🗸
	d. :set nl
Your a	inswer is correct.
The co	prrect answer is: :set nu
Question	4
ncorrect Mark 0.0	0 out of 1.00
Mark 0.0	
With a file?	umask value of 112, what is the default permission assigned to newly created regular one:
With a file?	umask value of 112, what is the default permission assigned to newly created regular one:  a. —x–x-wx
With a file?	umask value of 112, what is the default permission assigned to newly created regular one:
With a file?	umask value of 112, what is the default permission assigned to newly created regular one:  a. —x–x-wx
With a file?	out of 1.00  umask value of 112, what is the default permission assigned to newly created regular  one: a. —x-x-wx brw-rw-r-
With a file?	one: a. —x-x-wx brw-rw-r  cr-xr-x-r- *
With a file?  Select	out of 1.00  umask value of 112, what is the default permission assigned to newly created regular  one: a. —x—x-wx brw-rw-r— cr-xr-x-r— ★ drw-rw-r—

Correct	
∕lark 1.	00 out of 1.00
If the	umask value is 0002. what will be the permissions of new directory
Sele	et one:
	a. 777
	b. 775 <b>✓</b>
	c. 774
0	d. 664
Your	answer is correct.
The	correct answer is: 775
Questio	n <b>6</b>
Correct	
	00 out of 1.00
Mark 1.	00 out of 1.00
Whice	00 out of 1.00
Whice	oo out of 1.00  h of the following file set in the current directory are identified by the regular expression a?
Whice b*	on out of 1.00  In of the following file set in the current directory are identified by the regular expression as
Whice b*	on out of 1.00  The of the following file set in the current directory are identified by the regular expression as the one:  a. afcc, aabb
Whice b*	on out of 1.00  The following file set in the current directory are identified by the regular expression and the one:  a. afcc, aabb  b. aabb, axbc
Whice b*  Selection	on out of 1.00  In of the following file set in the current directory are identified by the regular expression a?  In of the following file set in the current directory are identified by the regular expression a?  In one:  a. afcc, aabb b. aabb, axbc  c. abbb, abxy
Whice b*  Selection  Your	on out of 1.00  The following file set in the current directory are identified by the regular expression and the cone:  a. afcc, aabb b. aabb, axbc  c. abbb, abxy d. abcd, axbb

$\sim$	<b>lestion</b>	7

Correct

Mark 1.00 out of 1.00

cmd > abc 2>&1 will

#### Select one:

- a. Write file2 to file1
- b. Write standard output and standard error to abc
- c. Write standard error to abc
- d. Write standard output to abc & standard error to monitor

Your answer is correct.

The correct answer is: Write standard output and standard error to abc

Question 8

Correct

Mark 1.00 out of 1.00

If a and b are 2 variables then the meaning of a<<=b is

## Select one:

- b. a = a << b </p>
- $\circ$  c. b = b << a
- d. a = a << b

Your answer is correct.

The correct answer is: a = a << b

orrect	0 out of 1.00
iaik i.u	
Comn	nand used to determine the path of an executable file is
Select	one:
•	a. which 🗸
	b. where
	c. wexec
0	d. what
Your a	answer is correct.
The c	prrect answer is: which
correct	
what \$ pw /hom \$ cd	o out of 1.00  would be the current working directory at the end of the following command sequence?  de/user1/proj src
what \$ pw /hom \$ cd	o out of 1.00  would be the current working directory at the end of the following command sequence?  de/user1/proj src generic .
What  \$ pw /hom \$ cd \$ cd \$ pw	would be the current working directory at the end of the following command sequence?  de/user1/proj src generic . d
What  \$ pw /hom \$ cd \$ cd \$ pw	would be the current working directory at the end of the following command sequence?  de/user1/proj src generic . d
What  \$ pw /hom \$ cd \$ cd \$ pw  Select	would be the current working directory at the end of the following command sequence?  de/user1/proj src generic . d
what  \$ pw /hom \$ cd \$ cd \$ pw	would be the current working directory at the end of the following command sequence?  de/user1/proj src generic . d  one: a. /home/user1/proj

The correct answer is: /home/user1/proj/src/generic

Not and	
	wered
Vlarked	out of 1.00
Whic	h of the following is not correct statement regarding file types?
Selec	ot one:
	a. Hard links share same inode number
	b. Soft links cannot be created across partitions
	c. Socket files are Unix domain sockets
	d. Character file is a special file
	answer is incorrect.
	correct answer is: Soft links cannot be created across partitions
Questio	n <b>12</b>
Questic ncorrec Mark 0.	n <b>12</b>
Questic ncorrec Mark 0.	n <b>12</b> et 00 out of 1.00
Questic ncorrec Mark 0.	n 12 et 20 out of 1.00  h command is used to set limits on file size?
Questic ncorrec Mark 0. Whice Select	n 12  tt 00 out of 1.00  h command is used to set limits on file size?  ct one:
Questiconcorrect Mark 0.  Whice Select	n 12  tt 00 out of 1.00  h command is used to set limits on file size?  ct one: a. fsize **
Question ncorrect Mark 0.	n 12  tt 00 out of 1.00  h command is used to set limits on file size?  tt one:  a. fsize ×  b. flimit

Question 13
Correct
Mark 1.00 out of 1.00

To open a file file1 with cursor at line number 4

## Select one:

- a. vi +num file1
- b. vi +set num file1
- c. vi + "set num" file1
- d. vi +/se nu file1

Your answer is correct.

The correct answer is: vi +num file1

Question 14

Incorrect

Mark 0.00 out of 1.00

How can you add a new user "testuser" to your system?

#### Select one:

- a. Using linuxconf
- b. Using useradd x
- c. Using adduser
- d. None of the above
- e. All of the above

Your answer is incorrect.

The correct answer is: All of the above

Question 15

	wered
/larked	out of 1.00
Any f	ile's attribute information is stored in which structure on the disk
Selec	et one:
	a. Inode
	b. Data blocks
	c. File blocks
	d. Directory file
Your	answer is incorrect.
	correct answer is: Data blocks
Not ans Marked	wered out of 1.00
Whic	h command is used to set terminal IO characteristic?
Selec	ct one:
	a. tty
	b. ptty
	c. ctty
	d. stty
	d. stty
0	d. stty  answer is incorrect.

Question 17

Correct

Mark 1.00 out of 1.00

If the fork() system call returns -1, then it means?

## Select one:

- a. No new child process is created
- b. The child process is an orphan
- c. The child process is in Zombie
- d. none of the mentioned

Your answer is correct.

The correct answer is: No new child process is created

Question 18

Correct

Mark 1.00 out of 1.00

How can you search for blank line in a file?

# Select one:

- a. \$ grep " " file
- b. \$ grep "^\$" file
- o. \$ grep [" "] file
- d. \$ grep [^\$] file

Your answer is correct.

The correct answer is: \$ grep "^\$" file

rrect	n <b>19</b>
ark 1.	00 out of 1.00
	file or directory present in the directory may not be reserved between the cation of the program.
Sele	ct one:
	a. /var
	b. /tmp ✓
	c. /etc
	d. all of the mentioned
Vour	answer is correct.
	correct answer is: /tmp
THE	Joine of answer is. /timp
Questio	
ncorrec	ot out of 1.00
Iaik U.	50 Out 01 1.00
Exec	uting cat /etc/password > /dev/sda as superuser will
Sele	ct one:
	a. Write data into a regular file called /dev/sda 🗶
	b. Write data to the physical device sda
	c. Create a temporary file /dev/sda and write data to it
	d. None of the mentioned
_	a

Question 21	
Incorrect	
Mark 0.00 out of 1.00	
Which command is used to extract intermediate result in a pipeline?	
Select one:	
a. tee	
b. extract	
C. exec	
d. none of the mentioned	
Your answer is incorrect.	
The correct answer is: tee	
Question <b>22</b> Not answered	
Marked out of 1.00	
Which command concatenate the specified argument into a single command, then execute the command?	е
Select one:	
a. eval	
O b. fc	
C. exec	
O d. getopts	
Your answer is incorrect.	
The correct answer is: eval	

Question 23
Not answered
Marked out of 1.00

The /proc directory contains

## Select one:

- a. numerical sub-directory for each running process
- b. sub-directories for installed buses
- c. a text listing of filesystems which are supported by the kernel
- d. all of the mentioned

Your answer is incorrect.

The correct answer is: all of the mentioned

Question 24

Correct

Mark 1.00 out of 1.00

Which command will you use to see the available routes?

#### Select one:

- a. show route
- b. route status
- c. netstat -r
- d. none of the mentioned

Your answer is correct.

The correct answer is: netstat -r

<del>=</del>	
Question <b>25</b>	
Not answered	
Marked out of 1.00	
What is the return value (\$?)	of this code:
os = Unix	
[\$osName = UnixName] && ex	
[\${os}Name = UnixName] &&	exit 3
Select one:	
a. 0	
O b. 1	
O c. 2	
O d. 3	
Your answer is incorrect.	
The correct answer is: 3	
l logindetails	Jump to
	1