












UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: TOLERANCES: LINEAR: ±0.15 mm ANGULAR: 0.5°				FINISH: n/a		DEBURR AND BREAK SHARP EDGES 0.2 Max		DO NOT SCALE DRAWING		REVISION A	
								TITLE: Planet Gear Carrier			
DRAWN	NAME Dominic Madrak-Titko		SIGNATURE DMT		DATE 2026-09-04				DWG NO. Planet-Gear-Carrier A2		
CHK'D											
APPV'D											
MFG											
Q.A					MATERIAL: Bambu Lab Basic Black PLA						
					WEIGHT:			SCALE:1:1		SHEET 4 OF 5	

Data Block	
Parameter	Ring Gear
Tooth Count	48 (internal)
Module	2.5mm
Pressure Angle	20°
Pitch Diameter	120mm
Tip Diameter	115mm
Root Diameter	126.25mm
Tooth Thickness	3.98mm
Backlash Offset	0.00mm
Note	Add X-Y hole compensation in bambu lab slicer to add backlash offset (gear complexity prevented solidworks offset from functioning properly)



SECTION E-E
SCALE 1:1

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS SURFACE FINISH: n/a TOLERANCES: LINEAR: ±0.2mm ANGULAR: 0.5°				FINISH: n/a		DEBURR AND BREAK SHARP EDGES 0.2 Max		DO NOT SCALE DRAWING		REVISION A		
								TITLE: Ring Gear DWG NO. Ring-Gear SCALE: 1:1 SHEET 5 OF 5				
DRAWN		NAME	SIGNATURE	DATE								
CHK'D		Dominic Molinsky-Triska	DMT	2026-09-04								
APPV'D												
MFG												
Q.A												
						MATERIAL:						
						Bambu Lab Basic Black PLA						
						WEIGHT:						