


Supplementary material: Temporal and Between-Group Variability in College Dropout Prediction

Glandorf et al.



December 12, 2023


1 Descriptive statistics

The following plots depict the histograms for numerical and non-numerical predictors after the first year. For each bar, the corresponding dropout rate is indicated by color and the label.




Frequency









2 RQ1

The following table depicts the same content as Table 2 in the paper for the model comparison but includes the standard deviations induced by the missing data imputation.

Time of prediction		After first year			After second year		
Model	AUPRC	AUROC	Accuracy	AUPRC	AUROC	Accuracy	
No predictors	0.131 (0.0000)	0.500 (0.0000)	0.869 (0.0000)	0.112 (0.0000)	0.500 (0.0000)	0.888 (0.0000)	
Logistic Regression	0.553 (0.0022)	0.816 (0.0008)	0.898 (0.0004)	0.712 (0.0014)	0.899 (0.0003)	0.938 (0.0002)	
k-Nearest Neighbors	0.493 (0.0018)	0.785 (0.0006)	0.890 (0.0005)	0.620 (0.0022)	0.863 (0.0020)	0.922 (0.0004)	
Naive Bayes	0.501 (0.0011)	0.789 (0.0008)	0.890 (0.0004)	0.680 (0.0007)	0.885 (0.0004)	0.928 (0.0003)	
Neural Network	0.561 (0.0016)	0.823 (0.0010)	0.899 (0.0004)	0.722 (0.0027)	0.903 (0.0012)	0.939 (0.0003)	
Random Forest	0.577 (0.0015)	0.827 (0.0006)	0.902 (0.0003)	0.735 (0.0013)	0.908 (0.0005)	0.940 (0.0003)	
Support Vector Machine	0.556 (0.0021)	0.821 (0.0012)	0.898 (0.0004)	0.718 (0.0019)	0.903 (0.0006)	0.938 (0.0002)	

3 RQ3


The following figures include the same analysis as RQ3 but for an observation span of 2 and 4 spans.

3.1 After two terms



3.2 After four terms

Population and performance by groups



Predictor importance by groups

