How to get the CLI

- User: Download OMERO.server and OMERO.py package
- Developer: Clone https://github.com/openmicroscopy/openmicroscopy
 → \$./build.py build-py

Documentation:

https://docs.openmicroscopy.org/omero/5.4.0/users/cli/index.html

Plugins:

- Get the plugin python script and copy it into lib/python/omero/plugins or any .../omero/plugins directory on your PYTHONPATH
- Install with pip

Code organisation

Repository: https://github.com/openmicroscopy/openmicroscopy

Location: components/tools/OmeroPy

bin/omero[.bat] Launch script for

src/omero/cli.py Entry point, command line wrapper, runs

"Official" CLI core plugins: src/omero/plugins/*.py

Tests for the "official" CLI core plugins: test/integration/clitest/test *.py Integration tests

Code organisation

[CLI] [plugin] [cmd] [args]


./omero admin restart

OmeroPy/bin/omero

- → OmeroPy/src/cli.py
 - → OmeroPy/src/omero/plugins/admin.py

```
@with_config
def restart(self, args, config):
    if not self.stop(args, config):
        self.ctx.die(54, "Failed to shutdown")
        self.wait_for_icedb(args, config)
        self.start(args, config)
```

Code organisation



How to write a plugin

Create a directory for plugin development and add it to PYTHONPATH:

```
$ mkdir -p ~/omero-cli-training/src/omero/plugins
(or $ git clone https://github.com/dominikl/omero-cli-training )
$ export PYTHONPATH=~/omero-cli-training/src:$PYTHONPATH
("Official" core plugin: components/tools/OmeroPy/src/omero/plugins )
```

- Plugin class must inherit from BaseControl (or its children)
- Must implement method _configure
- Must call parser.set_defaults (typically within the _configure method)
- Must call the CLI.register method to register itself

How to write a plugin

Create a xyz.py in ~/omero-cli-training/src/omero/plugins

```
import sys
from omero.cli import BaseControl, CLI
HELP = """What this plugin does"""
class XYZControl(BaseControl):
   Some documentation
   def configure(self, parser):
        parser.add argument(
            "some argument",
            help="What this argument does")
        parser.set defaults(func=self. call )
   def call (self, args):
       # Dispatch to certain methods depending on args
        self.some method(args.some argument)
   def some method(self, some argument):
        print("Do something with "+some argument)
try:
   register("xyz", XYZControl, HELP)
except NameError:
   if name__ == "__main__":
        cli = CLI()
        cli.register("xyz", XYZControl, HELP)
        cli.invoke(sys.argv[1:])
```

(https://github.com/dominikl/omero-cli-training/blob/master/template.py)

- → PyCharm : https://www.jetbrains.com/pycharm/
 - Create a new project for ~/omero-cli-training
 - Add components/tools/OmeroPy directory to the project

Example: list.py - Simple 'list' command to list Projects, Datasets, Screens or Plates available to a logged in user.

How to write an integration test for the plugin

Create a directory for the integration test:

```
$ mkdir -p ~/omero-cli-training/test/integration/clitest
("Official" core plugin test: components/tools/OmeroPy/test/integration/clitest )
```

- The integration test must inherit from CLITest
- Registers the plugin Control in setup_method
- Runs several usually parametrized tests

How to write an integration test for the plugin

Create test_xyz.py to ~/omero-cli-training/test/integration/clitest/

```
from xyz import XYZControl
from test.integration.clitest.cli import CLITest
import pytest
# some parameter values to test
test arguments = ["argument0 value0", "argument0 value1", "argument0 value2"]
class XYZList(CLITest):
    def setup method(self, method):
        super(XYZList, self).setup method(method)
        self.cli.register("xyz", XYZControl, "TEST")
        self.args += ["xvz"]
    @pytest.mark.parametrize("test arguments", arg)
    def test xyz(self, capsys, arg):
        # assemble the arguments and invoke CLI
        self_args += ['%s' % object type]
        self.cli.invoke(self.args, strict=True)
        # capture and check the output
        out, err = capsys.readouterr()
        assert out is not None
```

(https://github.com/dominikl/omero-cli-training/blob/master/test_template.py)

How to run the integration test

You need a local server running, then you can run the test with the build.py script.

First add the ~/omero-cli-training/src/omero/plugins directory itself to the PYTHONPATH:

\$ export PYTHONPATH=~/omero-cli-training/src/omero/plugins:\$PYTHONPATH

Then run the test with:

```
$ ./build.py -f components/tools/OmeroPy/build.xml test \
-DTEST=~/omero-cli-training/test/integration/clitest/[Your_Test].py
```

Integration tests for "official" core plugins located in components/tools/OmeroPy/test/integration/clitest are automatically run by the CI integration test job

"Publish"

"Official" core plugin: Open a PR against https://github.com/openmicroscopy/openmicroscopy

"Official" additional plugin: Create a repository under ome called omero-clixyz; including a .travis.yml file to enable travis build checks

Make plugin pip installable: Create a setup.py, package plugin and upload to PyPI, see https://packaging.python.org/tutorials/distributing-packages/

As reference for a pip installable additional plugin see https://github.com/ome/omero-cli-render in particular https://github.com/ome/omero-cli-render/pull/1