universität innsbruck

# Initial Presentation: Segfault Slayer

Name is work in progress

Schmölz Lukas, Schöpf Emanuel, Schweigl Dominik

# Game Theme

**Game Idea:**

- Metroidvania-style 2D side-scroller
- Player fights programming concepts and bugs (mainly C++ related)
- Playful, Pixel-theme (e.g. ASCII-Art for textures)

**Brainstorming Examples:**

- Infinite loop for Boss
- Segmentation faults for ability
- C++ xvalues as enemies

STUDENT: ALEX | HP: [##### ] 5/6 | LEVEL 02
MAP [#####.## ]
FOR LOOP
for(i=0;i<N;i++)
FUNCTION
int calculate(x,y)
( )
{ return x+y;
}

# Project Structure

**Directory Layout:**

- `assets/`
- `build/`
- `data/`
- `docs/`
- `saves/`
- `src/`
  - `core/`
  - `entities/`
  - `rendering/`
  - `utils/`
  - `world/`
- `tests/`

# Development Setup

**Dev.-Stack:**

- Must: git, cmake, clang-format, vcpkg
- CI
- 1 Windows & 2 Linux
- Assets: AI & manual polishing

**Project Management:**

- Issues
- Milestones
- Weekly Meetings

# Dependencies

**Dependencies:**

- SFML
- tilson
- spdlog / plog
- Catch2
- imgui (maybe)
- glaze (maybe)

# Team Responsibilities

**Task Distribution:**

- (2) enemies - Lukas
- (1) menus - Lukas
- (2) two consecutive areas - Emanuel
- (1) save / load with dedicated save points (rooms) - Emanuel
- (1) map - Emanuel
- (2) basic movement - Dominik
- (1) one or more advanced movement mechanics - Dominik
- (1) main combat - Dominik