

A library about complex bounded operators in Isabelle/HOL

Dominique Unruh and José M. Rodríguez Caballero
Institute of Computer Science
University of Tartu
Tartu, Estonia

August 12, 2020

Abstract

We develop a new library in Isabelle/HOL for the theory of complex bounded operators. Our library is an extension of earlier formalizations of the basics notions of functional analysis that were limited to the real numbers as the ground field. Our library contains a type classes corresponding to complex vector spaces, complex normed spaces, the complex Banach spaces, the complex Hilbert spaces and finite-dimensional versions. We define a type of ℓ^2 sequences of complex numbers indexed by a given type. We introduce a type for bounded operators between two complex vector spaces. Then we prove the essential properties of these objects and we add code generation for the cases when computation is possible.

Categories and Subject Descriptors. F.4.1 [Mathematical Logic]: Mechanical theorem proving; G.4.2 [Certification and testing]; G.4.9 [Verification]

Keywords. complex Hilbert spaces, complex bounded operators, Isabelle/HOL, formal verification

1 Introduction

In Unruh’s quantum relational Hoare logic (qRHL) [Unr19], the complex Hilbert spaces and complex bounded operators between Hilbert spaces are the basic building blocks. These structures also appears in quantum information theory [Wil13], quantum mechanics [Pru82], machine learning [ZXZ12], partial differential equations [PM11] and several areas of mathematical analysis [Con19], e.g., Fourier analysis and functional analysis. Previously to the present work, in the default libraries of Isabelle/HOL and in Archives of Formal Proofs there was a development of functional analysis mainly in the direction of real analysis [Fle00, FP00, HH11, HIH13, BLM16] and of linear algebra mainly in the direction of finite-dimensional vector spaces over an arbitrary ground field [TY16]. Also, there were some results in complex analysis [LP20, Ebe19, LP19] formalized in Isabelle/HOL, but (infinite-dimensional) complex functional analysis was absent, despite its importance in quantum theory.

Our new library for complex functional analysis in Isabelle/HOL derives from the earlier libraries on real mathematical analysis (including nonstandard analysis), real functional analysis and finite dimensional linear algebra, but brings them closer to the goal of formal verification of quantum cryptography: our ultimate goal is to embed Unruh’s qRHL into Isabelle/HOL, using Hilbert spaces, bounded operators and tensor products as basic building blocks. The missing ingredient, the tensor products, are work-in-progress¹ and they will be introduced in a future library.

In the next lines we describe our main contribution to the development of analysis in Isabelle/HOL. We will omit some of our results in order to avoid an overload of information in the description of our work.

- A. The main type classes that we introduced are the following ones, ordered in decreasing order of generality (each class is a subclass of the classes above, classes at the same level are incomparable).
 - A.1. `complex_vector` (vector spaces over the complex numbers),
 - A.2. `complex_normed_vector` (normed space over the complex numbers),
 - A.3. `cbanach_space` (Banach space over the complex number) and `complex_inner_product` (vector space endowed with a sesquilinear form),

¹<https://github.com/dominique-unruh/tensor-product>

- A.4. `chilbert_space` (Hilbert space over the complex numbers),
- A.5. `onb_enum` (finite dimensional Hilbert space over the complex numbers with an identified orthonormal basis).
- B. We introduced the (parametric) type of *square-summable* families of complex numbers indexed by a type `'a`, denoted `'a ell2`, which is an instantiation of the type class `chilbert_space`.
- C. We introduced the (parametric) type of *complex bounded operator* between two complex normed spaces `'a` and `'b`, denoted `'a \Rightarrow_{CL} 'b`, which is, under some conditions, is an instantiation of the type class `cbanach_space`.
- D. We developed code generation for the transformation of a bounded operator of type `'a :: onb_enum \Rightarrow_{CL} 'b :: onb_enum` into a matrix of type `complex mat` (this type was defined in [TY15]).
- E. We used techniques from nonstandard analysis in order to simplify some of our proofs.

2 Preliminaries

On the side of mathematics, we assume basic knowledge of the basic functional analysis [Con19], essentially the concepts of Hilbert space and bounded operators. On the side of programming, we assume basic knowledge of the proof assistant Isabelle/HOL [NPW02], in particular, the Isar language for formal proofs.

3 Complex vector spaces

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the

letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4 Complex inner product spaces

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of

the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5 Complex ℓ^2 -spaces

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should

contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6 Bounded operators

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some

nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

7 Code generation

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”?

Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

8 Final Remarks

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

9 Future work

Our next project is to develop a library for the Hilbert tensor product between two Hilbert spaces. This library will involve the bounded operators that are induced between tensor products by the bounded operators between the respective (tensor) factors.

Acknowledgments

The second author is supported by the Air Force Office of Scientific Research through the project “Verification of quantum cryptography” (AOARD Grant FA2386-17-1- 4022).

References

- [BLM16] Sylvie Boldo, Catherine Lelay, and Guillaume Melquiond. Formalization of real analysis: A survey of proof assistants and libraries. *Mathematical Structures in Computer Science*, 26(7):1196–1233, 2016.
- [Con19] John B Conway. *A course in functional analysis*, volume 96. Springer, 2019.
- [Ebe19] Manuel Eberl. Nine chapters of analytic number theory in isabelle/hol. In *10th International Conference on Interactive Theorem Proving (ITP 2019)*. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik, 2019.
- [Fle00] Jacques D Fleuriot. On the mechanization of real analysis in isabelle/hol. In *International Conference on Theorem Proving in Higher Order Logics*, pages 145–161. Springer, 2000.
- [FP00] Jacques D Fleuriot and Lawrence C Paulson. Mechanizing non-standard real analysis. *LMS Journal of Computation and Mathematics*, 3:140–190, 2000.
- [HH11] Johannes Hölzl and Armin Heller. Three chapters of measure theory in isabelle/hol. In *International Conference on Interactive Theorem Proving*, pages 135–151. Springer, 2011.
- [HIH13] Johannes Hölzl, Fabian Immler, and Brian Huffman. Type classes and filters for mathematical analysis in isabelle/hol. In *International Conference on Interactive Theorem Proving*, pages 279–294. Springer, 2013.
- [LP19] Wenda Li and Lawrence C Paulson. Counting polynomial roots in isabelle/hol: a formal proof of the budan-fourier theorem. In *Proceedings of the 8th ACM SIGPLAN International Conference on Certified Programs and Proofs*, pages 52–64, 2019.
- [LP20] Wenda Li and Lawrence C Paulson. Evaluating winding numbers and counting complex roots through cauchy indices in isabelle/hol. *Journal of Automated Reasoning*, 64(2):331–360, 2020.

- [NPW02] Tobias Nipkow, Lawrence C Paulson, and Markus Wenzel. *Isabelle/HOL: a proof assistant for higher-order logic*, volume 2283. Springer Science & Business Media, 2002.
- [PM11] Rainer Picard and Des McGhee. *Partial differential equations: A unified Hilbert space approach*, volume 55. Walter de Gruyter, 2011.
- [Pru82] Eduard Prugovecki. *Quantum mechanics in Hilbert space*. Academic Press, 1982.
- [TY15] René Thiemann and Akihisa Yamada. Matrices, jordan normal forms, and spectral radius theory. *Archive of Formal Proofs*, August 2015. http://isa-afp.org/entries/Jordan_Normal_Form.html, Formal proof development.
- [TY16] René Thiemann and Akihisa Yamada. Formalizing jordan normal forms in isabelle/hol. In *Proceedings of the 5th ACM SIGPLAN Conference on Certified Programs and Proofs*, pages 88–99, 2016.
- [Unr19] Dominique Unruh. Quantum relational Hoare logic. *Proceedings of the ACM on Programming Languages*, 3(POPL):1–31, 2019.
- [Wil13] Mark M Wilde. *Quantum information theory*. Cambridge University Press, 2013.
- [ZXZ12] Haizhang Zhang, Yuesheng Xu, and Qinghui Zhang. Refinement of operator-valued reproducing kernels. *The Journal of Machine Learning Research*, 13:91–136, 2012.