

PROJECT DEVELOPMENT PHASE

1. Incident creation

To create user accounts that will use the application and perform different tasks.

Users are created in ServiceNow to represent employees such as Incident Managers, Support Engineers, and Team Leads. These users are assigned different responsibilities, allowing the system to test notifications, approvals, and SLA monitoring in a real-world environment.

The screenshot shows the ServiceNow Incident form for incident INC0009009. The form is divided into several sections:

- Header:** Includes the ServiceNow logo, navigation tabs (All, Favorites, History, Workspaces, Admin), and the incident title "Incident - INC0009009".
- Form Fields:**
 - Number:** INC0009009
 - Caller:** David Miller
 - Category:** Software
 - Subcategory:** Email
 - Service:** (empty)
 - Service offering:** (empty)
 - Configuration item:** (empty)
 - Short description:** SLA Breach Awareness and Justification
 - Description:** SLA Breach Justification
 - Channel:** -- None --
 - State:** In Progress
 - Impact:** 3 - Low
 - Urgency:** 2 - Medium
 - Priority:** 4 - Low
 - Assignment group:** Database San Diego
 - Assigned to:** Don Goodliffe
- Related Search Results:** A section below the main form with a "Related Search Results" link.
- SLA Breach Reason:** System outage
- SLA at Risk:** ☒
- SLA Breach Justification:** ☒
- SLA Acknowledgement:** ☒

2.SLA Definition- Incident Resolution - virtual agent gove

The screenshot shows the ServiceNow SLA Definition form for "Incident Resolution - Virtual Agent Gove". The form is divided into several sections:

- Header:** Includes the ServiceNow logo, navigation tabs (All, Favorites, History, Workspaces, Admin), and the SLA title "SLA Definition - Incident Resolution - Virtual Agent Gove".
- Form Fields:**
 - Name:** Incident Resolution-Virtual Agent Gove
 - Type:** SLA
 - Target:** Resolution
 - Table:** Incident [Incident]
 - Flow:** Default SLA flow
 - Enable logging:** ☐
 - Active:** ☒
 - Application:** Global
 - Duration type:** User specified duration
 - * Duration:** Days 0, Hours 08, 00, 00
 - Schedule source:** SLA definition
 - * Schedule:** IT Support Business Hours
 - Timezone source:** The caller's time zone
- Start condition:** A section with tabs for "Start condition", "Pause condition", "Stop condition", and "Reset condition". It contains a blue bar with the text "The conditions under which the new SLA will be attached and canceled". Below this, there are fields for "Start condition" (State, Is, In Progress) and "Cancel condition" (Cancel conditions are met).

3.Update sets creation

An Update Set is created before starting development. It records all configurations such as tables, fields, business rules, UI policies, Flow Designer flows, notifications, Virtual Agent topics, and other customizations related to the SLA Breach Awareness and Justification System.

The screenshot shows the 'Update Set - Virtual Agent for SLAV1' form in ServiceNow. The form includes fields for Name (Virtual Agent for SLAV1), State (In progress), Parent, Release date, Install date, Installed from, and Description (Virtual Agent Driven SLA Breach Awareness and Justification System). It also shows Application (Global), Created (2026-06-20 18:52:36), Created by (admin), and Merged to. Below the form are 'Update' and 'Delete' buttons, 'Related Links' (Make This My Current Set, Merge With Another Update Set, Scan Update Set), and tabs for Customer Updates, Update Set Logs, Child Update Sets, and Install History. A table at the bottom shows the update set details.

Created	Type	View	Target name	Updated by	Remote update set	Action
Update set = Virtual Agent for SLAV1						


4.UI policy - Enforce SLA justification

The screenshot shows the 'UI Policy - Enforce SLA justification when SLA is at risk' form in ServiceNow. The form includes a 'Table' dropdown (Incident [Incident]), 'Application' (Global), and 'Active' checkbox. The 'Short description' field contains 'Enforce SLA justification when SLA is at risk UI Policy for Virtual Agent'. Below the form is the 'When to Apply' section with 'Conditions' (SLA at Risk is true) and 'Add Filter Condition' and 'Add OR Clause' buttons. At the bottom are 'Update' and 'Delete' buttons, 'Related Links' (Advanced view, Run Point Scan), and a table for UI Policy Actions (3).

UI Policy Actions (3)	UI Policy Related List Actions
UI policy = Enforce SLA justification when SLA is at risk UI Policy for Virtual Agent	

5.SLA Attachment and running

Groups such as Incident Management Team and Support Team are created. Users belonging to the same department are added to these groups, making it easier to assign incidents and manage permissions.



The screenshot displays the ServiceNow interface for an incident. At the top, there are three panels showing incident details: 'Assigned to' (Don Goodlife), 'Incident state' (In Progress), and 'Field changes' (2026-06-27 04:01:56). Below these, there are 'Work notes' and 'Field changes' sections. The 'Related Links' section includes 'Show SLA Timeline' and 'Repair SLAs'. The 'Task SLAs (2)' tab is selected, showing a table of SLA definitions. The table has columns for SLA definition, Type, Target, Stage, Business time left, Business elapsed time, Business elapsed percentage, Start time, and Stop time. The first row is 'Incident resolution-virtual agent govern' with a 0% elapsed percentage. The second row is 'Priority 4 resolution (2 day)' with a 38.325% elapsed percentage.

SLA definition	Type	Target	Stage	Business time left	Business elapsed time	Business elapsed percentage	Start time	Stop time
Incident resolution-virtual agent govern	SLA	Resolution	In progress	0 Seconds	0 Seconds	0%	2026-06-27 04:01:56	(empty)
Priority 4 resolution (2 day)	SLA	Resolution	In progress	0 Seconds	766 Days 12 Hours	38.325%	2018-08-30 01:06:52	(empty)

SLA Attachment allows users to upload supporting documents related to an SLA breach or justification request. These attachments provide evidence that helps managers review and validate the reason for the SLA breach.

Purpose

- Upload proof for SLA breach justifications.
- Maintain supporting documents for audit purposes.
- Improve transparency during the approval process.
- Keep all related evidence in one place.

Benefits

- Simplifies the justification review process.
- Provides clear evidence for approvals.
- Improves documentation and compliance.
- Reduces manual communication between users and managers.
- Ensures all SLA-related records are stored together.

6. SLA at Risk Trigger

Custom roles such as SLA Manager, Incident Analyst, and Support Engineer are created. These roles ensure that users can only access the features and records required for their work.

Workflow Studio | SLA at Risk Notification | Flow: Global | Active

View: [Diagram] [Code] [Test] [Edit flow] [Deactivate] [More]

TRIGGER

Task SLA Created or Updated where (SLA definition is Incident Resolution- Virtual Agent Gove, and Business elapsed percentage greater than or is 80)

ACTIONS

- Look Up Incident Record where (Sys ID is [Trigger - Record ...] Sys...)
- Update Incident Record
- Send Email
- Send Email

+ Add an Action, Flow Logic, or Subflow

ERROR HANDLER [Toggle]

If an error occurs in your flow, the actions you add here will run.

Read-only | Status: Published | Application: Global

Data Collapse All

- Flow Variables
 - Trigger - Record Created or Updated
 - Task SLA Record (Record)
 - Changed Fields (Array/Object)
 - Task SLA Table (Table)
 - Run Start Time UTC (Date/Time)
 - Run Start Date/Time (Date/Time)
 - 1 - Look Up Record
 - Incident Record (Record)
 - Incident Table (Table)
 - Status (Choice)
 - Error Message (String)
 - Action Status (Object)
 - 2 - Update Record

Workflow Studio | SLA at Risk Notification | Flow: None | Active

View: [Diagram] [Code] [Test] [Edit flow] [Deactivate] [More]

TRIGGER

Task SLA Created or Updated where (SLA definition is Incident Resolution- Virtual Agent Gove, and Business elapsed percentage greater than or is 80)

Trigger: Created or Updated

* Table: Task SLA [task_sla]

Condition: SLA definition is Incident Resolution- Virtual Agent Gove OR Business elapsed percentage greater than or is 80

Run Trigger: Once

Advanced Options [Close]

ACTIONS

- Look Up Incident Record where (Sys ID is [Trigger - Record ...] Sys...)

script:void() | Status: Published | Application: Global



Data Collapse All

- Flow Variables
 - Trigger - Record Created or Updated
 - Task SLA Record (Record)
 - Changed Fields (Array/Object)
 - Task SLA Table (Table)
 - Run Start Time UTC (Date/Time)
 - Run Start Date/Time (Date/Time)
 - 1 - Look Up Record
 - Incident Record (Record)
 - Incident Table (Table)
 - Status (Choice)
 - Error Message (String)
 - Action Status (Object)
 - 2 - Update Record
 - Incident Record (Record)
 - Incident Table (Table)

7. SLA Notification & Email

To provide users with appropriate access permissions.

After creating users and roles, each user is assigned the required role. This implements Role-Based Access Control (RBAC), ensuring secure and controlled access to the application.



8.UI policy assignee - Access

A custom table is created to maintain records such as Incident Number, SLA Status, Breach Time, Assigned Group, Priority, and Breach Reason. This table helps monitor SLA performance efficiently.

The screenshot shows the ServiceNow UI Policy configuration page. The title is "UI Policy - Enforce SLA justification when SLA is at risk, UI P...". The "When to Apply" section shows a condition: "SLA at Risk" is "true". Below this, there are "Update" and "Delete" buttons. The "Related Links" section includes "Advanced view" and "Run Point Scan". The "UI Policy Actions (3)" section shows a table of actions:


Field name	Mandatory	Visible	Read only
u_sla_breach_justification	True	True	Leave alone
u_sla_breach_reason	True	True	Leave alone
u_sla_acknowledged	Leave alone	True	Leave alone

The table has 3 rows and 4 columns. The "Mandatory" column has values "True", "True", and "Leave alone". The "Visible" column has values "True", "True", and "True". The "Read only" column has values "Leave alone", "Leave alone", and "Leave alone".


The screenshot shows the ServiceNow Dictionary Entry configuration page for "SLA Breach Reason". The "Table" is "Incident [Incident]" and the "Type" is "Choice". The "Column label" is "SLA Breach Reason" and the "Column name" is "u_sla_breach_reason". The "Application" is "Global" and the "Active" checkbox is checked. The "Function field" is unchecked, "Mandatory" is unchecked, and "Display" is unchecked. The "Read only option" is set to "-- None --". Below this, the "Choice List Specification" section shows the "Default Value" field. The "Default value" field is empty. Below this, there are "Create Choice List", "Delete Column", and "Update" buttons. The "Related Links" section includes "Show Table", "Run Point Scan", and "Advanced view".

9.Virtual agent Invocation

A custom table is created to capture information such as Incident Number, Justification, Submitted By, Approval Status, Manager Comments, and Submission Date. This helps track explanations for SLA violations.




10.SLA Acknowledgement via virtual agent



11.SLA Breach by Reason


The SLA Manager role is assigned to the SLA Breach table, while authorized users can access the Justification table. This ensures that only eligible users can create, view, or modify records.



12..Acknowledged vs Unacknowledged

ACLs are configured to control access to important fields. Only users with the required roles can view or update information such as SLA Status, Justification, Assigned To, and Priority.

Acknowledged vs Unacknowledged Breaches




13.Pending Justification

A Flow Designer workflow automatically detects incidents approaching an SLA breach. It sends alerts to assigned users, creates a justification request if needed, routes it for manager approval, and updates the incident based on the approval outcome. This reduces manual effort and improves SLA compliance.

Pending Justifications														
Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by	SLA at Risk	SLA Breach Justification	SLA due	
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	In Progress	Software	Hardware	Fred Luddy	2024-06-30 22:48:13	system	true	true	UNKNOWN	
INC0010003	2024-06-20 19:01:53	SLA Test Incident	Bud Richman	4 - Low	In Progress	Software	Service Desk	David Loo	2024-06-28 23:20:58	admin	true	true	UNKNOWN	
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	In Progress	Inquiry / Help	Software	Don Goodliffe	2024-06-26 08:31:11	system	true	true	UNKNOWN	

14.SLA Performance Trend

SLA Performance Trend is a report or dashboard that shows how Service Level Agreement (SLA) performance changes over a period of time. It helps organizations monitor whether SLA targets are being consistently achieved and identify patterns that may require improvement.



15.Dashboard SLA governance view

The SLA Governance Dashboard provides managers and administrators with a centralized view of SLA performance across the organization. It helps monitor SLA compliance, identify potential SLA breaches, and track the status of breach justifications in real time.

