

Capture the Flag 7: Stop Putting Everything on One Screen

Goal: Split your Student Directory into multiple screens using Flutter navigation, while using a modal for editing student information.

Instructor Note

These activities require your own problem-solving and research skills.

DO NOT use AI to generate the code for you.

You may use AI to:

- Research what a Dart/Flutter feature does
- Understand syntax
- Explain an error (not fix your error)
- Clarify documentation

You may **NOT** ask AI to generate the solution/code for a flag.

🚩 Flag 0 — Create Your Feature Branch

Objective: Create a new feature branch before adding multiple screens.

Create:

`feature/multi-screen-navigation`

Screenshot:

- Terminal showing your current branch

```
Switched to a new branch: feature/multi-screen-navigation
PS C:\Users\dominic\source\repos\IT\IT314AB_Ocarol\my_first_flutter_app> git branch
  feature/conditional-ui
  feature/data-ui
  feature/exam
  feature/exam2
* feature/multi-screen-navigation
  feature/student-interactions
  feature/student-list
  feature/widgets
  main
```

🚩 Flag 1 — Create the Student List Screen

Objective: Move your Student Directory into its own screen.

Create a dedicated **Student List Screen** containing your existing student list.


Research how Flutter creates separate screens using **Widget** classes.

Test

The Student Directory should function as its own screen.


Screenshot:

- Student List Screen
- Student List screen code
- Application showing the screen



```
1 import 'package:flutter/material.dart';
2 import 'main.dart';
3
4 class StudentList extends StatelessWidget {
5   final List<Profile> profiles;
6   final bool isLoading;
7   final void Function() reloadStudentList;
8   final void Function(int) deleteStudent;
9   final void Function(int) editStudent;
10  final void Function(int) isFavorite;
11
12  const StudentList({
13    super.key,
14    required this.profiles,
15    required this.isLoading,
16    required this.reloadStudentList,
17    required this.deleteStudent,
18    required this.editStudent,
19    required this.isFavorite,
20  });
21
22  @override
23  Widget build(BuildContext) {
24    return isLoading
25      ? Center(
26        child: Column(
27          mainAxisAlignment: MainAxisAlignment.center,
28          children: [CircularProgressIndicator(color: Colors.blue)],
29        ), // Column
30      ) : profiles.isEmpty
31      ? Center(
32        child: Text(
33          'Student list not found.',
34          style: TextStyle(
35            color: Colors.black,
36            fontSize: 24,
37            fontWeight: FontWeight.bold,
38          ), // TextStyle
39        ), // Text
40      ) :
41      ListView.builder(
42        padding: const EdgeInsets.all(10),
43        itemCount: profiles.length,
44        itemBuilder: (context, index) {
45          Profile profile = profiles[index];
46          return InkWell(
47            child: Card(
48              color: Colors.white,
49              margin: const EdgeInsets.only(bottom: 20),
50              child: Padding(
51                padding: const EdgeInsets.all(12),
52                child: Column(
53                  children: [
54                    Column(
55                      crossAxisAlignment: CrossAxisAlignment.center,
56                      children: [
57                        CircleAvatar(
58                          radius: 30,
59                          backgroundColor: Colors.black,
60                          backgroundImage: AssetImage(
61                            profile.image ?? 'assets/images/meepo.jpg',
62                          ), // AssetImage
63                        ), // CircleAvatar
64                        SizedBox(width: 10),
65                        Text(
66                          profile.name ?? 'Unknown',
67                          style: TextStyle(
68                            fontSize: 18,
69                            fontWeight: FontWeight.bold,
70                          ), // TextStyle
71                        ), // Text
72                        SizedBox(height: 10),
73                        Text(
74                          'Student ID: '
75                          '${profile.studentId ?? 'Unknown'}\n'
76                          'Email: '
77                          '${profile.email ?? 'Unknown'}\n'
78                          'Course: '
79                          '${profile.course ?? 'Unknown'}\n'
80                          'Age: '
81                          '${profile.age ?? 'Unknown'}\n'
82                          'Height: '
83                          '${profile.height ?? 'Unknown'}\n'
84                          'Hobby: '
85                          '${profile.hobby ?? 'Unknown'}\n'
86                          'Favorite Subject: '
87                          '${profile.favoriteSubject ?? 'Unknown'}',
88                          textAlign: TextAlign.center,
89                          style: const TextStyle(
90                            color: Colors.black,
91                            fontSize: 14,
92                          ), // TextStyle
93                        ), // Text
94                      ],
95                    if (profile.studentstatus == false)
96                      Text(

```



🚩 Flag 2 — Create the Student Details Screen

Objective: Create a separate screen for viewing a student's information.

When a student is selected, navigate:

Student List → Student Details

Research Flutter's **Navigator** and how to move between screens.

Test


1. Select a student.
2. Open the Student Details Screen. (No data displayed yet)
3. Return to the Student List using back navigation.

Screenshot:

- Student List Screen
- Student Details Screen
- Navigation code

```
main.dart × student_list.dart × student_details.dart ×
lib > student_details.dart > ...
1 import 'package:flutter/material.dart';
2
3 class StudentDetails extends StatelessWidget {
4   const StudentDetails({super.key});
5   @override
6   Widget build(BuildContext context) {
7     return Scaffold(
8       backgroundColor: Colors.black26,
9       appBar: AppBar(
10        title: const Text('Student Details',
11          style: TextStyle(color: Colors.white, fontWeight: FontWeight.bold),
12        ), // Text
13      ), // AppBar
14      body: const Center(
15        child: Text('Student Details Page',
16          style: TextStyle(color: Colors.white, fontWeight: FontWeight.bold),
17        ), // Text
18      ), // Center
19    ); // Scaffold
20  }
21 }
```

```
onTap: () {
  Navigator.push(
    context,
    MaterialPageRoute(builder: (context) => StudentDetails()),
  );
},
```





Student Details

Student Details Page

Flag 3 — Pass Student Data

Objective: Pass the selected student's data to the Student Details Screen.

The Details Screen should display the correct information for the selected student.

Display relevant information such as:

- Name
- Student ID
- Course
- Status
- Other existing student data

Research how data can be passed between Flutter screens.

Test

Selecting different students should display their corresponding information.

Student A → Student A's Details

Student B → Student B's Details

Screenshot:

- Selected student
- Student Details
- Data-passing code



Student Details

Dominic Ocarol

125690

dominic@email.com

BSIT 3 - 1

```

body: Center(
  child: Column(
    mainAxisAlignment: MainAxisAlignment.center,
    children: [
      Text(
        profile.name ?? 'Not Found',
        style: TextStyle(
          color: Colors.white,
          fontSize: 24,
          fontWeight: FontWeight.bold,
        ), // TextStyle
      ), // Text
      SizedBox(height: 10),
      Text(
        profile.studentId ?? 'Not Found',
        style: TextStyle(color: Colors.white, fontSize: 18),
      ), // Text
      SizedBox(height: 10),
      Text(
        profile.email ?? 'Not Found',
        style: TextStyle(color: Colors.white, fontSize: 18),
      ), // Text
      SizedBox(height: 10),
      Text(
        profile.course ?? 'Not Found',
        style: TextStyle(color: Colors.white, fontSize: 18),
      ), // Text
    ],
  ), // Column
)

```

🚩 Flag 4 — Edit with a Modal

Objective: Allow administrators to edit student information without creating another screen.

Add an **Edit** action to the Student Details Screen.

When selected, display an editing interface using a **modal**, such as a dialog or bottom sheet.

Research Flutter's:

- `showDialog`
- `showModalBottomSheet`

You may choose whichever approach is appropriate for your design.

Test

1. Open Student Details.
2. Select Edit.
3. An editing modal should appear.
4. The modal should display the appropriate student's information.
5. Close or submit the modal.

Screenshot:

- Student Details Screen
- Edit modal
- Modal code



Student Details

Dominic Ocarol

Dominic Ocarol

125690

dominic@email.com

BSIT 3 - 1

```

IconButton(
  tooltip: 'Edit',
  onPressed: () {
    showModalBottomSheet(
      context: context,
      builder: (BuildContext) { // The parameter name 'BuildContext'
        return Column(
          mainAxisAlignment: MainAxisAlignment.start,
          children: [
            Text(
              profile.name ?? 'Not Found',
              style: TextStyle(
                color: Colors.black,
                fontSize: 24,
                fontWeight: FontWeight.bold,
              ), // TextStyle
            ), // Text
            SizedBox(height: 10),
            Text(
              profile.studentId ?? 'Not Found',
              style: TextStyle(color: Colors.black, fontSize: 18),
            ), // Text
            SizedBox(height: 10),
            Text(
              profile.email ?? 'Not Found',
              style: TextStyle(color: Colors.black, fontSize: 18),
            ), // Text
            SizedBox(height: 10),
            Text(
              profile.course ?? 'Not Found',
              style: TextStyle(color: Colors.black, fontSize: 18),
            ), // Text
          ],
        ); // Column
      },
    );
  },
  icon: const Icon(Icons.edit, color: Colors.white),

```

Flag 5 — Create the Add Student Screen

Objective: Create a separate screen for adding a new student.

Add an action from the Student List that navigates to:

Student List → Add Student

Create the **Add Student Screen**.


For now, focus on creating the screen and navigation structure.

Test

Selecting Add Student should open the Add Student Screen.

Screenshot:

- Student List with Add action
- Add Student Screen
- Navigation code



```
IconButton(  
  tooltip: 'Add',  
  onPressed: () {  
    Navigator.push(  
      context,  
      MaterialPageRoute(  
        builder: (context) => AddStudent(),  
      ), // MaterialPageRoute  
    );  
  },  
  icon: Icon(Icons.person, color: Colors.black),  
), // IconButton
```

•

🚩 Flag 6 — Prepare the Add Student Screen

Objective: Prepare the Add Student Screen for future functionality.


Organize the screen so it is ready to receive student input.

Do not implement the student input fields yet.

The screen should simply exist as a separate destination.

Your application should now have:

Student List



Test

You should be able to navigate between the appropriate screens without placing everything on one screen.

Screenshot:

- Student List

my_first_flutter_app

Student List




Dominic Ocarol
Student ID: 125690
Email: dominic@email.com
Course: BSIT 3 - 1
Age: 23
Height: 5.11
Hobby: Playing Games and Watching Anime
Favorite Subject: History
Student Status: Inactive






John Doe

-
-
- Student Details



-
- Edit Modal
- Add Student Screen
-



🚩 Flag 7 — Connect the Routes

Objective: Organize the application's screens using Flutter routes.

Create routes for the major screens:

/student-list
/student-details
/add-student

Research:

- Named routes
- `Navigator.pushNamed`
- Passing arguments through routes

The **Edit Modal** should not be a route.

Test

Verify that:

- Student List opens correctly.
- Student Details opens correctly.
- The correct student data is passed.
- Add Student opens correctly.
- Edit opens as a modal from Student Details.

Screenshot:

- Route configuration



```
initialRoute: '/student-list',
routes: {
  '/student-list': (context) => const MyHomePage(),
  '/add-student': (context) => AddStudent(),
},
onGenerateRoute: (settings) {
  if (settings.name == '/student-details') {
    final profile = settings.arguments as Profile;
    return MaterialPageRoute(
      builder: (context) => StudentDetails(profile: profile),
    ); // MaterialPageRoute
  }
  return null;
},
```

- Navigation using routes

```
return InkWell(
  onTap: () {
    Navigator.pushNamed(
      context,
      '/student-details',
      arguments: profile,
    );
  },
);
```

```
routes: {
  '/student-list': (context) => const MyHomePage(),
  '/add-student': (context) => AddStudent(),
},
onGenerateRoute: (settings) {
  if (settings.name == '/student-details') {
    final profile = settings.arguments as Profile;
    return MaterialPageRoute(
      builder: (context) => StudentDetails(profile: profile),
    ); // MaterialPageRoute
  }
  return null;
},
```

- Student Details receiving student data

- Edit modal

```

IconButton(
  tooltip: 'Edit',
  onPressed: () {
    showModalBottomSheet(
      context: context,
      builder: (BuildContext) { The parameter name 'BuildContext'
        return Column(
          mainAxisAlignment: MainAxisAlignment.start,
          children: [
            Text(
              profile.name ?? 'Not Found',
              style: TextStyle(
                color: Colors.black,
                fontSize: 24,
                fontWeight: FontWeight.bold,
              ), // TextStyle
            ), // Text
            SizedBox(height: 10),
            Text(
              profile.studentId ?? 'Not Found',
              style: TextStyle(color: Colors.black, fontSize: 18),
            ), // Text
            SizedBox(height: 10),
            Text(
              profile.email ?? 'Not Found',
              style: TextStyle(color: Colors.black, fontSize: 18),
            ), // Text
            SizedBox(height: 10),
            Text(
              profile.course ?? 'Not Found',
              style: TextStyle(color: Colors.black, fontSize: 18),
            ), // Text
          ],
        ); // Column
      },
    );
  },
);

```

Flag 8 — Save Your Progress

Objective: Commit and push your completed Multi-Screen Student Directory.

Use a proper Git commit message.

Branch:

feature/multi-screen-navigation

Screenshot:

- Successful commit
- Current branch
- Terminal showing the commit
-

```
PS C:\Users\dominic\source\repos\IT\IT314AB_Ocarol\my_first_flutter_app> git commit -m "feat:Added screen and navigation"
[feature/multi-screen-navigation ef7013d] feat:Added screen and navigation
4 files changed, 341 insertions(+), 176 deletions(-)
create mode 100644 my_first_flutter_app/lib/student_add.dart
create mode 100644 my_first_flutter_app/lib/student_details.dart
create mode 100644 my_first_flutter_app/lib/student_list.dart
PS C:\Users\dominic\source\repos\IT\IT314AB_Ocarol\my_first_flutter_app> git push origin feature/multi-screen-navigation
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 16 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (8/8), 2.96 KiB | 1.48 MiB/s, done.
Total 8 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), completed with 3 local objects.
remote:
remote: Create a pull request for 'feature/multi-screen-navigation' on GitHub by visiting:
remote:   https://github.com/domsprog/IT314AB_Ocarol/pull/new/feature/multi-screen-navigation
remote:
To https://github.com/domsprog/IT314AB_Ocarol.git
 * [new branch]      feature/multi-screen-navigation -> feature/multi-screen-navigation
PS C:\Users\dominic\source\repos\IT\IT314AB_Ocarol\my_first_flutter_app>
```