

App

```
import { useState, useEffect, useCallback } from "react";
```

```
/* ——— Constants
```

```
————— */
```

```
const MONTHS =  
["Januar","Februar","März","April","Mai","Juni","Juli","August","September","Oktober","November","De  
zember"];  
const DAYS_SHORT = ["Mo","Di","Mi","Do","Fr","Sa","So"];  
const HOURS = Array.from({length:13},(_,i) => `${(i+7).toString().padStart(2,"0")}:00`);  
const STATUS = { available:"verfügbar", partial:"eingeschränkt", unavailable:"nicht verfügbar" };  
const COLORS = { available:"#10b981", partial:"#f59e0b", unavailable:"#ef4444",  
none:"transparent" };  
const EMP_COLORS =  
["#6366f1","#ec4899","#14b8a6","#f97316","#06b6d4","#84cc16","#a855f7","#f43f5e"];
```

```
/* ——— Storage helpers
```

```
————— */
```

```
const save = (k,v) => { try { localStorage.setItem(k, JSON.stringify(v)); } catch(_){} };  
const load = (k, def) => { try { const v=localStorage.getItem(k); return v?JSON.parse(v):def; }  
catch(_) { return def; } };
```

```
/* ——— Default users
```

```
————— */
```

```
const DEFAULT_USERS = [  
  { id:"admin", name:"Chef (Admin)", role:"admin", email:"chef@firma.de", color:"#f97316",  
    pw:"admin123" },  
  { id:"u1", name:"Anna Müller", role:"employee", email:"anna@firma.de", color:"#6366f1",  
    pw:"anna123" },  
  { id:"u2", name:"Ben Schmidt", role:"employee", email:"ben@firma.de", color:"#ec4899",  
    pw:"ben123" },  
  { id:"u3", name:"Clara Weber", role:"employee", email:"clara@firma.de", color:"#14b8a6",  
    pw:"clara123" },  
];
```

```
/* ——— Helpers
```

```
————— */
```

```
const getDaysInMonth = (y,m) => new Date(y,m+1,0).getDate();
```

```
const getFirstDay = (y,m) => { let d=new Date(y,m,1).getDay(); return d===0?6:d-1; };
const dateKey = (y,m,d) => `${y}-${String(m+1).padStart(2,"0")}-${String(d).padStart(2,"0")}`;
```

```
function getDayTopStatus(uid, dk, avData) {
  const ds = avData?.[uid]?.[dk];
  if(!ds) return "none";
  const vals = Object.values(ds).filter(Boolean);
  if(!vals.length) return "none";
  if(vals.every(v=>v==="unavailable")) return "unavailable";
  if(vals.some(v=>v==="available")) return "available";
  if(vals.some(v=>v==="partial")) return "partial";
  return "none";
}
```

```
function getMonthStats(uid, year, month, avData) {
  const days = getDaysInMonth(year, month);
  let avail=0,partial=0,unavail=0,filled=0;
  for(let d=1;d<=days;d++) {
    const dk=dateKey(year,month,d);
    const ds=avData?.[uid]?.[dk];
    if(!ds||!Object.values(ds).length) continue;
    filled++;
    const vals=Object.values(ds);
    if(vals.every(v=>v==="unavailable")) unavail++;
    else if(vals.some(v=>v==="available")) avail++;
    else if(vals.some(v=>v==="partial")) partial++;
  }
  return {avail,partial,unavail,filled,total:days};
}
```

```
/*
```

```
*/
```

```
export default function App() {
  const [users, setUsers] = useState(() => load("jp_users", DEFAULT_USERS));
  const [avData, setAvData] = useState(() => load("jp_avdata", {}));
  const [emails, setEmails] = useState(() => load("jp_emails", []));
  const [currentUser, setCurrentUser] = useState(null);
  const [view, setView] = useState("year");
  const [selYear, setSelYear] = useState(new Date().getFullYear());
  const [selMonth, setSelMonth] = useState(new Date().getMonth());
  const [selDay, setSelDay] = useState(null);
  const [selDayKey, setSelDayKey] = useState(null);
```

```

const [loginForm, setLoginForm] = useState({email:"",pw:""});
const [loginErr, setLoginErr] = useState("");
const [showAddUser, setShowAddUser] = useState(false);
const [newUser, setNewUser] =
useState({name:"",role:"employee",email:"",pw:"",color:EMP_COLORS[0]});
const [toast, setToast] = useState(null);
const [adminViewUser, setAdminViewUser] = useState(null);
const [showDayPicker, setShowDayPicker] = useState(false);

```

```
/* persist */
```

```

useEffect(()=>save("jp_users",users),[users]);
useEffect(()=>save("jp_avdata",avData),[avData]);
useEffect(()=>save("jp_emails",emails),[emails]);

```

```
/* register service worker */
```

```

useEffect(()=>{
  if("serviceWorker" in navigator) {
    navigator.serviceWorker.register("/sw.js").catch(()=>{});
  }
},[]);

```

```

const isAdmin = currentUser?.role==="admin";
const activeUid = adminViewUser||currentUser?.id;

```

```

const notify = useCallback((msg,type="success")=>{
  setToast({msg,type});
  setTimeout(()=>setToast(null),3000);
},[]);

```

```

const sendEmail = useCallback((to,subject,body)=>{
  const mail={to,subject,body,sentAt:new Date().toLocaleString("de-DE")};
  setEmails(p=>[mail,...p].slice(0,100));
},[]);

```

```
/* —— Login
```

```
——— */
```

```

const handleLogin = () => {
  const
u=users.find(u=>u.email.toLowerCase()===loginForm.email.toLowerCase())&&u.pw===loginForm.pw);
  if(u){setCurrentUser(u);setLoginErr("");}
  else setLoginErr("E-Mail oder Passwort falsch.");

```

```
};
```

```
/* — Availability setters
```

```
*/
```

```
const cycleSlot = (uid,dk,hour) => {
  const cur=avData?.[uid]?.[dk]?.[hour]||"none";
  const order=["none","available","partial","unavailable"];
  const next=order[(order.indexOf(cur)+1)%order.length];
  setAvData(d=>({...d,[uid]:{...(d[uid]||{}),[dk]:{...(d[uid]?.[dk]||{}),[hour]:next}}}));
  if(!isAdmin){
    const admin=users.find(u=>u.role==="admin");
    if(admin) sendEmail(admin.email,`🕒 ${currentUser.name} – Stunde geändert`,
      `${currentUser.name} hat ${hour} Uhr am ${dk} auf "${STATUS[next]||"keine Angabe"}`
    gesetzt.`);
  }
};
```

```
const setFullDay = useCallback((uid,dk,status)=>{
  const slots={};
  HOURS.forEach(h=>slots[h]=status);
  setAvData(d=>({...d,[uid]:{...(d[uid]||{}),[dk]:slots}}));
  const emp=users.find(u=>u.id===uid);
  const admin=users.find(u=>u.role==="admin");
  if(admin&&emp&&uid!=="admin"){
    sendEmail(admin.email,
      `📅 17 ${emp.name} – Verfügbarkeit aktualisiert`,
      `${emp.name} hat den ${dk} als "${STATUS[status]}" eingetragen.`);
  }
  notify("✅ Gespeichert");
},[users,sendEmail,notify]);
```

```
const openDay = (y,m,d) => {
  setSelDay(d); setSelDayKey(dateKey(y,m,d));
  setSelMonth(m); setSelYear(y);
  setView("day");
};
```

```
/* — Add user
```

```
*/
```

```
const addUser = () => {
  if(!newUser.name||!newUser.email||!newUser.pw) return;
  const id="u"+Date.now();
```

```

const u={x:xnewUser,id};
setUsers(p=>[...p,u]);
sendEmail(u.email,"🎉 Einladung: Jahresplaner",
`Hallo ${u.name}!\n\nDu wurdest eingeladen.\n\nE-Mail: ${u.email}\nPasswort: ${u.pw}\n\nÖffne
die App und melde dich an.`);
notify(`👤 ${u.name} hinzugefügt & Einladung gesendet`);
setNewUser({name:"",role:"employee",email:"",pw:"",color:EMP_COLORS[0]});
setShowAddUser(false);
};

```

```

const remindAll = () => {
  users.filter(u=>u.role==="employee").forEach(emp=>
    sendEmail(emp.email,"🕒 Bitte Verfügbarkeit eintragen",
      `Hallo ${emp.name},\n\nbitte trage deine Verfügbarkeit für ${selYear} ein.\n\nVielen Dank!`
    );
  notify("📧 Erinnerungen gesendet");
};

```

```

/*

```

STYLES

```

*/

const css = `
  @import url('https://fonts.googleapis.com/css2?
family=Outfit:wght@300;400;500;600;700;800&display=swap');
  *{box-sizing:border-box;-webkit-tap-highlight-color:transparent;}
  body{margin:0;overscroll-behavior:none;}
  input,select,button{font-family:'Outfit',sans-serif;}
  input{outline:none;}
  ::-webkit-scrollbar{width:3px;height:3px;}
  ::-webkit-scrollbar-thumb{background:#1e293b;border-radius:4px;}
  .btn{transition:all .18s;cursor:pointer;border:none;font-family:'Outfit',sans-serif;}
  .btn:active{transform:scale(0.95);}
  .cell{transition:all .12s;cursor:pointer;border:none;}
  .cell:active{transform:scale(0.9);}
  .nav-item{transition:all .15s;cursor:pointer;border:none;}
  @keyframes fadeIn{from{opacity:0;transform:translateY(8px)}
to{opacity:1;transform:translateY(0)}}
  @keyframes slideDown{from{opacity:0;transform:translateY(-12px)}
to{opacity:1;transform:translateY(0)}}

```

```
.fade-in{animation:fadeIn .25s ease;}
.slide-down{animation:slideDown .2s ease;}
`
;

/*


---




---


LOGIN


---




---


*/

if(!currentUser) return (
  <div
style={{minHeight:"100vh",background:"#070d1a",display:"flex",alignItems:"center",justifyContent:"center",padding:"20px",fontFamily:"'Outfit',sans-serif"}}>
  <style>{css}</style>
  <div className="fade-in"
style={{width:"100%",maxWidth:"360px",background:"rgba(255,255,255,0.04)",border:"1px solid rgba(255,255,255,0.08)",borderRadius:"24px",padding:"36px 28px",boxShadow:"0 32px 64px rgba(0,0,0,0.6)"}>
    <div style={{textAlign:"center",marginBottom:"32px"}}>
      <div style={{fontSize:"52px",marginBottom:"8px"}}><img alt="Flag of Germany" data-bbox="575 465 605 485"/>17</div>
      <h1 style={{margin:0,fontSize:"24px",fontWeight:800,color:"#f1f5f9",letterSpacing:"-0.5px"}}>Jahresplaner</h1>
      <p style={{margin:"6px 0 0",color:"#64748b",fontSize:"14px"}}>Mitarbeiterverfügbarkeit</p>
    </div>
    {[["E-Mail","email","text"],["Passwort","pw","password"]].map(([label,field,type])=>(
      <div key={field} style={{marginBottom:"12px"}}>
        <label
style={{display:"block",fontSize:"11px",color:"#94a3b8",marginBottom:"5px",fontWeight:700,textTransform:"uppercase",letterSpacing:"0.06em"}}>{label}</label>
        <input value={loginForm[field]} onChange={e=>setLoginForm(p=>({...p,[field]:e.target.value}})}
onKeyDown={e=>e.key==="Enter"&&handleLogin()}
type={type} placeholder={label}
style={{width:"100%",padding:"13px 16px",borderRadius:"12px",background:"rgba(255,255,255,0.06)",border:"1px solid rgba(255,255,255,0.1)",color:"#f1f5f9",fontSize:"15px"}}/>
      </div>
    ))}
    <loginErr&&<p style={{color:"#f87171",fontSize:"13px",margin:"6px 0"}}>{loginErr}</p>
    <button className="btn" onClick={handleLogin}
style={{width:"100%",padding:"14px",borderRadius:"12px",background:"linear-
```

```

gradient(135deg,#6366f1,#8b5cf6)",color:"#fff",fontSize:"15px",fontWeight:700,marginTop:"16px"}}
>
    Anmelden
  </button>
</div>
style={{marginTop:"20px",padding:"14px",background:"rgba(99,102,241,0.08)",borderRadius:"12px",
border:"1px solid rgba(99,102,241,0.15)"}}>
  <p style={{margin:"0 0
8px",fontSize:"11px",color:"#6366f1",fontWeight:700,textTransform:"uppercase",letterSpacing:"0.05
em"}}>Demo-Zugänge</p>
  {DEFAULT_USERS.map(u=>(
    <div key={u.id} onClick={()=>setLoginForm({email:u.email,pw:u.pw})}
      style={{fontSize:"12px",color:"#94a3b8",cursor:"pointer",padding:"3px
0",display:"flex",justifyContent:"space-between"}}>
        <span>{u.name}</span>
        <span style={{color:"#475569"}}>{u.pw}</span>
      </div>
    ))}
  </div>
</div>
</div>
);
/*

```

MAIN APP (mobile-first layout)

```

  */
  const employees = users.filter(u=>u.role==="employee");

  return (
    <div style={{minHeight:"100vh",background:"#070d1a",fontFamily:"'Outfit',sans-
serif",color:"#f1f5f9",paddingBottom:"80px"}}>
      <style>{css}</style>

      {/* Toast */}
      {toast&&(
        <div className="slide-down"
style={{position:"fixed",top:"16px",left:"50%",transform:"translateX(-50%)",zIndex:999,
padding:"11px
20px",borderRadius:"12px",background:toast.type==="error"?"#ef4444":"#10b981",

```

```
        color:"#fff",fontSize:"14px",fontWeight:600,boxShadow:"0 8px 24px
        rgba(0,0,0,0.4)",whiteSpace:"nowrap"}}}>
        {toast.msg}
    </div>
  )}

  {/* —— Top Header

  —— */}

  <div style={{background:"rgba(7,13,26,0.95)",backdropFilter:"blur(20px)",borderBottom:"1px
  solid rgba(255,255,255,0.06)",
    padding:"12px
  16px",position:"sticky",top:0,zIndex:100,display:"flex",alignItems:"center",gap:"10px"}}>
    <div style={{width:"34px",height:"34px",borderRadius:"50%",background:currentUser.color,

display:"flex",alignItems:"center",justifyContent:"center",fontSize:"13px",fontWeight:800,color:"#fff"
,flexShrink:0}}>
      {currentUser.name.split(" ").map(w=>w[0]).join("").slice(0,2)}
    </div>
    <div style={{flex:1,minWidth:0}}>
      <div
style={{fontSize:"14px",fontWeight:700,color:"#e2e8f0",overflow:"hidden",textOverflow:"ellipsis",wh
itespace:"nowrap"}}>{currentUser.name}</div>
      <div style={{fontSize:"11px",color:isAdmin?"#f97316":"#64748b"}}
>{isAdmin?"Administrator":"Mitarbeiter"}</div>
    </div>
    {isAdmin&&(
      <div style={{display:"flex",alignItems:"center",gap:"6px"}}>
        <div style={{position:"relative"}}>
          <div style={{fontSize:"20px",cursor:"pointer"}} onClick={()=>setView("inbox")}>✉</div>
          {emails.length>0&&<div
style={{position:"absolute",top:"-4px",right:"-4px",background:"#ef4444",borderRadius:"99px",
          fontSize:"9px",fontWeight:800,color:"#fff",padding:"1px
          5px",minWidth:"16px",textAlign:"center"}}>
            {emails.length>99?"99+":emails.length}
          </div>}
        </div>
      </div>
    )}
    <button className="btn" onClick={()=>setCurrentUser(null)}
style={{background:"rgba(239,68,68,0.1)",color:"#f87171",
    padding:"6px 10px",borderRadius:"8px",fontSize:"12px",fontWeight:600,border:"1px solid
    rgba(239,68,68,0.15)}}>
```


 Logout

</button>

</div>

{/* — Year/Month nav strip

*/}

{{view==="year"||view==="month")&&(

<div style={{background:"rgba(255,255,255,0.02)",borderBottom:"1px solid

rgba(255,255,255,0.05)",

padding:"10px 16px",display:"flex",alignItems:"center",gap:"8px",overflowX:"auto"}}>

<button className="btn" onClick={()=>{

if(view==="month"){if(selMonth===0){setSelMonth(11);setSelYear(y=>y-1);}else

setSelMonth(m=>m-1);}

else setSelYear(y=>y-1);

}} style={{background:"rgba(255,255,255,0.06)",color:"#94a3b8",padding:"6px

12px",borderRadius:"9px",fontSize:"16px",flexShrink:0}}>←</button>

{view==="year"?(
<span

style={{fontSize:"20px",fontWeight:800,color:"#6366f1",minWidth:"60px",textAlign:"center",flex-

Shrink:0}}>{selYear}

):(
<span

style={{fontSize:"16px",fontWeight:700,color:"#c7d2fe",minWidth:"170px",textAlign:"center",flex-

Shrink:0}}>{MONTHS[selMonth]} {selYear}

)}

<button className="btn" onClick={()=>{

if(view==="month"){if(selMonth===11){setSelMonth(0);setSelYear(y=>y+1);}else

setSelMonth(m=>m+1);}

else setSelYear(y=>y+1);

}} style={{background:"rgba(255,255,255,0.06)",color:"#94a3b8",padding:"6px

12px",borderRadius:"9px",fontSize:"16px",flexShrink:0}}>→</button>

<button className="btn" onClick={()=>{setSelYear(new

Date().getFullYear());setSelMonth(new Date().getMonth());}}

style={{background:"rgba(99,102,241,0.15)",color:"#a5b4fc",padding:"6px

10px",borderRadius:"9px",fontSize:"12px",fontWeight:700,flexShrink:0}}>

Heute

</button>

{view==="month"&&<button className="btn" onClick={()=>setView("year")}

style={{marginLeft:"auto",background:"transparent",color:"#475569",padding:"6px

```
10px",borderRadius:"9px",fontSize:"12px",flexShrink:0}}>
```

```
    < Jähr
```

```
  </button>}
```

```
</div>
```

```
)}
```

```
{/* — Admin employee filter
```

```
*/}
```

```
{isAdmin&&(view==="year"||view==="month")&&(
```

```
  <div style={{padding:"8px 16px",display:"flex",gap:"6px",overflowX:"auto",borderBottom:"1px solid rgba(255,255,255,0.04)}}>
```

```
    <button className="btn" onClick={()=>setAdminViewUser(null)} style={{padding:"5px 12px",borderRadius:"99px",fontSize:"12px",fontWeight:600,flexShrink:0,background:!adminViewUser?"rgba(255,255,255,0.12)": "rgba(255,255,255,0.04)",color:!adminViewUser?"#e2e8f0": "#64748b",border:"1px solid rgba(255,255,255,0.08)}}>
```

```
    Alle
```

```
  </button>
```

```
  {employees.map(u=>(
```

```
    <button key={u.id} className="btn"
```

```
    onClick={()=>setAdminViewUser(adminViewUser===u.id?null:u.id)} style={{
```

```
      padding:"5px 12px",borderRadius:"99px",fontSize:"12px",fontWeight:600,flexShrink:0,
```

```
      background:adminViewUser===u.id?u.color:"rgba(255,255,255,0.04)",
```

```
      color:adminViewUser===u.id?"#fff": "#94a3b8",
```

```
      border: `1px solid ${adminViewUser===u.id?u.color:"rgba(255,255,255,0.08)"} ` ,
```

```
    }}>{u.name.split(" ")[0]}</button>
```

```
  )))
```

```
</div>
```

```
)}
```

```
{/* — Main content
```

```
*/}
```

```
<div style={{padding:"16px"}}>
```

```
{/*
```

```
YEAR VIEW
```

```
*/}
```

```
{view==="year"&&(
```

```
  <div className="fade-in">
```

```

    { /* Legend */ }
    <div style={{display:"flex",gap:"12px",marginBottom:"16px",flexWrap:"wrap"}}>
      {[["available","Verfügbar"],["partial","Eingeschränkt"],["unavailable","Nicht
verfügbar"]].map(([,l])=>(
        <div key={k} style={{display:"flex",alignItems:"center",gap:"5px"}}>
          <div style={{width:"10px",height:"10px",borderRadius:"2px",background:COLORS[k]}}/>
          <span style={{fontSize:"11px",color:"#64748b"}}>{l}</span>
        </div>
      ))}
    </div>

    { /* All-employee overview OR single employee */ }
    {isAdmin&&!adminViewUser?(
      <div style={{display:"grid",gridTemplateColumns:"repeat(auto-
fill,minmax(300px,1fr))",gap:"12px"}}>
        {MONTHS.map((mn,mi)=>{
          const days=getDaysInMonth(selYear,mi);
          const first=getFirstDay(selYear,mi);
          return (
            <div key={mi} style={{background:"rgba(255,255,255,0.03)",border:"1px solid
rgba(255,255,255,0.07)",borderRadius:"14px",padding:"14px"}}>
              <div style={{display:"flex",justifyContent:"space-
between",alignItems:"center",marginBottom:"10px"}}>
                <span style={{fontSize:"14px",fontWeight:700,color:"#c7d2fe"}}>{mn}</span>
                <button className="btn" onClick={()=>{setSelMonth(mi);setView("month");}}
style={{fontSize:"11px",background:"rgba(99,102,241,0.15)",color:"#a5b4fc",padding:"3px
9px",borderRadius:"6px",fontWeight:600}}>Detail →</button>
              </div>
            <div
style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:"2px",marginBottom:"8px"}}>
              {DAYS_SHORT.map(d=><div key={d}
style={{textAlign:"center",fontSize:"8px",color:"#334155",fontWeight:700}}>{d}</div>)}
              {Array(first).fill(null).map((_,i)=><div key={"e"+i}/>)}
              {Array.from({length:days},(_,i)=>{
                const day=i+1, dk=dateKey(selYear,mi,day);
                const statuses=employees.map(u=>getDayTopStatus(u.id,dk,avData));
                const hasA=statuses.some(s=>s==="available");
                const hasP=statuses.some(s=>s==="partial");
                const hasU=statuses.some(s=>s==="unavailable");
                const filled=statuses.some(s=>s!=="none");
                const bg=!
filled?"rgba(255,255,255,0.03)":hasA?"rgba(16,185,129,0.3)":hasP?"rgba(245,158,11,0.3)":hasU?"rg

```

```

    ba(239,68,68,0.3)": "rgba(255,255,255,0.03)";
    return (
      <div key={day} onClick={()=>openDay(selYear,mi,day)}
        style={{textAlign:"center",fontSize:"9px",padding:"3px
1px",borderRadius:"3px",cursor:"pointer",background:bg,color:filled?"#e2e8f0":"#1e293b",font-
Weight:600,transition:"all .1s"}}
        onTouchStart={e=>excurrentTarget×style×opacity="0.7"}
        onTouchEnd={e=>excurrentTarget×style×opacity="1"}>
        {day}
      </div>
    );
  }}}
</div>
<div style={{display:"flex",flexDirection:"column",gap:"3px"}}>
  {employees.map(u=>{
    const {avail,partial:p,unavail,filled,total}=getMonthStats(u.id,selYear,mi,avData);
    return (
      <div key={u.id} style={{display:"flex",alignItems:"center",gap:"5px"}}>
        <div
style={{width:"14px",height:"14px",borderRadius:"50%",background:u.color,flexShrink:0,display:"fle
x",alignItems:"center",justifyContent:"center",fontSize:"6px",fontWeight:800,color:"#fff"}}>
          {u.name.split(" ").map(w=>w[0]).join("").slice(0,2)}
        </div>
        <div
style={{flex:1,height:"5px",borderRadius:"99px",background:"rgba(255,255,255,0.05)",overflow:"hi-
dden",display:"flex"}}>
          <div style={{width:`${(avail/total)*100}%`,background:COLORS.available}}/>
          <div style={{width:`${(p/total)*100}%`,background:COLORS.partial}}/>
          <div style={{width:`${(unavail/total)*100}%`,background:COLORS.unavailable}}/>
        </div>
        <span style={{fontSize:"9px",color:"#334155",width:"26px",textAlign:"right"}}
>{filled}/{total}</span>
      </div>
    );
  }}}
</div>
</div>
);(
  // Single employee year view
  <div style={{display:"grid",gridTemplateColumns:"repeat(auto-

```

```

fill,minmax(240px,1fr))",gap:"12px"}}>
  {MONTHS.map((mn,mi)=>{
    const uid=adminViewUser||currentUser.id;
    const days=getDaysInMonth(selYear,mi);
    const first=getFirstDay(selYear,mi);
    const {avail,partial:p,unavail,filled,total}=getMonthStats(uid,selYear,mi,avData);
    return (
      <div key={mi} style={{background:"rgba(255,255,255,0.03)",border:"1px solid
rgba(255,255,255,0.07)",borderRadius:"14px",padding:"14px"}}>
        <div style={{display:"flex",justifyContent:"space-
between",alignItems:"center",marginBottom:"8px"}}>
          <span style={{fontSize:"14px",fontWeight:700,color:"#c7d2fe"}}>{mn}</span>
          <span style={{fontSize:"10px",color:"#475569"}}>{filled}/{total} Tage</span>
        </div>
        <div
style={{height:"4px",borderRadius:"99px",background:"rgba(255,255,255,0.05)",overflow:"hidden",
display:"flex",marginBottom:"8px"}}>
          <div style={{width:`${(avail/
total)*100}%`,background:COLORS.available,transition:"width .3s"}}/>
          <div style={{width:`${(p/total)*100}%`,background:COLORS.partial,transition:"width
.3s"}}/>
          <div style={{width:`${(unavail/
total)*100}%`,background:COLORS.unavailable,transition:"width .3s"}}/>
        </div>
        <div style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:"2px"}}>
          {DAYS_SHORT.map(d=><div key={d}
style={{textAlign:"center",fontSize:"8px",color:"#334155",fontWeight:700}}>{d}</div>)}
          {Array(first).fill(null).map((_,i)=><div key={"e"+i}/>)}
          {Array.from({length:days},(_,i)=>{
            const day=i+1, dk=dateKey(selYear,mi,day);
            const status=getDayTopStatus(uid,dk,avData);
            const today=new Date();
            const
isToday=today.getFullYear()===selYear&&today.getMonth()===mi&&today.getDate()===day;
            return (
              <div key={day} className="cell" onClick={()=>openDay(selYear,mi,day)}
style={{textAlign:"center",fontSize:"10px",padding:"4px 1px",borderRadius:"4px",
background:status==="none"?`rgba(255,255,255,0.03)`:COLORS[status],
color:status==="none"?`#1e293b`:`#fff`,fontWeight:isToday?800:500,
outline:isToday?"2px solid #6366f1":`none`,outlineOffset:"1px",transition:"all
.1s"}}>
                {day}
              </div>

```

```

    );
  }}
</div>
<button className="btn" onClick={()=>{setSelMonth(mi);setView("month");}}
style={{width:"100%",marginTop:"10px",padding:"6px",borderRadius:"8px",background:"rgba(99,102,241,0.1)",color:"#6366f1",fontSize:"11px",fontWeight:600,border:"1px solid rgba(99,102,241,0.15)}}>
  Monat öffnen →
</button>
</div>
);
}}
</div>
)}
</div>
)}
{ /*

```

MONTH VIEW

```

    */}
{view==="month"&&(
  <div className="fade-in">
    {(()=>{
      const uid=adminViewUser||currentUser.id;
      const days=getDaysInMonth(selYear,selMonth);
      const first=getFirstDay(selYear,selMonth);
      return (
        <>
          <div
style={{background:"rgba(255,255,255,0.03)",borderRadius:"16px",padding:"16px",border:"1px solid rgba(255,255,255,0.07)}}>
            <div
style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:"4px",marginBottom:"4px"}}>
              {DAYS_SHORT.map(d=><div key={d}
style={{textAlign:"center",fontSize:"11px",color:"#475569",fontWeight:700,padding:"4px 0"}}>{d}</div>)}
            </div>
            <div style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:"4px"}}>

```

```
{Array(first).fill(null).map((_,i)=><div key={"e"+i}/>)}
```

```
{Array.from({length:days},(_,i)=>{
```

```
  const day=i+1, dk=dateKey(selYear,selMonth,day);
```

```
  const status=getDayTopStatus(uid,dk,avData);
```

```
  const today=new Date();
```

```
  const
```

```
isToday=today.getFullYear()===selYear&&today.getMonth()===selMonth&&today.getDate()===day;
```

```
  const isPast=new Date(selYear,selMonth,day)<new
```

```
Date(today.getFullYear(),today.getMonth(),today.getDate());
```

```
  return (
```

```
    <div key={day} className="cell" onClick={()=>openDay(selYear,selMonth,day)}>
```

```
      style={{borderRadius:"10px",padding:"8px 4px",textAlign:"center",
```

```
        background:status=== "none"? "rgba(255,255,255,0.04)":COLORS[status]+"33",
```

```
        border:isToday?"2px solid #6366f1":status!=="none"?`1px solid $
```

```
{COLORS[status]}44`:1px solid rgba(255,255,255,0.05)",
```

```
        opacity:isPast?0.45:1}}>
```

```
      <div
```

```
style={{fontSize:"16px",fontWeight:800,color:status=== "none"? "#94a3b8": "#fff",lineHeight:1}}
```

```
>{day}</div>
```

```
      <div style={{fontSize:"16px",marginTop:"2px"}}>
```

```
        {status=== "none"? "":status=== "available"? "✓":status=== "partial"? " ~ ":"×"}
```

```
      </div>
```

```
    </div>
```

```
  );
```

```
  }}}
```

```
</div>
```

```
</div>
```

```
{/* Quick fill */}
```

```
{(!isAdmin||adminViewUser)&&(
```

```
  <div
```

```
style={{marginTop:"12px",background:"rgba(255,255,255,0.03)",borderRadius:"12px",padding:"12px",border:"1px solid rgba(255,255,255,0.06)}}>
```

```
  <p style={{margin:"0 0 8px",fontSize:"12px",color:"#64748b",fontWeight:600}}
```

```
>Ganzen Monat auf einen Schlag:</p>
```

```
  <div style={{display:"flex",gap:"8px",flexWrap:"wrap"}}>
```

```
    {Object.entries(STATUS).map(([k,l])=>{
```

```
      <button key={k} className="btn" onClick={()=>{
```

```
        for(let d=1;d<=days;d++) {
```

```
          const dk=dateKey(selYear,selMonth,d);
```

```
          const slots={};
```

```
          HOURS.forEach(h=>slots[h]=k);
```

```
          setAvData(prev=>({...prev,[uid]:{...(prev[uid]||{}),[dk]:slots}}));
```

```

    }
    notify(`✅ ${MONTHS[selMonth]} als "${l}" gesetzt`);
  }} style={{flex:1,padding:"9px
6px",borderRadius:"10px",fontSize:"12px",fontWeight:700,
background:COLORS[k]+"22",color:COLORS[k],border:`1px solid ${COLORS[k]}
44`,minWidth:"80px"}}>
    {k==="available"?`✓`:k==="partial"?`~`:`×`} {l}
  </button>
  )}}
</div>
</div>
)}
</>
);
})();
</div>
)}

{ /*

```

DAY VIEW

```

    * /}
    {view==="day"&&selDayKey&&(
      <div className="fade-in">
        <div style={{display:"flex",alignItems:"center",gap:"10px",marginBottom:"16px"}}>
          <button className="btn" onClick={()=>setView("month")}
style={{background:"rgba(255,255,255,0.06)",color:"#94a3b8",padding:"8px
12px",borderRadius:"10px",fontSize:"13px"}}>← Monat</button>
          <div>
            <h2
style={{margin:0,fontSize:"18px",fontWeight:800,color:"#e0e7ff",letterSpacing:"-0.5px"}}>
              {new Date(selYear,selMonth,selDay).toLocaleDateString("de-DE",
{weekday:"long",day:"numeric",month:"long"})}
            </h2>
            <div style={{fontSize:"12px",color:"#475569"}}>{selYear}</div>
          </div>
        </div>

        {isAdmin&&!adminViewUser?(
          // Admin: all employees for this day

```



```

<div style={{display:"flex",flexDirection:"column",gap:"12px"}}>
  {employees.map(u=>(
    <div key={u.id} style={{background:"rgba(255,255,255,0.03)",border:`1px solid ${u.color}
22`,borderRadius:"14px",padding:"14px"}}>
      <div style={{display:"flex",alignItems:"center",gap:"10px",marginBottom:"12px"}}>
        <div
style={{width:"36px",height:"36px",borderRadius:"50%",background:u.color,display:"flex",alignI-
tems:"center",justifyContent:"center",fontSize:"13px",fontWeight:800,color:"#fff"}}>
          {u.name.split(" ").map(w=>w[0]).join("").slice(0,2)}
        </div>
        <div style={{flex:1}}>
          <div style={{fontSize:"15px",fontWeight:700,color:"#e2e8f0"}}>{u.name}</div>
          <div style={{fontSize:"11px",color:"#64748b"}}>{u.role}</div>
        </div>
        <div style={{display:"flex",gap:"4px"}}>
          {Object.entries(STATUS).map(([k])=>(
            <button key={k} className="btn" onClick={()=>setFullDay(u.id,selDayKey,k)}
style={{
              width:"32px",height:"32px",borderRadius:"8px",fontSize:"14px",
              background:COLORS[k]+"22",color:COLORS[k],border:`1px solid ${COLORS[k]}
44`}}>
              {k==="available"?`√`:k==="partial"?`~`:`×`}
            </button>
          ))}
        </div>
      </div>
    </div>
    <div style={{display:"flex",gap:"4px",flexWrap:"wrap"}}>
      {HOURS.map(h=>{
        const s=avData?.[u.id]?.[selDayKey]?.[h]||"none";
        return (
          <button key={h} className="cell" onClick={()=>cycleSlot(u.id,selDayKey,h)}
style={{
              width:"52px",height:"46px",borderRadius:"8px",fontSize:"10px",fontWeight:700,
              background:s==="none"?`rgba(255,255,255,0.04)`:COLORS[s],
              color:s==="none"?`#334155`:`#fff`,border:s==="none"?`1px dashed
rgba(255,255,255,0.08)`:`none`}}}>
                <div style={{fontSize:"9px",opacity:0.8}}>{h}</div>
                <div style={{fontSize:"16px"}}>
>{s==="none"?`·`:s==="available"?`√`:s==="partial"?`~`:`×`}</div>
                </button>
              );
            })}
          </div>

```

```

    </div>
  )))
</div>
):(
  // Employee: own day detail
  <div>
    <div style={{display:"flex",gap:"6px",marginBottom:"14px",flexWrap:"wrap"}}>
      <span
style={{fontSize:"12px",color:"#64748b",alignSelf:"center",width:"100%",marginBottom:"2px"}}
>Ganzer Tag:</span>
      {Object.entries(STATUS).map(([k,l])=>(
        <button key={k} className="btn" onClick={()=>setFullDay(activeUid,selDayKey,k)}
style={{
          flex:1,padding:"10px 6px",borderRadius:"11px",fontSize:"13px",fontWeight:700,
          background:COLORS[k]+"22",color:COLORS[k],border:`1px solid ${COLORS[k]}
44`,minWidth:"80px"}}>
          {k==="available"?`✓`:k==="partial"?`~`:`×`}<br/>
          <span style={{fontSize:"10px"}}>{l}</span>
        </button>
      )))
    </div>
    <div
style={{background:"rgba(255,255,255,0.03)",borderRadius:"14px",padding:"14px",border:"1px
solid rgba(255,255,255,0.06)"}}>
      <p style={{margin:"0 0 10px",fontSize:"12px",color:"#64748b",fontWeight:600}}>Stunden
einzeln:</p>
      <div style={{display:"grid",gridTemplateColumns:"repeat(auto-
fill,minmax(72px,1fr))",gap:"6px"}}>
        {HOURS.map(h=>{
          const s=avData?.[activeUid]?.[selDayKey]?.[h]||"none";
          return (
            <button key={h} className="cell" onClick={()=>cycleSlot(activeUid,selDayKey,h)}
style={{
              height:"68px",borderRadius:"11px",
              background:s==="none"?`rgba(255,255,255,0.04)":COLORS[s],
              border:s==="none"?`1px dashed rgba(255,255,255,0.1)":`"none",
              color:s==="none"?`#475569":`"#fff"}`>
              <div style={{fontSize:"12px",fontWeight:700,opacity:0.85}}>{h}</div>
              <div style={{fontSize:"24px",marginTop:"2px"}}
>{s==="none"?`·`:s==="available"?`✓`:s==="partial"?`~`:`×`}</div>
              <div style={{fontSize:"9px",opacity:0.7,fontWeight:600}}>
                {s==="none"?`tippen`:s==="available"?`frei`:s==="partial"?`einschr.`:"n.verfüg."}
              </div>

```

```

        </button>
    );
    }
}
</div>
</div>
</div>
)}
</div>
)}

{ /*

```

ADMIN – MITARBEITER

```

    * /}
    {view=== "admin" && isAdmin && (
    <div className="fade-in">
    <div style={{display:"flex",justifyContent:"space-
between",alignItems:"center",marginBottom:"16px",flexWrap:"wrap",gap:"8px"}}>
    <h2 style={{margin:0,fontSize:"22px",fontWeight:800,color:"#e0e7ff"}}>👤 Mitarbeiter</
h2>
    <div style={{display:"flex",gap:"8px"}}>
    <button className="btn" onClick={remindAll} style={{padding:"9px
14px",borderRadius:"11px",background:"rgba(245,158,11,0.15)",color:"#fbbf24",fontSize:"12px",font-
Weight:700,border:"1px solid rgba(245,158,11,0.2)"}}>✉️ Alle erinnern</button>
    <button className="btn" onClick={()=>setShowAddUser(true)} style={{padding:"9px
14px",borderRadius:"11px",background:"linear-
gradient(135deg,#6366f1,#8b5cf6)",color:"#fff",fontSize:"12px",fontWeight:700}}>+ Hinzufügen</
button>
    </div>
</div>
<div style={{display:"flex",flexDirection:"column",gap:"10px"}}>
    {employees.map(u=>{
    const
totalAvail=MONTHS.reduce((acc,_,mi)=>acc+getMonthStats(u.id,selYear,mi,avData).avail,0);
    const
totalFilled=MONTHS.reduce((acc,_,mi)=>acc+getMonthStats(u.id,selYear,mi,avData).filled,0);
    return (
    <div key={u.id} style={{background:"rgba(255,255,255,0.03)",border:`1px solid ${u.color}
22`,borderRadius:"14px",padding:"16px"}}>
    <div style={{display:"flex",alignItems:"center",gap:"12px",marginBottom:"12px"}}>

```

```

<div
style={{width:"44px",height:"44px",borderRadius:"50%",background:u.color,display:"flex",alignItems
:"center",justifyContent:"center",fontSize:"16px",fontWeight:800,color:"#fff",flexShrink:0}}>
    {u.name.split(" ").map(w=>w[0]).join("").slice(0,2)}
</div>
<div style={{flex:1,minWidth:0}}>
    <div style={{fontSize:"15px",fontWeight:700,color:"#e2e8f0"}}>{u.name}</div>
    <div
style={{fontSize:"12px",color:"#64748b",overflow:"hidden",textOverflow:"ellipsis",whiteSpace:"no-
wrap"}}>{u.email}</div>
    </div>
</div>
<div style={{display:"flex",gap:"8px",marginBottom:"10px"}}>
    <div
style={{flex:1,textAlign:"center",padding:"8px",background:"rgba(16,185,129,0.1)",borderRadius:"10p
x"}}>
        <div style={{fontSize:"20px",fontWeight:800,color:"#10b981"}}>{totalAvail}</div>
        <div style={{fontSize:"10px",color:"#64748b"}}>Tage verfügbar</div>
    </div>
    <div
style={{flex:1,textAlign:"center",padding:"8px",background:"rgba(99,102,241,0.1)",borderRadius:"10
px"}}>
        <div style={{fontSize:"20px",fontWeight:800,color:"#6366f1"}}>{totalFilled}</div>
        <div style={{fontSize:"10px",color:"#64748b"}}>Eingetragen</div>
    </div>
</div>
<div style={{display:"flex",gap:"6px"}}>
    <button className="btn" onClick={()=>{setAdminViewUser(u.id);setView("year");}}
style={{flex:1,padding:"8px",borderRadius:"9px",background:"rgba(99,102,241,0.15)",color:"#a5b4fc
",fontSize:"12px",fontWeight:600}}><img alt="Calendar icon" data-bbox="363 641 391 658"/> 17 Jahresplan</button>
    <button className="btn" onClick={()=>{
        sendEmail(u.email,"<img alt="Alarm clock icon" data-bbox="346 684 374 701"/> Bitte Verfügbarkeit eintragen`,`Hallo ${u.name},\n\nbitte trage
deine Verfügbarkeit für ${selYear} ein.\n\nVielen Dank!`);
        notify(`<img alt="Email icon" data-bbox="234 731 262 748"/> Erinnerung an ${u.name} gesendet`);
    }}
style={{flex:1,padding:"8px",borderRadius:"9px",background:"rgba(245,158,11,0.1)",color:"#fbbf24",f
ontSize:"12px",fontWeight:600}}><img alt="Email icon" data-bbox="343 794 371 811"/> Erinnern</button>
    </div>
</div>
);
}}
</div>
</div>

```

```
}}
```

```
{/*
```

INBOX

```
*/}
```

```
{view==="inbox"&&(
```

```
<div className="fade-in">
```

```
<div style={{display:"flex",justifyContent:"space-between",alignItems:"center",marginBottom:"16px"}}>
```

```
<h2 style={{margin:0,fontSize:"22px",fontWeight:800,color:"#e0e7ff"}}>📧 Posteingang</h2>
```

```
</div>
```

```
{emails.length>0&&<button className="btn" onClick={()=>{setEmails([]);save("jp_emails",[]);}} style={{padding:"7px
```

```
12px",borderRadius:"9px",background:"rgba(239,68,68,0.1)",color:"#f87171",fontSize:"12px",fontWeight:600,border:"1px solid rgba(239,68,68,0.15)"}>Alle löschen</button>
```

```
</div>
```

```
{emails.length===0?(
```

```
<div style={{textAlign:"center",padding:"60px 20px",color:"#334155"}}>
```

```
<div style={{fontSize:"48px",marginBottom:"12px"}}>📧</div>
```

```
<div style={{fontSize:"16px",fontWeight:600,color:"#475569"}}>Keine Nachrichten</div>
```

```
<div style={{fontSize:"13px",marginTop:"4px",color:"#334155"}}>Benachrichtigungen
```

```
erscheinen hier sobald Mitarbeiter ihre Verfügbarkeit eintragen.</div>
```

```
</div>
```

```
):(
```

```
<div style={{display:"flex",flexDirection:"column",gap:"8px"}}>
```

```
{emails.map((m,i)=>(
```

```
<div key={i} style={{background:"rgba(255,255,255,0.03)",border:"1px solid rgba(255,255,255,0.07)",borderRadius:"12px",padding:"14px"}}>
```

```
<div style={{fontSize:"14px",fontWeight:700,color:"#e2e8f0",marginBottom:"3px"}}>
```

```
>{m.subject}</div>
```

```
<div style={{fontSize:"11px",color:"#475569",marginBottom:"8px"}}>An: {m.to} ·
```

```
{m.sentAt}</div>
```

```
<pre style={{margin:0,fontSize:"12px",color:"#94a3b8",whiteSpace:"pre-
```

```
wrap",fontFamily:"inherit",lineHeight:1.5,background:"rgba(0,0,0,0.2)",padding:"10px",borderRadius:"8px"}}>
```

```
{m.body}
```

```
</pre>
```

```
</div>
```

```
)))
```

```
    </div>
  })
</div>
})
</div>
```

```
{/* — Bottom Navigation (mobile)
```

```
— */}

<div
style={{position:"fixed",bottom:0,left:0,right:0,background:"rgba(7,13,26,0.97)",backdropFilter:"blur(
20px)",
borderTop:"1px solid rgba(255,255,255,0.07)",padding:"8px 0",paddingBottom:"env(safe-area-
inset-bottom, 8px)",
display:"flex",justifyContent:"space-around",zIndex:100}}>
{[
["year","📅","Jahr"],
["month","📅","Monat"],
...(isAdmin?[["admin","👤","Team"],["inbox","📧","Post"]]:[] ),
].map(([v,icon,label])=>(
<button key={v} className="nav-item" onClick={()=>setView(v)} style={{
display:"flex",flexDirection:"column",alignItems:"center",gap:"2px",padding:"4px 16px",
background:"transparent",color:view===v?"#a5b4fc":"#475569",
borderRadius:"12px",minWidth:"60px",position:"relative"}}>
<span style={{fontSize:"22px"}}>{icon}</span>
<span style={{fontSize:"10px",fontWeight:600}}>{label}</span>
{v==="inbox"&&emails.length>0&&(
<div
style={{position:"absolute",top:0,right:"8px",background:"#ef4444",borderRadius:"99px",
fontSize:"8px",fontWeight:800,color:"#fff",padding:"1px
5px",minWidth:"14px",textAlign:"center"}}>
{emails.length>9?"9+":emails.length}
</div>
))}
{view===v&&<div
style={{position:"absolute",bottom:"-8px",width:"20px",height:"2px",borderRadius:"99px",back-
ground:"#6366f1"}}/>}
</button>
)}}
</div>
```

```
{/* — Add User Modal
```

```
— */}
```

```

{showAddUser&&(
  <div style={{position:"fixed",inset:0,background:"rgba(0,0,0,0.75)",backdropFilter:"blur(10px)",
    display:"flex",alignItems:"flex-end",justifyContent:"center",zIndex:500,padding:"16px"}}
    onClick={()=>setShowAddUser(false)}>
    <div style={{background:"#0f172a",border:"1px solid
    rgba(99,102,241,0.3)",borderRadius:"20px",
      padding:"28px",width:"100%",maxWidth:"440px",boxShadow:"0 -20px 60px
    rgba(0,0,0,0.6)"}>
        onClick={e=>e.stopPropagation()}>
        <h3 style={{margin:"0 0 20px",fontSize:"20px",fontWeight:800,color:"#e0e7ff"}}>Mitarbeiter
        hinzufügen</h3>
        {[["name","Name *"],["email","E-Mail *"],["pw","Passwort *"],
        ["role","Position"]].map(([field,label])=>(
          <div key={field} style={{marginBottom:"10px"}}>
            <label
            style={{display:"block",fontSize:"11px",color:"#94a3b8",marginBottom:"4px",fontWeight:700,text-
            Transform:"uppercase",letterSpacing:"0.05em"}}>{label}</label>
            <input value={newUser[field]} onChange={e=>setNewUser(p=>({...p,
            [field]:e.target.value}))}
              placeholder={label} type={field==="pw"? "password": "text"}
              style={{width:"100%",padding:"12px
            14px",borderRadius:"10px",background:"rgba(255,255,255,0.06)",border:"1px solid
            rgba(255,255,255,0.1)",color:"#f1f5f9",fontSize:"15px"}}/>
            </div>
          )))
        <div style={{marginBottom:"18px"}}>
          <label
            style={{display:"block",fontSize:"11px",color:"#94a3b8",marginBottom:"8px",fontWeight:700,text-
            Transform:"uppercase"}}>Farbe</label>
          <div style={{display:"flex",gap:"8px",flexWrap:"wrap"}}>
            {EMP_COLORS.map(c=>(
              <div key={c} onClick={()=>setNewUser(p=>({...p,color:c}))}
                style={{width:"32px",height:"32px",borderRadius:"50%",background:c,cursor:"pointer",
                outline:newUser.color===c?"3px solid #fff":"none",outlineOffset:"2px",transition:"all
              .15s"}}/>
            ))}
          </div>
        </div>
        <div style={{display:"flex",gap:"8px"}}>
          <button className="btn" onClick={()=>setShowAddUser(false)}
            style={{flex:1,padding:"12px",borderRadius:"11px",background:"rgba(255,255,255,0.06)",color:"#94
            a3b8",fontSize:"14px",fontWeight:600}}>Abbrechen</button>
          <button className="btn" onClick={addUser}

```

style={{flex:2,padding:"12px",borderRadius:"11px",background:"linear-gradient(135deg,#6366f1,#8b5cf6)",color:"#fff",fontSize:"14px",fontWeight:700}}>

+ Hinzufügen & Einladen

</button>

</div>

</div>

</div>