

An improved fifth-order WENO scheme with symmetry-preserving smoothness indicators for hyperbolic conservation laws

Donghui Son

School of Space Research, Kyung Hee University

Oct, 13, 2024

Background & motivation

- ▶ The study is motivated by the need to address the limitations of existing WENO schemes, specifically WENO-NS and WENO-P, which struggle to achieve optimal convergence orders at critical points where the first and second derivatives are zero.
- ▶ The authors aim to improve the performance of these schemes by developing a new set of smoothness indicators that satisfy the symmetry-preserving property, which is not maintained by the smoothness indicators of WENO-NS and WENO-P
- ▶ Another motivation is to eliminate the reliance on user-tunable parameters, which are necessary in the previous schemes to balance contributions from substencils and to remedy symmetry issues.

Table of contents

1. Motivation
2. Introduction
3. Brief review of the WENO schemes
4. Results
5. Conclusion

- ▶ The WENO (Weighted Essentially Non-Oscillatory) schemes are crucial for numerically simulating time-dependent hyperbolic conservation laws, with the first scheme developed by Liu et al. achieving $(r + 1)$ -th-order accuracy.
- ▶ Subsequent improvements, notably the WENO-JS scheme by Jiang and Shu, enhanced convergence to $(2r - 1)$ th-order accuracy, addressing issues of convergence loss at critical points.
- ▶ Recent developments include the WENO-M and WENO-Z schemes, which utilize different local smoothness indicators (LSIs) to improve performance, particularly near discontinuities, while also introducing computational challenges.

Brief review of the WENO schemes

WENO-JS

- ▶ WENO-JS employs third-order ENO reconstructions and nonlinear weights calculated to ensure stability and convergence, avoiding division by zero.
- ▶ The LSIIs used in WENO-JS are critical for determining the nonlinear weights, which are essential for achieving the desired accuracy in numerical simulations.
- ▶ The scheme's design allows it to achieve full-order convergence in smooth regions, although it struggles near critical points.

Brief review of the WENO schemes

WENO-Z

- ▶ WENO-Z improves upon WENO-JS by ensuring that its nonlinear weights satisfy a sufficient condition for full-order convergence accuracy, particularly near critical points.
- ▶ This enhancement allows WENO-Z to maintain higher accuracy in simulations where WENO-JS may falter, especially in the presence of discontinuities.

Brief review of the WENO schemes

WENO-NS

- ▶ The WENO-NS scheme introduces a user-tunable parameter to enhance the performance of the nonlinear weights, allowing for optimal-order convergence even at critical points.
- ▶ The nonlinear weights are derived from a specific function, ensuring that the scheme can adapt to various flow conditions effectively.

Brief review of the WENO schemes

WENO-P

- ▶ WENO-P further refines the nonlinear weights to achieve optimal-order convergence at first-order critical points, addressing limitations found in previous schemes.
- ▶ The introduction of a user-tunable parameter allows for greater flexibility and adaptability in the scheme's performance across different scenarios.

Brief review of the WENO schemes

MWENO-P

- ▶ The MWENO-P scheme builds on the strengths of WENO-P, providing improved nonlinear weights that maintain optimal convergence at critical points.
- ▶ Numerical analyses confirm that MWENO-P outperforms other WENO schemes in simulating complex flows with discontinuities.

Brief review of the WENO schemes

MWENO-P

- ▶ The MWENO-P scheme builds on the strengths of WENO-P, providing improved nonlinear weights that maintain optimal convergence at critical points.
- ▶ Numerical analyses confirm that MWENO-P outperforms other WENO schemes in simulating complex flows with discontinuities.

The improved MWENO-P scheme with symmetry-preserving smoothness indicators

IMWENO-P

- ▶ The new LSIs introduced in the improved MWENO-P scheme are designed to enhance performance by incorporating symmetry-preserving properties.
- ▶ The proposed global smoothness indicator (GSI) is shown to reduce numerical dissipation near discontinuities, improving the overall accuracy of the scheme.
- ▶ The elimination of user-tunable parameters simplifies the implementation of the scheme while maintaining its robustness.

Convergence property of IMWENO-P at critical points

IMWENO-P

- ▶ The theoretical analysis demonstrates that IMWENO-P achieves optimal convergence orders even near first-order and second-order critical points.
- ▶ Taylor series expansions of the LSIs confirm the scheme's ability to maintain accuracy in challenging numerical scenarios.

- ▶ A series of numerical tests validate the performance of IMWENO-P, showing its superior accuracy and stability compared to other WENO schemes.
- ▶ The experiments cover various scenarios, including scalar conservation laws and Euler equations, highlighting the scheme's robustness in capturing fine structures and discontinuities.

Numerical experiments

1D scalar conservation laws

- ▶ The numerical tests reveal that IMWENO-P consistently outperforms WENO-JS, WENO-Z, and other schemes in terms of accuracy and resolution.
- ▶ Even in cases with critical points, IMWENO-P maintains its desired convergence orders, demonstrating its effectiveness in complex flow simulations.

Numerical experiments

Computational efficiency test

Example 1: $u_0(x) = \sin(\pi x)$, Example 2: $u_0(x) = \sin^3(\pi x)$

- ▶ The computational efficiency of IMWENO-P is assessed against other schemes, showing that it achieves lower errors with less CPU time in certain scenarios.
- ▶ The results indicate that IMWENO-P balances accuracy and computational cost effectively, making it a viable option for practical applications.

Numerical experiments

1D Euler equations

- ▶ IMWENO-P demonstrates superior performance in capturing discontinuities in the 1D Euler equations, outperforming traditional WENO schemes.
- ▶ The scheme's ability to maintain high resolution in complex flow scenarios is highlighted through various numerical tests.

Numerical experiments

1D Euler equations

Example 7: Lax shock tube

$$(\rho, u, p) = \begin{cases} (0.445, 0.698, 3.528), & \text{on the left,} \\ (0.5, 0, 0.571), & \text{on the right.} \end{cases}$$

- ▶ The performance of IMWENO-P is further validated in high-frequency wave problems, where it consistently achieves higher resolution compared to other WENO schemes.
- ▶ The results indicate that IMWENO-P effectively captures intricate flow features, showcasing its robustness in challenging numerical environments.

Numerical experiments

2D Euler equations

- ▶ In 2D simulations, IMWENO-P excels in resolving complex flow structures, outperforming WENO-JS and WENO-Z in terms of numerical dissipation.
- ▶ The scheme's ability to capture instabilities and fine details in the flow field is demonstrated through various test cases.

- ▶ The study concludes that IMWENO-P successfully recovers optimal convergence orders near critical points, enhancing the accuracy of numerical simulations.
- ▶ The numerical experiments confirm that IMWENO-P not only resolves fine structures effectively but also reduces dissipation near discontinuities, making it a robust choice for simulating complex flows.

Thank you for listening!

Questions?