

웹프로그래밍

2021563001 강동협

- GiT 정리

CONTENTS

0 p58,104openchallenge

1 0925

2 1008

3 1028

4 1030

5 1109

6 1119

7 1125

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4 <meta charset="UTF-8">
5 <title>니의 소개</title>
6 <style>
7     body{ background-color : lavender; color : green; margin-left : 40px; margin-right : 40px;}
8     h3{ text-align : center; color : blue;}
9     hr{ height : 5px; border : solid grey; background-color : grey }
10    span{ color : darkred; font-size : 20px; }
11 </style>
12 <script>
13     function show() {
14         document.getElementById("fig").src = "media/shrek.png"
15     }
16     function hide() {
17         document.getElementById("fig").src = "";
18     }
19 </script>
20 </head>
21 <body>
22     onmouseover="show()" onmouseout="hide()">관동초</h3>
23     <br>
24     <div id="fig" src=""></div>
25     <p>경는 경상대학교에서 소프트웨어공학에 재학 중입니다. 재가 졸업 후에는 <span>웹 프로그래밍</span>이라고, 그 중에서도 <span>HTML</span></span>하는 것을 좋아합니다.
26 </body>
27 </html>

```

0 : p58,104openchallenge 1,2장

1장 웹과 HTML5의 중요성,HTML5 웹페이지 작성의 기본을 challenge를 통해 복습하였습니다.

2장 HTML5 태그로 웹 페이지 만들기를 challenge를 통해 복습하였습니다.

```

1 <!-- HTML5 Boilerplate 5.0.0 (2014-07-01) -->
2 <!-- You can learn more about HTML5 Boilerplate here:
3      http://front-end-boilerplate.com
4 -->
5 <!-- Basic HTML5 structure -->
6 <html>
7 <head>
8 <meta charset="utf-8">
9 <meta http-equiv="X-UA-Compatible" content="IE=edge">
10 <meta name="viewport" content="width=device-width, initial-scale=1">
11 <title><!-- Page title --></title>
12 <link href="http://front-end-boilerplate.com" rel="stylesheet">
13 </head>
14 <body>
15 <!-- Page content -->
16 <div>
17 <div>
18 <div>
19 <div>
20 <div>
21 <div>
22 <div>
23 <div>
24 <div>
25 <div>
26 <div>
27 <div>
28 <div>
29 <div>
30 <div>
31 <div>
32 <div>
33 <div>
34 <div>
35 <div>
36 <div>
37 <div>
38 <div>
39 <div>
40 <div>
41 <div>
42 <div>
43 <div>
44 <div>
45 <div>
46 <div>
47 <div>
48 <div>
49 <div>
50 <div>
51 <div>
52 <div>
53 <div>
54 <div>
55 <div>
56 <div>
57 <div>
58 <div>
59 <div>
60 <div>
61 <div>
62 <div>
63 <div>
64 <div>
65 <div>
66 <div>
67 <div>
68 <div>
69 <div>
70 <div>
71 <div>
72 <div>
73 <div>
74 <div>
75 <div>
76 <div>
77 <div>
78 <div>
79 <div>
80 <div>
81 <div>
82 <div>
83 <div>
84 <div>
85 <div>
86 <div>
87 <div>
88 <div>
89 <div>
90 <div>
91 <div>
92 <div>
93 <div>
94 <div>
95 <div>
96 <div>
97 <div>
98 <div>
99 <div>
100 <div>

```

1 : 0925 - 2,3장

2장,3장 내용을 연습문제와 openchallenge를 통해 복습하였습니다.

HTML5 웹 페이지의 구조화 기법 및 폼 문서 만들기를 배웠습니다.

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8">
5   <title>자기 소개</title>
6 </head>
7 <body>
8   <h3>자기 소개</h3>
9   <hr>
10  <p>
11    안녕하세요. 저는 강동협입니다. 현재 경성대학교에 재학 중이며 소프트웨어학과에 다니고 있습니다.
12    지금 년도에는 학생회를 하고 있습니다. 안녕~~
13  </p>
14  <video src="./donghyup.mp4" loop controls width="100%"></video>
15 </body>
16 </html>
```

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8">
5   <title>도형 서식 폼 만들기</title>
6 </head>
7 <body>
8   <h3>도형 서식 폼 만들기</h3>
9   <hr>
10  <form>
11    <fieldset>
12      <legend>도형 서식 입력</legend>
13      <label>선종류 <select size=3>
14        <option>선없음</option>
15        <option>실선</option>
16        <option>점선</option>
17      </select>
18      </label><br>
19
20      <label>선두께 <input type="number" min="1" max="50" step="1"></label>
21
22      <label>선색 <input type="color" value="#00bfff"></label><br><br>
23
24      <label>투명도(0-100) : <input type="range" list="transparency" min="0" max="100">
25
26        <datalist id="transparency">
27          <option value="0" label="투명">
28          <option value="50" label="중간">
29          <option value="100" label="불투명">
30        </datalist>
31      </label><br>
32    </fieldset>
33  </form>
34 </body>
35 </html>
```

css3로 웹 페이지 꾸미기,css3 고급 활용 파트를 배우고 연습문제를 통해 복습하였습니다.

css3로 웹 페이지 꾸미기,css3 고급 활용 파트를 배우고 연습문제를 통해 복습하였습니다.

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8">
5   <title>text-shadow</title>
6   <style>
7     h2 {
8       text-align: center;
9       color: yellow;
10      text-shadow: 2px 2px 3px blue;
11    }
12
13    img:hover {
14      box-shadow: 0px 0px 5px blue;
15    }
16  </style>
17 </head>
18 <body>
19   <h2>Most Visited Pages</h2>
20   <hr>
21   <table>
22     <tr>
23       <td>a href="http://www.naver.com">
24         
25       </td>
26       <td>a href="http://www.chosun.com">
27         
28       </td>
29       <td>a href="http://www.amazon.com">
30         
31       </td>
32     </tr>
33   </table>
34 </body>
35 </html>

```

```

1  body {
2      background: aliceblue;
3  }
4
5  h1 {
6      color: brown;
7      text-align: center;
8  }
9
10 h2 {
11     text-shadow: 3px 3px 5px skyblue;
12     color: blue;
13 }
14
15 p {
16     font-family: "宋体黑体宋体";
17     font-size: 1em;
18     text-indent: 1em;
19 }
20
21 a {
22     text-decoration: none;
23 }
24
25 header {
26     border-bottom-style: solid;
27     border-bottom-width: 1px;
28 }
29
30 nav ul {
31     border-style: dotted;
32     border-width: 1px;
33 }
34
35 footer {
36     border-radius: 18px;
37     background: orange;
38 }

```

```

1  @font-face {
2    font-family:
3      sans-serif;
4    src:
5      url(fonts/woff2/woff2.woff2)
6      url(fonts/woff2/woff2.woff2)
7      url(fonts/woff2/woff2.woff2)
8      url(fonts/woff2/woff2.woff2)
9      url(fonts/woff2/woff2.woff2)
10     ;
11  }
12
13  @font-face {
14    font-family: sans-serif;
15    src:
16      url(fonts/woff2/woff2.woff2)
17      url(fonts/woff2/woff2.woff2)
18      url(fonts/woff2/woff2.woff2)
19      url(fonts/woff2/woff2.woff2)
20      url(fonts/woff2/woff2.woff2)
21     ;
22  }
23
24  @font-face {
25    font-family: sans-serif;
26    src:
27      url(fonts/woff2/woff2.woff2)
28      url(fonts/woff2/woff2.woff2)
29      url(fonts/woff2/woff2.woff2)
30      url(fonts/woff2/woff2.woff2)
31      url(fonts/woff2/woff2.woff2)
32     ;
33  }
34
35  @font-face {
36    font-family: sans-serif;
37    src:
38      url(fonts/woff2/woff2.woff2)
39      url(fonts/woff2/woff2.woff2)
40      url(fonts/woff2/woff2.woff2)
41      url(fonts/woff2/woff2.woff2)
42      url(fonts/woff2/woff2.woff2)
43     ;
44  }
45
46  @font-face {
47    font-family: sans-serif;
48    src:
49      url(fonts/woff2/woff2.woff2)
50      url(fonts/woff2/woff2.woff2)
51      url(fonts/woff2/woff2.woff2)
52      url(fonts/woff2/woff2.woff2)
53      url(fonts/woff2/woff2.woff2)
54     ;
55  }
56
57  @font-face {
58    font-family: sans-serif;
59    src:
60      url(fonts/woff2/woff2.woff2)
61      url(fonts/woff2/woff2.woff2)
62      url(fonts/woff2/woff2.woff2)
63      url(fonts/woff2/woff2.woff2)
64      url(fonts/woff2/woff2.woff2)
65     ;
66  }
67
68  @font-face {
69    font-family: sans-serif;
70    src:
71      url(fonts/woff2/woff2.woff2)
72      url(fonts/woff2/woff2.woff2)
73      url(fonts/woff2/woff2.woff2)
74      url(fonts/woff2/woff2.woff2)
75      url(fonts/woff2/woff2.woff2)
76     ;
77  }
78
79  @font-face {
80    font-family: sans-serif;
81    src:
82      url(fonts/woff2/woff2.woff2)
83      url(fonts/woff2/woff2.woff2)
84      url(fonts/woff2/woff2.woff2)
85      url(fonts/woff2/woff2.woff2)
86      url(fonts/woff2/woff2.woff2)
87     ;
88  }
89
90  @font-face {
91    font-family: sans-serif;
92    src:
93      url(fonts/woff2/woff2.woff2)
94      url(fonts/woff2/woff2.woff2)
95      url(fonts/woff2/woff2.woff2)
96      url(fonts/woff2/woff2.woff2)
97      url(fonts/woff2/woff2.woff2)
98     ;
99  }
100
101  @font-face {
102    font-family: sans-serif;
103    src:
104      url(fonts/woff2/woff2.woff2)
105      url(fonts/woff2/woff2.woff2)
106      url(fonts/woff2/woff2.woff2)
107      url(fonts/woff2/woff2.woff2)
108      url(fonts/woff2/woff2.woff2)
109     ;
110  }
111
112  @font-face {
113    font-family: sans-serif;
114    src:
115      url(fonts/woff2/woff2.woff2)
116      url(fonts/woff2/woff2.woff2)
117      url(fonts/woff2/woff2.woff2)
118      url(fonts/woff2/woff2.woff2)
119      url(fonts/woff2/woff2.woff2)
120     ;
121  }
122
123  @font-face {
124    font-family: sans-serif;
125    src:
126      url(fonts/woff2/woff2.woff2)
127      url(fonts/woff2/woff2.woff2)
128      url(fonts/woff2/woff2.woff2)
129      url(fonts/woff2/woff2.woff2)
130      url(fonts/woff2/woff2.woff2)
131     ;
132  }
133
134  @font-face {
135    font-family: sans-serif;
136    src:
137      url(fonts/woff2/woff2.woff2)
138      url(fonts/woff2/woff2.woff2)
139      url(fonts/woff2/woff2.woff2)
140      url(fonts/woff2/woff2.woff2)
141      url(fonts/woff2/woff2.woff2)
142     ;
143  }
144
145  @font-face {
146    font-family: sans-serif;
147    src:
148      url(fonts/woff2/woff2.woff2)
149      url(fonts/woff2/woff2.woff2)
150      url(fonts/woff2/woff2.woff2)
151      url(fonts/woff2/woff2.woff2)
152      url(fonts/woff2/woff2.woff2)
153     ;
154  }
155
156  @font-face {
157    font-family: sans-serif;
158    src:
159      url(fonts/woff2/woff2.woff2)
160      url(fonts/woff2/woff2.woff2)
161      url(fonts/woff2/woff2.woff2)
162      url(fonts/woff2/woff2.woff2)
163      url(fonts/woff2/woff2.woff2)
164     ;
165  }
166
167  @font-face {
168    font-family: sans-serif;
169    src:
170      url(fonts/woff2/woff2.woff2)
171      url(fonts/woff2/woff2.woff2)
172      url(fonts/woff2/woff2.woff2)
173      url(fonts/woff2/woff2.woff2)
174      url(fonts/woff2/woff2.woff2)
175     ;
176  }
177
178  @font-face {
179    font-family: sans-serif;
180    src:
181      url(fonts/woff2/woff2.woff2)
182      url(fonts/woff2/woff2.woff2)
183      url(fonts/woff2/woff2.woff2)
184      url(fonts/woff2/woff2.woff2)
185      url(fonts/woff2/woff2.woff2)
186     ;
187  }
188
189  @font-face {
190    font-family: sans-serif;
191    src:
192      url(fonts/woff2/woff2.woff2)
193      url(fonts/woff2/woff2.woff2)
194      url(fonts/woff2/woff2.woff2)
195      url(fonts/woff2/woff2.woff2)
196      url(fonts/woff2/woff2.woff2)
197     ;
198  }
199
200  @font-face {
201    font-family: sans-serif;
202    src:
203      url(fonts/woff2/woff2.woff2)
204      url(fonts/woff2/woff2.woff2)
205      url(fonts/woff2/woff2.woff2)
206      url(fonts/woff2/woff2.woff2)
207      url(fonts/woff2/woff2.woff2)
208     ;
209  }
210
211  @font-face {
212    font-family: sans-serif;
213    src:
214      url(fonts/woff2/woff2.woff2)
215      url(fonts/woff2/woff2.woff2)
216      url(fonts/woff2/woff2.woff2)
217      url(fonts/woff2/woff2.woff2)
218      url(fonts/woff2/woff2.woff2)
219     ;
220  }
221
222  @font-face {
223    font-family: sans-serif;
224    src:
225      url(fonts/woff2/woff2.woff2)
226      url(fonts/woff2/woff2.woff2)
227      url(fonts/woff2/woff2.woff2)
228      url(fonts/woff2/woff2.woff2)
229      url(fonts/woff2/woff2.woff2)
230     ;
231  }
232
233  @font-face {
234    font-family: sans-serif;
235    src:
236      url(fonts/woff2/woff2.woff2)
237      url(fonts/woff2/woff2.woff2)
238      url(fonts/woff2/woff2.woff2)
239      url(fonts/woff2/woff2.woff2)
240      url(fonts/woff2/woff2.woff2)
241     ;
242  }
243
244  @font-face {
245    font-family: sans-serif;
246    src:
247      url(fonts/woff2/woff2.woff2)
248      url(fonts/woff2/woff2.woff2)
249      url(fonts/woff2/woff2.woff2)
250      url(fonts/woff2/woff2.woff2)
251      url(fonts/woff2/woff2.woff2)
252     ;
253  }
254
255  @font-face {
256    font-family: sans-serif;
257    src:
258      url(fonts/woff2/woff2.woff2)
259      url(fonts/woff2/woff2.woff2)
260      url(fonts/woff2/woff2.woff2)
261      url(fonts/woff2/woff2.woff2)
262      url(fonts/woff2/woff2.woff2)
263     ;
264  }
265
266  @font-face {
267    font-family: sans-serif;
268    src:
269      url(fonts/woff2/woff2.woff2)
270      url(fonts/woff2/woff2.woff2)
271      url(fonts/woff2/woff2.woff2)
272      url(fonts/woff2/woff2.woff2)
273      url(fonts/woff2/woff2.woff2)
274     ;
275  }
276
277  @font-face {
278    font-family: sans-serif;
279    src:
280      url(fonts/woff2/woff2.woff2)
281      url(fonts/woff2/woff2.woff2)
282      url(fonts/woff2/woff2.woff2)
283      url(fonts/woff2/woff2.woff2)
284      url(fonts/woff2/woff2.woff2)
285     ;
286  }
287
288  @font-face {
289    font-family: sans-serif;
290    src:
291      url(fonts/woff2/woff2.woff2)
292      url(fonts/woff2/woff2.woff2)
293      url(fonts/woff2/woff2.woff2)
294      url(fonts/woff2/woff2.woff2)
295      url(fonts/woff2/woff2.woff2)
296     ;
297  }
298
299  @font-face {
300    font-family: sans-serif;
301    src:
302      url(fonts/woff2/woff2.woff2)
303      url(fonts/woff2/woff2.woff2)
304      url(fonts/woff2/woff2.woff2)
305      url(fonts/woff2/woff2.woff2)
306      url(fonts/woff2/woff2.woff2)
307     ;
308  }
309
310  @font-face {
311    font-family: sans-serif;
312    src:
313      url(fonts/woff2/woff2.woff2)
314      url(fonts/woff2/woff2.woff2)
315      url(fonts/woff2/woff2.woff2)
316      url(fonts/woff2/woff2.woff2)
317      url(fonts/woff2/woff2.woff2)
318     ;
319  }
320
321  @font-face {
322    font-family: sans-serif;
323    src:
324      url(fonts/woff2/woff2.woff2)
325      url(fonts/woff2/woff2.woff2)
326      url(fonts/woff2/woff2.woff2)
327      url(fonts/woff2/woff2.woff2)
328      url(fonts/woff2/woff2.woff2)
329     ;
330  }
331
332  @font-face {
333    font-family: sans-serif;
334    src:
335      url(fonts/woff2/woff2.woff2)
336      url(fonts/woff2/woff2.woff2)
337      url(fonts/woff2/woff2.woff2)
338      url(fonts/woff2/woff2.woff2)
339      url(fonts/woff2/woff2.woff2)
340     ;
341  }
342
343  @font-face {
344    font-family: sans-serif;
345    src:
346      url(fonts/woff2/woff2.woff2)
347      url(fonts/woff2/woff2.woff2)
348      url(fonts/woff2
```

3 : 1028 - 6,7장

6장,7장 내용인 자바스크립트 언어,
변수,조건문,반복문, Date,Array,String Math와
사용자 만들기라는 수업 내용을 통해
연습문제를 풀고 복습하였습니다.

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="UTF-8">
5   <title>eval()로 수식 계산</title>
6 </head>
7 <body>
8   <h3>eval()로 수식 계산</h3>
9   <hr>
10  <script>
11    var num = prompt("수식 입력", "");
12    var a = eval(num);
13    document.write(num + "=" + a);
14  </script>
15 </body>
16 </html>
```

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8"/>
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <title>Math.random()으로 랜덤한 색 만들기</title>
7   <meta name="viewport" content="width=device-width, initial-scale=1">
8   <style>
9     <div {
10       display: inline-block;
11       width: 150px;
12       padding: 10px;
13     }
14   </style>
15 </head>
16 <body>
17   <h3>16개의 랜덤한 색 만들기</h3>
18   <hr>
19   <script>
20     for (var i = 0; i < 4; ++i) {
21       for (var j = 0; j < 4; ++j) {
22         var x = Math.random() * 255;
23         x = Math.floor(x);
24         var y = Math.random() * 255;
25         y = Math.floor(y);
26         var z = Math.random() * 255;
27         z = Math.floor(z);
28         document.write("<div style='background-color : ";
29         document.write("rgb(" + x + "," + y + "," + z + ")'>");
30         document.write("rgb(" + x + "," + y + "," + z + ")");
31         document.write("</div>");
32       }
33       document.write("<br>");
34     }
35   </script>
36 </body>
37 </html>
```

4 : 1030 - 8,9장

HTML DOM과 Document, 이벤트 기초 및 활용을
통해 연습문제를 풀었습니다.

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <title>리면을 끝이는 순서</title>
</script>
  function additem(parent) {
    let text = prompt("리면을 끝이는 순서를 입력하라", "");
    if (text == null || text == "")
      return;

    let liObj = document.createElement("li");
    liObj.innerHTML = text;
    parent.appendChild(liObj);
  }
</script>
</head>
<body>
<h3>리면을 끝이는 순서</h3>
<hr>
<ol type="A" style="background-color:yellowgreen"
  onclick="additem(this)">
  <li>물을 끓인다.</li>
</ol>
</body>
</html>
```

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8"/>
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <title>이벤트 객체의 target</title>
7   <meta name="viewport" content="width=device-width, initial-scale=1">
8   <script>
9     var sw = 0;
10
11     function init() {
12       var liArray = document.getElementsByTagName("li");
13       for (var i = 0; i < liArray.length; ++i) {
14         liArray[i].onclick = click;
15       }
16
17       function click(e) {
18         reset();
19         e.target.style.fontSize = "1.3em";
20       }
21
22       function reset() {
23         for (var i = 0; i < liArray.length; ++i) {
24           liArray[i].style.fontSize = "1em";
25         }
26       }
27     }
28
29     </script>
30 </head>
31 <body onload="init()">
32 <h3>아이템을 클릭하면 1.3배 크기로</h3>
33 <hr>
34 <p>예를 발탁 해 주고 싶은 것들</p>
35 <ul>
36   <li>자연어로 대한민국 일주</li>
37   <li>최 100명 참가</li>
38   <li>출된 3종 경기 준비</li>
39   <li>자바스크립트 컴백</li>
40 </ul>
41 </body>
42 </html>
```

5 : 1109 - 별첨자료 수정

<https://ftpserver.ksecole.kr/files/>에 올라와있는 별첨 자료를 제 방식에 맞게 구성하고 꾸미고 하는 과제를 하였습니다.

```
1 <!DOCTYPE html>
2 <html lang="ko">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>2023년 - 11월 9일</title>
7   <style>
8     body {
9       display: flex;
10      justify-content: center;
11      align-items: center;
12      min-height: 100vh;
13      font-family: Arial, sans-serif;
14      background-color: #f0f0f0;
15      margin: 0;
16    }
17    #profile {
18      background: #fff;
19      padding: 10px;
20      border-radius: 10px;
21      box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
22      text-align: center;
23      min-width: 300px;
24    }
25  </style>
26 </head>
27 <body>
28   <div id="profile"></div>
29
30   <script>
31     // 프로필 정보
32     const profileData = {
33       이름: "김민준",
34       나이: "23세",
35       성별: "남성",
36       직업: "소프트웨어 개발자",
37       학위: "석사, 컴퓨터 공학",
38       관심: "기술, 과학, 여행",
39       소개: "나는 최신 기술에 관심이 많고, 특히 AI와 클라우드 컴퓨팅에 관심이 있습니다. 또한, 새로운 것을 배우는 것을 좋아합니다."
40     };
41
42     // 프로필 정보 표시
43     const profileContainer = document.getElementById("profile");
44     profileContainer.innerHTML = `<div>{profileData.이름}</div> <br>
45     <div>{profileData.나이}</div> <br>
46     <div>{profileData.성별}</div> <br>
47     <div>{profileData.직업}</div> <br>
48     <div>{profileData.학위}</div> <br>
49     <div>{profileData.관심}</div> <br>
50     <div>{profileData.소개}</div>`;
51   </script>
52 </body>
53 </html>
```


6 : 1119 - 수업 과제

[illegible]

합본 파일

- 기타 과월
- 기타1
- 기타2
- 기타3
- 기타4
- 기타5
- 기타6
- 기타7
- 기타8
- 기타9
- 기타10
- 기타11
- 기타12
- 기타13
- 기타14
- 기타 과월
- 기타15
- 기타16
- 기타17
- 기타18
- 기타19
- 기타20
- 기타21
- 기타22
- 기타23
- 기타24
- 기타25
- 기타26
- 기타27
- 기타28
- 기타29
- 기타30
- 기타31
- 기타32
- 기타33
- 기타34
- 기타35
- 기타36
- 기타37
- 기타38
- 기타39
- 기타40
- 기타41
- 기타42
- 기타43
- 기타44
- 기타45
- 기타46
- 기타47
- 기타48
- 기타49
- 기타50
- 기타51
- 기타52
- 기타53
- 기타54
- 기타55
- 기타56
- 기타57
- 기타58
- 기타59
- 기타60
- 기타61
- 기타62
- 기타63
- 기타64
- 기타65
- 기타66
- 기타67
- 기타68
- 기타69
- 기타70
- 기타71
- 기타72
- 기타73
- 기타74
- 기타75
- 기타76
- 기타77
- 기타78
- 기타79
- 기타80
- 기타81
- 기타82
- 기타83
- 기타84
- 기타85
- 기타86
- 기타87
- 기타88
- 기타89
- 기타90
- 기타91
- 기타92
- 기타93
- 기타94
- 기타95
- 기타96
- 기타97
- 기타98
- 기타99
- 기타100
- 기타101
- 기타102
- 기타103
- 기타104
- 기타105
- 기타106
- 기타107
- 기타108
- 기타109
- 기타110
- 기타111
- 기타112
- 기타113
- 기타114
- 기타115
- 기타116
- 기타117
- 기타118
- 기타119
- 기타120
- 기타121
- 기타122
- 기타123
- 기타124
- 기타125
- 기타126
- 기타127
- 기타128
- 기타129
- 기타130
- 기타131
- 기타132
- 기타133
- 기타134
- 기타135
- 기타136
- 기타137
- 기타138
- 기타139
- 기타140
- 기타141
- 기타142
- 기타143
- 기타144
- 기타145
- 기타146
- 기타147
- 기타148
- 기타149
- 기타150
- 기타151
- 기타152
- 기타153
- 기타154
- 기타155
- 기타156
- 기타157
- 기타158
- 기타159
- 기타160
- 기타161
- 기타162
- 기타163
- 기타164
- 기타165
- 기타166
- 기타167
- 기타168
- 기타169
- 기타170
- 기타171
- 기타172
- 기타173
- 기타174
- 기타175
- 기타176
- 기타177
- 기타178
- 기타179
- 기타180
- 기타181
- 기타182
- 기타183
- 기타184
- 기타185
- 기타186
- 기타187
- 기타188
- 기타189
- 기타190
- 기타191
- 기타192
- 기타193
- 기타194
- 기타195
- 기타196
- 기타197
- 기타198
- 기타199
- 기타200
- 기타201
- 기타202
- 기타203
- 기타204
- 기타205
- 기타206
- 기타207
- 기타208
- 기타209
- 기타210
- 기타211
- 기타212
- 기타213
- 기타214
- 기타215
- 기타216
- 기타217
- 기타218
- 기타219
- 기타220
- 기타221
- 기타222
- 기타223
- 기타224
- 기타225
- 기타226
- 기타227
- 기타228
- 기타229
- 기타230
- 기타231
- 기타232
- 기타233
- 기타234
- 기타235
- 기타236
- 기타237
- 기타238
- 기타239
- 기타240
- 기타241
- 기타242
- 기타243
- 기타244
- 기타245
- 기타246
- 기타247
- 기타248
- 기타249
- 기타250
- 기타251
- 기타252
- 기타253
- 기타254
- 기타255
- 기타256
- 기타257
- 기타258
- 기타259
- 기타260
- 기타261
- 기타262
- 기타263
- 기타264
- 기타265
- 기타266
- 기타267
- 기타268
- 기타269
- 기타270
- 기타271
- 기타272
- 기타273
- 기타274
- 기타275
- 기타276
- 기타277
- 기타278
- 기타279
- 기타280
- 기타281
- 기타282
- 기타283
- 기타284
- 기타285
- 기타286
- 기타287
- 기타288
- 기타289
- 기타290
- 기타291
- 기타292
- 기타293
- 기타294
- 기타295
- 기타296
- 기타297
- 기타298
- 기타299
- 기타300
- 기타301
- 기타302
- 기타303
- 기타304
- 기타305
- 기타306
- 기타307
- 기타308
- 기타309
- 기타310
- 기타311
- 기타312
- 기타313
- 기타314
- 기타315
- 기타316
- 기타317
- 기타318
- 기타319
- 기타320
- 기타321
- 기타322
- 기타323
- 기타324
- 기타325
- 기타326
- 기타327
- 기타328
- 기타329
- 기타330
- 기타331
- 기타332
- 기타333
- 기타334
- 기타335
- 기타336
- 기타337
- 기타338
- 기타339
- 기타340
- 기타341
- 기타342
- 기타343
- 기타344
- 기타345
- 기타346
- 기타347
- 기타348
- 기타349
- 기타350
- 기타351
- 기타352
- 기타353
- 기타354
- 기타355
- 기타356
- 기타357
- 기타358
- 기타359
- 기타360
- 기타361
- 기타362
- 기타363
- 기타364
- 기타365
- 기타366
- 기타367
- 기타368
- 기타369
- 기타370
- 기타371
- 기타372
- 기타373
- 기타374
- 기타375
- 기타376
- 기

수업 시간에 교수님이 제공해주신 파일들을 하나로 합치는 합본 파일로 만드는 과제를 하였습니다.

7 : 1125 - 12,13장

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8">
5   <title>이름으로 학번 검색</title>
6   <script>
7     function search() {
8       if (!window.sessionStorage) {
9         alert("지원하지 않습니다.");
10        return;
11      }
12
13      let name = document.getElementById("name").value;
14      let sid = sessionStorage.getItem(name);
15      if (sid == null) {
16        alert(name + " 학생이 없습니다.");
17        return;
18      }
19
20      document.getElementById("sid").value = sid;
21    }
22  </script>
23 </head>
24 <body>
25   <h3>이름으로 학번 검색</h3>
26   <hr>
27   <form>
28     <label>검색할 이름 <input id="name" type="text" size="10"></label>
29     <br>
30     <label>검색된 학번 <input id="sid" type="text" size="10"></label>
31     <input type="button" value="스토리지에서 검색" onclick="search()">
32   </form>
33   <br>
34   <a href="01-store.html">이름과 학번 저장 페이지로</a>
35 </body>
```

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4   <meta charset="utf-8">
5   <title>이름과 학번 입력</title>
6   <script>
7     function store() {
8       if (!window.sessionStorage) {
9         alert("지원하지 않습니다.");
10      return;
11    }
12    let name = document.getElementById("name").value;
13    let sid = document.getElementById("sid").value;
14    sessionStorage.setItem(name, sid);
15  }
16 </script>
17 </head>
18 <body>
19   <h3>이름과 학번 입력</h3>
20   <hr>
21   <form>
22     <label>이름 <input id="name" type="text" size="10"></label>
23     <br>
24     <label>학번 <input id="sid" type="text" size="10"></label>
25     <input type="button" value="스토리지에 저장" onclick="store()">
26   </form>
27   <br>
28   <a href="01-search.html">이름으로 학번 검색 페이지로</a>
29 </body>
30 </html>
```

HTTP5 캔버스 그래픽 구현과 HTTP와 쿠키, 웹 스토리지를 배웠습니다.

점수 : 30

과제를 열심히 했다고 생각하기에 30점입니다.

감사합니다.

<https://github.com/donghyup/webpgm>