## 1 Full publication list

## References

- [1] **ALICE** Collaboration, D. Kim *et al.*, " $\Lambda_c^+$  production in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Submitted to: Phys. Lett.* (2018), arXiv:1809.10922 [nucl-ex].
- [2] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity dependence of light-flavor hadron production in pp collisions at  $\sqrt{s} = 7$  TeV," *Phys. Rev.* **C99** no. 2, (2019) 024906, arXiv:1807.11321 [nucl-ex].
- [3] **ALICE** Collaboration, D. Kim *et al.*, "Medium modification of the shape of small-radius jets in central Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76\,\mathrm{TeV}$ ," *JHEP* **10** (2018) 139, arXiv:1807.06854 [nucl-ex].
- [4] **ALICE** Collaboration, D. Kim *et al.*, "p-p, p- $\Lambda$  and  $\Lambda$ - $\Lambda$  correlations studied via femtoscopy in pp reactions at  $\sqrt{s} = 7$  TeV," *Phys. Rev.* **C99** no. 2, (2019) 024001, arXiv:1805.12455 [nucl-ex].
- [5] ALICE Collaboration, D. Kim et al., "Analysis of the apparent nuclear modification in peripheral Pb-Pb collisions at 5.02 TeV," arXiv:1805.05212 [nucl-ex].
- [6] **ALICE** Collaboration, D. Kim *et al.*, "Production of the  $\rho(770)^0$  meson in pp and Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," arXiv:1805.04365 [nucl-ex].
- [7] **ALICE** Collaboration, D. Kim *et al.*, "Anisotropic flow of identified particles in Pb-Pb collisions at  $\sqrt{s}_{\rm NN} = 5.02$  TeV," *JHEP* **09** (2018) 006, arXiv:1805.04390 [nucl-ex].
- [8] **ALICE** Collaboration, D. Kim *et al.*, "Azimuthal Anisotropy of Heavy-Flavor Decay Electrons in *p*-Pb Collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV," *Phys. Rev. Lett.* **122** no. 7, (2019) 072301, arXiv:1805.04367 [nucl-ex].
- [9] **ALICE** Collaboration, D. Kim *et al.*, "Inclusive J/ $\psi$  production in Xe–Xe collisions at  $\sqrt{s_{\rm NN}}=5.44$  TeV," *Phys. Lett.* **B785** (2018) 419–428, arXiv:1805.04383 [nucl-ex].
- [10] **ALICE** Collaboration, D. Kim *et al.*, " $\Upsilon$  suppression at forward rapidity in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Lett.* **B790** (2019) 89–101, arXiv:1805.04387 [nucl-ex].
- [11] **ALICE** Collaboration, D. Kim *et al.*, "Dielectron production in proton-proton collisions at  $\sqrt{s} = 7$  TeV," *JHEP* **09** (2018) 064, arXiv:1805.04391 [hep-ex].

- [12] **ALICE** Collaboration, D. Kim *et al.*, "Transverse momentum spectra and nuclear modification factors of charged particles in Xe-Xe collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.44$  TeV," *Phys. Lett.* **B788** (2019) 166–179, arXiv:1805.04399 [nucl-ex].
- [13] **ALICE** Collaboration, D. Kim *et al.*, "Direct photon elliptic flow in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Lett.* **B789** (2019) 308–322, arXiv:1805.04403 [nucl-ex].
- [14] **ALICE** Collaboration, D. Kim *et al.*, "Centrality and pseudorapidity dependence of the charged-particle multiplicity density in Xe–Xe collisions at  $\sqrt{s_{\mathrm{NN}}}$  =5.44TeV," *Phys. Lett.* **B790** (2019) 35–48, arXiv:1805.04432 [nucl-ex].
- [15] **ALICE** Collaboration, D. Kim *et al.*, "Anisotropic flow in Xe-Xe collisions at  $\sqrt{\mathbf{s}_{\text{NN}}} = \mathbf{5.44}$  TeV," *Phys. Lett.* **B784** (2018) 82–95, arXiv:1805.01832 [nucl-ex].
- [16] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of D<sup>0</sup>, D<sup>+</sup>, D<sup>\*+</sup> and D<sub>s</sub><sup>+</sup> production in Pb-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *JHEP* **10** (2018) 174, arXiv:1804.09083 [nucl-ex].
- [17] **ALICE** Collaboration, D. Kim *et al.*, "Energy dependence and fluctuations of anisotropic flow in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  and 2.76 TeV," *JHEP* **07** (2018) 103, arXiv:1804.02944 [nucl-ex].
- [18] **ALICE** Collaboration, D. Kim *et al.*, "Direct photon production at low transverse momentum in proton-proton collisions at  $\sqrt{s} = 2.76$  and 8 TeV," *Phys. Rev.* **C99** no. 2, (2019) 024912, arXiv:1803.09857 [nucl-ex].
- [19] **ALICE** Collaboration, D. Kim *et al.*, "Neutral pion and  $\eta$  meson production at mid-rapidity in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev.* **C98** no. 4, (2018) 044901, arXiv:1803.05490 [nucl-ex].
- [20] ALICE Collaboration, D. Kim et al., "Transverse momentum spectra and nuclear modification factors of charged particles in pp, p-Pb and Pb-Pb collisions at the LHC," JHEP 11 (2018) 013, arXiv:1802.09145 [nucl-ex].
- [21] **ALICE** Collaboration, D. Kim *et al.*, "Neutral pion and  $\eta$  meson production in p-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV," *Eur. Phys. J.* **C78** no. 8, (2018) 624, arXiv:1801.07051 [nucl-ex].
- [22] **ALICE** Collaboration, D. Kim *et al.*, " $\Lambda_c^+$  production in pp collisions at  $\sqrt{s} = 7$  TeV and in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *JHEP* **04** (2018) 108, arXiv:1712.09581 [nucl-ex].

- [23] **ALICE** Collaboration, D. Kim *et al.*, "Constraints on jet quenching in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV measured by the event-activity dependence of semi-inclusive hadron-jet distributions," *Phys. Lett.* **B783** (2018) 95–113, arXiv:1712.05603 [nucl-ex].
- [24] **ALICE** Collaboration, D. Kim *et al.*, "First measurement of  $\Xi_{\rm c}^0$  production in pp collisions at  $\sqrt{s} = 7$  TeV," *Phys. Lett.* **B781** (2018) 8–19, arXiv:1712.04242 [hep-ex].
- [25] **ALICE** Collaboration, D. Kim *et al.*, "Production of <sup>4</sup>He and <sup>4</sup>He in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV at the LHC," *Nucl. Phys.* **A971** (2018) 1–20, arXiv:1710.07531 [nucl-ex].
- [26] **ALICE** Collaboration, D. Kim *et al.*, "Production of deuterons, tritons, 
  <sup>3</sup>He nuclei and their antinuclei in pp collisions at  $\sqrt{s} = 0.9$ , 2.76 and 7 
  TeV," *Phys. Rev.* **C97** no. 2, (2018) 024615, arXiv:1709.08522 
  [nucl-ex].
- [27] **ALICE** Collaboration, D. Kim *et al.*, "Search for collectivity with azimuthal J/ $\psi$ -hadron correlations in high multiplicity p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  and 8.16 TeV," *Phys. Lett.* **B780** (2018) 7–20, arXiv:1709.06807 [nucl-ex].
- [28] **ALICE** Collaboration, D. Kim *et al.*, "J/ $\psi$  elliptic flow in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=5.02$  TeV," *Phys. Rev. Lett.* **119** no. 24, (2017) 242301, arXiv:1709.05260 [nucl-ex].
- [29] **ALICE** Collaboration, D. Kim *et al.*, "Constraining the magnitude of the Chiral Magnetic Effect with Event Shape Engineering in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Lett.* **B777** (2018) 151–162, arXiv:1709.04723 [nucl-ex].
- [30] **ALICE** Collaboration, D. Kim *et al.*, "Kaon femtoscopy in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Rev.* **C96** no. 6, (2017) 064613, arXiv:1709.01731 [nucl-ex].
- [31] **ALICE** Collaboration, D. Kim *et al.*, "Systematic studies of correlations between different order flow harmonics in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Rev.* **C97** no. 2, (2018) 024906, arXiv:1709.01127 [nucl-ex].
- [32] **ALICE** Collaboration, D. Kim *et al.*, " $\pi^0$  and  $\eta$  meson production in proton-proton collisions at  $\sqrt{s} = 8$  TeV," *Eur. Phys. J.* **C78** no. 3, (2018) 263, arXiv:1708.08745 [hep-ex].
- [33] **ALICE** Collaboration, D. Kim *et al.*, "Charged-particle multiplicity distributions over a wide pseudorapidity range in proton-proton collisions at  $\sqrt{s} = 0.9$ , 7, and 8 TeV," *Eur. Phys. J.* **C77** no. 12, (2017) 852, arXiv:1708.01435 [hep-ex].

- [34] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of deuteron spectra and elliptic flow in Pb–Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV at the LHC," *Eur. Phys. J.* **C77** no. 10, (2017) 658, arXiv:1707.07304 [nucl-ex].
- [35] **ALICE** Collaboration, D. Kim *et al.*, "Searches for transverse momentum dependent flow vector fluctuations in Pb-Pb and p-Pb collisions at the LHC," *JHEP* **09** (2017) 032, arXiv:1707.05690 [nucl-ex].
- [36] **ALICE** Collaboration, D. Kim *et al.*, "*D*-meson azimuthal anisotropy in midcentral Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Rev. Lett.* **120** no. 10, (2018) 102301, arXiv:1707.01005 [nucl-ex].
- [37] **ALICE** Collaboration, D. Kim *et al.*, "Measuring  $K_S^0K^{\pm}$  interactions using Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Lett.* **B774** (2017) 64–77, arXiv:1705.04929 [nucl-ex].
- [38] **ALICE** Collaboration, D. Kim *et al.*, "Linear and non-linear flow modes in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Lett.* **B773** (2017) 68–80, arXiv:1705.04377 [nucl-ex].
- [39] **ALICE** Collaboration, D. Kim *et al.*, "J/ $\psi$  production as a function of charged-particle pseudorapidity density in p-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02 \; \mathrm{TeV}$ ," *Phys. Lett.* **B776** (2018) 91–104, arXiv:1704.00274 [nucl-ex].
- [40] ALICE Collaboration, D. Kim et al., "Flow dominance and factorization of transverse momentum correlations in Pb-Pb collisions at the LHC," Phys. Rev. Lett. 118 no. 16, (2017) 162302, arXiv:1702.02665 [nucl-ex].
- [41] **ALICE** Collaboration, D. Kim *et al.*, "Azimuthally differential pion femtoscopy in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **118** no. 22, (2017) 222301, arXiv:1702.01612 [nucl-ex].
- [42] **ALICE** Collaboration, D. Kim *et al.*, "Production of muons from heavy-flavour hadron decays in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *Phys. Lett.* **B770** (2017) 459–472, arXiv:1702.01479 [nucl-ex].
- [43] **ALICE** Collaboration, D. Kim *et al.*, "Production of  $\pi^0$  and  $\eta$  mesons up to high transverse momentum in pp collisions at 2.76 TeV," *Eur. Phys. J.* **C77** no. 5, (2017) 339, arXiv:1702.00917 [hep-ex]. [Eur. Phys. J.C77,no.9,586(2017)].
- [44] **ALICE** Collaboration, D. Kim *et al.*, "First measurement of jet mass in Pb-Pb and p-Pb collisions at the LHC," *Phys. Lett.* **B776** (2018) 249-264, arXiv:1702.00804 [nucl-ex].

- [45] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of D-meson production at mid-rapidity in pp collisions at  $\sqrt{s} = 7$  TeV," *Eur. Phys. J.* C77 no. 8, (2017) 550, arXiv:1702.00766 [hep-ex].
- [46] **ALICE** Collaboration, D. Kim *et al.*, "Energy dependence of forward-rapidity  $J/\psi$  and  $\psi(2S)$  production in pp collisions at the LHC," *Eur. Phys. J.* **C77** no. 6, (2017) 392, arXiv:1702.00557 [hep-ex].
- [47] **ALICE** Collaboration, D. Kim *et al.*, "K\*(892)<sup>0</sup> and  $\phi$ (1020) meson production at high transverse momentum in pp and Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Rev.* **C95** no. 6, (2017) 064606, arXiv:1702.00555 [nucl-ex].
- [48] **ALICE** Collaboration, D. Kim *et al.*, "Production of  $\Sigma(1385)^{\pm}$  and  $\Xi(1530)^{0}$  in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Eur. Phys. J.* C77 no. 6, (2017) 389, arXiv:1701.07797 [nucl-ex].
- [49] **ALICE** Collaboration, D. Kim *et al.*, "Insight into particle production mechanisms via angular correlations of identified particles in pp collisions at  $\sqrt{s} = 7$  TeV," *Eur. Phys. J.* **C77** no. 8, (2017) 569, arXiv:1612.08975 [nucl-ex].
- [50] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of the pseudorapidity density distribution for charged particles in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV," *Phys. Lett.* **B772** (2017) 567–577, arXiv:1612.08966 [nucl-ex].
- [51] **ALICE** Collaboration, D. Kim *et al.*, "W and Z boson production in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *JHEP* **02** (2017) 077, arXiv:1611.03002 [nucl-ex].
- [52] **ALICE** Collaboration, D. Kim *et al.*, "Determination of the event collision time with the ALICE detector at the LHC," *Eur. Phys. J. Plus* **132** no. 2, (2017) 99, arXiv:1610.03055 [physics.ins-det].
- [53] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of the production of high- $p_{\rm T}$  electrons from heavy-flavour hadron decays in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Lett.* **B771** (2017) 467–481, arXiv:1609.07104 [nucl-ex].
- [54] **ALICE** Collaboration, D. Kim *et al.*, "Evolution of the longitudinal and azimuthal structure of the near-side jet peak in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Rev.* **C96** no. 3, (2017) 034904, arXiv:1609.06667 [nucl-ex].
- [55] **ALICE** Collaboration, D. Kim *et al.*, "Anomalous evolution of the near-side jet peak shape in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Rev. Lett.* **119** no. 10, (2017) 102301, arXiv:1609.06643 [nucl-ex].

- [56] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of electrons from beauty-hadron decays in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV and Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* **07** (2017) 052, arXiv:1609.03898 [nucl-ex].
- [57] **ALICE** Collaboration, D. Kim *et al.*, "Jet-like correlations with neutral pion triggers in pp and central Pb-Pb collisions at 2.76 TeV," *Phys. Lett.* **B763** (2016) 238-250, arXiv:1608.07201 [nucl-ex].
- [58] **ALICE** Collaboration, D. Kim *et al.*, "J/ $\psi$  suppression at forward rapidity in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Lett.* **B766** (2017) 212–224, arXiv:1606.08197 [nucl-ex].
- [59] ALICE Collaboration, D. Kim et al., "Enhanced production of multi-strange hadrons in high-multiplicity proton-proton collisions," Nature Phys. 13 (2017) 535-539, arXiv:1606.07424 [nucl-ex].
- [60] **ALICE** Collaboration, D. Kim *et al.*, "Higher harmonic flow coefficients of identified hadrons in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* **09** (2016) 164, arXiv:1606.06057 [nucl-ex].
- [61] **ALICE** Collaboration, D. Kim *et al.*, "Elliptic flow of electrons from heavy-flavour hadron decays at mid-rapidity in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *JHEP* **09** (2016) 028, arXiv:1606.00321 [nucl-ex].
- [62] **ALICE** Collaboration, D. Kim *et al.*, "*D*-meson production in *p*-Pb collisions at  $\sqrt{s_{\rm NN}}$  =5.02 TeV and in pp collisions at  $\sqrt{s}$  =7 TeV," *Phys. Rev.* **C94** no. 5, (2016) 054908, arXiv:1605.07569 [nucl-ex].
- [63] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of azimuthal correlations of D mesons and charged particles in pp collisions at  $\sqrt{s} = 7$  TeV and p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Eur. Phys. J.* **C77** no. 4, (2017) 245, arXiv:1605.06963 [nucl-ex].
- [64] **ALICE** Collaboration, D. Kim *et al.*, "Pseudorapidity dependence of the anisotropic flow of charged particles in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Lett.* **B762** (2016) 376–388, arXiv:1605.02035 [nucl-ex].
- [65] **ALICE** Collaboration, D. Kim *et al.*, "Correlated event-by-event fluctuations of flow harmonics in Pb-Pb collisions at  $\sqrt{s_{_{\mathrm{NN}}}} = 2.76$  TeV," *Phys. Rev. Lett.* **117** (2016) 182301, arXiv:1604.07663 [nucl-ex].
- [66] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of transverse energy at midrapidity in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Rev.* **C94** no. 3, (2016) 034903, arXiv:1603.04775 [nucl-ex].
- [67] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of charged jet production in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Eur. Phys. J.* **C76** no. 5, (2016) 271, arXiv:1603.03402 [nucl-ex].

- [68] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of  $\psi(2S)$  suppression in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *JHEP* **06** (2016) 050, arXiv:1603.02816 [nucl-ex].
- [69] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of D-meson production versus multiplicity in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *JHEP* **08** (2016) 078, arXiv:1602.07240 [nucl-ex].
- [70] **ALICE** Collaboration, D. Kim *et al.*, "Particle identification in ALICE: a Bayesian approach," *Eur. Phys. J. Plus* **131** no. 5, (2016) 168, arXiv:1602.01392 [physics.data-an].
- [71] **ALICE** Collaboration, D. Kim *et al.*, "Anisotropic flow of charged particles in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Rev. Lett.* **116** no. 13, (2016) 132302, arXiv:1602.01119 [nucl-ex].
- [72] **ALICE** Collaboration, D. Kim *et al.*, "Production of K\* (892)<sup>0</sup> and  $\phi$  (1020) in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Eur. Phys. J.* **C76** no. 5, (2016) 245, arXiv:1601.07868 [nucl-ex].
- [73] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity dependence of charged pion, kaon, and (anti)proton production at large transverse momentum in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Lett.* **B760** (2016) 720–735, arXiv:1601.03658 [nucl-ex].
- [74] ALICE Collaboration, D. Kim et al., "Multipion Bose-Einstein correlations in pp,p -Pb, and Pb-Pb collisions at energies available at the CERN Large Hadron Collider," Phys. Rev. C93 no. 5, (2016) 054908, arXiv:1512.08902 [nucl-ex].
- [75] **ALICE** Collaboration, D. Kim *et al.*, "Multi-strange baryon production in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *Phys. Lett.* **B758** (2016) 389–401, arXiv:1512.07227 [nucl-ex].
- [76] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of the charged-particle multiplicity density at midrapidity in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV," *Phys. Rev. Lett.* **116** no. 22, (2016) 222302, arXiv:1512.06104 [nucl-ex].
- [77] **ALICE** Collaboration, D. Kim *et al.*, "Charge-dependent flow and the search for the chiral magnetic wave in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Rev.* **C93** no. 4, (2016) 044903, arXiv:1512.05739 [nucl-ex].
- [78] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of an excess in the yield of  $J/\psi$  at very low  $p_{\rm T}$  in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Rev. Lett.* **116** no. 22, (2016) 222301, arXiv:1509.08802 [nucl-ex].

- [79] **ALICE** Collaboration, D. Kim *et al.*, "Pseudorapidity and transverse-momentum distributions of charged particles in proton-proton collisions at  $\sqrt{s} = 13$  TeV," *Phys. Lett.* **B753** (2016) 319–329, arXiv:1509.08734 [nucl-ex].
- [80] **ALICE** Collaboration, D. Kim *et al.*, "Inclusive quarkonium production at forward rapidity in pp collisions at  $\sqrt{s} = 8$  TeV," *Eur. Phys. J.* **C76** no. 4, (2016) 184, arXiv:1509.08258 [hep-ex].
- [81] **ALICE** Collaboration, D. Kim *et al.*, "Charged-particle multiplicities in proton-proton collisions at  $\sqrt{s} = 0.9$  to 8 TeV," *Eur. Phys. J.* **C77** no. 1, (2017) 33, arXiv:1509.07541 [nucl-ex].
- [82] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of electrons from heavy-flavour hadron decays in p-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02 \; \mathrm{TeV}$ ," *Phys. Lett.* **B754** (2016) 81–93, arXiv:1509.07491 [nucl-ex].
- [83] **ALICE** Collaboration, D. Kim *et al.*, "Azimuthal anisotropy of charged jet production in  $\sqrt{s_{\rm NN}} = 2.76$  TeV Pb-Pb collisions," *Phys. Lett.* **B753** (2016) 511–525, arXiv:1509.07334 [nucl-ex].
- [84] **ALICE** Collaboration, D. Kim *et al.*, "Direct photon production in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Lett.* **B754** (2016) 235–248, arXiv:1509.07324 [nucl-ex].
- [85] **ALICE** Collaboration, D. Kim *et al.*, "Centrality evolution of the charged-particle pseudorapidity density over a broad pseudorapidity range in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Lett.* **B754** (2016) 373–385, arXiv:1509.07299 [nucl-ex].
- [86] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of  $D_s^+$  production and nuclear modification factor in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* **03** (2016) 082, arXiv:1509.07287 [nucl-ex].
- [87] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity and transverse momentum evolution of charge-dependent correlations in pp, p–Pb, and Pb–Pb collisions at the LHC," *Eur. Phys. J.* **C76** no. 2, (2016) 86, arXiv:1509.07255 [nucl-ex].
- [88] **ALICE** Collaboration, D. Kim *et al.*, "Transverse momentum dependence of D-meson production in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *JHEP* **03** (2016) 081, arXiv:1509.06888 [nucl-ex].
- [89] **ALICE** Collaboration, D. Kim *et al.*, "Coherent  $\psi(2S)$  photo-production in ultra-peripheral Pb Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Lett.* **B751** (2015) 358–370, arXiv:1508.05076 [nucl-ex].
- [90] **ALICE** Collaboration, D. Kim *et al.*, "Precision measurement of the mass difference between light nuclei and anti-nuclei," *Nature Phys.* **11** no. 10, (2015) 811–814, arXiv:1508.03986 [nucl-ex].

- [91] ALICE Collaboration, D. Kim et al., "Study of cosmic ray events with high muon multiplicity using the ALICE detector at the CERN Large Hadron Collider," JCAP 1601 (2016) 032, arXiv:1507.07577 [astro-ph.HE].
- [92] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of pion freeze-out radii in Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76$  TeV," *Phys. Rev.* **C93** no. 2, (2016) 024905, arXiv:1507.06842 [nucl-ex].
- [93] **ALICE** Collaboration, D. Kim *et al.*, "Event shape engineering for inclusive spectra and elliptic flow in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Rev.* **C93** no. 3, (2016) 034916, arXiv:1507.06194 [nucl-ex].
- [94] **ALICE** Collaboration, D. Kim *et al.*, "Elliptic flow of muons from heavy-flavour hadron decays at forward rapidity in Pb–Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Lett.* **B753** (2016) 41–56, arXiv:1507.03134 [nucl-ex].
- [95] ALICE Collaboration, D. Kim et al., "Production of light nuclei and anti-nuclei in pp and Pb-Pb collisions at energies available at the CERN Large Hadron Collider," Phys. Rev. C93 no. 2, (2016) 024917, arXiv:1506.08951 [nucl-ex].
- [96] **ALICE** Collaboration, D. Kim *et al.*, " $\phi$ -meson production at forward rapidity in p-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV and in pp collisions at  $\sqrt{s} = 2.76$  TeV," *Phys. Lett.* **B768** (2017) 203–217, arXiv:1506.09206 [nucl-ex].
- [97] **ALICE** Collaboration, D. Kim *et al.*, " $_{\Lambda}^{3}$ H and  $_{\overline{\Lambda}}^{3}\overline{\text{H}}$  production in Pb-Pb collisions at  $\sqrt{s_{\text{NN}}} = 2.76$  TeV," *Phys. Lett.* **B754** (2016) 360–372, arXiv:1506.08453 [nucl-ex].
- [98] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of inclusive  $J/\psi$  production in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *JHEP* 11 (2015) 127, arXiv:1506.08808 [nucl-ex].
- [99] **ALICE** Collaboration, D. Kim *et al.*, "Differential studies of inclusive  $J/\psi$  and  $\psi(2S)$  production at forward rapidity in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* **05** (2016) 179, arXiv:1506.08804 [nucl-ex].
- [100] **ALICE** Collaboration, D. Kim *et al.*, "Forward-central two-particle correlations in p-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV," *Phys. Lett.* **B753** (2016) 126–139, arXiv:1506.08032 [nucl-ex].
- [101] **ALICE** Collaboration, D. Kim *et al.*, "One-dimensional pion, kaon, and proton femtoscopy in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Rev.* **C92** no. 5, (2015) 054908, arXiv:1506.07884 [nucl-ex].

- [102] **ALICE** Collaboration, D. Kim *et al.*, "Search for weakly decaying  $\overline{\Lambda n}$  and  $\Lambda\Lambda$  exotic bound states in central Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Lett.* **B752** (2016) 267–277, arXiv:1506.07499 [nucl-ex].
- [103] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of the nuclear modification factor of charged pions, kaons, and protons in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Rev.* **C93** no. 3, (2016) 034913, arXiv:1506.07287 [nucl-ex].
- [104] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of high-p<sub>T</sub> D meson suppression in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* 11 (2015) 205, arXiv:1506.06604 [nucl-ex]. [Addendum: JHEP06,032(2017)].
- [105] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of jet quenching with semi-inclusive hadron-jet distributions in central Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *JHEP* **09** (2015) 170, arXiv:1506.03984 [nucl-ex].
- [106] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of charm and beauty production at central rapidity versus charged-particle multiplicity in proton-proton collisions at  $\sqrt{s}=7$  TeV," *JHEP* **09** (2015) 148, arXiv:1505.00664 [nucl-ex].
- [107] **ALICE** Collaboration, D. Kim *et al.*, "Inclusive, prompt and non-prompt J/ $\psi$  production at mid-rapidity in Pb-Pb collisions at  $\sqrt{s_{\rm NN}}$  = 2.76 TeV," *JHEP* **07** (2015) 051, arXiv:1504.07151 [nucl-ex].
- [108] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of pion, kaon and proton production in proton–proton collisions at  $\sqrt{s} = 7$  TeV," *Eur. Phys. J.* **C75** no. 5, (2015) 226, arXiv:1504.00024 [nucl-ex].
- [109] **ALICE** Collaboration, D. Kim *et al.*, "Coherent  $\rho^0$  photoproduction in ultra-peripheral Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* **09** (2015) 095, arXiv:1503.09177 [nucl-ex].
- [110] **ALICE** Collaboration, D. Kim *et al.*, "Rapidity and transverse-momentum dependence of the inclusive  $J/\psi$  nuclear modification factor in p-Pb collisions at  $\sqrt{s_{N~N}}=5.02$  TeV," *JHEP* **06** (2015) 055, arXiv:1503.07179 [nucl-ex].
- [111] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of dijet  $k_T$  in p-Pb collisions at  $\sqrt{s_{NN}}$ =5.02 TeV," *Phys. Lett.* **B746** (2015) 385-395, arXiv:1503.03050 [nucl-ex].
- [112] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of charged jet production cross sections and nuclear modification in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ ," *Phys. Lett.* **B749** (2015) 68–81, arXiv:1503.00681 [nucl-ex].

- [113] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of jet suppression in central Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *Phys. Lett.* **B746** (2015) 1–14, arXiv:1502.01689 [nucl-ex].
- [114] **ALICE** Collaboration, D. Kim *et al.*, "Two-pion femtoscopy in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Rev.* **C91** (2015) 034906, arXiv:1502.00559 [nucl-ex].
- [115] **ALICE** Collaboration, D. Kim *et al.*, "Forward-backward multiplicity correlations in pp collisions at  $\sqrt{s} = 0.9$ , 2.76 and 7 TeV," *JHEP* **05** (2015) 097, arXiv:1502.00230 [nucl-ex].
- [116] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of particle production in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Rev.* **C91** no. 6, (2015) 064905, arXiv:1412.6828 [nucl-ex].
- [117] **ALICE** Collaboration, D. Kim *et al.*, "Charged jet cross sections and properties in proton-proton collisions at  $\sqrt{s} = 7$  TeV," *Phys. Rev.* **D91** no. 11, (2015) 112012, arXiv:1411.4969 [nucl-ex].
- [118] **ALICE** Collaboration, D. Kim *et al.*, "Production of inclusive  $\Upsilon(1S)$  and  $\Upsilon(2S)$  in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Lett.* **B740** (2015) 105–117, arXiv:1410.2234 [nucl-ex].
- [119] **ALICE** Collaboration, D. Kim *et al.*, "Event-by-event mean  $p_T$  fluctuations in pp and Pb-Pb collisions at the LHC," *Eur. Phys. J.* C74 no. 10, (2014) 3077, arXiv:1407.5530 [nucl-ex].
- [120] **ALICE** Collaboration, D. Kim *et al.*, "Technical Design Report for the Upgrade of the ALICE Inner Tracking System," *J. Phys.* **G41** (2014) 087002.
- [121] **ALICE** Collaboration, D. Kim *et al.*, "Upgrade of the ALICE Experiment: Letter Of Intent," *J. Phys.* **G41** (2014) 087001.
- [122] **ALICE** Collaboration, D. Kim *et al.*, "Exclusive J/ $\psi$  photoproduction off protons in ultra-peripheral p-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV," *Phys. Rev. Lett.* **113** no. 23, (2014) 232504, arXiv:1406.7819 [nucl-ex].
- [123] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity dependence of jet-like two-particle correlation structures in p–Pb collisions at  $\sqrt{s_{NN}}$ =5.02 TeV," *Phys. Lett.* **B741** (2015) 38–50, arXiv:1406.5463 [nucl-ex].
- [124] **ALICE** Collaboration, D. Kim *et al.*, "Production of  $\Sigma(1385)^{\pm}$  and  $\Xi(1530)^{0}$  in proton-proton collisions at  $\sqrt{s} = 7$  TeV," *Eur. Phys. J.* C75 no. 1, (2015) 1, arXiv:1406.3206 [nucl-ex].

- [125] **ALICE** Collaboration, D. Kim *et al.*, "Multiparticle azimuthal correlations in p -Pb and Pb-Pb collisions at the CERN Large Hadron Collider," *Phys. Rev.* **C90** no. 5, (2014) 054901, arXiv:1406.2474 [nucl-ex].
- [126] **ALICE** Collaboration, D. Kim *et al.*, "Elliptic flow of identified hadrons in Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76$  TeV," *JHEP* **06** (2015) 190, arXiv:1405.4632 [nucl-ex].
- [127] **ALICE** Collaboration, D. Kim *et al.*, "Suppression of  $\Upsilon(1S)$  at forward rapidity in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Lett.* **B738** (2014) 361–372, arXiv:1405.4493 [nucl-ex].
- [128] **ALICE** Collaboration, D. Kim *et al.*, "Beauty production in pp collisions at  $\sqrt{s} = 2.76$  TeV measured via semi-electronic decays," *Phys. Lett.* **B738** (2014) 97–108, arXiv:1405.4144 [nucl-ex].
- [129] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of electrons from semileptonic heavy-flavor hadron decays in pp collisions at  $\sqrt{s} = 2.76$  TeV," *Phys. Rev.* **D91** no. 1, (2015) 012001, arXiv:1405.4117 [nucl-ex].
- [130] **ALICE** Collaboration, D. Kim *et al.*, "Suppression of  $\psi(2S)$  production in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *JHEP* **12** (2014) 073, arXiv:1405.3796 [nucl-ex].
- [131] **ALICE** Collaboration, D. Kim *et al.*, "Neutral pion production at midrapidity in pp and Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76\,{\rm TeV}$ ," *Eur. Phys. J.* **C74** no. 10, (2014) 3108, arXiv:1405.3794 [nucl-ex].
- [132] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of prompt *D*-meson production in p-Pb collisions at  $\sqrt{s_{NN}}=5.02$  TeV," *Phys. Rev. Lett.* **113** no. 23, (2014) 232301, arXiv:1405.3452 [nucl-ex].
- [133] **ALICE** Collaboration, D. Kim *et al.*, "Transverse momentum dependence of inclusive primary charged-particle production in p-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *Eur. Phys. J.* **C74** no. 9, (2014) 3054, arXiv:1405.2737 [nucl-ex].
- [134] **ALICE** Collaboration, D. Kim *et al.*, "Azimuthal anisotropy of D meson production in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Rev.* **C90** no. 3, (2014) 034904, arXiv:1405.2001 [nucl-ex].
- [135] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of visible cross sections in proton-lead collisions at  $\sqrt{s_{\mathrm{NN}}} = 5.02$  TeV in van der Meer scans with the ALICE detector," *JINST* **9** no. 11, (2014) P11003, arXiv:1405.1849 [nucl-ex].

- [136] **ALICE** Collaboration, D. Kim *et al.*, "Freeze-out radii extracted from three-pion cumulants in pp, p–Pb and Pb–Pb collisions at the LHC," *Phys. Lett.* **B739** (2014) 139–151, arXiv:1404.1194 [nucl-ex].
- [137] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of quarkonium production at forward rapidity in *pp* collisions at  $\sqrt{s} = 7$  TeV," *Eur. Phys. J.* **C74** no. 8, (2014) 2974, arXiv:1403.3648 [nucl-ex].
- [138] ALICE Collaboration, D. Kim et al., "Performance of the ALICE Experiment at the CERN LHC," Int. J. Mod. Phys. A29 (2014) 1430044, arXiv:1402.4476 [nucl-ex].
- [139] **ALICE** Collaboration, D. Kim *et al.*, "Production of charged pions, kaons and protons at large transverse momenta in pp and Pb–Pb collisions at  $\sqrt{s_{\mathrm{NN}}}$  =2.76 TeV," *Phys. Lett.* **B736** (2014) 196–207, arXiv:1401.1250 [nucl-ex].
- [140] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of charged jet suppression in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *JHEP* **03** (2014) 013, arXiv:1311.0633 [nucl-ex].
- [141] **ALICE** Collaboration, D. Kim *et al.*, "Centrality, rapidity and transverse momentum dependence of  $J/\psi$  suppression in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}}$ =2.76 TeV," *Phys. Lett.* **B734** (2014) 314–327, arXiv:1311.0214 [nucl-ex].
- [142] **ALICE** Collaboration, D. Kim *et al.*, "Two- and three-pion quantum statistics correlations in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV at the CERN Large Hadron Collider," *Phys. Rev.* **C89** no. 2, (2014) 024911, arXiv:1310.7808 [nucl-ex].
- [143] **ALICE** Collaboration, D. Kim *et al.*, " $J/\psi$  production and nuclear effects in p-Pb collisions at  $\sqrt{S_{NN}} = 5.02$  TeV," *JHEP* **02** (2014) 073, arXiv:1308.6726 [nucl-ex].
- [144] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity Dependence of Pion, Kaon, Proton and Lambda Production in p-Pb Collisions at  $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ ," *Phys. Lett.* **B728** (2014) 25–38, arXiv:1307.6796 [nucl-ex].
- [145] **ALICE** Collaboration, D. Kim *et al.*, "Multi-strange baryon production at mid-rapidity in Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76$  TeV," *Phys. Lett.* **B728** (2014) 216–227, arXiv:1307.5543 [nucl-ex]. [Erratum: Phys. Lett.B734,409(2014)].
- [146] **ALICE** Collaboration, D. Kim *et al.*, " $K_S^0$  and  $\Lambda$  production in Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76$  TeV," *Phys. Rev. Lett.* **111** (2013) 222301, arXiv:1307.5530 [nucl-ex].

- [147] **ALICE** Collaboration, D. Kim *et al.*, "Long-range angular correlations of  $\pi$ , K and p in p-Pb collisions at  $\sqrt{s_{\rm NN}} = 5.02$  TeV," *Phys. Lett.* **B726** (2013) 164–177, arXiv:1307.3237 [nucl-ex].
- [148] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity dependence of two-particle azimuthal correlations in pp collisions at the LHC," *JHEP* **09** (2013) 049, arXiv:1307.1249 [nucl-ex].
- [149] **ALICE** Collaboration, D. Kim *et al.*, "Multiplicity dependence of the average transverse momentum in pp, p-Pb, and Pb-Pb collisions at the LHC," *Phys. Lett.* **B727** (2013) 371–380, arXiv:1307.1094 [nucl-ex].
- [150] ALICE Collaboration, D. Kim et al., "Energy Dependence of the Transverse Momentum Distributions of Charged Particles in pp Collisions Measured by ALICE," Eur. Phys. J. C73 no. 12, (2013) 2662, arXiv:1307.1093 [nucl-ex].
- [151] **ALICE** Collaboration, D. Kim *et al.*, "Directed Flow of Charged Particles at Midrapidity Relative to the Spectator Plane in Pb-Pb Collisions at  $\sqrt{s_{NN}}$ =2.76 TeV," *Phys. Rev. Lett.* **111** no. 23, (2013) 232302, arXiv:1306.4145 [nucl-ex].
- [152] **ALICE** Collaboration, D. Kim *et al.*, "Performance of the ALICE VZERO system," *JINST* 8 (2013) P10016, arXiv:1306.3130 [nucl-ex].
- [153] **ALICE** Collaboration, D. Kim *et al.*, "D meson elliptic flow in non-central Pb-Pb collisions at  $\sqrt{s_{\rm NN}} = 2.76 {\rm TeV}$ ," *Phys. Rev. Lett.* **111** (2013) 102301, arXiv:1305.2707 [nucl-ex].
- [154] **ALICE** Collaboration, D. Kim *et al.*, "Mid-rapidity anti-baryon to baryon ratios in pp collisions at  $\sqrt{s} = 0.9$ , 2.76 and 7 TeV measured by ALICE," *Eur. Phys. J.* **C73** (2013) 2496, arXiv:1305.1562 [nucl-ex].
- [155] **ALICE** Collaboration, D. Kim *et al.*, "Charmonium and  $e^+e^-$  pair photoproduction at mid-rapidity in ultra-peripheral Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}}$ =2.76 TeV," *Eur. Phys. J.* **C73** no. 11, (2013) 2617, arXiv:1305.1467 [nucl-ex].
- [156] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of the pseudorapidity density distribution for charged particles in Pb-Pb collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Lett.* **B726** (2013) 610–622, arXiv:1304.0347 [nucl-ex].
- [157] **ALICE** Collaboration, D. Kim *et al.*, "J/Psi Elliptic Flow in Pb-Pb Collisions at  $\sqrt{s_{\rm NN}}=2.76$  TeV," *Phys. Rev. Lett.* **111** (2013) 162301, arXiv:1303.5880 [nucl-ex].

- [158] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of  $\pi$ , K, p production in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev.* C88 (2013) 044910, arXiv:1303.0737 [hep-ex].
- [159] **ALICE** Collaboration, D. Kim *et al.*, "Centrality determination of Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV with ALICE," *Phys. Rev.* C88 no. 4, (2013) 044909, arXiv:1301.4361 [nucl-ex].
- [160] **ALICE** Collaboration, D. Kim *et al.*, "Charge correlations using the balance function in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Lett.* **B723** (2013) 267–279, arXiv:1301.3756 [nucl-ex].
- [161] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of the inclusive differential jet cross section in *pp* collisions at  $\sqrt{s} = 2.76$  TeV," *Phys. Lett.* **B722** (2013) 262–272, arXiv:1301.3475 [nucl-ex].
- [162] **ALICE** Collaboration, D. Kim *et al.*, "Charged kaon femtoscopic correlations in *pp* collisions at  $\sqrt{s} = 7$  TeV," *Phys. Rev.* **D87** no. 5, (2013) 052016, arXiv:1212.5958 [hep-ex].
- [163] **ALICE** Collaboration, D. Kim *et al.*, "Long-range angular correlations on the near and away side in *p*-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *Phys. Lett.* **B719** (2013) 29–41, arXiv:1212.2001 [nucl-ex].
- [164] **ALICE** Collaboration, D. Kim *et al.*, "Transverse momentum distribution and nuclear modification factor of charged particles in *p*-Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *Phys. Rev. Lett.* **110** no. 8, (2013) 082302, arXiv:1210.4520 [nucl-ex].
- [165] **ALICE** Collaboration, D. Kim *et al.*, "Pseudorapidity density of charged particles in p + Pb collisions at  $\sqrt{s_{NN}} = 5.02$  TeV," *Phys. Rev. Lett.* **110** no. 3, (2013) 032301, arXiv:1210.3615 [nucl-ex].
- [166] **ALICE** Collaboration, D. Kim *et al.*, "Coherent  $J/\psi$  photoproduction in ultra-peripheral Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76$  TeV," *Phys. Lett.* **B718** (2013) 1273–1283, arXiv:1209.3715 [nucl-ex].
- [167] **ALICE** Collaboration, D. Kim *et al.*, "Production of  $K^*(892)^0$  and  $\phi(1020)$  in pp collisions at  $\sqrt{s}=7$  TeV," *Eur. Phys. J.* C72 (2012) 2183, arXiv:1208.5717 [hep-ex].
- [168] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of inelastic, single-and double-diffraction cross sections in proton-proton collisions at the LHC with ALICE," *Eur. Phys. J.* **C73** no. 6, (2013) 2456, arXiv:1208.4968 [hep-ex].
- [169] **ALICE** Collaboration, D. Kim *et al.*, "Centrality Dependence of Charged Particle Production at Large Transverse Momentum in Pb–Pb Collisions at  $\sqrt{s_{\mathrm{NN}}} = 2.76$  TeV," *Phys. Lett.* **B720** (2013) 52–62, arXiv:1208.2711 [hep-ex].

- [170] **ALICE** Collaboration, D. Kim *et al.*, "Pion, Kaon, and Proton Production in Central Pb–Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **109** (2012) 252301, arXiv:1208.1974 [hep-ex].
- [171] **ALICE** Collaboration, D. Kim *et al.*, " $D_s^+$  meson production at central rapidity in proton–proton collisions at  $\sqrt{s}=7$  TeV," *Phys. Lett.* **B718** (2012) 279–294, arXiv:1208.1948 [hep-ex].
- [172] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of electrons from beauty hadron decays in *pp* collisions at  $\sqrt{s} = 7$  TeV," *Phys. Lett.* **B721** (2013) 13–23, arXiv:1208.1902 [hep-ex]. [Erratum: Phys. Lett.B763,507(2016)].
- [173] **ALICE** Collaboration, D. Kim *et al.*, "Net-Charge Fluctuations in Pb-Pb collisions at  $\sqrt{s}_{NN}=2.76$  TeV," *Phys. Rev. Lett.* **110** no. 15, (2013) 152301, arXiv:1207.6068 [nucl-ex].
- [174] **ALICE** Collaboration, D. Kim *et al.*, "Charge separation relative to the reaction plane in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **110** no. 1, (2013) 012301, arXiv:1207.0900 [nucl-ex].
- [175] **ALICE** Collaboration, D. Kim *et al.*, " $K_s^0 K_s^0$  correlations in pp collisions at  $\sqrt{s} = 7$  TeV from the LHC ALICE experiment," *Phys. Lett.* **B717** (2012) 151–161, arXiv:1206.2056 [hep-ex].
- [176] **ALICE** Collaboration, D. Kim *et al.*, "Production of muons from heavy flavour decays at forward rapidity in pp and Pb-Pb collisions at  $\sqrt{s_{NN}}$  = 2.76 TeV," *Phys. Rev. Lett.* **109** (2012) 112301, arXiv:1205.6443 [hep-ex].
- [177] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of prompt  $J/\psi$  and beauty hadron production cross sections at mid-rapidity in pp collisions at  $\sqrt{s}=7$  TeV," JHEP 11 (2012) 065, arXiv:1205.5880 [hep-ex].
- [178] **ALICE** Collaboration, D. Kim *et al.*, "Anisotropic flow of charged hadrons, pions and (anti-)protons measured at high transverse momentum in Pb-Pb collisions at  $\sqrt{s_{NN}}$ =2.76 TeV," *Phys. Lett.* **B719** (2013) 18–28, arXiv:1205.5761 [nucl-ex].
- [179] **ALICE** Collaboration, D. Kim *et al.*, "Neutral pion and  $\eta$  meson production in proton-proton collisions at  $\sqrt{s} = 0.9$  TeV and  $\sqrt{s} = 7$  TeV," *Phys. Lett.* **B717** (2012) 162–172, arXiv:1205.5724 [hep-ex].
- [180] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of electrons from semileptonic heavy-flavour hadron decays in pp collisions at  $\sqrt{s}=7$  TeV," *Phys. Rev.* **D86** (2012) 112007, arXiv:1205.5423 [hep-ex].
- [181] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of charm production at central rapidity in proton-proton collisions at  $\sqrt{s}=2.76$  TeV," *JHEP* **07** (2012) 191, arXiv:1205.4007 [hep-ex].

- [182] **ALICE** Collaboration, D. Kim *et al.*, "Transverse sphericity of primary charged particles in minimum bias proton-proton collisions at  $\sqrt{s} = 0.9$ , 2.76 and 7 TeV," *Eur. Phys. J.* **C72** (2012) 2124, arXiv:1205.3963 [hep-ex].
- [183] **ALICE** Collaboration, D. Kim *et al.*, "Multi-strange baryon production in *pp* collisions at  $\sqrt{s} = 7$  TeV with ALICE," *Phys. Lett.* **B712** (2012) 309–318, arXiv:1204.0282 [nucl-ex].
- [184] **ALICE** Collaboration, D. Kim *et al.*, "Inclusive  $J/\psi$  production in pp collisions at  $\sqrt{s} = 2.76$  TeV," *Phys. Lett.* **B718** (2012) 295–306, arXiv:1203.3641 [hep-ex]. [Erratum: Phys. Lett.B748,472(2015)].
- [185] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of the Cross Section for Electromagnetic Dissociation with Neutron Emission in Pb-Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **109** (2012) 252302, arXiv:1203.2436 [nucl-ex].
- [186] **ALICE** Collaboration, D. Kim *et al.*, "Suppression of high transverse momentum D mesons in central Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ ," *JHEP* **09** (2012) 112, arXiv:1203.2160 [nucl-ex].
- [187] **ALICE** Collaboration, D. Kim *et al.*, " $J/\psi$  Production as a Function of Charged Particle Multiplicity in pp Collisions at  $\sqrt{s} = 7$  TeV," *Phys. Lett.* **B712** (2012) 165–175, arXiv:1202.2816 [hep-ex].
- [188] **ALICE** Collaboration, D. Kim *et al.*, " $J/\psi$  suppression at forward rapidity in Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76$  TeV," *Phys. Rev. Lett.* **109** (2012) 072301, arXiv:1202.1383 [hep-ex].
- [189] **ALICE** Collaboration, D. Kim *et al.*, "Heavy flavour decay muon production at forward rapidity in proton–proton collisions at  $\sqrt{s} = 7$  TeV," *Phys. Lett.* **B708** (2012) 265–275, arXiv:1201.3791 [hep-ex].
- [190] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of Event Background Fluctuations for Charged Particle Jet Reconstruction in Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76$  TeV," *JHEP* **03** (2012) 053, arXiv:1201.2423 [hep-ex].
- [191] **ALICE** Collaboration, D. Kim *et al.*, "Light vector meson production in pp collisions at  $\sqrt{s} = 7$  TeV," *Phys. Lett.* **B710** (2012) 557–568, arXiv:1112.2222 [nucl-ex].
- [192] **ALICE** Collaboration, D. Kim *et al.*, "Underlying Event measurements in pp collisions at  $\sqrt{s}=0.9$  and 7 TeV with the ALICE experiment at the LHC," *JHEP* **07** (2012) 116, arXiv:1112.2082 [hep-ex].
- [193] **ALICE** Collaboration, D. Kim *et al.*, "Measurement of charm production at central rapidity in proton-proton collisions at  $\sqrt{s} = 7$  TeV," *JHEP* **01** (2012) 128, arXiv:1111.1553 [hep-ex].

- [194] **ALICE** Collaboration, D. Kim *et al.*, " $J/\psi$  polarization in pp collisions at  $\sqrt{s}=7$  TeV," *Phys. Rev. Lett.* **108** (2012) 082001, arXiv:1111.1630 [hep-ex].
- [195] **ALICE** Collaboration, D. Kim *et al.*, "Particle-yield modification in jet-like azimuthal di-hadron correlations in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **108** (2012) 092301, arXiv:1110.0121 [nucl-ex].
- [196] **ALICE** Collaboration, D. Kim *et al.*, "Harmonic decomposition of two-particle angular correlations in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Lett.* **B708** (2012) 249–264, arXiv:1109.2501 [nucl-ex].
- [197] **ALICE** Collaboration, D. Kim *et al.*, "Higher harmonic anisotropic flow measurements of charged particles in Pb-Pb collisions at  $\sqrt{s_{NN}}$ =2.76 TeV," *Phys. Rev. Lett.* **107** (2011) 032301, arXiv:1105.3865 [nucl-ex].
- [198] **ALICE** Collaboration, D. Kim *et al.*, "Rapidity and transverse momentum dependence of inclusive  $J/\psi$  production in pp collisions at  $\sqrt{s}=7$  TeV," *Phys. Lett.* **B704** (2011) 442–455, arXiv:1105.0380 [hep-ex]. [Erratum: Phys. Lett.B718,692(2012)].
- [199] **ALICE** Collaboration, D. Kim *et al.*, "Production of pions, kaons and protons in *pp* collisions at  $\sqrt{s} = 900$  GeV with ALICE at the LHC," *Eur. Phys. J.* **C71** (2011) 1655, arXiv:1101.4110 [hep-ex].
- [200] **ALICE** Collaboration, D. Kim *et al.*, "Femtoscopy of *pp* collisions at  $\sqrt{s} = 0.9$  and 7 TeV at the LHC with two-pion Bose-Einstein correlations," *Phys. Rev.* **D84** (2011) 112004, arXiv:1101.3665 [hep-ex].
- [201] **ALICE** Collaboration, D. Kim *et al.*, "Two-pion Bose-Einstein correlations in central Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Lett.* **B696** (2011) 328–337, arXiv:1012.4035 [nucl-ex].
- [202] **ALICE** Collaboration, D. Kim *et al.*, "Strange particle production in proton-proton collisions at sqrt(s) = 0.9 TeV with ALICE at the LHC," *Eur. Phys. J.* **C71** (2011) 1594, arXiv:1012.3257 [hep-ex].
- [203] **ALICE** Collaboration, D. Kim *et al.*, "Centrality dependence of the charged-particle multiplicity density at mid-rapidity in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **106** (2011) 032301, arXiv:1012.1657 [nucl-ex].
- [204] **ALICE** Collaboration, D. Kim *et al.*, "Suppression of Charged Particle Production at Large Transverse Momentum in Central Pb-Pb Collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Lett.* **B696** (2011) 30–39, arXiv:1012.1004 [nucl-ex].

- [205] ALICE Collaboration, D. Kim et al., "Elliptic flow of charged particles in Pb-Pb collisions at 2.76 TeV," Phys. Rev. Lett. 105 (2010) 252302, arXiv:1011.3914 [nucl-ex].
- [206] **ALICE** Collaboration, D. Kim *et al.*, "Charged-particle multiplicity density at mid-rapidity in central Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV," *Phys. Rev. Lett.* **105** (2010) 252301, arXiv:1011.3916 [nucl-ex].
- [207] **ALICE** Collaboration, D. Kim *et al.*, "Two-pion Bose-Einstein correlations in *pp* collisions at  $\sqrt{s} = 900$  GeV," *Phys. Rev.* **D82** (2010) 052001, arXiv:1007.0516 [hep-ex].
- [208] **ALICE** Collaboration, D. Kim *et al.*, "Transverse momentum spectra of charged particles in proton-proton collisions at  $\sqrt{s} = 900$  GeV with ALICE at the LHC," *Phys. Lett.* **B693** (2010) 53–68, arXiv:1007.0719 [hep-ex].
- [209] **ALICE** Collaboration, D. Kim *et al.*, "Midrapidity antiproton-to-proton ratio in pp collisions at  $\sqrt{s} = 0.9$  and 7 TeV measured by the ALICE experiment," *Phys. Rev. Lett.* **105** (2010) 072002, arXiv:1006.5432 [hep-ex].
- [210] **ALICE** Collaboration, D. Kim *et al.*, "Charged-particle multiplicity measurement in proton-proton collisions at  $\sqrt{s} = 0.9$  and 2.36 TeV with ALICE at LHC," *Eur. Phys. J.* **C68** (2010) 89–108, arXiv:1004.3034 [hep-ex].
- [211] **ALICE** Collaboration, D. Kim *et al.*, "Charged-particle multiplicity measurement in proton-proton collisions at  $\sqrt{s} = 7$  TeV with ALICE at LHC," *Eur. Phys. J.* **C68** (2010) 345–354, arXiv:1004.3514 [hep-ex].
- [212] **ALICE** Collaboration, D. Kim *et al.*, "Alignment of the ALICE Inner Tracking System with cosmic-ray tracks," *JINST* **5** (2010) P03003, arXiv:1001.0502 [physics.ins-det].
- [213] **ALICE** Collaboration, D. Kim *et al.*, "First proton-proton collisions at the LHC as observed with the ALICE detector: Measurement of the charged particle pseudorapidity density at  $\sqrt{s} = 900$ -GeV," *Eur. Phys. J.* **C65** (2010) 111–125, arXiv:0911.5430 [hep-ex].
- [214] **PHENIX** Collaboration, D. Kim *et al.*, "Pseudorapidity Dependence of Particle Production and Elliptic Flow in Asymmetric Nuclear Collisions of p+Al, p+Au, d+Au, and  ${}^{3}He+Au$  at  $\sqrt{s_{_{NN}}}=200$  GeV," *Phys. Rev. Lett.* **121** no. 22, (2018) 222301, arXiv:1807.11928 [nucl-ex].
- [215] **PHENIX** Collaboration, D. Kim *et al.*, "Beam-energy and centrality dependence of direct-photon emission from ultra-relativistic heavy-ion collisions," *Submitted to: Phys. Rev. Lett.* (2018), arXiv:1805.04084 [hep-ex].

- [216] **PHENIX** Collaboration, D. Kim *et al.*, "Low-momentum direct photon measurement in Cu+Cu collisions at  $\sqrt{s_{_{NN}}} = 200$  GeV," *Phys. Rev.* **C98** no. 5, (2018) 054902, arXiv:1805.04066 [hep-ex].
- [217] **PHENIX** Collaboration, D. Kim *et al.*, "Creating small circular, elliptical, and triangular droplets of quark-gluon plasma," *Nature Phys.* **15** no. 3, (2019) 214–220, arXiv:1805.02973 [nucl-ex].
- [218] **PHENIX** Collaboration, D. Kim *et al.*, "Multiparticle azimuthal correlations for extracting event-by-event elliptic and triangular flow in Au+Au collisions at  $\sqrt{s_{\scriptscriptstyle NN}}=200$  GeV," *Phys. Rev.* **C99** no. 2, (2019) 024903, arXiv:1804.10024 [nucl-ex].
- [219] **PHENIX** Collaboration, D. Kim *et al.*, "Measurements of mass-dependent azimuthal anisotropy in central p+Au, d+Au, and  ${}^{3}\text{He}+Au$  collisions at  $\sqrt{s_{NN}}=200$  GeV," *Phys. Rev.* **C97** (2018) 064904, arXiv:1710.09736 [nucl-ex].
- [220] **PHENIX** Collaboration, D. Kim *et al.*, "Lévy-stable two-pion Bose-Einstein correlations in  $\sqrt{s_{NN}} = 200$  GeV Au+Au collisions," *Phys. Rev.* **C97** no. 6, (2018) 064911, arXiv:1709.05649 [nucl-ex].
- [221] **PHENIX** Collaboration, D. Kim *et al.*, "Measurements of azimuthal anisotropy and charged-particle multiplicity in d+Au collisions at  $\sqrt{s_{NN}} = 200, 62.4, 39, \text{ and } 19.6 \text{ GeV}$ ," *Phys. Rev.* **C96** no. 6, (2017) 064905, arXiv:1708.06983 [nucl-ex].
- [222] **PHENIX** Collaboration, D. Kim *et al.*, "Measurements of Multiparticle Correlations in d+ Au Collisions at 200, 62.4, 39, and 19.6 GeV and p+ Au Collisions at 200 GeV and Implications for Collective Behavior," *Phys. Rev. Lett.* **120** no. 6, (2018) 062302, arXiv:1707.06108 [nucl-ex].
- [223] D. Kim *et al.*
- [224] **PHENIX** Collaboration, D. Kim *et al.*, "Azimuthal anisotropy of  $\pi^0$  and  $\eta$  mesons in Au + Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* C88 no. 6, (2013) 064910, arXiv:1309.4437 [nucl-ex].
- [225] **PHENIX** Collaboration, D. Kim *et al.*, "Spectra and ratios of identified particles in Au+Au and d+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* C88 no. 2, (2013) 024906, arXiv:1304.3410 [nucl-ex].
- [226] **PHENIX** Collaboration, D. Kim *et al.*, "Quadrupole Anisotropy in Dihadron Azimuthal Correlations in Central d+Au Collisions at  $\sqrt{s_{\scriptscriptstyle NN}}=200$  GeV," *Phys. Rev. Lett.* **111** no. 21, (2013) 212301, arXiv:1303.1794 [nucl-ex].

- [227] **PHENIX** Collaboration, D. Kim *et al.*, "Medium modification of jet fragmentation in Au + Au collisions at  $\sqrt{s_{NN}} = 200$  GeV measured in direct photon-hadron correlations," *Phys. Rev. Lett.* **111** no. 3, (2013) 032301, arXiv:1212.3323 [nucl-ex].
- [228] **PHENIX** Collaboration, D. Kim *et al.*, "v(1S+2S+3S) production in d+Au and p+p collisions at  $\sqrt{s_{NN}}=200$  GeV and cold-nuclear matter effects," *Phys. Rev.* **C87** no. 4, (2013) 044909, arXiv:1211.4017 [nucl-ex].
- [229] PHENIX Collaboration, D. Kim et al., "Inclusive cross section and single transverse spin asymmetry for very forward neutron production in polarized p+p collisions at s=200 GeV," Phys. Rev. D88 no. 3, (2013) 032006, arXiv:1209.3283 [nucl-ex].
- [230] **PHENIX** Collaboration, D. Kim *et al.*, "Double Spin Asymmetry of Electrons from Heavy Flavor Decays in p+p Collisions at  $\sqrt{s}=200$  GeV," *Phys. Rev.* **D87** no. 1, (2013) 012011, arXiv:1209.3278 [hep-ex].
- [231] **PHENIX** Collaboration, D. Kim *et al.*, "Neutral pion production with respect to centrality and reaction plane in Au+Au collisions at  $\sqrt{s_{NN}}$ =200 GeV," *Phys. Rev.* **C87** no. 3, (2013) 034911, arXiv:1208.2254 [nucl-ex].
- [232] **PHENIX** Collaboration, D. Kim *et al.*, " $J/\psi$  suppression at forward rapidity in Au+Au collisions at  $\sqrt{s_{NN}}=39$  and 62.4 GeV," *Phys. Rev.* **C86** (2012) 064901, arXiv:1208.2251 [nucl-ex].
- [233] **PHENIX** Collaboration, D. Kim *et al.*, "Cold-nuclear-matter effects on heavy-quark production in d+Au collisions at  $\sqrt{s_{NN}}=200$  GeV," *Phys. Rev. Lett.* **109** no. 24, (2012) 242301, arXiv:1208.1293 [nucl-ex].
- [234] **PHENIX** Collaboration, D. Kim *et al.*, "Direct photon production in d+Au collisions at  $\sqrt{s_{NN}}=200$  GeV," *Phys. Rev.* **C87** (2013) 054907, arXiv:1208.1234 [nucl-ex].
- [235] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of Direct Photons in Au+Au Collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev. Lett.* **109** (2012) 152302, arXiv:1205.5759 [nucl-ex].
- [236] **PHENIX** Collaboration, D. Kim *et al.*, "Direct-Photon Production in p+p Collisions at  $\sqrt{s}=200$  GeV at Midrapidity," *Phys. Rev.* **D86** (2012) 072008, arXiv:1205.5533 [hep-ex].
- [237] **PHENIX** Collaboration, D. Kim *et al.*, "Evolution of  $\pi^0$  suppression in Au+Au collisions from  $\sqrt{s_{NN}} = 39$  to 200 GeV," *Phys. Rev. Lett.* **109** (2012) 152301, arXiv:1204.1526 [nucl-ex].

- [238] **PHENIX** Collaboration, D. Kim *et al.*, "Transverse-Momentum Dependence of the  $J/\psi$  Nuclear Modification in d+Au Collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* **C87** no. 3, (2013) 034904, arXiv:1204.0777 [nucl-ex].
- [239] **PHENIX** Collaboration, D. Kim *et al.*, "Nuclear-Modification Factor for Open-Heavy-Flavor Production at Forward Rapidity in Cu+Cu Collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* **C86** (2012) 024909, arXiv:1204.0754 [nucl-ex].
- [240] **PHENIX** Collaboration, D. Kim *et al.*, "Deviation from quark-number scaling of the anisotropy parameter  $v_2$  of pions, kaons, and protons in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* **C85** (2012) 064914, arXiv:1203.2644 [nucl-ex].
- [241] **PHENIX** Collaboration, D. Kim *et al.*, "Cross sections and double-helicity asymmetries of midrapidity inclusive charged hadrons in p+p collisions at  $\sqrt{s}=62.4$  GeV," *Phys. Rev.* **D86** (2012) 092006, arXiv:1202.4020 [hep-ex].
- [242] **PHENIX** Collaboration, D. Kim *et al.*, "Suppression of back-to-back hadron pairs at forward rapidity in d+Au Collisions at  $\sqrt{s_{NN}}=200$  GeV," *Phys. Rev. Lett.* **107** (2011) 172301, arXiv:1105.5112 [nucl-ex].
- [243] **PHENIX** Collaboration, D. Kim *et al.*, "Observation of direct-photon collective flow in  $\sqrt{s_{NN}} = 200$  GeV Au+Au collisions," *Phys. Rev. Lett.* **109** (2012) 122302, arXiv:1105.4126 [nucl-ex].
- [244] **PHENIX** Collaboration, D. Kim *et al.*, "Measurements of Higher-Order Flow Harmonics in Au+Au Collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev. Lett.* **107** (2011) 252301, arXiv:1105.3928 [nucl-ex].
- [245] **PHENIX** Collaboration, D. Kim *et al.*, "Production of  $\omega$  mesons in p + p, d+Au, Cu+Cu, and Au+Au collisions at  $\sqrt{s_N N} = 200$  GeV," *Phys. Rev.* C84 (2011) 044902, arXiv:1105.3467 [nucl-ex].
- [246] **PHENIX** Collaboration, D. Kim *et al.*, "Ground and excited charmonium state production in p+p collisions at  $\sqrt{s}=200$  GeV," *Phys. Rev.* **D85** (2012) 092004, arXiv:1105.1966 [hep-ex].
- [247] **PHENIX** Collaboration, D. Kim *et al.*, " $J/\psi$  suppression at forward rapidity in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* C84 (2011) 054912, arXiv:1103.6269 [nucl-ex].
- [248] **PHENIX** Collaboration, D. Kim *et al.*, "Identified charged hadron production in p + p collisions at  $\sqrt{s} = 200$  and 62.4 GeV," *Phys. Rev.* **C83** (2011) 064903, arXiv:1102.0753 [nucl-ex].

- [249] **PHENIX** Collaboration, D. Kim *et al.*, "Azimuthal correlations of electrons from heavy-flavor decay with hadrons in  $p^+p$  and Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* **C83** (2011) 044912, arXiv:1011.1477 [nucl-ex].
- [250] **PHENIX** Collaboration, D. Kim *et al.*, "Suppression of away-side jet fragments with respect to the reaction plane in Au+Au collisions at  $\sqrt{s_{NN}} = 200 \text{ GeV}$ ," *Phys. Rev.* **C84** (2011) 024904, arXiv:1010.1521 [nucl-ex].
- [251] **PHENIX** Collaboration, D. Kim *et al.*, "Cold Nuclear Matter Effects on  $J/\psi$  Yields as a Function of Rapidity and Nuclear Geometry in Deuteron-Gold Collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev. Lett.* **107** (2011) 142301, arXiv:1010.1246 [nucl-ex].
- [252] **PHENIX** Collaboration, D. Kim *et al.*, "Cross section and double helicity asymmetry for  $\eta$  mesons and their comparison to neutral pion production in p+p collisions at sqrt(s) = 200 GeV," *Phys. Rev.* **D83** (2011) 032001, arXiv:1009.6224 [hep-ex].
- [253] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of Transverse Single-Spin Asymmetries for  $J/\psi$  Production in Polarized p+p Collisions at  $\sqrt{s}=200$  GeV," *Phys. Rev.* **D82** (2010) 112008, arXiv:1009.4864 [hep-ex]. [Erratum: Phys. Rev.D86,099904(2012)].
- [254] **PHENIX** Collaboration, D. Kim *et al.*, "Event Structure and Double Helicity Asymmetry in Jet Production from Polarized p+p Collisions at  $\sqrt{s}=200$  GeV," *Phys. Rev.* **D84** (2011) 012006, arXiv:1009.4921 [hep-ex].
- [255] **PHENIX** Collaboration, D. Kim *et al.*, "Cross Section and Parity Violating Spin Asymmetries of  $W^{\pm}$  Boson Production in Polarized p+p Collisions at  $\sqrt{s}=500$  GeV," *Phys. Rev. Lett.* **106** (2011) 062001, arXiv:1009.0505 [hep-ex].
- [256] **PHENIX** Collaboration, D. Kim *et al.*, "Azimuthal anisotropy of neutral pion production in Au+Au collisions at  $\sqrt{(s_N N)} = 200$  GeV: Path-length dependence of jet quenching and the role of initial geometry," *Phys. Rev. Lett.* **105** (2010) 142301, arXiv:1006.3740 [nucl-ex].
- [257] **PHENIX** Collaboration, D. Kim *et al.*, "High  $p_T$  direct photon and  $\pi^0$  triggered azimuthal jet correlations and measurement of  $k_T$  for isolated direct photons in p + p collisions at sqrts = 200 GeV," *Phys. Rev.* **D82** (2010) 072001, arXiv:1006.1347 [hep-ex].
- [258] **PHENIX** Collaboration, D. Kim *et al.*, "Transverse momentum dependence of meson suppression  $\eta$  suppression in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev.* **C82** (2010) 011902, arXiv:1005.4916 [nucl-ex].

- [259] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of neutral mesons in p+p collisions at  $\sqrt(s)$ = 200 GeV and scaling properties of hadron production," *Phys. Rev.* **D83** (2011) 052004, arXiv:1005.3674 [hep-ex].
- [260] **PHENIX** Collaboration, D. Kim *et al.*, "Heavy Quark Production in p+p and Energy Loss and Flow of Heavy Quarks in Au+Au Collisions at  $\sqrt{s_{NN}}=200~{\rm GeV}$ ," *Phys. Rev.* **C84** (2011) 044905, arXiv:1005.1627 [nucl-ex].
- [261] **PHENIX** Collaboration, D. Kim *et al.*, "Nuclear modification factors of  $\phi$  mesons in d+Au, Cu+Cu and Au+Au collisions at  $\sqrt{s_{NN}}=200$  GeV," *Phys. Rev.* **C83** (2011) 024909, arXiv:1004.3532 [nucl-ex].
- [262] **PHENIX** Collaboration, D. Kim *et al.*, "Elliptic and hexadecapole flow of charged hadrons in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev. Lett.* **105** (2010) 062301, arXiv:1003.5586 [nucl-ex].
- [263] **PHENIX** Collaboration, D. Kim *et al.*, "Trends in Yield and Azimuthal Shape Modification in Dihadron Correlations in Relativistic Heavy Ion Collisions," *Phys. Rev. Lett.* **104** (2010) 252301, arXiv:1002.1077 [nucl-ex].
- [264] **PHENIX** Collaboration, D. Kim *et al.*, "Transverse momentum dependence of J/psi polarization at midrapidity in p+p collisions at  $\sqrt{s}$  = 200-GeV," *Phys. Rev.* **D82** (2010) 012001, arXiv:0912.2082 [hep-ex].
- [265] **PHENIX** Collaboration, D. Kim *et al.*, "Detailed measurement of the  $e^+e^-$  pair continuum in p+p and Au+Au collisions at  $\sqrt{s_{NN}}=200$  GeV and implications for direct photon production," *Phys. Rev.* **C81** (2010) 034911, arXiv:0912.0244 [nucl-ex].
- [266] **PHENIX** Collaboration, D. Kim *et al.*, "Double-Helicity Dependence of Jet Properties from Dihadrons in Longitudinally Polarized p+p Collisions at  $\sqrt{s}=200$  GeV," *Phys. Rev.* **D81** (2010) 012002, arXiv:0910.1029 [hep-ex].
- [267] **PHENIX** Collaboration, D. Kim *et al.*, "Systematic Studies of Elliptic Flow Measurements in Au+Au Collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev.* **C80** (2009) 024909, arXiv:0905.1070 [nucl-ex].
- [268] **PHENIX** Collaboration, D. Kim *et al.*, "High-pT pi0 Production with Respect to the Reaction Plane in Au + Au Collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev.* **C80** (2009) 054907, arXiv:0903.4886 [nucl-ex].
- [269] **PHENIX** Collaboration, D. Kim *et al.*, "Kaon interferometric probes of space-time evolution in Au+Au collisions at  $\sqrt{s_{\mathrm{NN}}} = 200\text{-GeV}$ ," *Phys. Rev. Lett.* **103** (2009) 142301, arXiv:0903.4863 [nucl-ex].

- [270] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of Bottom versus Charm as a Function of Transverse Momentum with Electron-Hadron Correlations in  $p^+p$  Collisions at  $\sqrt{s} = 200$  GeV," *Phys. Rev. Lett.* **103** (2009) 082002, arXiv:0903.4851 [hep-ex].
- [271] **PHENIX** Collaboration, D. Kim *et al.*, "Photon-Hadron Jet Correlations in p+p and Au+Au Collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev.* C80 (2009) 024908, arXiv:0903.3399 [nucl-ex].
- [272] **PHENIX** Collaboration, D. Kim *et al.*, "Photoproduction of J/psi and of high mass e+e- in ultra-peripheral Au+Au collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Lett.* **B679** (2009) 321–329, arXiv:0903.2041 [nucl-ex].
- [273] **PHENIX** Collaboration, D. Kim *et al.*, "Inclusive cross section and double helicity asymmetry for  $\pi^0$  production in  $p^+p$  collisions at  $\sqrt{s} = 62.4$  GeV," *Phys. Rev.* **D79** (2009) 012003, arXiv:0810.0701 [hep-ex].
- [274] **PHENIX** Collaboration, D. Kim *et al.*, "The Polarized gluon contribution to the proton spin from the double helicity asymmetry in inclusive pi0 production in polarized p + p collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev. Lett.* **103** (2009) 012003, arXiv:0810.0694 [hep-ex].
- [275] **PHENIX** Collaboration, D. Kim *et al.*, "Charged hadron multiplicity fluctuations in Au+Au and Cu+Cu collisions from  $\sqrt{s_{NN}} = 22.5$  to 200 GeV," *Phys. Rev.* C78 (2008) 044902, arXiv:0805.1521 [nucl-ex].
- [276] **PHENIX** Collaboration, D. Kim *et al.*, "Enhanced production of direct photons in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV and implications for the initial temperature," *Phys. Rev. Lett.* **104** (2010) 132301, arXiv:0804.4168 [nucl-ex].
- [277] **PHENIX** Collaboration, D. Kim *et al.*, "Dilepton mass spectra in p+p collisions at  $\sqrt{s} = 200$ -GeV and the contribution from open charm," *Phys. Lett.* **B670** (2009) 313–320, arXiv:0802.0050 [hep-ex].
- [278] **PHENIX** Collaboration, D. Kim *et al.*, "Onset of pi0 Suppression Studied in Cu+Cu Collisions at sNN=22.4, 62.4, and 200 GeV," *Phys. Rev. Lett.* **101** (2008) 162301, arXiv:0801.4555 [nucl-ex].
- [279] **PHENIX** Collaboration, D. Kim *et al.*, "Dihadron azimuthal correlations in Au+Au collisions at  $\sqrt{s_{\mathrm{NN}}} = 200$ -GeV," *Phys. Rev.* C78 (2008) 014901, arXiv:0801.4545 [nucl-ex].
- [280] **PHENIX** Collaboration, D. Kim *et al.*, "Suppression pattern of neutral pions at high transverse momentum in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV and constraints on medium transport coefficients," *Phys. Rev. Lett.* **101** (2008) 232301, arXiv:0801.4020 [nucl-ex].

- [281] **PHENIX** Collaboration, D. Kim *et al.*, "Quantitative Constraints on the Opacity of Hot Partonic Matter from Semi-Inclusive Single High Transverse Momentum Pion Suppression in Au+Au collisions at √s<sub>NN</sub> = 200-GeV," *Phys. Rev.* **C77** (2008) 064907, arXiv:0801.1665 [nucl-ex].
- [282] **PHENIX** Collaboration, D. Kim *et al.*, "J/psi Production in  $\sqrt{s_{\rm NN}}$  = 200-GeV Cu+Cu Collisions," *Phys. Rev. Lett.* **101** (2008) 122301, arXiv:0801.0220 [nucl-ex].
- [283] **PHENIX** Collaboration, D. Kim *et al.*, "Source breakup dynamics in Au+Au Collisions at  $\sqrt{s_{\mathrm{NN}}} = 200$ -GeV via three-dimensional two-pion source imaging," *Phys. Rev. Lett.* **100** (2008) 232301, arXiv:0712.4372 [nucl-ex].
- [284] **PHENIX** Collaboration, D. Kim *et al.*, "Particle-species dependent modification of jet-induced correlations in Au+Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **101** (2008) 082301, arXiv:0712.3033 [nucl-ex].
- [285] **PHENIX** Collaboration, D. Kim *et al.*, "Cold Nuclear Matter Effects on J/Psi as Constrained by Deuteron-Gold Measurements at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev.* **C77** (2008) 024912, arXiv:0903.4845 [nucl-ex]. [Erratum: Phys. Rev.C79,059901(2009)].
- [286] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of charged hadron production in deuteron + gold and nucleon + gold collisions at  $\sqrt{s_{\mathrm{NN}}} = 200\text{-GeV}$ ," *Phys. Rev.* **C77** (2008) 014905, arXiv:0708.2416 [nucl-ex].
- [287] **PHENIX** Collaboration, D. Kim *et al.*, "Enhancement of the dielectron continuum in  $\sqrt{s_{\rm NN}} = 200$ -geV Au+Au collisions," arXiv:0706.3034 [nucl-ex].
- [288] **PHENIX** Collaboration, D. Kim *et al.*, "Transverse momentum and centrality dependence of dihadron correlations in Au+Au collisions at s(NN) = 200-GeV: Jet-quenching and the response of partonic matter," *Phys. Rev.* C77 (2008) 011901, arXiv:0705.3238 [nucl-ex].
- [289] **PHENIX** Collaboration, D. Kim *et al.*, "Inclusive cross-section and double helicity asymmetry for pi0 production in p + p collisions at  $\sqrt{s}$  = 200-GeV: Implications for the polarized gluon distribution in the proton," *Phys. Rev.* **D76** (2007) 051106, arXiv:0704.3599 [hep-ex].
- [290] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of density correlations in pseudorapidity via charged particle multiplicity fluctuations in Au+Au collisions at  $\sqrt{s_{\mathrm{NN}}} = 200\text{-GeV}$ ," *Phys. Rev.* C76 (2007) 034903, arXiv:0704.2894 [nucl-ex].

- [291] **PHENIX** Collaboration, D. Kim *et al.*, "Elliptic flow for phi mesons and (anti)deuterons in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **99** (2007) 052301, arXiv:nucl-ex/0703024 [NUCL-EX].
- [292] **PHENIX** Collaboration, D. Kim *et al.*, "Production of omega mesons at Large Transverse Momenta in p + p and d + Au Collisions at  $\sqrt{s}(NN) = 200$ -GeV," *Phys. Rev.* **C75** (2007) 051902, arXiv:nucl-ex/0611031 [nucl-ex].
- [293] **PHENIX** Collaboration, D. Kim *et al.*, " $J/\psi$  Production vs Centrality, Transverse Momentum, and Rapidity in Au+Au Collisions at  $\sqrt{s_{NN}} = 200$  GeV," *Phys. Rev. Lett.* **98** (2007) 232301, arXiv:nucl-ex/0611020 [nucl-ex].
- [294] **PHENIX** Collaboration, D. Kim *et al.*, "System Size and Energy Dependence of Jet-Induced Hadron Pair Correlation Shapes in Cu+Cu and Au+Au Collisions at  $\sqrt{s_{\rm NN}}=200$  and 62.4-GeV," *Phys. Rev. Lett.* **98** (2007) 232302, arXiv:nucl-ex/0611019 [nucl-ex].
- [295] **PHENIX** Collaboration, D. Kim *et al.*, "Energy Loss and Flow of Heavy Quarks in Au+Au Collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **98** (2007) 172301, arXiv:nucl-ex/0611018 [nucl-ex].
- [296] **PHENIX** Collaboration, D. Kim *et al.*, "Correlated Production of p and anti-p in Au+Au Collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Lett.* **B649** (2007) 359–369, arXiv:nucl-ex/0611016 [nucl-ex].
- [297] **PHENIX** Collaboration, D. Kim *et al.*, " $J/\psi$  production versus transverse momentum and rapidity in  $p^+p$  collisions at  $\sqrt{s}=200$ -GeV," *Phys. Rev. Lett.* **98** (2007) 232002, arXiv:hep-ex/0611020 [hep-ex].
- [298] **PHENIX** Collaboration, D. Kim *et al.*, "A Detailed Study of High-p(T) Neutral Pion Suppression and Azimuthal Anisotropy in Au+Au Collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev.* **C76** (2007) 034904, arXiv:nucl-ex/0611007 [nucl-ex].
- [299] **PHENIX** Collaboration, D. Kim *et al.*, "High transverse momentum  $\eta$  meson production in  $p^+p$ ,  $d^+$  Au and Au+Au collisions at  $S(NN)^{(1/2)} = 200$ -GeV," *Phys. Rev.* C75 (2007) 024909, arXiv:nucl-ex/0611006 [nucl-ex].
- [300] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of pi0 and eta production at large transverse momentum in  $\sqrt{s_{\rm NN}} = 200$ -GeV d+Au collisions," *Phys. Rev. Lett.* **98** (2007) 172302, arXiv:nucl-ex/0610036 [nucl-ex].
- [301] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of Single Muons at Forward Rapidity in p+p Collisions at  $\sqrt{s} = 200$ -GeV and Implications for Charm Production," *Phys. Rev.* **D76** (2007) 092002, arXiv:hep-ex/0609032 [hep-ex].

- [302] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of direct photon production in p + p collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev. Lett.* **98** (2007) 012002, arXiv:hep-ex/0609031 [hep-ex].
- [303] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of high-p(T) single electrons from heavy-flavor decays in p+p collisions at  $\sqrt{s}$  = 200-GeV," *Phys. Rev. Lett.* **97** (2006) 252002, arXiv:hep-ex/0609010 [hep-ex].
- [304] **PHENIX** Collaboration, D. Kim *et al.*, "Scaling properties of azimuthal anisotropy in Au+Au and Cu+Cu collisions at s(NN) = 200-GeV," *Phys. Rev. Lett.* **98** (2007) 162301, arXiv:nucl-ex/0608033 [nucl-ex].
- [305] **PHENIX** Collaboration, D. Kim *et al.*, "Evidence for a long-range component in the pion emission source in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **98** (2007) 132301, arXiv:nucl-ex/0605032 [nucl-ex].
- [306] **PHENIX** Collaboration, D. Kim *et al.*, "Jet properties from dihadron correlations in  $p^+p$  collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev.* **D74** (2006) 072002, arXiv:hep-ex/0605039 [hep-ex].
- [307] **PHENIX** Collaboration, D. Kim *et al.*, "Azimuthal angle correlations for rapidity separated hadron pairs in d + Au Collisions at  $\sqrt{s_{\rm NN}}$  = 200-GeV," *Phys. Rev. Lett.* **96** (2006) 222301, arXiv:nucl-ex/0603017 [nucl-ex].
- [308] **PHENIX** Collaboration, D. Kim *et al.*, "Nuclear effects on hadron production in d = Au and p + p collisions at  $\sqrt{s_{\rm NN}}$  = 200-GeV," *Phys. Rev.* C74 (2006) 024904, arXiv:nucl-ex/0603010 [nucl-ex].
- [309] **PHENIX** Collaboration, D. Kim *et al.*, "Improved measurement of double helicity asymmetry in inclusive midrapidity pi0 production for polarized p+p collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev.* **D73** (2006) 091102, arXiv:hep-ex/0602004 [hep-ex].
- [310] **PHENIX** Collaboration, D. Kim *et al.*, "Common suppression pattern of eta and pi0 mesons at high transverse momentum in Au+Au collisions at  $\sqrt{s_{\mathrm{NN}}} = 200\text{-GeV}$ ," *Phys. Rev. Lett.* **96** (2006) 202301, arXiv:nucl-ex/0601037 [nucl-ex].
- [311] **PHENIX** Collaboration, D. Kim *et al.*, "Nuclear modification of electron spectra and implications for heavy quark energy loss in Au+Au collisions at  $\sqrt{s_{\mathrm{NN}}}$  200-GeV," *Phys. Rev. Lett.* **96** (2006) 032301, arXiv:nucl-ex/0510047 [nucl-ex].
- [312] **PHENIX** Collaboration, D. Kim *et al.*, "Jet structure from dihadron correlations in d+Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev.* C73 (2006) 054903, arXiv:nucl-ex/0510021 [nucl-ex].

- [313] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of identified pi0 and inclusive photon v(2) and implication to the direct photon production in  $s(NN)^{**1/2} = 200$ -GeV Au+Au collisions," *Phys. Rev. Lett.* **96** (2006) 032302, arXiv:nucl-ex/0508019 [nucl-ex].
- [314] **PHENIX** Collaboration, D. Kim *et al.*, "Single electrons from heavy flavor decays in p+p collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev. Lett.* **96** (2006) 032001, arXiv:hep-ex/0508034 [hep-ex].
- [315] **PHENIX** Collaboration, D. Kim *et al.*, "J/psi production and nuclear effects for d+Au and p+p collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **96** (2006) 012304, arXiv:nucl-ex/0507032 [nucl-ex].
- [316] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of transverse single-spin asymmetries for mid-rapidity production of neutral pions and charged hadrons in polarized p+p collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev. Lett.* **95** (2005) 202001, arXiv:hep-ex/0507073 [hep-ex].
- [317] **PHENIX** Collaboration, D. Kim *et al.*, "Dense-Medium Modifications to Jet-Induced Hadron Pair Distributions in Au+Au Collisions at  $\sqrt{s_{\rm NN}}$  = 200-GeV," *Phys. Rev. Lett.* **97** (2006) 052301, arXiv:nucl-ex/0507004 [nucl-ex].
- [318] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of direct photon production in s(NN)\*\*(1/2) = 200-GeV Au + Au collisions," *Phys. Rev. Lett.* **94** (2005) 232301, arXiv:nucl-ex/0503003 [nucl-ex].
- [319] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of single electron event anisotropy in Au+Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev.* **C72** (2005) 024901, arXiv:nucl-ex/0502009 [nucl-ex].
- [320] **PHENIX** Collaboration, D. Kim *et al.*, "Mid-rapidity direct-photon production in  $p^+p$  collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev.* **D71** (2005) 071102, arXiv:hep-ex/0502006 [hep-ex].
- [321] **PHENIX** Collaboration, D. Kim *et al.*, "Nuclear modification factors for hadrons at forward and backward rapidities in deuteron-gold collisions at  $\sqrt{s_{\mathrm{NN}}} = 200$ -GeV," *Phys. Rev. Lett.* **94** (2005) 082302, arXiv:nucl-ex/0411054 [nucl-ex].
- [322] **PHENIX** Collaboration, D. Kim *et al.*, "Saturation of azimuthal anisotropy in Au + Au collisions at  $\sqrt{s_{\mathrm{NN}}}$  62-GeV to 200-GeV," *Phys. Rev. Lett.* **94** (2005) 232302, arXiv:nucl-ex/0411040 [nucl-ex].
- [323] **PHENIX** Collaboration, D. Kim *et al.*, "Production of phi mesons at mid-rapidity in  $\sqrt{s_{\rm NN}} = 200$  GeV Au+Au collisions at RHIC," *Phys. Rev.* C72 (2005) 014903, arXiv:nucl-ex/0410012 [nucl-ex].

- [324] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of charm production from single electrons measurement in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **94** (2005) 082301, arXiv:nucl-ex/0409028 [nucl-ex].
- [325] **PHENIX** Collaboration, D. Kim *et al.*, "Systematic studies of the centrality and  $\sqrt{s_{\mathrm{NN}}}$  dependence of the d E(T) / d eta and d (N(ch) / d eta in heavy ion collisions at mid-rapidity," *Phys. Rev.* **C71** (2005) 034908, arXiv:nucl-ex/0409015 [nucl-ex]. [Erratum: Phys. Rev. C71,049901(2005)].
- [326] **PHENIX** Collaboration, D. Kim *et al.*, "Jet structure of baryon excess in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev.* **C71** (2005) 051902, arXiv:nucl-ex/0408007 [nucl-ex].
- [327] **PHENIX** Collaboration, D. Kim *et al.*, "Deuteron and antideuteron production in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **94** (2005) 122302, arXiv:nucl-ex/0406004 [nucl-ex].
- [328] **PHENIX** Collaboration, D. Kim *et al.*, "Double helicity asymmetry in inclusive mid-rapidity pi0 production for polarized p + p collisions at  $\sqrt{s}$  = 200-GeV," *Phys. Rev. Lett.* **93** (2004) 202002, arXiv:hep-ex/0404027 [hep-ex].
- [329] **PHENIX** Collaboration, D. Kim *et al.*, "Bose-Einstein correlations of charged pion pairs in Au + Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **93** (2004) 152302, arXiv:nucl-ex/0401003 [nucl-ex].
- [330] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of nonrandom event by event fluctuations of average transverse momentum in  $\sqrt{s_{\rm NN}} = 200$ -GeV Au+Au and p+p collisions," *Phys. Rev. Lett.* **93** (2004) 092301, arXiv:nucl-ex/0310005 [nucl-ex].
- [331] PHENIX Collaboration, D. Kim et al., "PHENIX muon arms," Nucl. Instrum. Meth. A499 (2003) 537–548.
- [332] **PHENIX** Collaboration, D. Kim *et al.*, "PHENIX detector overview," *Nucl. Instrum. Meth.* **A499** (2003) 469–479.
- [333] **PHENIX** Collaboration, D. Kim *et al.*, "High  $p_T$  charged hadron suppression in Au + Au collisions at  $\sqrt{s}_{NN} = 200$  GeV," *Phys. Rev.* C69 (2004) 034910, arXiv:nucl-ex/0308006 [nucl-ex].
- [334] **PHENIX** Collaboration, D. Kim *et al.*, "Identified charged particle spectra and yields in Au+Au collisions at  $\sqrt{s_{\rm NN}}=200$ -GeV," *Phys. Rev.* **C69** (2004) 034909, arXiv:nucl-ex/0307022 [nucl-ex].
- [335] **PHENIX** Collaboration, D. Kim *et al.*, "Single identified hadron spectra from  $\sqrt{s_{\rm NN}}=130$ -GeV Au+Au collisions," *Phys. Rev.* **C69** (2004) 024904, arXiv:nucl-ex/0307010 [nucl-ex].

- [336] **PHENIX** Collaboration, D. Kim *et al.*, " $J/\psi$  production from proton proton collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev. Lett.* **92** (2004) 051802, arXiv:hep-ex/0307019 [hep-ex].
- [337] **PHENIX** Collaboration, D. Kim *et al.*, "Absence of suppression in particle production at large transverse momentum in  $\sqrt{s_{\rm NN}} = 200$ -GeV d + Au collisions," *Phys. Rev. Lett.* **91** (2003) 072303, arXiv:nucl-ex/0306021 [nucl-ex].
- [338] **PHENIX** Collaboration, D. Kim *et al.*, "Scaling properties of proton and anti-proton production in  $\sqrt{s_{\rm NN}}$  200-GeV Au+Au collisions," *Phys. Rev. Lett.* **91** (2003) 172301, arXiv:nucl-ex/0305036 [nucl-ex].
- [339] **PHENIX** Collaboration, D. Kim *et al.*, "J / psi production in Au Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV at the Relativistic Heavy Ion Collider," *Phys. Rev.* **C69** (2004) 014901, arXiv:nucl-ex/0305030 [nucl-ex].
- [340] **PHENIX** Collaboration, D. Kim *et al.*, "Elliptic flow of identified hadrons in Au+Au collisions at  $\sqrt{s_{\rm NN}} = 200$ -GeV," *Phys. Rev. Lett.* **91** (2003) 182301, arXiv:nucl-ex/0305013 [nucl-ex].
- [341] **PHENIX** Collaboration, D. Kim *et al.*, "Suppressed  $\pi^0$  production at large transverse momentum in central Au+ Au collisions at  $\sqrt{s_{\rm NN}}=200$  GeV," *Phys. Rev. Lett.* **91** (2003) 072301, arXiv:nucl-ex/0304022 [nucl-ex].
- [342] **PHENIX** Collaboration, D. Kim *et al.*, "Mid-rapidity neutral pion production in proton proton collisions at  $\sqrt{s} = 200$ -GeV," *Phys. Rev. Lett.* **91** (2003) 241803, arXiv:hep-ex/0304038 [hep-ex].
- [343] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of the high p(T) charged hadron suppression in Au+Au collisions at  $\sqrt{s_{\rm NN}} = 130$ -GeV," *Phys. Lett.* **B561** (2003) 82–92, arXiv:nucl-ex/0207009 [nucl-ex].
- [344] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of the Lambda and anti-Lambda particles in Au+Au collisions at  $\sqrt{s_{\rm NN}} = 130$ -GeV," *Phys. Rev. Lett.* **89** (2002) 092302, arXiv:nucl-ex/0204007 [nucl-ex].
- [345] **PHENIX** Collaboration, D. Kim *et al.*, "Flow measurements via two particle azimuthal correlations in Au+Au collisions at  $\sqrt{s_{\mathrm{NN}}} = 130\text{-GeV}$ ," *Phys. Rev. Lett.* **89** (2002) 212301, arXiv:nucl-ex/0204005 [nucl-ex].
- [346] **PHENIX** Collaboration, D. Kim *et al.*, "Event-by-event fluctuations in mean p(T) and mean e(T) in  $\sqrt{s_{\rm NN}}=130$ -GeV Au+Au collisions," *Phys. Rev.* **C66** (2002) 024901, arXiv:nucl-ex/0203015 [nucl-ex].

- [347] **PHENIX** Collaboration, D. Kim *et al.*, "Net charge fluctuations in Au+Au interactions at  $\sqrt{s} = 130$ -GeV," *Phys. Rev. Lett.* **89** (2002) 082301, arXiv:nucl-ex/0203014 [nucl-ex].
- [348] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of single electrons and implications for charm production in Au+Au collisions at  $\sqrt{s}(\mathrm{NN}) = 130\text{-GeV}$ ," *Phys. Rev. Lett.* **88** (2002) 192303, arXiv:nucl-ex/0202002 [nucl-ex].
- [349] **PHENIX** Collaboration, D. Kim *et al.*, "Transverse mass dependence of two pion correlations in Au+Au collisions at  $\sqrt{s_{\rm NN}} = 130$ -GeV," *Phys. Rev. Lett.* **88** (2002) 192302, arXiv:nucl-ex/0201008 [nucl-ex].
- [350] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of pi+ / pi-, K+ / K-, p and anti-p production from  $\sqrt{s_{\rm NN}} = 13$ -=GeV Au+Au collisions at RHIC," *Phys. Rev. Lett.* **88** (2002) 242301, arXiv:nucl-ex/0112006 [nucl-ex].
- [351] **PHENIX** Collaboration, D. Kim *et al.*, "Suppression of hadrons with large transverse momentum in central Au+Au collisions at  $\sqrt{s_{NN}} = 130$ -GeV," *Phys. Rev. Lett.* **88** (2002) 022301, arXiv:nucl-ex/0109003 [nucl-ex].
- [352] **PHENIX** Collaboration, D. Kim *et al.*, "Measurement of the mid-rapidity transverse energy distribution from  $\sqrt{s_{\rm NN}}=130\text{-GeV}$  Au + Au collisions at RHIC," *Phys. Rev. Lett.* **87** (2001) 052301, arXiv:nucl-ex/0104015 [nucl-ex].
- [353] **PHENIX** Collaboration, D. Kim *et al.*, "Centrality dependence of charged particle multiplicity in Au Au collisions at  $\sqrt{s_{\rm NN}}=130\text{-GeV}$ ," *Phys. Rev. Lett.* **86** (2001) 3500–3505, arXiv:nucl-ex/0012008 [nucl-ex].