

AI 时代设计师的能力升级

Vibe coding实践经验

UX Workflow x AI Capability System

01

发现问题 & 用户研究

- 阐明业务背景与用户场景 (Context & Scenario)
- 明确业务目标与用户任务 (Business Goal & User Task)
- 从用户视角出发识别界面问题，并抽象为核心体验议题 (UI Symptoms)
- 定义并表述体验挑战 (Design Challenge)

02

定义问题 & 洞察

- 构建假设并制定验证路径 (Hypothesis)
- 使用 AI 生成用于支撑的研究数据与模拟研究结果 (AI Research Simulation)
- 对结果进行结构化整理并完成可视化呈现 (Visualization)
- 提炼并输出关键洞察 (Insight)

03

方案构思

- 基于关键洞察明确并定义设计策略 (Design Strategy)
- 输出信息架构及用户流程 (IA & Flow)
- 拆解并梳理详细功能与交互逻辑 (Feature & Logic)
- 输出完整且可交付的改版方案文档 (DRD)
- 构建可交互原型以验证关键路径 (Rapid Prototyping)

04

设计方案

- 生成可运行的前端页面 (Design to Code)
- 通过 Skill 优化界面视觉&交互&动效 (AI Skill Technique)

05

交付&验证

- 提交并推送至 Git 仓库，完成版本化交付 (Git Delivery)
- 结合可用性测试与数据反馈验证效果，推动方案迭代 (Validation & Iteration)

06

沉淀

- 将通用界面抽象为组件、样式变量与页面模板 (Component Reuse)
- 沉淀 AI 提示词、Skills 与设计开发工作流 (AI Workflow)
- 整理项目成果与方法，形成可复用的案例资产 (Case Repository)

传统设计师的工作流程

以人工经验和设计软件为主，流程较长，依赖多方协作

01

需求理解

与产品/业务/开发沟通，理解目标与用户需求

02

调研分析

用户调研、竞品分析、整理需求与机会点

03

概念构思

头脑风暴、手绘草图、探索多种设计方案

04

视觉设计

使用 Figma / PS 等工具制作高保真设计稿

05

评审修改

内部评审、收集反馈、反复迭代优化

06

交付开发

输出设计稿、标注、切图，与开发对接

07

上线跟进

跟进开发落地，验收上线，收集数据反馈

更多沟通 · 更长周期 · 更依赖人力

Vibe Coding 的工作流程

用自然语言和 AI 快速实现想法，边做边看，快速迭代

01

从 Git 拉取分支

从远程仓库拉取最新代码，创建并切换到新分支

```
git pull
git checkout -b feature/ui
```

02

用自然语言生成/修改代码

通过 AI 工具（如 Cursor、Copilot、Claude）
描述需求，生成或调整代码

“帮我实现一个更简洁的
商品卡片组件...”

03

本地预览与优化

在本地运行项目，实时预览效果，
与 AI 对话持续优化

```
npm run dev
```

04

提交代码

确认修改无误后，提交本地代码

```
git add .
git commit -m "update UI"
```

05

推送分支

将本地分支推送到远程仓库

```
git push origin feature/ui
```

06

CI 自动构建与校验

自动运行构建、单元测试、代码规范检查等
失败则卡住，需要修复后重新提交

- ✓ Build
- ✓ Test
- ✓ Lint
- ✗ Failed (Fix required)

07

人工审核代码（PR Review）

开发/设计/产品进行代码评审，确认无误后合并

- ✓ Code Review
- ✓ Approve
- ✓ Merge

08

合并分支并上线

合并到主分支，触发部署上线

```
Merge & Deploy
```

更快实现 · 更高效率 · 更专注创造

理解 AI 的能力边界

什么时候可以直接让AI设计？什么时候需要人工手搓？

figma谷歌插件：html转设计稿



Figma

从Chrome中移除

精选

4.2★ (99 个评分)


分享

扩展程序


工作流程与规划

300,000 用户

Capture your websites and bring them into Figma as editable layers



Stay in the browser and bring multiple elements to the Figma canvas





概述

Figma

Capture your live websites and bring them into Figma as editable layers.

BRING IN A LIVE PAGE OR ELEMENT

Grab a full page or select the elements you need straight from your browser, no codebase, terminal, or coding agent required.

START FROM WHAT'S IN PRODUCTION

Pull the latest production UI, a teammate's shipped modal, or a live page onto the canvas and riff from something true instead of rebuilding by hand.

SEND TO FIGMA AS LAYERS

Prompt——把“感觉不对”，转译成可执行的设计要求

模糊表达

页面要简洁

操作要方便

视觉要统一

方案要完整

明确的设计要求

核心任务是什么，哪些信息必须直接展示，哪些可以渐进展开？

高频任务有哪些，用户在哪一步容易中断或出错？


使用哪些组件、样式变量和布局规则？

必须包含哪些状态、异常和恢复方式？

 **Prompt——不知道怎么描述专业词汇**

我的目标是...
下一步该怎么做？

Ai构建组件库，实现前端页面-代码-组件库demo三端统一




前端页面

项目中的真实页面
使用统一的组件




AI 解析与生成

- ✓ 识别页面中的组件
- ✓ 提取组件结构与样式
- ✓ 绑定到共享代码
- ✓ 自动生成组件文档与示例



共享代码

统一的组件代码仓库
(可被多个项目复用)



组件库 Demo

自动生成可视化的组件展示页面
(与代码和项目保持一致)



三端统一 · 一致的组件体验



前端页面使用同一套组件




共享代码保持一致



组件库 Demo 实时同步展示

AI Native Design System Architecture——让生成结果更加稳定统一



<https://github.com/pbakaus/impeccable>

Command	What it does
<code>/impeccable craft</code>	Full shape-then-build flow with visual iteration
<code>/impeccable init</code>	One-time setup: gather durable product context, write PRODUCT.md, configure live mode when applicable, recommend next steps
<code>/impeccable document</code>	Generate root DESIGN.md from existing project code
<code>/impeccable extract</code>	Pull reusable components and tokens into the design system
<code>/impeccable shape</code>	Plan UX/UI before writing code
<code>/impeccable critique</code>	UX design review: hierarchy, clarity, emotional resonance
<code>/impeccable audit</code>	Run technical quality checks (a11y, performance, responsive)
<code>/impeccable polish</code>	Final pass, design system alignment, and shipping readiness
<code>/impeccable bolder</code>	Amplify boring designs
<code>/impeccable quieter</code>	Tone down overly bold designs
<code>/impeccable distill</code>	Strip to essence
<code>/impeccable harden</code>	Error handling, i18n, text overflow, edge cases
<code>/impeccable onboard</code>	First-run flows, empty states, activation paths

<code>/impeccable audit</code>	Run technical quality checks (a11y, performance, responsive)
<code>/impeccable polish</code>	Final pass, design system alignment, and shipping readiness
<code>/impeccable bolder</code>	Amplify boring designs
<code>/impeccable quieter</code>	Tone down overly bold designs
<code>/impeccable distill</code>	Strip to essence
<code>/impeccable harden</code>	Error handling, i18n, text overflow, edge cases
<code>/impeccable onboard</code>	First-run flows, empty states, activation paths
<code>/impeccable animate</code>	Add purposeful motion
<code>/impeccable colorize</code>	Introduce strategic color
<code>/impeccable typeset</code>	Fix font choices, hierarchy, sizing
<code>/impeccable layout</code>	Fix layout, spacing, visual rhythm
<code>/impeccable delight</code>	Add moments of joy
<code>/impeccable overdrive</code>	Add technically extraordinary effects
<code>/impeccable clarify</code>	Improve unclear UX copy
<code>/impeccable adapt</code>	Adapt for different devices
<code>/impeccable optimize</code>	Performance improvements
<code>/impeccable live</code>	Visual variant mode: iterate on elements in the browser
<code>/impeccable generate</code>	Generate variants of a named element in the live browser, no manual picking

skills——可用性检查

https://github.com/hueyexe/frontend-agent-skills/tree/main/ux-usability-foundations?utm_source=chatgpt.com

Workflow for critiquing an existing UI 用于批评现有 UI 的工作流程

Inspect in this order: 检查顺序如下：

1. User goal and task fit. 用户目标和任务匹配度。
2. First-glance comprehension. 第一眼理解。
3. Orientation: current place, object, state, and path onward/back.
方向：当前位置、对象、状态和前进/后退路径。
4. Action discoverability. 行动可发现性。
5. Choice quality and priority. 选择质量和优先级。
6. Labels and language. 标签和语言。
7. Feedback and status. 反馈和状态。
8. Error prevention and recovery. 错误预防和恢复。
9. Recognition versus memory burden. 识别与记忆负担。
10. Accessibility and input coverage. 辅助功能和输入覆盖。
11. Frontend feasibility and edge states. 前端可行性与边缘状态。
12. Prioritization by task impact, frequency, severity, and fix effort.
按任务影响、频率、严重程度和修复努力划分优先级。

Report critique as: highest-impact usability issues, quick wins, behavior/spec details, accessibility notes, and risks/tradeoffs.
报告批评包括：影响最大的可用性问题、快速获胜、行为/规格细节、可访问性说明和风险/权衡。

Workflow for creating or improving an interface 创建或改进界面的工作流程

1. Clarify the user, goal, success condition, and risk.
明确用户、目标、成功条件和风险。
2. Choose the simplest useful flow. 选择最简单有用的流程。
3. Map user concepts and vocabulary. 映射用户概念和词汇。
4. Create visible structure and action hierarchy.
创建可见结构和行动层级。
5. Select standard patterns unless a task reason justifies custom behavior.
选择标准模式，除非任务原因证明自定义行为合理。
6. Design default, hover, focus, active, loading, success, empty, validation, error, offline, disabled, and permission states.
设计默认、悬停、聚焦、活跃、加载、成功、空、验证、错误、离线、禁用和许可状态。
7. Add constraints, validation, and recovery. 添加约束、验证和恢复。
8. Support first use and repeated use.
支持首次使用和重复使用。
9. Verify accessibility. 验证可访问性。
10. Explain decisions in terms of task progress, cognitive load, expectations, and risk.
从任务进度、认知负荷、期望和风险角度解释决策。

AI & LLM Platforms

- **Claude** - Anthropic's AI assistant. Warm terracotta accent, clean editorial layout
- **Cohere** - Enterprise AI platform. Vibrant gradients, data-rich dashboard aesthetic
- **ElevenLabs** - AI voice platform. Dark cinematic UI, audio-waveform aesthetics
- **Minimax** - AI model provider. Bold dark interface with neon accents
- **Mistral AI** - Open-weight LLM provider. French-engineered minimalism, purple-toned
- **Ollama** - Run LLMs locally. Terminal-first, monochrome simplicity
- **OpenCode AI** - AI coding platform. Developer-centric dark theme
- **Replicate** - Run ML models via API. Clean white canvas, code-forward
- **Runway** - AI creative-tools platform with an editorial film-festival aesthetic — cinematic dark heroes, paper-white reading bands, single proprietary sans, and pure black pill CTAs.
- **Together AI** - Open-source AI infrastructure. Technical, blueprint-style design
- **VoltAgent** - AI agent framework. Void-black canvas, emerald accent, terminal-native
- **xAI** - Elon Musk's AI lab. Stark monochrome, futuristic minimalism

Developer Tools & IDEs

- **Cursor** - AI-first code editor. Sleek dark interface, gradient accents
- **Expo** - React Native platform. Dark theme, tight letter-spacing, code-centric
- **Lovable** - AI full-stack builder. Playful gradients, friendly dev aesthetic
- **Raycast** - Productivity launcher. Sleek dark chrome, vibrant gradient accents
- **Superhuman** - Fast email client. Premium dark UI, keyboard-first, purple glow
- **Vercel** - Frontend deployment platform. Black and white precision, Geist font
- **Warp** - Modern terminal. Dark IDE-like interface, block-based command UI

Backend, Database & DevOps

- **ClickHouse** - Fast analytics database. Yellow-accented, technical documentation style

- **PostHog** - Product analytics. Playful hedgehog branding, developer-friendly dark UI
- **Sanity** - Headless content platform with a dark-first editorial marketing surface — 112px display type, IBM Plex Mono technical eyebrows, and a single coral-red accent reserved for the highest-priority CTA.
- **Sentry** - Error monitoring. Dark dashboard, data-dense, pink-purple accent
- **Supabase** - Open-source Firebase alternative. Dark emerald theme, code-first

Productivity & SaaS

- **Cal.com** - Open-source scheduling. Clean neutral UI, developer-oriented simplicity
- **Intercom** - Customer messaging. Friendly blue palette, conversational UI patterns
- **Linear** - Project management for engineers. Ultra-minimal, precise, purple accent
- **Mintlify** - Documentation platform. Clean, green-accented, reading-optimized
- **Notion** - All-in-one workspace. Warm minimalism, serif headings, soft surfaces
- **Resend** - Email API for developers. Minimal dark theme, monospace accents
- **Zapier** - Automation platform. Warm orange, friendly illustration-driven

Design & Creative Tools

- **Airtable** - Spreadsheet-database hybrid. Colorful, friendly, structured data aesthetic
- **Clay** - Creative agency. Organic shapes, soft gradients, art-directed layout
- **Figma** - Collaborative design tool. Vibrant multi-color, playful yet professional
- **Framer** - Website builder. Bold black and blue, motion-first, design-forward
- **Miro** - Visual collaboration. Bright yellow accent, infinite canvas aesthetic
- **Webflow** - Visual web builder. Blue-accented, polished marketing site aesthetic

Fintech & Crypto

- **Binance** - Crypto exchange. Bold Binance Yellow on monochrome, trading-floor urgency
- **Coinbase** - Crypto exchange. Clean blue identity, trust-focused, institutional feel
- **Kraken** - Crypto trading platform. Purple-accented dark UI, data-dense dashboards
- **Mastercard** - Global payments network. Warm cream canvas, orbital pill shapes, editorial warmth
- **Revolut** - Digital banking. Sleek dark interface, gradient cards, fintech precision
- **Stripe** - Payment infrastructure. Signature purple gradients, weight-300 elegance
- **Wise** - International money transfer. Bright green accent, friendly and clear

E-commerce & Retail

- **Airbnb** - Travel marketplace. Warm coral accent, photography-driven, rounded UI
- **Meta** - Tech retail store. Photography-first, binary light/dark surfaces, Meta Blue CTAs
- **Nike** - Athletic retail. Monochrome UI, massive uppercase Futura, full-bleed photography
- **Shopify** - E-commerce platform. Dark-first cinematic, neon green accent, ultra-light display type
- **Starbucks** - Coffee retail flagship. Four-tier earth-green system, warm cream canvas, proprietary SoDoSans

skills——方案探索

<https://github.com/anthropics/skills/blob/main/skills/frontend-design/SKILL.md>

Frontend Design 前端设计

Approach this as the design lead at a design studio known for giving every client a distinct visual identity that is not mistaken for anyone else's. This client has already rejected proposals that felt cliché or templated, and is paying for a distinctive point of view: make deliberate, opinionated choices about palette, typography, and layout that are specific to this brief, and take aesthetic risk if justified.

接近这个目标，因为设计引导我们来到一家设计工作室，这家工作室以为每位客户提供独特的视觉特征而闻名，不会被误认为是其他任何人的。这位客户已经拒绝了那些感觉陈词滥调或模板化的提案，并正在寻求一个独特的视角：对调色板、字体设计和布局做出深思熟虑、有主见的选择，这些选择都是针对本简报的，如果合理的话，还可以承担审美风险。

Ground your designs in the subject matter

将你的设计融入主题

If the brief does not identify what the product or subject matter is, identify it yourself before designing, and confirm with the client. You can come up with one concrete subject, the design's audience, and the design's primary job, as a proposal. If there's any information in your memory about the client's preferences or context about what they're building, use that as a hint. The subject's industry, subject matter, materials, and vernacular are where distinctive visual choices come from — a design for a toy for girls aged 8–11 will be very aesthetically different from a dashboard for financial analysts. Build with the brief's real content and subject matter throughout.

如果简报没有确定产品或主题是什么，你可以在设计之前自己确定，并与客户确认。你可以提出一个具体的主题，即设计的受众和设计的主要任务，作为提案。如果你记忆中有任何关于客户偏好或他们正在建造的内容背景的信息，请将其作为提示。主题的行业、主题、材料和术语是独特视觉选择的来源——为 8-11 岁女孩设计的玩具在审美上将与为财务分析师设计的仪表盘有很大不同。始终根据简报的真实内容和主题进行构建。

Design principles 设计原则

For web designs, the hero is the first thing viewers will see. Open with the most characteristic thing in the subject's world, in the form that is most appropriate: a headline, an image, an animation, a live demo, an interactive moment, or other treatments. Be deliberate with your choice: a big number with a small label, supporting stats, and a gradient accent is the default treatment, so only use it if that's truly the best option.

对于网页设计来说，主角是观众首先看到的。以主题世界中最具特色的内容开场，采用最合适的形式：标题、图像、动画、现场演示、互动时刻或其他处理方式。慎重选择：默认处理方式是大数字、小标签、支持统计数据 and 渐变重音，所以只有在这确实是最佳选择时才使用它。

Typography carries the personality of the page. You don't need a different typeface for display or headline text and body content: use one family or two, and if two, make them clearly distinct.

字体设计承载了页面的个性。你不需要不同的字体来显示或标题文本和正文内容：使用一个或两个字体系列，如果是两个，则要使它们明显不同。

Choose monospace faces deliberately, not the default family you would reach for on any other project, and set a glass type scale following

Process: plan, review against the brief, build, critique

流程：规划、评审、构建、批评

For calibration, AI-generated design right now clusters around some traits:

为了进行校准，人工智能生成的设计目前集中在一些特征上：

1. a warm cream background (near #F4F1EA) with a high-contrast serif display and a terracotta or warm-clay accent (often near #D97757 — Anthropic's own Claude-interaction accent, so on a user's brief it reads as a tell);
温暖的奶油色背景 (靠近#F4F1EA)，具有高对比度的衬线显示，并带有赤陶或温陶土的口音 (通常靠近#D97757——Anthropic 自己的克劳德式互动口音，所以在用户简介中读作 “tell”)。
2. a near-black background with a single bright acid-green or vermilion accent;
近乎黑色的背景，带有单一明亮的酸性绿色或朱红色调；
3. a broadsheet-style layout with hairline rules, zero border-radius, and dense newspaper-like columns;
宽版式布局，发线规则，零边界半径，密集的报纸式列；
4. the SaaS-card kit: content chopped into identical rounded cards, one border-radius on everything regardless of hierarchy, the same soft grey shadow (rgba(0,0,0,.1)) under each, and gradient washes as decoration;
SaaS 卡片套件：内容切割成完全相同的圆形卡片，每张卡片上都有一个边界半径，不分层次，每张卡片下方都有相同的柔和灰色阴影 (rgba(0,0,0,.1))，并用渐变冲洗作为装饰；
5. template chrome that appears whatever the subject: a tracked-out ALL-CAPS eyebrow label above every heading; meta strings joined with middle dots ('A · B · C'); labels built as 'WORD — fragment' with a spaced em dash; tinted near-black (#0B0B0B, #111) standing in for black; a monospace face for small data labels; a '→' appended to link and button text.
无论主题为何，都能显示的模板色彩：每个标题上方都有一个追踪的 ALL-CAPS 眉毛标签;元字符串用中点连接 ("A·B·C");标签构建为 “WORD——片段”，带有空格的 em 破折号;染色的近黑色 (#0B0B0B,#111) 代表黑色;小数据标签的单空间表面;链接和按钮文本后面附加的 “→”。

All traits are legitimate for some briefs, but they are defaults rather than choices, and they appear regardless of subject. Where the brief pins down a visual direction, follow it exactly — the brief's own words always win, including when it asks for one of these looks. Where it leaves an axis free, don't spend that freedom on one of these defaults. As with a hired human designer, there's often a careful balance between doing what you're good at and taking each project as a chance to experiment and learn.

对于某些简报来说，所有特征都是合理的，但它们是默认设置而非选择，并且它们的出现与主题无关。当简报强调视觉方向时，请严格遵循——简报自身的文字总是胜出，包括当它要求呈现这些特征中的一种时。当它留下一个空白轴时，不要将这种自由浪费在这些默认设置上。就像雇佣人类设计师一样，在做你擅长的事情和将每个项目都视为实验和学习的机会之间，通常需要谨慎地平衡。

Work in two passes. First, brainstorm a short design plan based on the client's design brief: create a compact token system with color, type, layout, and principles.

工作分为两个步骤。首先，根据客户的设计简报，头脑风暴一个简短的设计计划：创建一个包含颜色、类型、布局和原则的紧凑标记系统。

- Color: describe the core base palette as 4–6 named hex values.
颜色：将核心基调色板描述为 4-6 个命名的十六进制值。
- Type: the typefaces and their roles.
类型：字体及其角色。
- Layout: a layout concept, using one-sentence prose descriptions and ASCII wireframes to ideate and compare. Include alignment guidance; should the content be left aligned, center aligned, justified?
布局：一个布局概念，使用一句散文式描述和 ASCII 线框来设计和比较。包括对齐指导;内容应该保持对齐、居中对齐还是合理对齐？
- Principles: the high-level guidance for what makes this page unique.
原则：为这个页面的独特之处提供高层指导。

Then review that plan against the brief before building: if any part of it reads like the generic default you would produce for any similar page (work through a similar prompt to see if you arrive somewhere similar) rather than a choice made for this specific brief — revise that part, say what you changed and why. Only after you've confirmed the relative uniqueness of your design plan should you start to write the code.

**工具会快速普及
判断力、定义能力、审美能力、系统能力和结果责任
会越来越稀缺。**