

计算机视觉第五次作业

岳东旭 2201212864 指导教师: 张健

1. 手动推导

下午 10:44 10月24日周一

草纸

问题重述: $f = \|Y - Y_p\|_F^2$
 $Y_p = h_s w_2 + b_2$
 $h_s = \text{sigmoid}(h)$
 $h = X w_1 + b_1$
对 f 对 w_1, b_1, w_2, b_2 求导

$$f = \text{tr}((Y - Y_p)^T \cdot (Y - Y_p))$$
$$\frac{\partial f}{\partial Y_p} = 2(Y_p - Y) \quad \text{记 } Y_p - Y \text{ 为 } z, \text{ 则 } \frac{\partial f}{\partial Y_p} = 2z$$
$$df = \text{tr}\left(\frac{\partial f}{\partial Y_p} dY_p\right) = \text{tr}\left(\frac{\partial f}{\partial Y_p} d(h_s w_2 + b_2)\right)$$
$$= \text{tr}\left(\frac{\partial f}{\partial Y_p} h_s dw_2\right) \quad \text{sigmoid 函数求导 } \sigma(x) = \frac{1}{1+e^{-x}}$$
$$= \text{tr}\left(\frac{\partial f}{\partial Y_p} db_2\right) \quad \text{链式: } \sigma'(x) = -\frac{1}{(1+e^{-x})^2} \cdot (-e^{-x}) = \frac{e^{-x}}{(1+e^{-x})^2}$$
$$= \frac{1+e^{-x}-1}{(1+e^{-x})^2} = \sigma(x) - [\sigma(x)]^2 = \sigma(x)[1-\sigma(x)]$$
$$\therefore \frac{\partial f}{\partial w_2} = h_s^T \cdot \frac{\partial f}{\partial Y_p} = 2h_s^T (Y_p - Y)$$
$$\therefore \frac{\partial f}{\partial b_2} = \frac{\partial f}{\partial Y_p} = 2(Y_p - Y)$$
$$df = \text{tr}\left(w_2 \frac{\partial f}{\partial Y_p}^T dh_s\right)$$
$$\therefore \frac{\partial f}{\partial h_s} = \frac{\partial f}{\partial Y_p} \cdot w_2^T = 2(Y_p - Y) w_2^T, \text{ 记 sigmoid 函数导数为 } \sigma'(x)$$
$$\text{则 } df = \text{tr}\left(\frac{\partial f}{\partial h_s}^T \cdot d \text{sigmoid}(h)\right) = \text{tr}\left(\frac{\partial f}{\partial h_s}^T \sigma'(h) dh\right) = \text{tr}\left(\left(\frac{\partial f}{\partial h_s} \cdot \sigma'(h)\right)^T \cdot dh\right)$$
$$\therefore \frac{\partial f}{\partial h} = \frac{\partial f}{\partial h_s} \cdot \sigma'(h)$$
$$df = \text{tr}\left(\frac{\partial f}{\partial h}^T \cdot dh\right) = \text{tr}\left(\frac{\partial f}{\partial h}^T d(Xw_1 + b_1)\right) = \text{tr}\left(\frac{\partial f}{\partial h}^T X dw_1\right) = \text{tr}\left(\frac{\partial f}{\partial h}^T db_1\right)$$
$$\therefore \frac{\partial f}{\partial w_1} = X^T \cdot \frac{\partial f}{\partial h} = X^T \cdot 2(Y_p - Y) w_2^T \sigma'(h) [1 - \sigma(h)]$$
$$\frac{\partial f}{\partial b_1} = \frac{\partial f}{\partial h} = 2(Y_p - Y) w_2^T \sigma'(h) [1 - \sigma(h)]$$

6/6

2. 搭建两层全连接神经网络

```
%matplotlib inline
import torch
import torch.nn.functional as F
import matplotlib.pyplot as plt
import torch.nn as nn

torch.manual_seed(1)    # reproducible

x = torch.unsqueeze(torch.linspace(-1, 1, 100), dim=1) # x data (tensor),
shape=(100, 1)
y = x.pow(2) + 0.2*torch.rand(x.size())
```

```
x.shape
```


```
torch.Size([100, 1])
```

```
y.shape
```

```
torch.Size([100, 1])
```

```
plt.scatter(x.numpy(), y.numpy())
```

```
<matplotlib.collections.PathCollection at 0x1ce251747c0>
```



搭建两层含有bias的全连接网络，隐藏层输出个数为20，激活函数都用sigmoid()

```
class Net(torch.nn.Module):
    def __init__(self, n_feature, n_hidden, n_output):
        super(Net, self).__init__()
        # self.net = nn.Sequential()
        self.linear_1 = nn.Linear(n_feature, n_hidden)
        self.linear_2 = nn.Linear(n_hidden, n_output)
    def forward(self, x):
        x = F.sigmoid(self.linear_1(x))
        x = self.linear_2(x)
        return x
```

```
net = Net(n_feature=1, n_hidden=20, n_output=1)    # define the network
print(net) # net architecture
optimizer = torch.optim.SGD(net.parameters(), lr=0.2)
loss_func = torch.nn.MSELoss() # this is for regression mean squared loss

plt.ion() # something about plotting

for t in range(2000):
    prediction = net(x)    # input x and predict based on x
    loss = loss_func(prediction, y)    # must be (1. nn output, 2. target)



    optimizer.zero_grad()    # clear gradients for next train
    loss.backward()    # backpropagation, compute gradients
    optimizer.step()    # apply gradients



    if t % 20 == 0:
        # plot and show learning process
        plt.cla()
        plt.scatter(x.numpy(), y.numpy())
        plt.plot(x.numpy(), prediction.data.numpy(), 'r-', lw=5)
        plt.text(0.5, 0, 't = %d, Loss=%.4f' % (t, loss.data.numpy()), fontdict=
{'size': 20, 'color': 'red'})
        plt.pause(0.1)
        plt.show()



plt.ioff()
# plt.show()
```



```
Net(
  (linear_1): Linear(in_features=1, out_features=20, bias=True)
  (linear_2): Linear(in_features=20, out_features=1, bias=True)
)
```



```
D:\anaconda\lib\site-packages\torch\nn\functional.py:1960: UserWarning:
nn.functional.sigmoid is deprecated. Use torch.sigmoid instead.
  warnings.warn("nn.functional.sigmoid is deprecated. Use torch.sigmoid
instead.")
```































































































































































































<matplotlib.pyplot._IoffContext at 0x1ce1d35fb50>