

LOGIN INTERFACE

20/04/2021	22:22:22	USER	LOGIN
------------	----------	------	-------

LOGIN INTERFACE

FACTORY
OVERVIEW
SENSOR
DEVICE
CHART
ALARM
MAIL & SMS
FILE DOWNLOAD
GOOGLE MAP
CAMERA
LOGIN HISTORY
CONNECTION
ADMINISTRATOR
VIEW SETTINGS
LANGUAGES
...

20/04/2021	22:22:22	USER	LOGIN
------------	----------	------	-------

HIDE OR UNHIDE

SCROLL HIDE OR UNHIDE

1920x1080

SCROLL HIDE OR UNHIDE

FACTORY INTERFACE

FACTORY					20/04/2021	22:22:22	USER	LOGIN
OVERVIEW								
SENSOR								
DEVICE								
CHART								
ALARM								
MAIL & SMS								
FILE DOWNLOAD								
GOOGLE MAP								
CAMERA								
LOGIN HISTORY								
CONNECTION								
ADMINISTRATOR								
VIEW SETTINGS								
OTHER								

FACTORY 1
FACTORY 2
FACTORY 3
...

OVERVIEW

- có thể chế độ tràn màn hình

RAW PUMP STATION

PROCESS STATION

CHEMICAL STATION

SUPPLY STATION

HA THANH WATER SUPPLY FACTORY, 30.000m3 Capacity

20/04/202122:22:22USERLOGIN

MONITORING & SCALLING SENSORS

PRESSURE - PIT01	
2.85	bar

FLOW RATE - FIT01	
10.5	m3/h
100.5	m3/d
10000.5	m3

LEVEL - LIT01	
10.5	m
100.5	m3
70.5	%

pH - pH01	
7.5	pH

TURBIDITY - NTU01	
1.5	ppm

PRESSURE - PIT02	
2.85	bar

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

PRESSURE - PIT02	
2.85	bar

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

PRESSURE - PIT02	
2.85	bar

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

HA THANH WATER SUPPLY FACTORY, 30.000m3 Capacity

20/04/2021 22:22:22 USER LOGIN

MONITORING & SCALLING SENSORS

RAW PUMP STATION

PROCESS STATION

CHEMICAL STATION

SUPPLY STATION

click mouse

PRESSURE - PIT02		
x max	20.00	mA
x min	4.00	mA
y max	10.00	bar
y min	0.00	bar

click mouse

LEVEL - LIT02.01		
x max	20.00	mA
x min	4.00	mA
y max	12.00	m
y min	1.00	m
V max	1000.00	m3
V scale	200.00	m3/m

PRESSURE - PIT02	
2.85	bar

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

PRESSURE - PIT02	
2.85	bar

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

LEVEL - LIT02.01	
10.5	m
100.5	m3
70.5	%

RAW STATION

PROCESS STATION

CHEMICAL STATION

SUPPLY STATION

HA THANH WATER SUPPLY FACTORY, 30.000m3 Capacity

20/04/202122:22:22USERLOGIN

MONITORING AND CONTROLLING DEVICES

MOTOR NAME	STATUS		FORCES CONTROL			Total Runtime (h)	Total Trip	Sets (Hz)	Feedback (Hz)
WELL PUMP - WP01.01	NONE	REMOTE	START	STOP	RESET	45.5	1		
WELL PUMP - WP01.08	RUN	REMOTE	START	STOP	RESET	45.5	8	45.5	30.5

MOTOR NAME	STATUS		FORCES CONTROL			Total Runtime (h)	Total Trip	Sets (Hz)	Feedback (Hz)
WELL PUMP - WP01.01	NONE	REMOTE	START	STOP	RESET	45.5	1		
WELL PUMP - WP01.08	RUN	REMOTE	START	STOP	RESET	45.5	8	45.5	30.5

VALVE NAME	STATUS		FORCES CONTROL			Total Trip	Total Fault Open	Total Fault Close	Sets (%)	Feedback (%)
Inlet Valve - AV01.01	OPEN	REMOTE	OPEN	CLOSE	NOTHING	RESET	100	50	10	
Outlet Valve - AV01.02	OPEN	REMOTE	OPEN	CLOSE	NOTHING	RESET	100	100	100	45.530.5

MOTOR NAME	STATUS		FORCES CONTROL			Total Runtime (h)	Total Trip	Sets (Hz)	Feedback (Hz)
WELL PUMP - WP01.01	NONE	REMOTE	START	STOP	RESET	45.5	1		
WELL PUMP - WP01.08	RUN	REMOTE	START	STOP	RESET	45.5	8	45.5	30.5

MOTOR NAME	STATUS		FORCES CONTROL			Total Runtime (h)	Total Trip	Sets (Hz)	Feedback (Hz)
WELL PUMP - WP01.01	NONE	REMOTE	START	STOP	RESET	45.5	1		
WELL PUMP - WP01.08	RUN	REMOTE	START	STOP	RESET	45.5	8	45.5	30.5

SCROLL HIDE OR UNHIDE

SCROLL HIDE OR UNHIDE

HA THANH WATER SUPPLY FACTORY, 30.000m3 Capacity

20/04/202122:22:22USERLOGIN

CHART

CHART TYPE SELECTION

- lựa chọn loại biểu đồ để xem

SETTINGS PARAMS

- chỉnh sửa các thông số trên biểu đồ
- lựa chọn cảm biến cần hiển thị
- có thể in ấn dưới các định dạng work, excel, pdf

HA THANH WATER SUPPLY FACTORY, 30.000m3 Capacity

20/04/2021

22:22:22

USER

LOGIN

ALARM

ALARM VIEW

SETTINGS PARAMS

MAIL & SMS

MAIL & SMS EDITOR

SETTINGS PARAMS

HA THANH WATER SUPPLY FACTORY, 30.000m3 Capacity		20/04/2021	22:22:22
		USER	LOGIN
FILE DOWNLOAD			
PREVIEW		SETTINGS PARAMS	
<div></div>		<div></div>	

GOOGLE MAP

VIEW

SETTINGS PARAMS

CAMERA INTERFACE

				20/04/2021	22:22:22	USER	LOGIN
	- có thể cài đặt số khung nhìn trên 1 màn hình - có thể thu phóng - ...						
	FULL SCREEN						