SJC LIBRARY MANAGEMENT SYSTEM

Overall Project PDF

Project materials included

1. Complete Library Management Portal code (HTML, CSS and JavaScript)

2. SJC Library Portal login page code and validation examples

3. Student Book Entry and Tracking Form source code

Prepared as a single reference PDF for the SJC Library Management mini project.

Student Book Entry and Tracking Form — Source Code

The following section contains the form source code supplied for this project.

```
&lt;!DOCTYPE html&gt;
&lt;html lang="en"&gt;
&lt;head&gt;
    &lt;meta charset="UTF-8"&gt;
    &lt;meta name="viewport" content="width=device-width, initial-scale=1.0"&gt;
    &lt;title&gt;SJC Library Portal - Book Entry Form&lt;/title&gt;
    &lt;style&gt;
        * {
            box-sizing: border-box;
        }
        body {
            margin: 0;
            font-family: Arial, sans-serif;
            background: #f5f0ed;
            color: #35212a;
        }
        header {
            background: #6b1730;
            color: white;
            padding: 22px;
            text-align: center;
            border-bottom: 5px solid #d5a44d;
        }
        header h1 {
            margin: 0 0 8px;
        }
        header p {
            margin: 0;
            color: #f4d58a;
        }
        .container {
            max-width: 1000px;
            margin: 30px auto;
            padding: 25px;
            background: white;
            border-radius: 14px;
            box-shadow: 0 8px 25px #32151d15;
        }
        h2 {
            color: #6b1730;
            border-bottom: 2px solid #d5a44d;
            padding-bottom: 10px;
        }
        .form-grid {
            display: grid;
            grid-template-columns: repeat(2, minmax(0, 1fr));
            gap: 18px;
        }
        .field label {
            display: block;
            margin-bottom: 7px;
            font-weight: bold;
            font-size: 14px;
        }
        .field input,
        .field select,
        .field textarea {
            width: 100%;
            padding: 11px;
            border: 1px solid #d8cbd0;
            border-radius: 7px;
            font-size: 14px;
            background: white;
        }
        .field textarea {
            resize: vertical;
            min-height: 42px;
        }
        .full-width {
            grid-column: 1 / -1;
        }
        .buttons {
            display: flex;
            gap: 12px;
            margin-top: 22px;
            flex-wrap: wrap;
        }
        button {
            padding: 12px 20px;
            border: none;
```

```
            border-radius: 7px;
            cursor: pointer;
            font-weight: bold;
        }
        .save-btn {
            background: #6b1730;
            color: white;
        }
        .reset-btn {
            background: #eee5e8;
            color: #6b1730;
        }
        .table-wrapper {
            overflow-x: auto;
        }
        table {
            width: 100%;
            border-collapse: collapse;
            margin-top: 15px;
            font-size: 13px;
        }
        th, td {
            padding: 11px;
            border: 1px solid #e1d7db;
            text-align: left;
        }
        th {
            background: #6b1730;
            color: white;
        }
        tr:nth-child(even) {
            background: #faf6f7;
        }
        #statusMessage {
            color: #167344;
            font-weight: bold;
        }
        @media (max-width: 650px) {
            .form-grid {
                grid-template-columns: 1fr;
            }
            .full-width {
                grid-column: auto;
            }
            .container {
                margin: 15px;
                padding: 18px;
            }
        }
    &lt;/style&gt;
&lt;/head&gt;
&lt;body&gt;
&lt;header&gt;
    &lt;h1&gt;SJC Library Portal&lt;/h1&gt;
    &lt;p&gt;Student Book Entry and Tracking Form&lt;/p&gt;
&lt;/header&gt;
&lt;main class="container"&gt;
    &lt;h2&gt;Student Details&lt;/h2&gt;
    &lt;form id="bookForm"&gt;
        &lt;div class="form-grid"&gt;
            &lt;div class="field"&gt;
                &lt;label for="dno"&gt;D.NO&lt;/label&gt;
                &lt;input
                    type="text"
                    id="dno"
                    placeholder="Enter student D.NO"
                    pattern="25UCS(50[1-9]|5[1-5][0-9]|56[0-5])"
                    title="Enter D.NO from 25UCS501 to 25UCS565"
                    required
                &gt;
            &lt;/div&gt;
            &lt;div class="field"&gt;
                &lt;label for="studentName"&gt;Student Name&lt;/label&gt;
                &lt;input type="text" id="studentName" required&gt;
            &lt;/div&gt;
            &lt;div class="field"&gt;
                &lt;label for="department"&gt;Department&lt;/label&gt;
                &lt;select id="department" required&gt;
                    &lt;option value="B.Sc. Computer Science"&gt;
                        B.Sc. Computer Science
                    &lt;/option&gt;
                    &lt;option value="BCA"&gt;BCA&lt;/option&gt;
                    &lt;option value="B.Sc. Mathematics"&gt;
                        B.Sc. Mathematics
                    &lt;/option&gt;
                    &lt;option value="B.Com"&gt;B.Com&lt;/option&gt;
                    &lt;option value="Other"&gt;Other&lt;/option&gt;
```

```
            &lt;/select&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="year"&gt;Year&lt;/label&gt;
            &lt;select id="year" required&gt;
                &lt;option value="I Year"&gt;I Year&lt;/option&gt;
                &lt;option value="II Year" selected&gt;II Year&lt;/option&gt;
                &lt;option value="III Year"&gt;III Year&lt;/option&gt;
            &lt;/select&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="phone"&gt;Phone Number&lt;/label&gt;
            &lt;input
                type="tel"
                id="phone"
                pattern="[0-9]{10}"
                title="Enter a 10-digit phone number"
            &gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="email"&gt;Email Address&lt;/label&gt;
            &lt;input type="email" id="email"&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    &lt;h2&gt;Book Details&lt;/h2&gt;
    &lt;div class="form-grid"&gt;
        &lt;div class="field"&gt;
            &lt;label for="bookId"&gt;Book ID / Accession Number&lt;/label&gt;
            &lt;input type="text" id="bookId" required&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="bookTitle"&gt;Book Title&lt;/label&gt;
            &lt;input type="text" id="bookTitle" required&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="author"&gt;Author Name&lt;/label&gt;
            &lt;input type="text" id="author" required&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="issueDate"&gt;Date of Issue&lt;/label&gt;
            &lt;input type="date" id="issueDate" required&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="dueDate"&gt;Expected Return Date&lt;/label&gt;
            &lt;input type="date" id="dueDate" required&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="actualReturn"&gt;Actual Return Date&lt;/label&gt;
            &lt;input type="date" id="actualReturn"&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="bookStatus"&gt;Book Status&lt;/label&gt;
            &lt;select id="bookStatus" required&gt;
                &lt;option value="Issued"&gt;Issued&lt;/option&gt;
                &lt;option value="Returned"&gt;Returned&lt;/option&gt;
                &lt;option value="Overdue"&gt;Overdue&lt;/option&gt;
            &lt;/select&gt;
        &lt;/div&gt;
        &lt;div class="field"&gt;
            &lt;label for="fine"&gt;Fine Amount (■)&lt;/label&gt;
            &lt;input
                type="number"
                id="fine"
                min="0"
                step="0.01"
                value="0"
                required
            &gt;
        &lt;/div&gt;
        &lt;div class="field full-width"&gt;
            &lt;label for="remarks"&gt;Remarks&lt;/label&gt;
            &lt;textarea id="remarks"&gt;&lt;/textarea&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    &lt;div class="buttons"&gt;
        &lt;button class="save-btn" type="submit"&gt;
            Save Book Record
        &lt;/button&gt;
        &lt;button class="reset-btn" type="reset"&gt;
            Clear Form
        &lt;/button&gt;
    &lt;/div&gt;
    &lt;p id="statusMessage" role="status" aria-live="polite"&gt;&lt;/p&gt;
&lt;/form&gt;
&lt;h2&gt;Book Records&lt;/h2&gt;
&lt;div class="table-wrapper"&gt;
    &lt;table&gt;
```


```
            &lt;thead&gt;
                &lt;tr&gt;
                    &lt;th&gt;D.NO&lt;/th&gt;
                    &lt;th&gt;Student Name&lt;/th&gt;
                    &lt;th&gt;Book ID&lt;/th&gt;
                    &lt;th&gt;Book Title&lt;/th&gt;
                    &lt;th&gt;Issue Date&lt;/th&gt;
                    &lt;th&gt;Due Date&lt;/th&gt;
                    &lt;th&gt;Status&lt;/th&gt;
                    &lt;th&gt;Fine (■)&lt;/th&gt;
                &lt;/tr&gt;
            &lt;/thead&gt;
            &lt;tbody id="recordsTable"&gt;
                &lt;tr id="emptyRow"&gt;
                    &lt;td colspan="8" style="text-align:center"&gt;
                        No book records added yet.
                    &lt;/td&gt;
                &lt;/tr&gt;
            &lt;/tbody&gt;
        &lt;/table&gt;
    &lt;/div&gt;
&lt;/main&gt;
&lt;script&gt;
    const form = document.getElementById("bookForm");
    const recordsTable = document.getElementById("recordsTable");
    const statusMessage = document.getElementById("statusMessage");
    const issueDate = document.getElementById("issueDate");
    const dueDate = document.getElementById("dueDate");
    const actualReturn = document.getElementById("actualReturn");
    issueDate.addEventListener("change", function () {
        dueDate.min = issueDate.value;
        actualReturn.min = issueDate.value;
        if (dueDate.value &amp;&amp; dueDate.value &lt; issueDate.value) {
            dueDate.value = "";
        }
        if (actualReturn.value &amp;&amp;
            actualReturn.value &lt; issueDate.value) {
            actualReturn.value = "";
        }
    });
    dueDate.addEventListener("change", function () {
        actualReturn.max = "";
    });
    form.addEventListener("submit", function (event) {
        event.preventDefault();
        const dno = document.getElementById("dno").value.trim().toUpperCase();
        const match = /^25UCS(\d{3})$/.exec(dno);
        if (!match ||
            Number(match[1]) &lt; 501 ||
            Number(match[1]) &gt; 565) {
            alert("Enter a D.NO between 25UCS501 and 25UCS565.");
            return;
        }
        if (dueDate.value &lt; issueDate.value) {
            alert("Expected return date cannot be before the issue date.");
            return;
        }
        if (actualReturn.value &amp;&amp;
            actualReturn.value &lt; issueDate.value) {
            alert("Actual return date cannot be before the issue date.");
            return;
        }
        const values = [
            dno,
            document.getElementById("studentName").value.trim(),
            document.getElementById("bookId").value.trim(),
            document.getElementById("bookTitle").value.trim(),
            issueDate.value,
            dueDate.value,
            document.getElementById("bookStatus").value,
            Number(document.getElementById("fine").value).toFixed(2)
        ];
        const emptyRow = document.getElementById("emptyRow");
        if (emptyRow) {
            emptyRow.remove();
        }
        const row = document.createElement("tr");
        values.forEach(function (value) {
            const cell = document.createElement("td");
            cell.textContent = value;
            row.appendChild(cell);
        });
        recordsTable.appendChild(row);
        statusMessage.textContent = "Book record added successfully!";
        form.reset();
        document.getElementById("department").value =
            "B.Sc. Computer Science";
```

```
        document.getElementById("year").value = "II Year";
        document.getElementById("fine").value = "0";
        dueDate.min = "";
        actualReturn.min = "";
    });
&lt;/script&gt;
&lt;/body&gt;
&lt;/html&gt;
```

SJC Library Portal


Login page source code and browser-tested validation screenshots

Login page preview



Validation checks

1. Invalid D.NO format




Input: abc / Password: 501. Expected result: D.NO format warning.

2. Incorrect password

Input: 25UCS501 / Password: 999. Result: Incorrect password warning.

3. Successful validation



Input: 25UCS501 / Password: 501. Expected result: Login validation successful!

Rules implemented

- D.NO must match 25UCS followed by exactly three digits.
- Allowed D.NO range: 25UCS501 through 25UCS565.
- Password must equal the last three digits of the D.NO.
- Successful validation displays a welcome alert.

Complete HTML, CSS and JavaScript source code

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>SJC Library Portal - Login</title>
    <style>
        * { box-sizing: border-box; }
        body {
            margin: 0; min-height: 100vh; display: flex;
            justify-content: center; align-items: center;
            font-family: Arial, sans-serif;
            background: linear-gradient(135deg, #421a2a, #a84c52, #e5b36c);
            padding: 20px;
        }
        .login-card {
            width: 100%; max-width: 390px; background: #fffdf9;
            padding: 30px; border-radius: 18px; border-top: 6px solid #d5a44d;
            box-shadow: 0 18px 45px #1c081c55;
        }
        .logo {
            width: 65px; height: 65px; display: flex; justify-content: center;
            align-items: center; margin: 0 auto 15px; border-radius: 50%;
            background: #6b1730; color: #f4d58a; font-size: 32px;
        }
        h1 { text-align: center; font-size: 23px; color: #6b1730; margin-bottom: 5px; }
        .subtitle { text-align: center; color: #76636a; font-size: 13px; margin-bottom: 25px; }
        label { display: block; font-size: 14px; font-weight: bold; margin: 16px 0 7px; }
        input { width: 100%; padding: 12px; border: 1px solid #d9cbd0; border-radius: 8px; font-size: 15p
    x; outline: none; }
        input:focus { border-color: #8a2947; box-shadow: 0 0 0 3px #8a29471a; }
        button { width: 100%; padding: 13px; margin-top: 22px; background: #6b1730; color: white; border:
     none; border-radius: 8px; font-size: 15px; font-weight: bold; cursor: pointer; }
        button:hover { background: #501024; }
        #message { min-height: 18px; margin-top: 14px; text-align: center; font-size: 13px; }
        .error { color: #b42318; }
        .success { color: #167344; }
        .footer { text-align: center; color: #87757a; font-size: 11px; margin-top: 18px; }
    </style>
</head>
<body>
    <main class="login-card">
        <div class="logo">■</div>
        <h1>SJC Library Portal</h1>
        <p class="subtitle">Student Login</p>
        <form id="loginForm" novalidate>
            <label for="dno">D.NO</label>
            <input type="text" id="dno" name="dno" autocomplete="username" required>
            <label for="password">Password</label>
            <input type="password" id="password" name="password" autocomplete="current-password" required
    >
            <button type="submit">LOGIN</button>
            <p id="message" role="status" aria-live="polite"></p>
        </form>
        <p class="footer">St. Joseph's College (Autonomous), Tiruchirappalli</p>
    </main>
    <script>
        const form = document.getElementById("loginForm");
        const dnoInput = document.getElementById("dno");
        const passwordInput = document.getElementById("password");
        const message = document.getElementById("message");

        form.addEventListener("submit", function(event) {
            event.preventDefault();
            const dno = dnoInput.value.trim().toUpperCase();
            const password = passwordInput.value.trim();
            const match = /^25UCS(\d{3})$/.exec(dno);
            if (!match) {
                showMessage("Enter a valid D.NO, for example 25UCS501.", "error");
                return;
            }
            const number = Number(match[1]);
            if (number < 501 || number > 565) {
                showMessage("D.NO must be between 25UCS501 and 25UCS565.", "error");
                return;
            }
            if (password !== String(number)) {
                showMessage("Incorrect password. Use the last three digits of your D.NO.", "error");
                return;
            }
            showMessage("Login validation successful!", "success");
            setTimeout(function() { alert("Welcome to the SJC Library Portal!"); }, 200);
        });
        function showMessage(text, type) {
            message.textContent = text;
            message.className = type;
        }
    </script>
</body>
```

```
</html>
```

SJC Library Management Portal

Complete single-file HTML, CSS, and JavaScript. Save this code as **index.html** and open it in a browser. The login page is branded as SJC Library and includes book search, issue, return, and availability features.

Demo login: Username: librarian Password: library123. This is a front-end demo; the credentials and book records are not stored securely and are not official college login details.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>SJC Library Management Portal</title>
  <style>
    * { box-sizing: border-box; }
    body {
      margin: 0;
      font-family: Arial, sans-serif;
      color: #243047;
      background: #f2f5f9;
    }
    /* LOGIN SCREEN */
    .login-screen {
      min-height: 100vh;
      display: flex;
      position: relative;
      overflow: hidden;
      background: #f5eadd;
    }
    /* LEFT SIDE: BACKGROUND IMAGE */
    .campus-background {
      width: 59%;
      min-height: 100vh;
      position: relative;
      background-image:
        linear-gradient(to top, rgba(50,24,48,.65), rgba(115,59,79,.12)),
        url("https://images.unsplash.com/photo-1470770841072-f978cf4d019e?auto=format&fit=crop&w=1400&q=85");
      background-size: cover;
      background-position: center;
      clip-path: ellipse(100% 110% at 0% 50%);
    }
    .campus-overlay {
      position: absolute;
      inset: 0;
      background: linear-gradient(
        150deg,
        rgba(111,66,103,.35),
        rgba(139,67,77,.25),
        rgba(37,24,64,.5)
      );
    }
    .college-info {
      position: absolute;
      left: 8%;
      bottom: 5%;
      z-index: 2;
      color: white;
      max-width: 410px;
    }
    .college-tag {
      display: inline-block;
      padding: 8px 13px;
      margin-bottom: 12px;
      border-radius: 20px;
      background: rgba(255,220,115,.24);
      color: #fff0a8;
      font-size: 11px;
      font-weight: bold;
      letter-spacing: 1px;
    }
    .college-info h1 {
      font-size: clamp(30px, 4vw, 40px);
      margin: 0 0 16px;
      color: white;
    }
    .notice {
      padding: 17px;
      line-height: 1.8;
      font-size: 13px;
      font-weight: 600;
      border-radius: 12px;
      background: rgba(255,255,255,.2);
      backdrop-filter: blur(12px);
      border: 1px solid rgba(255,255,255,.15);
    }
    /* RIGHT SIDE: LOGIN PANEL */
    .login-right {
      position: absolute;
      top: 0;
      right: 0;
      width: 64%;
      min-height: 100vh;
      background: #f5eadd;
      display: flex;
      align-items: center;
      justify-content: flex-end;
```

```
  padding: 35px 5% 35px 12%;
  clip-path: ellipse(100% 110% at 100% 50%);
}
.sun {
  position: absolute;
  width: 150px;
  height: 150px;
  border-radius: 50%;
  background: rgba(229,207,151,.28);
  top: 3%;
  right: 18%;
}
.sun-decoration {
  position: absolute;
  width: 190px;
  height: 190px;
  border-radius: 50%;
  background: rgba(229,207,151,.2);
  bottom: 3%;
  right: 4%;
}
/* LOGIN CARD */
.login-card {
  position: relative;
  z-index: 3;
  width: 100%;
  max-width: 350px;
  padding: 28px 25px 24px;
  background: rgba(255,255,255,.96);
  border-radius: 22px;
  box-shadow: 0 15px 45px rgba(89,51,48,.12);
}
.college-logo {
  text-align: center;
  padding: 14px 5px;
  margin-bottom: 18px;
  border-radius: 13px;
  background: #fff;
  box-shadow: 0 5px 20px rgba(95,42,42,.08);
}
.logo-symbol {
  font-size: 32px;
  color: #b18a43;
  margin-bottom: 4px;
}
.college-logo h2 {
  font-family: Georgia, serif;
  font-size: 18px;
  color: #761d2b;
  margin: 0 0 5px;
}
.college-logo p {
  font-family: Georgia, serif;
  font-size: 11px;
  margin: 0 0 6px;
  color: #761d2b;
}
.college-logo small {
  font-size: 9px;
  color: #526174;
}
.login-card h3 {
  text-align: center;
  font-size: 17px;
  color: #303039;
  margin: 0 0 5px;
}
.subtitle {
  text-align: center;
  color: #92929a;
  font-size: 12px;
  margin: 0 0 23px;
}
.login-card label {
  display: block;
  margin: 15px 0 7px;
  font-size: 11px;
  color: #55545c;
  font-weight: 700;
}
.login-card input {
  width: 100%;
  height: 42px;
  padding: 0 12px;
  border: 1px solid #e2dfe0;
  border-radius: 9px;
  outline: none;
  font-size: 12px;
  background: #fff;
  color: #333;
  transition: .2s;
}
.login-card input:focus {
  border-color: #c7a64c;
  box-shadow: 0 0 0 2px rgba(199,166,76,.12);
}
.login-card input::placeholder { color: #a8a8ad; }
.login-options {
  display: flex;
  justify-content: space-between;
  gap: 10px;
  margin-top: 16px;
  font-size: 10px;
  font-weight: bold;
```

```
}
.login-options span:first-child {
  color: #7b2433;
}
.login-options span:last-child { color: #a48b42; }
.error {
  color: #b42318;
  min-height: 18px;
  font-size: 12px;
  margin: 8px 0 0;
}
.login-card button {
  width: 100%;
  height: 42px;
  margin-top: 13px;
  border: 0;
  border-radius: 10px;
  color: white;
  background: linear-gradient(100deg, #8a1029, #c18d24);
  box-shadow: 0 6px 14px rgba(139,24,43,.18);
  font-size: 13px;
  font-weight: 600;
  letter-spacing: .5px;
  cursor: pointer;
}
.login-card button:hover {
  background: linear-gradient(100deg, #711025, #a8791b);
}
.login-card footer {
  text-align: center;
  font-size: 9px;
  line-height: 1.8;
  color: #9b9ba2;
  margin-top: 15px;
}
/* LIBRARY DASHBOARD */
.app { display: none; }
header {
  background: #183b56;
  color: white;
  padding: 18px 5%;
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 15px;
}
header h1 { font-size: 21px; margin: 0; }
header button {
  border: 0;
  border-radius: 7px;
  padding: 11px 16px;
  color: white;
  background: #ffffff25;
  cursor: pointer;
  font-weight: 600;
}
main {
  max-width: 1100px;
  margin: 28px auto;
  padding: 0 18px;
}
.grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
  gap: 18px;
}
.panel {
  background: white;
  border-radius: 12px;
  box-shadow: 0 8px 28px #1422381a;
  padding: 22px;
  margin-bottom: 20px;
}
.panel h2 { font-size: 18px; color: #183b56; margin-top: 0; }
.panel label {
  display: block;
  margin: 16px 0 6px;
  font-weight: 600;
}
.panel input, .panel select {
  width: 100%;
  padding: 11px;
  border: 1px solid #ccd5df;
  border-radius: 7px;
  background: white;
  font: inherit;
}
.panel button {
  border: 0;
  border-radius: 7px;
  padding: 11px 16px;
  color: white;
  background: #246b61;
  cursor: pointer;
  font-weight: 600;
}
.panel button:hover { background: #1b554d; }
.form-row {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 12px;
}
.form-row button { align-self: end; }
.status { color: #667085; margin-top: 10px; min-height: 18px; }
```

```
    .table-wrap { overflow-x: auto; }
    table {
      width: 100%;
      border-collapse: collapse;
      min-width: 550px;
    }
    th, td {
      text-align: left;
      padding: 12px 10px;
      border-bottom: 1px solid #e5eaf0;
    }
    th { color: #526174; font-size: 14px; }
    .available { color: #157347; font-weight: 600; }
    .issued { color: #b54708; font-weight: 600; }
    /* MOBILE LAYOUT */
    @media (max-width: 700px) {
      .campus-background {
        position: absolute;
        width: 100%;
        min-height: 100vh;
        clip-path: none;
        background-position: center;
      }
      .login-right {
        position: relative;
        width: 100%;
        min-height: 100vh;
        justify-content: center;
        padding: 25px 18px;
        background: rgba(245,234,221,.93);
        clip-path: none;
      }
      .login-card { max-width: 350px; padding: 25px 22px; }
      .college-info { display: none; }
      .sun { width: 90px; height: 90px; top: 4%; right: 8%; }
      .sun-decoration { width: 120px; height: 120px; }
      header { align-items: flex-start; }
      .form-row { grid-template-columns: 1fr; }
    }
  </style>
</head>
<body>
  <!-- SJC LIBRARY LOGIN -->
  <section class="login-screen" id="loginScreen">
    <div class="campus-background">
      <div class="campus-overlay"></div>
      <div class="college-info">
        <span class="college-tag">
          ST. JOSEPH'S COLLEGE (AUTONOMOUS)
        </span>
        <h1>SJC Library</h1>
        <div class="notice">
          Welcome to the SJC Library. Search books,
          issue books, and manage book returns through
          our library portal.
        </div>
      </div>
    </div>
    <div class="login-right">
      <div class="sun"></div>
      <div class="sun-decoration"></div>
      <form class="login-card" id="loginForm">
        <div class="college-logo">
          <div class="logo-symbol">□</div>
          <h2>St. Joseph's College</h2>
          <p>(Autonomous), Tiruchirappalli</p>
          <small>LIBRARY MANAGEMENT SYSTEM</small>
        </div>
        <h3>SJC Library Login</h3>
        <p class="subtitle">Login to access the library portal</p>
        <label for="userId">Username</label>
        <input id="userId" type="text"
          placeholder="Enter username"
          autocomplete="username" required />
        <label for="password">Password</label>
        <input id="password" type="password"
          placeholder="Enter password"
          autocomplete="current-password" required />
        <div class="login-options">
          <span>Library Access</span>
          <span>Secure Login</span>
        </div>
        <p class="error" id="loginError"></p>
        <button type="submit">Login to Library</button>
        <footer>
          © 2026 SJC Library. All Rights Reserved.<br />
          Library Management Portal
        </footer>
      </form>
    </div>
  </section>
  <!-- LIBRARY DASHBOARD -->
  <div class="app" id="app">
    <header>
      <h1>□ SJC Library Management Portal</h1>
      <button id="logoutButton">Log out</button>
    </header>
    <main>
      <section class="grid">
        <div class="panel">
          <h2>Find a book</h2>
          <label for="searchBook">Title or author</label>
          <input id="searchBook" placeholder="Search the catalogue..." />
          <p class="status" id="searchStatus">Showing all books.</p>
```

```
      </div>
      <div class="panel">
        <h2>Issue a book</h2>
        <div class="form-row">
          <div>
            <label for="issueBook">Available book</label>
            <select id="issueBook"></select>
          </div>
          <div>
            <label for="issueMember">Member name</label>
            <input id="issueMember" placeholder="Enter member name" />
          </div>
        </div>
        <button id="issueButton" style="margin-top:12px">Issue book</button>
        <p class="status" id="issueStatus"></p>
      </div>
      <div class="panel">
        <h2>Return a book</h2>
        <label for="returnBook">Issued book</label>
        <select id="returnBook"></select>
        <button id="returnButton" style="margin-top:12px">Return book</button>
        <p class="status" id="returnStatus"></p>
      </div>
    </section>
    <section class="panel">
      <h2>Book availability and issued books</h2>
      <div class="table-wrap">
        <table>
          <thead>
            <tr>
              <th>Book title</th>
              <th>Author</th>
              <th>Status</th>
              <th>Issued to</th>
            </tr>
          </thead>
          <tbody id="bookTable"></tbody>
        </table>
      </div>
    </section>
  </main>
</div>
<script>
  const books = [
    { title: "The Hobbit", author: "J.R.R. Tolkien", issuedTo: "" },
    { title: "Pride and Prejudice", author: "Jane Austen", issuedTo: "" },
    { title: "1984", author: "George Orwell", issuedTo: "Asha Kumar" },
    { title: "The Alchemist", author: "Paulo Coelho", issuedTo: "" },
    { title: "To Kill a Mockingbird", author: "Harper Lee", issuedTo: "" }
  ];
  const loginScreen = document.getElementById("loginScreen");
  const app = document.getElementById("app");
  document.getElementById("loginForm").addEventListener("submit", event => {
    event.preventDefault();
    const user = document.getElementById("userId").value.trim();
    const password = document.getElementById("password").value;
    if (user === "librarian" && password === "library123") {
      loginScreen.style.display = "none";
      app.style.display = "block";
      renderBooks();
    } else {
      document.getElementById("loginError").textContent =
        "Incorrect username or password.";
    }
  });
  document.getElementById("logoutButton").addEventListener("click", () => {
    app.style.display = "none";
    loginScreen.style.display = "flex";
    document.getElementById("loginForm").reset();
    document.getElementById("loginError").textContent = "";
  });
  function renderBooks(filter = "") {
    const query = filter.toLowerCase();
    const visibleBooks = books.filter(book =>
      `${book.title} ${book.author}`.toLowerCase().includes(query)
    );
    document.getElementById("bookTable").innerHTML = visibleBooks.map(book => `
      <tr>
        <td>${book.title}</td>
        <td>${book.author}</td>
        <td class="${book.issuedTo ? "issued" : "available"}">
          ${book.issuedTo ? "Issued" : "Available"}
        </td>
        <td>${book.issuedTo || "—"}</td>
      </tr>
    `).join("");
    document.getElementById("searchStatus").textContent =
      `${visibleBooks.length} book(s) found.`;
    const availableBooks = books
      .map((book, index) => ({ book, index }))
      .filter(item => !item.book.issuedTo);
    document.getElementById("issueBook").innerHTML =
      availableBooks.length
        ? availableBooks.map(({ book, index }) =>
            `<option value="${index}">${book.title}</option>`
          ).join("")
        : `<option value="">No books available</option>`;
    const issuedBooks = books
      .map((book, index) => ({ book, index }))
      .filter(item => item.book.issuedTo);
    document.getElementById("returnBook").innerHTML =
      issuedBooks.length
        ? issuedBooks.map(({ book, index }) =>
            `<option value="${index}">${book.title} — ${book.issuedTo}</option>`
```

```
            ).join("")
          : `<option value="">No books to return</option>`;
      }
      document.getElementById("searchBook").addEventListener("input", event => {
        renderBooks(event.target.value);
      });
      document.getElementById("issueButton").addEventListener("click", () => {
        const selected = document.getElementById("issueBook").value;
        const member = document.getElementById("issueMember").value.trim();
        if (selected === "" || !member) {
          document.getElementById("issueStatus").textContent =
            "Select a book and enter the member name.";
          return;
        }
        const index = Number(selected);
        if (!books[index] || books[index].issuedTo) {
          document.getElementById("issueStatus").textContent =
            "That book is not available. Refresh and try again.";
          renderBooks(document.getElementById("searchBook").value);
          return;
        }
        books[index].issuedTo = member;
        document.getElementById("issueMember").value = "";
        document.getElementById("issueStatus").textContent =
          `"${books[index].title}" issued to ${member}.`;
        renderBooks(document.getElementById("searchBook").value);
      });
      document.getElementById("returnButton").addEventListener("click", () => {
        const selected = document.getElementById("returnBook").value;
        if (selected === "") {
          document.getElementById("returnStatus").textContent =
            "There are no issued books to return.";
          return;
        }
        const index = Number(selected);
        if (!books[index] || !books[index].issuedTo) {
          document.getElementById("returnStatus").textContent =
            "This book has already been returned.";
          renderBooks(document.getElementById("searchBook").value);
          return;
        }
        const title = books[index].title;
        books[index].issuedTo = "";
        document.getElementById("returnStatus").textContent =
          `"${title}" has been returned.`;
        renderBooks(document.getElementById("searchBook").value);
      });
      renderBooks();
    </script>
  </body>
  </html>
```

GITHUB AND SUPABASE SETUP

Additional documentation for the SJC Library Management mini project

1. GitHub — Project Repository

GitHub is used to store the project files online and keep the project code in one repository.

Repository name: SJC-Library-Management

Files to upload: index.html (or the main HTML page), CSS files, JavaScript files, and any required images/assets.

Upload steps: Open the repository → Add file → Upload files → select the project files → Commit changes.

2. GitHub Pages — Publish the Website

To publish the project as a website, open the repository's Settings → Pages. Under Build and deployment, select “Deploy from a branch”, choose branch “main” and folder “/(root)”, then click Save. Wait for GitHub Pages to provide the website URL.

Important status note: The conversation confirms that GitHub repository setup/upload was discussed, but does not confirm that GitHub Pages has successfully published a live website. Add the live URL here after checking it works.

Live website URL: _____

3. Supabase — Database Setup

Supabase is the database service intended to store library book and student records. A Supabase project was created and the public.library_records table was created in the SQL Editor. Row Level Security (RLS) was enabled.

The table was seen in Table Editor but had no rows. This means no records had been stored in that table at the time of checking.

4. Database Table Structure

```
library_records
- id
- d_no
- student_name
- department
- year
- phone
- email
- book_id
- book_title
- author
- issue_date
- expected_return_date
- book_status
- fine_amount
```

5. Current Integration Status

The HTML form contains a “Save Book Record” button. The reviewed form code currently adds the record to the page in the browser; it is not yet confirmed to send the record to Supabase. To finish the database integration, the form JavaScript must call Supabase and the table must have an appropriate Row Level Security policy.

Security: Never upload a Supabase secret/service-role key to GitHub or place it in browser-side HTML/JavaScript. Use only a publishable key with carefully configured RLS policies. Test with sample data before entering real student details.

6. Final Checklist

- ■ Upload all required project files to GitHub.
- ■ Rename the website entry page to index.html if needed.
- ■ Enable GitHub Pages and test the published URL.
- ■ Configure Supabase access policies safely.
- ■ Connect the form Save button to Supabase.
- ■ Test that a sample record appears in Table Editor.