```
No.
       Time
                     Source
                                          Destination
                                                               Protocol Length Info
    98 13.464120
                     10.0.0.133
                                          128.119.245.12
                                                                       542
                                                                              GET /
wireshark-labs/HTTP-ethereal-lab-file3.html HTTP/1.1
Frame 98: 542 bytes on wire (4336 bits), 542 bytes captured (4336 bits) on interface 0
Ethernet II, Src: Apple 18:2e:2e (f0:b4:79:18:2e:2e), Dst: Technico 3c:55:7a (44:1c:12:3c:
55:7a)
   Destination: Technico_3c:55:7a (44:1c:12:3c:55:7a)
       Address: Technico_3c:55:7a (44:1c:12:3c:55:7a)
       .... .0. .... = LG bit: Globally unique address (factory default)
       .... ...0 .... .... = IG bit: Individual address (unicast)
   Source: Apple_18:2e:2e (f0:b4:79:18:2e:2e)
       Address: Apple_18:2e:2e (f0:b4:79:18:2e:2e)
       .... ..0. .... = LG bit: Globally unique address (factory default)
       .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 10.0.0.133, Dst: 128.119.245.12
Transmission Control Protocol, Src Port: 49924, Dst Port: 80, Seq: 1, Ack: 1, Len: 476
```

Hypertext Transfer Protocol