

Current Methods and Prospects for Analysis and Characterization of Nanomaterials in the Environment

Chuanjia Jiang, Songlin Liu, Tong Zhang,* Qian Liu,* Pedro J. J. Alvarez, and Wei Chen



Cite This: *Environ. Sci. Technol.* 2022, 56, 7426–7447



Read Online


ACCESS |

Metrics & More

Article Recommendations

ABSTRACT: Analysis and characterization of naturally occurring and engineered nanomaterials in the environment are critical for understanding their environmental behaviors and defining real exposure scenarios for environmental risk assessment. However, this is challenging primarily due to the low concentration, structural heterogeneity, and dynamic transformation of nanomaterials in complex environmental matrices. In this critical review, we first summarize sample pretreatment methods developed for separation and preconcentration of nanomaterials from environmental samples, including natural waters, wastewater, soils, sediments, and biological media. Then, we review the state-of-the-art microscopic, spectroscopic, mass spectrometric, electrochemical, and size-fractionation methods for determination of mass and number abundance, as well as the morphological, compositional, and structural properties of nanomaterials, with discussion on their advantages and limitations. Despite recent advances in detecting and characterizing nanomaterials in the environment, challenges remain to improve the analytical sensitivity and resolution and to expand the method applications. It is important to develop methods for simultaneous determination of multifaceted nanomaterial properties for *in situ* analysis and characterization of nanomaterials under dynamic environmental conditions and for detection of nanoscale contaminants of emerging concern (e.g., nanoplastics and biological nanoparticles), which will greatly facilitate the standardization of nanomaterial analysis and characterization methods for environmental samples.

KEYWORDS: Natural nanomaterials, engineered nanomaterials, environmental samples, sample pretreatment, abundance, morphology, composition, structure



INTRODUCTION

Nanomaterials originated from both natural and anthropogenic sources are ubiquitous on Earth's surface.¹ Naturally occurring nanomaterials with various compositions, such as nanoscale metal oxides, sulfides, and carbonaceous materials, have abundantly existed in the atmosphere, hydrosphere, lithosphere, and biosphere for billions of years.^{2,3} Furthermore, the rapid development of nanotechnology in the past few decades has led to the vast production of engineered nanomaterials (ENMs) with specific functions in almost all aspects of modern life,⁴ and these nanomaterials are inevitably released to different environmental media during material production, utilization, and disposal.^{5,6} Therefore, millions of tons of ENMs enter the environment as a result of accidental and incidental releases.¹

Owing to the large specific surface area and high surface energy, nanomaterials may play critical roles in biogeochemical cycling of their constitutive elements.^{1,7} In particular, nanomaterials often possess unique surface properties, and thus, the reactivity and bioavailability of nanomaterials in environmental processes tend to deviate from their bulk-scale counterparts.^{8,9} The extent to which nanomaterials may be beneficial or

detrimental to the natural environment and human health may not be accurately predicted based on the existing knowledge of the dissolved or bulk species with the same elemental composition.^{10,11} To understand the environmental behavior, fate, and effects of nanomaterials, it is important to obtain information regarding their occurrence and evolving characteristics, including mass and number abundances, as well as their morphological, compositional, electronic, and structural properties.

To address this need, an array of microscopic, spectroscopic, mass spectrometric, electrochemical, and light scattering-based techniques have been made available for the analysis and characterization of nanomaterials from relatively simple samples (e.g., pure materials or liquid suspensions).¹² However, in

Received: December 6, 2021

Revised: April 24, 2022

Accepted: April 29, 2022

Published: May 18, 2022






Figure 1. Challenges for the analysis and characterization of nanomaterials in various environmental matrices, such as natural waters, wastewater, soils, and sediments, as well as biological samples. These challenges arise primarily from the matrix effects and sample heterogeneity induced by the complex environmental components and dynamic environmental processes, which call for improved chemical sensitivity, response time, and spatial resolution to obtain accurate information on the abundance, morphology, composition, and structure of nanomaterials in the environment.

complex real-world environmental matrices, analyzing nanomaterials with sufficient spatial and chemical resolutions remains rather challenging (Figure 1). This challenge is magnified by the coexistence of various nanomaterials of diverse chemical compositions (and different morphologies and structures) in the environment (Figure 2). On one hand, natural nanomaterials (NNMs) and environmentally weathered ENMs tend to be extremely complex in elemental composition, crystalline phases, or functional groups.^{13–15} The overall properties and behaviors of these nanomaterials may not be appropriately represented by summation of the coexisting components. Thus, appropriate chemical and spatial resolutions are essential for analyzing these nanomaterials, particularly when the minor fractions may dictate the nanoscale reactions. On the other hand, the concentrations of ENMs in environmental samples are often low,^{16,17} and hence, analyses of these nanomaterials are hindered by matrix effects induced by high-abundance environmental substances (e.g., soil minerals, macromolecules, living organisms, dissolved ions, and complexes).¹⁶ In most cases, sample pretreatment procedures, such as extraction and preconcentration, are needed to enhance the analytical detection limits.^{18,19}

In this critical review, we summarize the state-of-the-art methods for analyzing and characterizing nanomaterials in complex environmental matrices, including natural waters, wastewater, soils/sediments, and biological samples (e.g., animals, plants, and microorganisms). Measurement and characterization of airborne nanoscale particulate matter is a research hotspot in atmospheric environmental studies and has been comprehensively reviewed elsewhere;^{20,21} herein, it is only sporadically discussed when pertinent to a technique with versatile applications. In the following sections, we first review recent advances in methodology for extracting and preconcentrating nanomaterials from environmental matrices and then




Figure 2. Category of nanomaterials of various compositions (metal-based, carbonaceous, composite, and other nanomaterials) in the environment.^{1,5,7,16,22} These nanomaterials have different abundances and degrees of compositional/structural complexity, which pose different challenges for their analysis and characterization. Specific nanomaterials with predominantly anthropogenic, predominantly natural, or both anthropogenic and natural sources are denoted with black, white, and gray fonts, respectively. Nanomaterials with expected environmental release but no documented detection in the environment are denoted by asterisks. Abbreviations: CNTs, carbon nanotubes; CQDs, carbon quantum dots; PE, polyethylene; PET, polyethylene terephthalate; PP, polypropylene; PS, polystyrene; PVC, polyvinyl chloride.

discuss the applicability and limitations of current and emerging techniques to identify, characterize, and quantify nanomaterials. Finally, we offer perspectives on future research needs for the development of analytical and characterization methods for environmental nanotechnology and nanogeoscience studies.

SAMPLE PRETREATMENT FOR ANALYSIS AND CHARACTERIZATION OF NANOMATERIALS IN ENVIRONMENTAL MATRICES

Nanomaterials in environmental matrices (e.g., waters, soils/sediments, and organisms) typically need to be separated from the matrix prior to analysis and characterization. The concentrations of ENMs in aquatic environments are normally lower than the detection limits of most currently available analytical techniques for nanomaterials. Moreover, the ions and natural colloids abundantly present in environmental matrices tend to interfere with the analysis of ENMs. Thus, an extraction process is often needed to preconcentrate the nanomaterials while removing the interfering constituents. Nanomaterials in soils/sediments and biological samples are usually first extracted into a liquid matrix, which can be analyzed with or without further treatment. In this section, we summarize the applicability and limitations of current methods for extraction and preconcentration of nanomaterials from complex environmental matrices to obtain samples in a form suitable for downstream analysis and characterization (Figure 3).

Preconcentration of Nanomaterials from Aqueous Samples. The low concentrations of ENMs in typical aquatic environments (normally ranging from 10^{-2} to $10 \mu\text{g/L}$ in surface waters and from 10 to $10^2 \mu\text{g/L}$ in municipal wastewater)¹⁶ are major factors preventing their detection and characterization by techniques commonly used for characterizing nanoparticle (NP) suspensions at higher concentrations ($>0.1 \text{ mg/L}$), such as dynamic light scattering (DLS), nanoparticle tracking analysis (NTA), and differential centrifugal sedimentation (DCS).^{23,24} In addition to conventional NP separation and preconcentration methods (e.g., ultracentrifugation, ultrafiltration, and dialysis),²⁵ extraction methods including solid-phase extraction (SPE), liquid-phase extraction (LPE), and cloud point extraction (CPE), have been developed to separate and preconcentrate nanomaterials from aqueous media for subsequent analysis.^{18,19}

A variety of solid materials and devices have been used for extracting nanomaterials from aqueous matrices, including ion-exchange resin, C-18-based SPE columns, membranes, and magnetic adsorbent materials. In early studies, commercial ion-exchange resin²⁶ or C-18 columns²⁷ were used as adsorbents. Recently, capillary column-based solid-phase microextraction (SPME) techniques, including hydrophilic polymer monolithic capillary microextraction^{28–30} and in-tube SPME,³¹ have been used to extract metallic (e.g., Au and Ag)^{28,29,31} and insoluble metal oxide (e.g., TiO_2)³⁰ NPs from aqueous matrices. Membrane materials (e.g., polyvinylidene fluoride micropore membrane) have also been tested for SPE of nanomaterials and achieved high enrichment factors.^{32,33} Alternatively, magnetic solid-phase extraction employing Fe_3O_4 -based adsorbents^{34–37} has proved to be a facile method for extracting nanomaterials from environmental waters, and the NP-loaded adsorbents can be collected by simply applying a magnetic field.^{35,36} Notably, most of these SPE methods have been used to extract nanomaterials with relatively high chemical stability and minimal water solubility. Whether these SPE methods work for more labile and soluble nanomaterials, such as ZnO and CuO NPs, remains to be validated.




Figure 3. Methods for extracting and preconcentrating nanomaterials from complex environmental matrices to obtain liquid suspension or solid powder samples prior to analysis and characterization. (Acronyms for the analysis and characterization methods are given in the List of Acronyms.)

Regarding LPE methods, nanomaterials in aqueous samples are extracted into water-immiscible ionic liquids^{38,39} or organic solvents (e.g., hexane and cyclohexane)^{40,41} after surface modification of the nanomaterials with surfactants. Quantitative transfer of nanomaterials from the aqueous phase into the ionic liquids can be facilitated by the addition of cationic surfactants,^{38,39} whereas that into organic solvents entails hydrophobization of nanomaterial surface.^{40,41} In either case, the surface properties of the nanomaterials, and possibly their aggregation states, are drastically changed, which has limited the application of LPE.

The CPE methods usually involve using a trace level of Triton X-114 (TX-114), a nonionic surfactant with a lower critical solution temperature (LCST) of $23\text{--}25^\circ\text{C}$, and salts (e.g., NaCl and NaNO_3) to promote phase separation. When the surfactant-added sample is heated to a temperature above the LCST of TX-114, micelles are formed, and a variety of metal-based and carbonaceous nanomaterials can be extracted into the surfactant-rich phase, achieving enrichment factors on the order of 10^2 .^{42,43} The TX-114-based CPE has proved to be a

robust method against matrix interferences (e.g., salts, organic matter, and inorganic colloids)⁴⁴ and has been successfully used to extract Ag,^{43,45} ZnO,⁴⁶ CuO,⁴⁷ Ag₂S,⁴⁸ and ZnS⁴⁸ NPs spiked in environmental waters for subsequent inductively coupled plasma mass spectrometry (ICP-MS) quantification, with limit of detection (LOD) ranging from 6 to 50 ng/L. The extracted nanomaterials in the surfactant-rich phase can also be directly analyzed by electrothermal atomic absorption spectrometry, which could improve the LOD by 1 order of magnitude, for example, 0.7 ng/L for Ag NPs.⁴⁹ To minimize the interference of dissolved metal ions (e.g., Ag⁺, Zn²⁺, and Cu²⁺), a complexing agent, such as thiosulfate,⁴³ ethylenediaminetetraacetate,^{46–49} or thiocyanate,⁵⁰ can be added to prevent the coextraction of dissolved species. The CPE methods are also capable of extracting nanomaterials with different surface coatings (with the exception of bovine serum albumin)^{44,47} or a mixture of different NPs (e.g., Ag, Au, and Fe₃O₄).⁵¹

Extraction of Nanomaterials from Soil and Sediment Samples. Nanomaterials in solid-containing environmental matrices such as soils, sediments, and sludge usually need to be extracted from the matrices prior to analysis and characterization, although in some cases the sample may be analyzed/characterized *in situ* (e.g., with electron microscopy). The extracts, which contain coextracted soil components, are usually further treated to preconcentrate/fractionate nanomaterials to minimize interferences from the abundant colloidal particles extracted along with the target nanomaterials.^{52–54} Extraction methods for nanomaterials in soils and sediments have been intensively studied in the past few years, aiming to achieve high and consistent recoveries while preserving the intrinsic properties of nanomaterials. Standard leaching tests have been used to extract nanomaterials from soils and sediments.⁵⁵ However, these methods suffer from inconsistent recoveries and interferences from chemical species other than nanomaterials, such as dissolved ionic metals, which hamper accurate quantification and characterization of the nanomaterials.

Modified extraction methods have recently been developed to improve NP recoveries and achieve speciation analysis in soils or sediments. Notably, sodium pyrophosphate, an established reagent for extracting organic and inorganic colloids,^{56,57} including NMs,^{57,58} from soils and sediments, has recently been demonstrated to be efficient for extracting various ENMs with enhanced recoveries. A recent study evaluated the efficiency of various extractants, including sodium pyrophosphate, in extracting nanoparticulate Ag from a field soil amended with biosolids containing Ag NPs and reported that pyrophosphate, among the tested reagents, showed the highest recoveries of nanoparticulate Ag while inhibiting its dissolution.⁵⁹ After optimization, the pyrophosphate-based method could efficiently extract Ag NPs at low concentrations (on the order of 0.1 $\mu\text{g/g}$ soil).⁶⁰ In organic-rich soils, the recovery of nanomaterials may be improved by UV digestion, which could effectively degrade soil organic matter and release nanomaterials.⁶¹ Most recently, pyrophosphate-based sequential extraction methods have been developed to distinguish between metallic (e.g., Au and Ag) nanoparticles and the respective metal ions in soils and sediments.^{62,63}

Although pyrophosphate-based reagents are by far the most commonly used extractants for separating nanomaterials from soils/sediments, their applications have been limited to extracting nanomaterials with low water solubility (e.g., Au, Ag, TiO₂, and CeO₂),^{59–65} for which dissolution during extraction causes only negligible artifacts. To extract moderately

soluble nanomaterials, such as CuO NPs, from soils/sediments, a multistep method was recently developed. This approach uses a mixture extractant that contains a dispersing agent, a metal ion chelating agent, and an alkaline pH buffer.⁶⁶ The extraction was followed by CPE to separate CuO NPs from dissolved copper(II) species. However, the extraction efficiency was relatively low (i.e., 46% after three cycles) under optimized conditions,⁶⁶ and this method remains to be validated for the extraction of nanomaterials with greater solubility.

Extraction of Nanomaterials from Biological Samples.

Different from soil and sediment samples, in which nanomaterials are often associated with the surface of mineral particles, nanomaterials may be assimilated by organisms and reside within tissues or cells in biological samples. Hence, extraction of nanomaterials from biological matrices, such as animal and plant tissues and microbial cells, is more challenging and requires methods capable of effectively digesting the biological tissues while causing minimal alteration to the properties of nanomaterials. However, traditional digestion methods for biological samples (e.g., acid digestion) are not applicable for extracting labile metal-based nanomaterials (e.g., Ag, ZnO, and CuO NPs) from biological matrices due to potential dissolution of these nanomaterials during digestion. In contrast, digestion of biological tissues with enzymes or organic bases has been used to extract labile metal-based nanomaterials, as these digestion methods cause minimal alteration to nanomaterials and yield an extract compatible for various downstream analysis.^{67,68}

Enzymatic and alkaline digestion are commonly used to extract metal-based nanomaterials from animal tissues. Enzymatic digestion using proteinase K enabled the extraction of metallic^{67,68} and insoluble metal oxide (e.g., TiO₂) NPs⁶⁹ from mammalian tissues, but subsequent single particle ICP-MS (spICP-MS) analysis yielded low recoveries (e.g., 68%),⁶⁷ possibly because tissue residues after enzymatic digestion could deteriorate the transport efficiency of nanomaterials in the spICP-MS analysis.⁶⁸ Efforts have been made to improve the recovery of enzymatic digestion. For instance, the addition of hydrogen peroxide after enzymatic digestion with proteinase K improved the recoveries for CeO₂ NPs from zebrafish tissues.⁷⁰ Ultrasound-assisted enzymatic digestion using a mixture of pancreatin and lipase recently has been developed to extract engineered (e.g., TiO₂)⁷¹ NPs spiked in bivalve mollusks with high recoveries and successfully used for the analysis of various metal-containing nanomaterials in marine bivalve mollusks.⁷² Compared to enzymatic digestion, alkaline digestion using tetramethylammonium hydroxide (TMAH) yielded higher recoveries for Au and Ag NPs in mammalian tissues,⁷³ as well as in a variety of commonly used model organisms for environmental studies.^{73–75} However, alkaline digestion with relatively high TMAH concentrations (e.g., $\geq 5\%$, v/v) over an extended period of time led to dissolution of Ag NPs,^{59,76,77} and thus, alkaline digestion procedures should be pretested and optimized to avoid artifacts. Meanwhile, it was recently demonstrated that TMAH used in alkaline digestion of rainbow trout liver tissue caused precipitation of Ag⁺, which could interfere with the spICP-MS analysis, and this challenge may be tackled by the use of CaCl₂ during digestion.⁷⁸

For plant tissues, although acid digestion has been used to extract carbon-based nanomaterials (e.g., multiwalled carbon nanotubes)⁷⁹ and insoluble metal oxide (e.g., TiO₂) NPs,⁸⁰ more labile metal-containing nanomaterials are commonly extracted by enzymatic digestion, mainly with Macerozyme R-10, a macerating enzyme from *Rhizopus* sp. This method has

Table 1. Applicability of Techniques for Analyzing and Characterizing the Abundance, Morphology, Composition, and Structure of Nanomaterials in Environmental Samples^a

Category	Technique	Abundance	Morphology	Composition	Structure
Microscopic techniques	SEM	number conc. (sq.)	shape and size of primary particles, resolution: down to 1 nm ⁹⁸	N/A	N/A
	(S)TEM (with SAED)	number conc. (sq.)	shape and size of primary particles, resolution: down to 0.1 nm ⁹⁸	chemical components (requiring supplementary information)	crystal phase, crystallinity, defects
	AFM	presence of nanoscale particles (ql.)	shape and size of primary particles and aggregates; longitudinal resolution: 0.1 nm; lateral resolution: down to 0.1 nm ⁹⁹	N/A	N/A
Spectroscopic techniques	EDS	mass conc. (sq.)	shape and size, resolution: down to 1 nm ¹⁰⁰ (when coupled with STEM)	elements	N/A
	EELS	N/A	shape and size, resolution: down to 0.4 nm ¹⁰¹	elements, oxidation states	chemical bonding
	XRF (μ -, nano-)	mass conc. (sq.)	size, resolution: down to 50 nm ^{100,102}	elements	N/A
	IR	mass conc. (qn.), LOD down to 1 μ g/L or 1 μ g/g level (for NIRE) ^{103,104}	N/A	functional groups	N/A
	Raman	mass conc. (qn.) LOD down to μ g/L level with pretreatment (for SERS) ^{105,106}	N/A	chemical components	chemical bonding, defects
	XAS	N/A	N/A	elements	chemical bonding, defects
Mass spectrometric techniques	spICP-MS	number and mass conc. (qn.), with LOD on the order of 10 ⁴ /L to 10 ⁶ /L for number conc. ^{107–109} and < ng/L for mass conc.	size (requiring information on NP shape), detection limit: 3–180 nm (element-specific) ¹¹⁰	elements/isotopes	N/A
	LA-ICP-MS	mass conc. (qn.), with ng/g LOD ¹⁰⁰	N/A	elements/isotopes	N/A
	nanoSIMS	N/A	size, resolution: down to 50 nm ¹¹¹	elements/isotopes	N/A
	MC-ICP-MS	N/A	N/A	elements/isotopes (with relatively high precision of isotope ratios) ¹¹²	N/A
Light scattering-based techniques	DLS	number conc. (sq.)	size (hydrodynamic diameter) of aggregates	N/A	N/A
	NTA	number conc. (qn.) with 10 ¹⁰ /L LOD ¹¹³	size (hydrodynamic diameter; 30–1000 nm) ^{114,115} of aggregates	N/A	N/A
	SAXS	number conc. (sq.)	size of primary particles and aggregates	N/A	N/A
Electrochemical techniques	Voltammetry	number and mass conc. (qn.), with 10 ¹⁰ /L to 10 ¹¹ /L LOD for number conc. and correspondingly μ g/L LOD for mass conc. ^{116,117}	N/A	N/A	N/A
	Chronoamperometry	number conc. (qn.), ng/L LOD; time resolution: 1 min ¹¹⁸	size of primary particles and aggregates	chemical components (requiring supplementary information)	crystallinity

^aAbbreviations: conc., concentration; LOD, limit of detection; N/A, not applicable; ql., qualitative; qn., quantitative; sq., semiquantitative. Acronyms for the analysis and characterization methods are given in the List of Acronyms.

been used to investigate the uptake and bioaccumulation of various nanomaterials, including metallic (e.g., Au, Ag, and Pt),^{81–85} insoluble metal oxide (e.g., CeO₂ and TiO₂),^{80,84,86} and metal sulfide (e.g., Ag₂S)⁸⁷ NPs in plants. Recently, this method was used to extract CuO NPs, a moderately soluble metal oxide nanomaterial, from plant tissues, but the recovery was not reported.⁸⁸ Alternatively, a methanol-based protocol was recently developed for extracting both insoluble (e.g., Au) and moderately water-soluble (e.g., CuO and ZnO) NPs from leaf tissues of plants prior to spICP-MS analysis, which yielded recoveries as high as 100%, 81%–99%, and 69%–95%, respectively, for Au, CuO, and ZnO NPs, and limited artifacts in particle size measurement.⁸⁹

Unlike animal and plant tissues, unicellular microorganism samples require minimal sample preparation prior to analysis. The small sizes and simple physiologies of microbial cells allow for direct analysis of these samples using single-cell ICP-MS^{90,91} and optical microscopy⁹² for assessing cellular uptake of metal- and carbon-based nanomaterials. While nanomaterials in microorganisms (e.g., yeast cells) can be extracted using enzymatic digestion,^{77,93} analysis of nanomaterials in unicellular microorganisms can also be achieved more facily after mechanical lysis of the cells.^{94–96} For instance, a simple procedure involving sonication in deionized water was used to lyse marine microbial cells for subsequent spICP-MS analysis of Ag NPs.⁹⁴ More recently, a glass microbead-assisted sonication method was developed for more efficient lysis of yeast⁹⁵ and bacteria⁹⁶ cells for analysis of metal-based nanomaterials.

METHODS TO IDENTIFY, CHARACTERIZE, AND QUANTIFY NANOMATERIALS IN ENVIRONMENTAL SAMPLES

In this section, we discuss the capabilities and limitations of currently available and emerging techniques for obtaining the morphological, compositional, and structural properties of nanomaterials in the environment, including electron microscopic, spectroscopic, mass spectrometric, and electrochemical techniques (Table 1), along with size fractionation techniques. Many of the listed methods can be used to (semi)quantitatively determine the abundance of nanomaterials in different environmental matrices, with varying LODs, among which spICP-MS and chronoamperometry stand out for their high sensitivity. The morphologies (i.e., shapes and sizes) of nanomaterials can be characterized by various microscopic and spectroscopic techniques with different spatial resolutions. Many techniques can also provide information on the chemical, elemental, and even isotopic composition of nanomaterials, including the type of functional groups and the oxidation state of elements, whereas fewer techniques can be used to characterize the crystal structure of nanomaterials, providing information such as crystallinity, crystal phase, type of chemical bonding, and the presence of defects. Light scattering-based techniques such as DLS, NTA, and small-angle X-ray scattering (SAXS) are useful tools for characterizing the sizes and aggregation states of nanomaterials in aqueous suspension. However, these techniques require relatively high particle concentrations.^{23,24,97} The principles and practical considerations of the light scattering-based techniques have been summarized in recent reviews^{12,24,97} and thus are not discussed herein.

Electron Microscopy-Based Methods. Electron microscopy techniques, such as scanning electron microscopy (SEM), transmission electron microscopy (TEM), and scanning TEM (STEM), are commonly used to determine the size and

morphology of nanomaterials. However, definitive identification of nanomaterials in environmental samples using electron microscopy may be hampered by artifacts due to the presence of nanoscale objects inherent in the matrix (e.g., cellular structures in biological samples) or introduced during sample preparation.^{119,120} Such artifacts can be avoided by coupling with elemental and structural analysis, such as energy-dispersive X-ray spectroscopy (EDS) and selected area electron diffraction (SAED), and electron microscopy-based technologies have been widely used for the identification and characterization of low-concentration nanomaterials in complex matrices, including airborne particulate matter,¹²¹ sewage sludge,¹²² wastewater,¹²³ surface waters,¹²⁴ and plant tissues.⁸⁰ In addition to SAED,^{121,122,125} information on the crystal structure of crystalline nanomaterials can be obtained by analyzing lattice fringes observed by high-resolution TEM.^{121–123} Furthermore, the latest spherical aberration-corrected high angle annular dark field STEM can achieve atomic-level spatial resolution (below 0.1 nm), allowing for unambiguous identification of the crystal structure as well as the presence of crystal defects.^{126–129}

The high vacuum condition in the electron microscope instruments requires that the samples should be in a dehydrated state, and artifacts due to aggregation of nanomaterials and precipitation of salts may occur during sample preparation, which typically involves drop deposition (and subsequent solvent evaporation), adsorption deposition, or ultracentrifugation harvesting.²⁵ In contrast, some electron microscopy techniques have enabled the observation of samples in hydrated forms. Environmental SEM (ESEM), or atmospheric SEM, which operates under relatively low vacuum (on the order of 10² to 10³ Pa), allows characterization of nanomaterials in hydrated samples (e.g., wet soil),^{130,131} and the latest modifications of ESEM, namely, “Wet-SEM” or “Wet-STEM”, allow observation of nanomaterials in liquid suspension.^{132,133} Due to the low vacuum condition entailed in this technique, the spatial resolution of ESEM is relatively low compared to conventional SEM and STEM. In contrast to the “open cell” approach used in ESEM and its modifications, a “closed cell” approach has enabled *in situ* TEM characterization of liquid samples. In the liquid-cell TEM (or liquid-phase TEM) analysis, a thin layer of the liquid sample is enclosed in a vacuum-tight sample cell with thin windows consisting of an electron-transparent material (most commonly silicon nitride).¹³⁴ Alternatively, cryogenic TEM (cryo-TEM) with subnanometer resolution, which was originally developed for determining the structures of biomolecules,¹³⁵ allows *in situ* characterization of NP suspension in a frozen, hydrated state.¹³⁶ These sophisticated electron microscopy techniques, which have been widely used in materials science and life science research, may serve as powerful tools for *in situ* analysis of nanomaterials in the environment.

The ESEM and cryo-TEM methods require specialized sample preparation; even for conventional SEM and (S)TEM, certain types of samples (e.g., NP-containing biological samples) need multistep treatment prior to analysis.¹³⁷ In addition to the sophisticated sample preparation, a major limitation with electron microscopic analysis of ENMs in environmental samples is the small field of view at high magnification. Due to their low concentrations in environmental matrices, it is rather difficult to locate ENMs during electron microscopy analysis.

Spectroscopic Methods. A variety of spectroscopic methods can be used to characterize the elemental compositions and chemical structures of nanomaterials. Nevertheless, only a few of these techniques with sufficiently high spatial resolution

and low detection limits are suitable for analyzing low levels of nanomaterials in complex environmental matrices. In this section, we discuss the capabilities and limitations of commonly used as well as emerging spectroscopic techniques for analysis and characterization of nanomaterials in the environment, including EDS, electron energy loss spectroscopy (EELS), and X-ray fluorescence (XRF) spectrometry for elemental analysis as well as infrared (IR) spectroscopy, Raman spectroscopy, and X-ray absorption spectroscopy (XAS) for structural analysis.

Elemental analysis of NP samples following microscopic examination calls for spatial resolution down to the nanometer range. Therefore, regular EDS attached to SEM with spatial resolution in the submicrometer range is unsuitable for analyzing nanomaterials in environmental samples.¹⁰⁰ Conversely, EDS coupled with STEM has spatial resolutions down to a few nanometers and can be operated in line-scanning and mapping modes,^{100,125,129} which has proven to be a useful tool for identifying the composition of nanomaterials in complex environmental matrices.^{121,124} EELS coupled with STEM is another spectroscopic tool for determining the elemental composition of nanomaterials in complex matrices.^{126,127,138} Notably, EELS has atomic-level spatial resolution,¹⁰¹ and EELS-based elemental mapping (also called energy-filtered TEM) has been used to identify the chemical composition of nanomaterials in airborne particulate matter,¹²¹ as well as the macromolecular corona of nanomaterials as thin as approximately 1 nm.¹²⁶ Moreover, EELS can determine the oxidation state of elements comprising the nanomaterials,^{127,138} and its high spatial resolution makes EELS superior to X-ray photoelectron spectroscopy with micrometer-level lateral resolution in determining the oxidation state of nanomaterials in complex environmental matrices.^{126,127}

XRF spectrometry is a nondestructive *in situ* elemental analysis technique requiring minimal sample preparation. It was mainly applied for analysis of bulk materials or pure nanomaterials, due to its relatively low spatial resolution and high detection limit. Recently, synchrotron radiation-based microscopic and nanoscopic XRFs (μ -XRF and nano-XRF, respectively) with improved spatial resolution have facilitated NP analysis in complex environmental samples. For instance, a spatial resolution down to 50 nm was reported for the latest synchrotron-based nano-XRF.¹⁰² Elemental mapping by μ -XRF has been used, alone or in combination with mass spectrometry-based imaging techniques (to be discussed later), to characterize the distribution of nanomaterials in plant^{139,140} and animal tissues.^{102,141–143} Note that EDS and EELS are static techniques generating elemental information on samples fixed on sample holders, whereas *in situ* XRF analysis with high temporal resolution can provide dynamic information on nanomaterial properties. In fact, spatially resolved XRF microscopy with sub-100 nm spatial resolution was recently applied to acquire quasi-real-time elemental maps of ZnO nanorods in simulated wastewater.¹⁴⁴ Given further improvements in spatial resolutions and detection limits, XRF can potentially be used for characterization of nanomaterials in environment matrices.

Infrared and Raman spectroscopies can yield extensive information on chemical structures of materials, and these methods are particularly useful for identifying carbonaceous nanomaterials such as carbon nanotubes (CNTs)¹⁴⁵ and graphene-family nanomaterials¹⁴⁶ in environmental matrices. However, their relatively low spatial resolutions (1–10 μ m and 10² nm, respectively)¹⁴⁷ are often insufficient for spatially resolved analysis or characterization of nanomaterials in

environmental matrices. The coupling of IR or Raman spectroscopy to the tip of an atomic force microscope (AFM) or scanning tunneling microscope has enabled nanoscale chemical analysis with sub-50 nm resolutions.¹⁴⁷ Notably, tip-enhanced Raman spectroscopy can achieve subnanometer resolution and are well suited to analyze liquid samples,^{147,148} thus showing great potential for analyzing and characterizing nanomaterials in environmental samples. Infrared and Raman spectroscopy-based methods have also shown capability for quantification of carbonaceous and metal-based nanomaterials in the environment. For example, near-infrared fluorescence (NIRF) spectroscopy can quantitatively determine concentrations of single-walled CNTs in various environmental samples, including wastewater,¹⁰³ fish tissues,¹⁴⁹ and sediments.^{103,104} Furthermore, surface-enhanced Raman spectroscopy (SERS) was recently explored for analyzing nanomaterials (mainly NPs of noble metals, Ag and Au) in environmental matrices, such as plant tissues¹⁰⁶ and surface waters,^{105,150} after extraction and preconcentration. Although the detection limit of SERS for nanomaterials in aqueous matrices is on the mg/L level, the extraction and preconcentration pretreatment enables detection of nanomaterials on the μ g/L level.^{105,106}

Synchrotron-based XAS, including extended X-ray absorption fine structure (EXAFS) and X-ray absorption near edge structure (XANES) spectroscopy, provides information on the atomic coordination environment (e.g., coordination number, bond length) of solid materials and can yield structural information on nanomaterials in environmental matrices, such as biological samples^{139,151} and soils/sludge.^{152,153} One limitation of the XAS techniques for analyzing nanomaterials in environmental matrices is their low sensitivity. Typically, to obtain reliable EXAFS or XANES spectra, the total content of the target element in the sample needs to be above 1 mg/kg.¹⁵³ This constraint may be overcome by coupling microprobe-based XAS with other techniques capable of identifying nanomaterials with localized high concentration. For instance, μ -EXAFS spectroscopy was used to confirm the presence of metallic copper NPs in the rhizosphere of wetland plants under copper stress, and, prior to μ -EXAFS analysis, elemental mapping by μ -XRF was used to identify the “points-of-interest” in the sample, where particulate copper species may exist.¹⁵⁴

Mass Spectrometric Methods. A variety of mass spectrometric methods have demonstrated capabilities for analyzing and characterizing nanomaterials in complex matrices and to provide multifaceted information such as the concentrations, sizes, and elemental compositions of nanomaterials, as well as their distributions within solid samples (e.g., biological tissue).¹⁵⁵ In this section, we highlight recent advances in three categories of mass spectrometric methods for analysis and characterization of nanomaterials in the environment, namely, spICP-MS, mass spectrometry-enabled nanomaterial imaging, and isotopic fingerprinting.

Single Particle ICP-MS. ICP-MS operated in the time-resolved analysis mode is a powerful technique for analyzing trace levels (at ng/L) of metal- and metalloid-based nanomaterials in aqueous matrices, including natural waters, wastewater, and NP suspensions extracted from soils/sediments or biological tissues.^{109,156–158} ICP-MS analysis in the single particle mode can give information on the number concentration of the nanomaterials and the mass of individual particles, as well as particle size and size distribution, which can be calculated by assuming a specific shape (e.g., sphere) and composition (e.g., mass fraction of the constituent metal) of the nanomaterial.

als.^{107,159} Recently, the spectrum of information that can be obtained by spICP-MS was expanded to other properties of nanomaterials, such as the presence of pores within a particle.¹⁶⁰ The sensitivity of spICP-MS analysis is higher than that of other nanoparticle sizing techniques, such as DLS, NTA, and DCS with a detection limit above 0.1 mg/L,^{23,24,161} as well as field-flow fractionation (FFF) coupled to ICP-MS with a detection limit on the order from 0.1 to 1 $\mu\text{g/L}$.^{162–164} Moreover, it was recently demonstrated in an interlaboratory study that sizes and particle number concentrations of Au NPs measured by spICP-MS were highly consistent with those measured by SEM, whereas other sizing techniques such as DLS and NTA yielded larger particle sizes, broader size distributions, and lower particle number concentrations.¹⁶⁵

A key feature of spICP-MS analysis is its ability to distinguish between nanoparticulate and dissolved metal species based on the particle-related peak signals versus the baseline, although the presence of dissolved metal species has been a major barrier to achieving high analysis sensitivity by spICP-MS.¹⁶⁶ The smallest size of a nanoparticle that can be detected (i.e., the size detection limit, D_{\min}) by spICP-MS varies for different metal elements constituting the nanomaterials¹⁶⁷ and depends on the instrument sensitivity for the element, density of nanoparticles, and background noise primarily arising from dissolved species.^{110,167,168}

Among the commonly investigated nanomaterials, high sensitivity may be readily achieved for Ce-, Au-, and Ag-based NPs, while analyses of Si-, Ti-, Fe-, and Zn-based NPs are rather challenging,^{110,167} mainly due to isobaric or polyatomic interferences and the presence of high background metal concentrations. For instance, the difficulty to analyze Si-containing NPs arises from the high abundance of Si in natural waters and polyatomic interference of ^{28}Si from dinitrogen ions, and the analytical sensitivity can be improved by using microsecond dwell time.¹⁶⁹ The spICP-MS analysis of Ti-containing NPs (e.g., TiO_2 NPs) in environmental waters is also challenging in terms of analytical sensitivity,¹⁷⁰ due to isobaric and polyatomic interferences with ^{48}Ti measurement on a standard quadrupole ICP-MS with 1 atomic mass unit resolution.¹⁷¹ This challenge may be solved by targeting alternative isotopes (e.g., ^{47}Ti and ^{49}Ti)^{170,172} less prone to isobaric/polyatomic interferences or by employing high-resolution ICP-MS with mass resolution at or better than 0.01 atomic mass unit.¹⁷³ In the analysis of Fe-containing NPs, monitoring the most abundant Fe isotope (i.e., ^{56}Fe) is also prone to polyatomic interference (e.g., from $^{40}\text{Ar}^{16}\text{O}^+$, $^{40}\text{Ca}^{16}\text{O}^+$), which may be suppressed by using H_2 or NH_3 as the reaction gas.^{174–176} The fast dissolution and relatively high water solubility of ZnO NPs make it particularly challenging to analyze low levels of ZnO NPs dispersed in pure water.¹⁷⁷ Online coupling of an ion-exchange resin column prior to spICP-MS analysis can effectively reduce dissolved zinc concentration and improve the detectability of ZnO NPs;¹⁷⁸ this strategy can also improve the sensitivity for the analysis of Ag NPs, which can undergo fast dissolution under certain conditions.¹⁷⁹

Although most spICP-MS studies have been performed using instruments with a quadrupole mass analyzer,¹⁵⁸ it was recently found that instruments with a magnetic sector field mass analyzer can significantly improve the sensitivity in single particle analysis.^{180,181} For instance, the D_{\min} values of Ag, TiO_2 , and Fe_3O_4 NPs as measured by the sector-field ICP-MS were as low as 3, 12, and 19 nm, respectively.^{182,183} Most recently, a

sector-field ICP-MS with the latest microdroplet generation sample introduction system achieved D_{\min} values below 10 nm for a variety of metal oxide NPs, including TiO_2 , Al_2O_3 , Fe_3O_4 , and CuO NPs.¹⁸⁴

Single particle analysis on a quadrupole-based instrument has largely been operated in a way that only one isotope is detected at a time. Yet, the latest models operated at microsecond dwell times (e.g., 20–100 μs) have enabled the analysis of dual isotopes and have been used to analyze bimetallic Au–Ag NPs with either homogeneous alloy or core–shell structures^{185–187} and to explore the possibility of differentiating between engineered and natural nanomaterials.¹⁸⁵ Most recently, a state-of-the-art quadrupole-based ICP-MS instrument capable of detecting up to 16 elements in a single run has been used for multi-element analysis of nanomaterials in wastewater and biosolids.¹⁸⁸ Alternatively, ICP-MS with a time-of-flight (TOF) mass analyzer that is capable of quasi-simultaneous multi-element analysis on a particle-by-particle basis has been applied for the analysis of NPs in aqueous samples.^{189,190} Single particle multi-element fingerprinting analysis enabled by ICP-MS with a TOF mass analyzer has also been used to differentiate engineered CeO_2 NPs from natural Ce-containing NPs in colloids extracted from soils,¹⁹¹ as well as to detect and quantify TiO_2 NPs in surface waters with high background Ti levels.^{192,193} Despite the potential of this technique for source apportionment of nanomaterials in complex matrices, several barriers must be overcome before it becomes a routine analytical tool, including insufficient sensitivity for some elements (high D_{\min}) and complex data analysis.^{194,195}

Mass Spectrometry for Nanomaterial Imaging. Apart from electron microscopy and associated spectroscopic methods (e.g., EDS and EELS) and synchrotron-based μ -/nano-XRF, mass spectrometric techniques can be used to visualize the distribution of nanomaterials within solid matrices (e.g., biological tissue), including laser ablation ICP-MS (LA-ICP-MS) and secondary ion mass spectrometry (SIMS).

LA-ICP-MS is a technique for *in situ* elemental analysis of solid samples with micrometer-level spatial resolution (on the order from 1 to 10 μm).¹⁰⁰ In LA-ICP-MS analysis, a solid material is ablated with high-power laser, and a certain volume (typically with a lateral area from 10 to 10⁵ μm^2 and a depth from 1 to 10 μm) of the material is removed from the surface after each laser shot to form aerosols, which are introduced to the ICP-MS instrument for elemental analysis. LA-ICP-MS has been used to investigate the uptakes and spatial distributions of metallic^{141,142,196} and metal oxide^{140,196} NPs in terrestrial and aquatic organisms. However, due to the micrometer-level spatial resolution, elemental distribution images obtained by LA-ICP-MS (with pixel sizes typically above 1 μm) cannot provide direct evidence for the presence of nanomaterials within the biological tissues. Moreover, conventional LA-ICP-MS cannot distinguish between nanoparticulate and dissolved forms of metals, and complementary techniques, such as XANES, were used to analyze the speciation of metals detected in the biological tissues.^{141,142} Recently, novel approaches were developed for single particle analysis in biological matrices^{197–199} and soils²⁰⁰ by LA-ICP-MS. For instance, by optimizing the laser ablation and spICP-MS conditions, not only the spatial distribution of Au NPs but also the particle number concentration and size at a particular location of a biological sample could be obtained.¹⁹⁷ Note that sophisticated data analysis is required for transforming the large raw data sets into spatially resolved particle size and concentration data.^{198,199} Apart from metal-based nanomateri-

als, LA-ICP-MS has also been explored for quantification, tracking, and imaging of graphene and potentially other carbonaceous nanomaterials in plants by using inherent residual metals (e.g., Ni and Mn), which are widely and stably present in graphene materials, as fingerprints.²⁰¹ Given that potential interferences from abundant background metals may be present, the indicative metals need to be carefully selected when using this method to analyze carbonaceous nanomaterials in more complex matrices (e.g., soils).

SIMS is a high-sensitivity surface analysis technique capable of determining the chemical composition of the top few atom layers of a solid sample, enabling two-dimensional elemental mapping as well as depth profiling and three-dimensional imaging. During SIMS analysis, a sample placed under an ultrahigh vacuum is bombarded with an accelerated primary ion beam, and the secondary ions ejected from the surface of the sample are analyzed by a mass spectrometer. SIMS with a TOF mass analyzer (TOF-SIMS), which is the most common type of SIMS, has been used to identify and determine the two- or three-dimensional spatial distribution of inorganic NPs (e.g., CeO₂ and TiO₂)^{143,202} in biological materials such as rat lung tissues¹⁴³ and algal (*Chlorella vulgaris*) biofilms.²⁰² The lateral resolution of conventional TOF-SIMS analysis is typically above 100 nm, and it was recently improved to below 50 nm.¹¹¹ This so-called nanoscale SIMS (or nanoSIMS) holds great potential for quantitative elemental imaging of biomaterials on the subcellular or suborganelle level.^{102,111,203,204} For instance, TOF-SIMS with a lateral resolution of approximately 80 nm was used to study the uptake and distribution of aggregated Ag and CeO₂ NPs in plant root tissues.⁸⁴ It is expected that the lateral resolution of nanoSIMS can be further improved, enabling the detection of individually dispersed NPs. As with conventional electron microscopy, the samples need to be chemically or cryogenically fixed prior to SIMS analysis,¹⁰² and thus, alteration to NP properties may occur.

Isotope-Based Techniques. Labeling nanomaterials with radioactive and stable isotopes has enabled the detection and quantification of these isotopically labeled nanomaterials with high sensitivities and selectivities against interferences from natural background;²⁰⁵ radiolabeling enables very low detection limits (in the range from pg/L to ng/L), whereas stable isotope labeling yields detection limits on the order from 1 to 10 ng/L (or ng/kg).^{206,207} However, these isotopic tracer techniques cannot be used for analyzing nanomaterials without such deliberate labels, which is the case for the majority of natural and engineered nanomaterials already present in or being released into the environment, except for nanomaterials with known inherent isotope ratios (e.g., CNTs).²⁰⁸

In contrast, the recently developed isotopic fingerprinting technique based on multicollector ICP-MS (MC-ICP-MS) analysis of stable isotope ratios shows great promise for identification, quantification, and source tracing of nanomaterials. For instance, isotope fractionation occurs during the dissolution and formation of Ag NPs in the aquatic environments, and the variation in the ¹⁰⁹Ag/¹⁰⁷Ag ratio can be potentially used to distinguish between engineered and naturally formed Ag NPs.²⁰⁹ Si and O dual isotopic fingerprinting assisted by machine learning has enabled differentiation of natural SiO₂ NPs (e.g., quartz and diatomite) from engineered SiO₂ NPs synthesized with different methods.²¹⁰ Furthermore, Si isotopic fingerprinting methods were recently successfully applied in source apportionment of fine particulate matter, a large fraction of which falls in the nanoscale size range, in polluted urban air. Si

isotopic composition analysis enabled the direct tracing of primary sources of fine particulate matter,²¹¹ whereas a combination of Si abundance and isotopic composition analysis (i.e., two-dimensional Si fingerprints) was recently shown to be a viable tool for estimating contributions from both primary and secondary sources.²¹² Most recently, a chemical multifingerprinting approach integrating elemental fingerprints, high-resolution structural fingerprints, and/or stable isotopic fingerprints demonstrated its capability to identify the sources of ultrafine particles (with sizes <100 nm) in human serum and pleural effusion,²¹³ as well as airborne magnetite NPs in the urban atmosphere.²¹⁴

Electrochemical Methods. Electrochemical techniques, such as voltammetry and particle–electrode collision-based chronoamperometry, have shown great potential for *in situ* detection and characterization of nanomaterials in aqueous environments.²¹⁵ The electrochemical measurement can be performed on portable instruments, making them particularly suitable for on-site environmental analysis.

In voltammetry measurements, metal-based nanoparticles produce electrochemical signals at different electrode potentials than corresponding dissolved metal species, which can be translated to the presence and concentration of nanomaterials. Voltammetric techniques, such as anodic stripping voltammetry and adsorptive cathodic stripping voltammetry, have been explored to detect a variety of nanomaterials, including metal chalcogenides (e.g., Cu_xS,²¹⁶ FeS,^{217,218} and HgSe)¹¹⁶ and metallic (e.g., Au¹¹⁷ and Ag)^{219,220} NPs, in artificial and natural aqueous matrices. However, the voltammetric signal is highly dependent on the composition of the aqueous matrix, including the type and composition of the electrolyte as well as the presence of electroactive dissolved metals, inorganic ligands (e.g., sulfide ions), and natural organic matter (NOM).^{217,218} Moreover, the analyte selectivity of voltammetric measurement is relatively low. For instance, nanoparticles of different metal sulfides can produce an electrochemical signal at similar redox potentials, which prevents their unambiguous identification.²²¹ The voltammetric response of NPs also depends on their other properties, for example, size,²²⁰ surface coating,²²² and aggregation status.²¹⁹ Thus, it remains challenging to use voltammetry to analyze nanoparticles in complex environmental samples.

Particle–electrode collision-based chronoamperometric techniques have shown potential for quantitative analysis of nanomaterials in aqueous matrices on a single particle basis.²²³ In a chronoamperometric measurement, the electrode potential is held constant, and the electric current intensity as a function of time (i.e., a chronoamperometric profile) is recorded. Typically, multiple spikes (current transients) can be observed in a chronoamperometric profile, each corresponding to a particle–electrode collision event followed by electrooxidation of the particle. The frequencies and charges of the current transients are further translated into the concentrations and sizes of NPs. Particle collision-based chronoamperometry via the electrooxidation mechanism, i.e., anodic particle coulometry (also called particle impact chronoamperometry or the “nano-impact” method), recently evolved into a relatively mature technique for nanoparticle analysis and characterization.^{118,223–225} In addition to measuring number concentrations and particle sizes, this technique has demonstrated capabilities to determine the morphologies of nanomaterials²²⁶ and to assess aggregation states (e.g., irreversible or reversible aggregation).^{227,228} Despite these capabilities, the performance of the “nano-impact” method

in complex environmental matrices is yet to be validated, particularly considering the potential influences of electroactive constituents, such as NOM.

Size Fractionation Methods. Nanomaterials in the environment are polydisperse in size, and it is critical to accurately determine the particle size distributions of nanomaterials. Some of the methods discussed above (e.g., spICP-MS and particle impact chronoamperometry) have shown capability or potential to determine the size distributions of NPs in complex aqueous matrices. It is also desirable to separate NPs with different sizes prior to downstream analysis and characterization. Sequential filtration and (ultra)centrifugation have been used as fractionation methods to separate colloids/NPs with different sizes.^{175,229} Moreover, a variety of chromatography-based and chromatography-like techniques have been developed for more accurate size fractionation of NPs, including hydrodynamic chromatography (HDC), size exclusion chromatography (SEC), FFF, capillary electrophoresis (CE), and electrospray-differential mobility analysis (ES-DMA).

HDC is a facile technique for separating particles and macromolecules based on their sizes. The most commonly used HDC columns are columns packed with nonporous microbeads (as compared to porous microbeads in SEC columns), although columns in other forms (e.g., open-tubular capillary²³⁰ and microchip)²³¹ are also available. Particles with different sizes (and correspondingly different hydrodynamic diameters) are separated as they flow through a packed bed column, due to velocity gradients that develop within the capillaries between microbeads. Larger particles elute faster because they spend less time near the edges of the capillaries, where the linear velocity is slower.²³² HDC may be coupled to a range of analysis tools, including DLS, multi-angle laser light scattering, UV–vis, and fluorescence detectors.^{233–235} In particular, HDC coupled to ICP-MS, either in the conventional or single particle mode, has demonstrated great potential for separating and sizing NPs in aqueous samples at relatively low concentrations (e.g., with LOD values below 0.1 $\mu\text{g/L}$).^{232,236,237}

In SEC, NPs with different sizes and dissolved metal ions/complexes are separated after passing a liquid chromatography column packed with porous micrometer-sized particles. The largest NPs are eluted first, followed by smaller particles, and the dissolved species are eluted last.^{238,239} The SEC method coupled to ICP-MS has been successfully used to separate and quantify metallic (e.g., Ag and Au),^{240,241} metal oxide (e.g., NiO and CeO_2),²⁴² and metal sulfide (e.g., Ag_2S)²⁴³ NPs and their corresponding metal ions in environmental water samples, as well as Au and Ag NP in biological matrices, such as algae²⁴⁴ and bacteria,⁷⁷ after alkaline digestion or lysis. Note that SEC has so far only been used for separating NPs with known sizes spiked in aqueous samples or exposed to organisms. The capability of this technique for analyzing samples with unknown sizes is yet to be demonstrated.

FFF is a family of techniques widely used for the separation and sizing of biomolecules, natural colloids, and ENMs.²⁴⁵ In contrast to chromatography methods, fractionation in FFF takes place in a thin, elongated channel without a stationary phase under the action of an external field (e.g., centrifugal force or a flow) perpendicularly applied to a laminar flow, in which the analytes diffuse.^{25,246} Among different types of FFF techniques, flow FFF (FIFFF), and particularly asymmetric FIFFF (AF4), is the most commonly used one for separating and analyzing NPs with different sizes. FIFFF can be coupled to a range of analysis techniques, such as UV–vis, fluorescence, DLS, TEM, AFM,

and ICP-MS,^{247,248} and FIFFF coupled to ICP-MS has become a powerful and popular tool for analyzing $\mu\text{g/L}$ level nanomaterials in environmental matrices,^{246,247} such as wastewater¹⁶³ and river water.¹⁶⁴ These sequential analytical methods combined the advantages of FIFFF, such as the high size resolution over a wide size range and minimal alteration to NP properties, and the advantages of ICP-MS, such as high sensitivity and elemental selectivity. As an alternative to AF4, hollow fiber FIFFF, which uses a low-cost, disposable hollow fiber as the focusing/relaxation channel, has been online coupled to ICP-MS and achieved the separation and detection of Ag NPs in surface waters with sizes down to 1.4 nm.²⁴⁹ In addition, sedimentation/centrifugal FFF (SdFFF), which involves sedimentation of particles due to centrifugal force, is the other type of FFF that can be coupled to ICP-MS, and this technique is more suitable for separating and analyzing NPs with larger densities and sizes.²⁴⁶ Recently, the coupling of FIFFF and/or SdFFF to spICP-MS enabled characterization of nanocomposite particles, such as Ag@SiO_2 ²⁵⁰ and Au@Ag ¹⁸⁶ core–shell NPs, as well as Au NPs contained in nanoplastic colloids.²⁵¹ The FFF methods may be utilized for fractionating NPs over a broad size range (from one nanometer up to a few micrometers), and yet the loss of NPs during the fractionation process is a problem that remains to be addressed.

Capillary electrophoresis can separate NPs with different sizes and surface charge properties. When suspended in aqueous media, a variety of nanoparticles (e.g., metal oxide NPs, surface-functionalized metallic and carbon-based nanomaterials) carry surface charges. The charged NPs migrate driven by electroosmotic flow under the action of an external electric field and exhibit electrophoretic mobilities that are proportional to the charge-to-size ratios of spherical NPs, which enable their fractionation by electrophoretic methods, including gel electrophoresis and CE.²⁵² Compared to gel electrophoresis, CE typically leads to more reproducible migration time and higher size resolution,¹⁸ although run-to-run variation in migration time possibly occurs in CE operation.²⁵³ Early studies on electrophoretic separation of nanomaterials employed TEM, hyperspectral imaging, UV–vis, and fluorescence spectroscopy to analyze the nanomaterials.²⁵ However, these analysis methods typically work for nanomaterials at relatively high concentrations, which makes corresponding electrophoretic methods unsuitable for analyzing environmental samples. Recently, CE was coupled to ICP-MS for the separation and size characterization of Ag and Au NPs in complex matrices, including river water and wastewater with LODs at the submicrogram per liter level.^{254,255} Moreover, CE has been coupled to spICP-MS to analyze Ag NPs with different sizes²⁵⁶ and surface coatings.²⁵⁷ However, the lack of matrix-matched NP standards is currently a major factor limiting the application of CE-based methods for analysis of nanomaterials in environmental matrices.

The combination of electrospray with differential mobility analysis, a common aerosol measurement technique,^{258,259} has long been used for high-resolution size fractionations and measurements of NPs in liquid suspensions.^{260–262} However, the ES-DMA techniques, commonly equipped with a condensation particle counter as detector, are usually used to analyze nanomaterials at relatively high concentrations (e.g., $>0.1 \text{ mg/L}$),²⁶⁰ and the presence of nonvolatile salts or organic compounds may cause analytical artifacts.²⁶² Coupling ES-DMA to ICP-MS can differentiate target nanomaterials (e.g., Au NPs) from salt particles artificially produced during electrospray, and

yet the detection limit is not significantly improved compared to conventional ES-DMA with a condensation particle counter detector.²⁶³ Recently, ES-DMA coupled to spICP-MS has enabled accurate sizing and concentration determination of Au NPs at environmentally relevant levels,²⁶⁴ as well as differentiation of NPs with different morphologies (e.g., nanorods versus nanospheres).²⁶⁵ Moreover, the independent determination of particle size by differential mobility analysis and particle mass by spICP-MS allows the calculation of “apparent density”, which can be used to differentiate between NP mixtures versus aggregates.²⁶⁴

■ ENDURING CHALLENGES AND FUTURE PERSPECTIVES

Recent methodological advances for the determination of the abundance, morphology, composition, and structure of nanomaterials have focused on improving the analytical speed, throughput, spatial resolution, and chemical sensitivity, mitigating matrix effects in complex matrices and tracing the sources and processes, as well as simultaneously providing multifaceted information. These improvements have facilitated research on identifying sources, environmental transformations, and ecological/health effects of naturally occurring and engineered nanomaterials. However, challenges remain to further improve the performance and expand the applications of the current methods. Emerging techniques may also be tailored to future needs in the analysis and characterization of nanomaterials to enhance a wide variety of environmental applications.

- (1) Quantitatively assessing the mass and number concentrations of nanoscale particles is an essential prerequisite for accurate estimation of environmental behaviors and risks of nanomaterials. Nevertheless, information regarding abundance and morphology are often obtained from different sample aliquots analyzed by different methods, which may not be comparable due to the heterogeneous nature of environmental samples. Only a few methods simultaneously provide mass/number concentrations together with size estimates and yet rarely achieve satisfactory sensitivities for both parameters. For instance, although the mass detection limit of spICP-MS is as low as sub-ng/L (corresponding to the particle number detection limit on the level of 10^4 to 10^6 particles per liter) for many elements,^{107–109} high size resolution cannot be readily attained for routine analysis of environmental samples. It is particularly challenging to analyze nanomaterials that tend to occur as small monomers and aggregates in natural environments. Mineral nanoparticles containing Hg and S often exhibit primary particle sizes below 10 nm,^{9,266–268} whereas size detection limits for these elements of environmental significance are well above 10 nm even with the latest instruments under optimized conditions,¹¹⁰ making spICP-MS unsuitable for analyzing these NPs in the environment. On the other hand, microscopic and spectroscopic techniques with high spatial resolution (Table 1) generally do not have the capability to accurately quantify the concentrations of nanoparticles in environmental samples. It is desirable that future advances in instrumental hardware and data processing will allow assessments of both abundances and morphologies of nanomaterials and nanoconjugates in a

single run with improved chemical sensitivity and spatial resolution. Toward this end, efforts are needed to develop integrated platforms comprising online coupled high-sensitivity quantification techniques and high-resolution characterization (e.g., nanoSIMS).

- (2) Despite the continuous development of the pretreatment methods of complex environmental samples, a number of nanomaterial properties, such as aggregation status and surface composition, are inevitably altered during extraction and preconcentration processes of nanomaterials, which likely lead to inaccurate estimation of the characteristics and subsequent environmental behaviors and impacts of nanomaterials. Therefore, *in situ* characterization techniques of nanomaterials in complex matrices are needed. Notably, nanomaterials in environmental samples are typically enveloped in “coronas”, which are composed of adsorbed macromolecules (e.g., humic substances, extracellular polymeric substances, and proteins) and can significantly affect the environmental fate and ecological effects of nanomaterials.²⁶⁹ In biological matrices, nanomaterials are coated with a variety of proteins and metabolites,²⁷⁰ and these biomolecular coronas largely influence the behaviors, fate, and biological effects of the nanomaterials.^{271,272} The chemical composition and structure of the environmental and biomolecular coronas are dynamic, and it is desirable to develop *in situ* characterization techniques (at least, pretreatment methods capable of maintaining nanomaterial integrity) to advance understanding of pertinent structure–activity relationships. In particular, there is a great need to develop techniques for *in situ* and real-time analysis and characterization of nanomaterials in living organisms (i.e., *in vivo* analysis), including the dynamic composition and structure of environmental/biomolecule corona on the surface of the nanomaterials. Current methods for *in situ* corona analysis (e.g., fluorescence correlation spectroscopy, isothermal titration calorimetry, circular dichroism, and Raman spectroscopy) are not sufficiently sensitive for environmental samples with low nanomaterial concentrations.²⁷³ Advanced mass spectrometric techniques capable of *ex situ* analysis of NOM and protein coronas (such as TOF-SIMS, electrospray ionization ICP-MS, and Fourier transform ion cyclotron resonance mass spectrometry)^{155,269,273} may be adopted for *in situ* analysis of nanomaterials with coronas, when properly interfaced to single particle analysis tools with tailored sample introduction systems.
- (3) Current studies have largely focused on metal-based and elemental carbon-based nanomaterials (Figure 2), but there recently have been increasing interests in the environmental occurrence of other nanoscale materials, including nanoplastics^{274,275} and biological nanoparticles (e.g., viruses^{276,277} and plasmids).^{278,279} These emerging nanoscale contaminants exhibit distinct environmental behaviors and effects due to their unique physicochemical properties. Moreover, some biological nanoparticles play important roles in the transmittance of pathogenic²⁷⁶ or antibiotic resistance genes,^{278,279} warranting fast and accurate detection and characterization of these nanoscale biological particles at low concentrations in the environment. Thus, there is a huge need for developing methods to analyze and characterize these emerging nanoscale contaminants in the environment. The analysis of

nanoplastics in environmental matrices is a research hotspot, but only a limited number of studies have dealt with real environmental samples.^{275,280} So far, most reported methods for separating, detecting, and characterizing nanoplastics are adopted from the analyses of microplastics and inorganic nanomaterials, and these methods typically have size detection limits above 100 nm,²⁷⁵ although the latest Raman tweezers technique with spatial resolution down to 50 nm has the potential to lower this size detection limit.^{281,282} As with the analysis of inorganic nanomaterials, only a limited number of methods can simultaneously quantify the abundance and characterize the composition or morphology of nanoplastics in environmental matrices.^{280,283} Moreover, their smaller size than microplastics and higher heterogeneity than engineered nanoparticles makes nanoplastics more challenging to analyze and characterize in environmental samples.²⁸⁴ Hence, future research efforts on developing analysis and characterization methods specific to the structural and surface properties of nanoplastics are warranted. Viruses and plasmids in the environment have been detected by high-throughput nucleic acid sequencing tests, but the current analysis methods usually suffered from low recoveries.^{285–287} Moreover, while providing (semi)quantitative information on the abundance of viruses and plasmids, these sequencing-based analysis methods give no clue on the physicochemical properties of the biological nanoparticles, and it is desirable to develop methods to directly characterize the key properties dictating their environmental fate, for example, their propensity to adhere to environmental surfaces.²⁸⁸

- (4) The sustainable development and safe application of nanotechnology require standardized methods for characterizing the physicochemical properties, evaluating the performances, and assessing the environmental risks of nanomaterials.²⁸⁹ While standardized methods are available for measuring the concentration and characterizing the size, shape, composition, structure, and surface chemistry of nanomaterials, few are designed for environmental samples; for instance, among the suite of standards developed so far by the International Organization for Standardization (ISO) toward the analysis and characterization of nanomaterials, only two deal with nanomaterials in complex environmental matrices,^{290,291} which largely focus on sampling, pretreatment, and detection of nanomaterials. Ongoing and future efforts in this field should place more emphasis on standard protocols tailored to the characterization of nanomaterials with low abundance and structural heterogeneity in the environmental matrices with high degrees of complexity. Notably, different types of environmental samples containing nanomaterials pose different analytical challenges. Hence, standardized protocols of sample pretreatment ought to be tailored according to specific environmental matrices, and the standardized methods of nanomaterial analysis and characterization ought to be established with full consideration of the type and properties of diverse nanomaterials. Such standards are expected to effectively supplement existing standard methods for reliable prediction of the environmental risks of nanomaterials.

Overall, the biggest challenge for analysis and characterization of nanomaterials in the environment arises from the dynamic changes of nanomaterial properties in complex environmental matrices. Artifacts associated with almost all current extraction and preconcentration methods highlight the need for developing methods capable of *in situ*, direct, and quantitative analysis and characterization. This goal calls for improvement in chemical sensitivity, response time, and spatial resolution of current techniques. Moreover, integrated platforms enabled by online coupling of *in situ* analysis and characterization techniques that provide multifaceted information are essential for accurate evaluation of the environmental behaviors and impacts of nanomaterials. An adage commonly attributed to Peter Drucker, an influential author in management theory and practice, says that “we can only improve what we actually measure”. Accordingly, emerging opportunities to improve nanomaterial quantification and characterization methods are likely to contribute to the beneficial impact and sustainability of the growing nanotechnology industry.

AUTHOR INFORMATION

Corresponding Authors

Tong Zhang — College of Environmental Science and Engineering, Ministry of Education Key Laboratory of Pollution Processes and Environmental Criteria, Tianjin Key Laboratory of Environmental Remediation and Pollution Control, Nankai University, Tianjin 300350, China; orcid.org/0000-0002-8151-3697; Email: zhangtong@nankai.edu.cn

Qian Liu — State Key Laboratory of Environmental Chemistry and Ecotoxicology, Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, Beijing 100085, China; orcid.org/0000-0001-8525-7961; Email: qianliu@rcees.ac.cn

Authors

Chuanjia Jiang — College of Environmental Science and Engineering, Ministry of Education Key Laboratory of Pollution Processes and Environmental Criteria, Tianjin Key Laboratory of Environmental Remediation and Pollution Control, Nankai University, Tianjin 300350, China; orcid.org/0000-0003-2637-5508

Songlin Liu — College of Environmental Science and Engineering, Ministry of Education Key Laboratory of Pollution Processes and Environmental Criteria, Tianjin Key Laboratory of Environmental Remediation and Pollution Control, Nankai University, Tianjin 300350, China

Pedro J. J. Alvarez — Department of Civil and Environmental Engineering, Rice University, Houston, Texas 77005, United States; orcid.org/0000-0002-6725-7199

Wei Chen — College of Environmental Science and Engineering, Ministry of Education Key Laboratory of Pollution Processes and Environmental Criteria, Tianjin Key Laboratory of Environmental Remediation and Pollution Control, Nankai University, Tianjin 300350, China; orcid.org/0000-0003-2106-4284

Complete contact information is available at:

<https://pubs.acs.org/10.1021/acs.est.1c08011>

Notes

The authors declare no competing financial interest.

■ ACKNOWLEDGMENTS

This work was supported by the National Natural Science Foundation of China (22020102004, 21825403, 22125603, 21976194), Tianjin Municipal Science and Technology Bureau (21JCJCJC00060, 20JCQJNC02050), Fundamental Research Funds for the Central Universities, Nankai University (63211078, 63213073, 63211065), and Ministry of Education of China (T2017002). Partial support for P.J.J.A. was provided by the NSF Nanosystems Engineering Research Center for Nanotechnology-Enabled Water Treatment (ERC-1449500).

■ LIST OF ACRONYMS

AF4 = asymmetric FIFFF
 AFM = atomic force microscope
 CE = capillary electrophoresis
 CNTs = carbon nanotubes
 CPE = cloud point extraction
 cryo-TEM = cryogenic TEM
 DCS = differential centrifugal sedimentation
 DLS = dynamic light scattering
 D_{\min} = size detection limit
 EDS = dispersive X-ray spectroscopy
 EELS = electron energy loss spectroscopy
 ENMs = engineered nanomaterials
 ES-DMA = electrospray-differential mobility analysis
 ESEM = environmental SEM
 EXAFS = extended X-ray absorption fine structure
 FFF = field-flow fractionation
 FIFFF = flow FFF
 HDC = hydrodynamic chromatography
 ICP-MS = inductively coupled plasma mass spectrometry
 IR = infrared
 LA-ICP-MS = laser ablation ICP-MS
 LCST = lower critical solution temperature
 LOD = limit of detection
 LPE = liquid-phase extraction
 MC-ICP-MS = multicollector ICP-MS
 nanoSIMS = nanoscale SIMS
 NNMs = natural nanomaterials
 NOM = natural organic matter
 NP = nanoparticle
 NIRF = near-infrared fluorescence
 NTA = nanoparticle tracking analysis
 SAED = selected area electron diffraction
 SAXS = small-angle X-ray scattering
 SdFFF = sedimentation/centrifugal FFF
 SEC = size exclusion chromatography
 SEM = scanning electron microscopy
 SERS = surface-enhanced Raman spectroscopy
 SIMS = secondary ion mass spectrometry
 SPE = solid-phase extraction
 spICP-MS = single particle ICP-MS
 SPME = solid-phase microextraction
 STEM = scanning TEM
 TEM = transmission electron microscopy
 TMAH = tetramethylammonium hydroxide
 TOF = time-of-flight
 TOF-SIMS = SIMS with a TOF mass analyzer
 TX-114 = Triton X-114
 XANES = X-ray absorption near edge structure
 XAS = X-ray absorption spectroscopy
 XRF = X-ray fluorescence

■ REFERENCES

- (1) Hochella, M. F.; Mogk, D. W.; Ranville, J.; Allen, I. C.; Luther, G. W.; Marr, L. C.; McGrail, B. P.; Murayama, M.; Qafoku, N. P.; Rosso, K. M.; Sahai, N.; Schroeder, P. A.; Vikesland, P.; Westerhoff, P.; Yang, Y. Natural, incidental, and engineered nanomaterials and their impacts on the Earth system. *Science* **2019**, 363 (6434), eaau8299.
- (2) Hochella, M. F.; Lower, S. K.; Maurice, P. A.; Penn, R. L.; Sahai, N.; Sparks, D. L.; Twining, B. S. Nanominerals, mineral nanoparticles, and Earth systems. *Science* **2008**, 319 (5870), 1631–1635.
- (3) Sigmund, G.; Jiang, C.; Hofmann, T.; Chen, W. Environmental transformation of natural and engineered carbon nanoparticles and implications for the fate of organic contaminants. *Environ. Sci.: Nano* **2018**, 5 (11), 2500–2518.
- (4) Janković, N. Z.; Plata, D. L. Engineered nanomaterials in the context of global element cycles. *Environ. Sci.: Nano* **2019**, 6 (9), 2697–2711.
- (5) Keller, A. A.; Lazareva, A. Predicted Releases of Engineered Nanomaterials: From Global to Regional to Local. *Environ. Sci. Technol. Lett.* **2014**, 1 (1), 65–70.
- (6) Kuenen, J.; Pomar-Portillo, V.; Vilchez, A.; Visschedijk, A.; Denier van der Gon, H.; Vázquez-Campos, S.; Nowack, B.; Adam, V. Inventory of country-specific emissions of engineered nanomaterials throughout the life cycle. *Environ. Sci.: Nano* **2020**, 7 (12), 3824–3839.
- (7) Liu, L. H.; Yin, Y. G.; Hu, L. G.; He, B.; Shi, J. B.; Jiang, G. B. Revisiting the forms of trace elements in biogeochemical cycling: Analytical needs and challenges. *TrAC, Trends Anal. Chem.* **2020**, 129, 115953.
- (8) Lead, J. R.; Batley, G. E.; Alvarez, P. J. J.; Croteau, M. N.; Handy, R. D.; McLaughlin, M. J.; Judy, J. D.; Schirmer, K. Nanomaterials in the environment: Behavior, fate, bioavailability, and effects. An updated review. *Environ. Toxicol. Chem.* **2018**, 37 (8), 2029–2063.
- (9) Tian, L.; Guan, W.; Ji, Y.; He, X.; Chen, W.; Alvarez, P. J. J.; Zhang, T. Microbial methylation potential of mercury sulfide particles dictated by surface structure. *Nat. Geosci.* **2021**, 14 (6), 409–416.
- (10) Franklin, N. M.; Rogers, N. J.; Apte, S. C.; Batley, G. E.; Gadd, G. E.; Casey, P. S. Comparative toxicity of nanoparticulate ZnO, bulk ZnO, and ZnCl₂ to a freshwater microalga (*Pseudokirchneriella subcapitata*): The importance of particle solubility. *Environ. Sci. Technol.* **2007**, 41 (24), 8484–8490.
- (11) Zhang, T.; Kucharzyk, K. H.; Kim, B.; Deshusses, M. A.; Hsu-Kim, H. Net Methylation of Mercury in Estuarine Sediment Microcosms Amended with Dissolved, Nanoparticulate, and Micro-particulate Mercuric Sulfides. *Environ. Sci. Technol.* **2014**, 48 (16), 9133–9141.
- (12) Mourdikoudis, S.; Pallares, R. M.; Thanh, N. T. K. Characterization techniques for nanoparticles: comparison and complementarity upon studying nanoparticle properties. *Nanoscale* **2018**, 10 (27), 12871–12934.
- (13) Sahai, N.; Lee, Y. J.; Xu, H.; Ciardelli, M.; Gaillard, J.-F. Role of Fe(II) and phosphate in arsenic uptake by coprecipitation. *Geochim. Cosmochim. Acta* **2007**, 71 (13), 3193–3210.
- (14) Rivera, N. A.; Bippus, P. M.; Hsu-Kim, H. Relative Reactivity and Bioavailability of Mercury Sorbed to or Coprecipitated with Aged Iron Sulfides. *Environ. Sci. Technol.* **2019**, 53 (13), 7391–7399.
- (15) Semerád, J.; Filip, J.; Ševců, A.; Brumovský, M.; Nguyen, N. H. A.; Mikšíček, J.; Lederer, T.; Filipová, A.; Boháčková, J.; Cajthaml, T. Environmental fate of sulfidated nZVI particles: the interplay of nanoparticle corrosion and toxicity during aging. *Environ. Sci.: Nano* **2020**, 7 (6), 1794–1806.
- (16) Zhang, M.; Yang, J.; Cai, Z.; Feng, Y.; Wang, Y.; Zhang, D.; Pan, X. Detection of engineered nanoparticles in aquatic environments: current status and challenges in enrichment, separation, and analysis. *Environ. Sci.: Nano* **2019**, 6 (3), 709–735.
- (17) Zhao, J.; Lin, M.; Wang, Z.; Cao, X.; Xing, B. Engineered nanomaterials in the environment: Are they safe? *Crit. Rev. Environ. Sci. Technol.* **2021**, 51 (14), 1443–1478.
- (18) Leopold, K.; Philippe, A.; Worle, K.; Schaumann, G. E. Analytical strategies to the determination of metal-containing nanoparticles in environmental waters. *TrAC, Trends Anal. Chem.* **2016**, 84, 107–120.

- (19) Majedi, S. M.; Lee, H. K. Recent advances in the separation and quantification of metallic nanoparticles and ions in the environment. *TrAC, Trends Anal. Chem.* **2016**, *75*, 183–196.
- (20) Ault, A. P.; Axson, J. L. Atmospheric Aerosol Chemistry: Spectroscopic and Microscopic Advances. *Anal. Chem.* **2017**, *89* (1), 430–452.
- (21) Kangasluoma, J.; Cai, R.; Jiang, J.; Deng, C.; Stolzenburg, D.; Ahonen, L. R.; Chan, T.; Fu, Y.; Kim, C.; Laurila, T. M.; Zhou, Y.; Dada, L.; Sulo, J.; Flagan, R. C.; Kulmala, M.; Petäjä, T.; Lehtipalo, K. Overview of measurements and current instrumentation for 1–10 nm aerosol particle number size distributions. *J. Aerosol. Sci.* **2020**, *148*, 105584.
- (22) Sharma, V. K.; Filip, J.; Zboril, R.; Varma, R. S. Natural inorganic nanoparticles - formation, fate, and toxicity in the environment. *Chem. Soc. Rev.* **2015**, *44* (23), 8410–8423.
- (23) Mehrabi, K.; Nowack, B.; Arroyo Rojas Dasilva, Y.; Mitrano, D. M. Improvements in Nanoparticle Tracking Analysis To Measure Particle Aggregation and Mass Distribution: A Case Study on Engineered Nanomaterial Stability in Incineration Landfill Leachates. *Environ. Sci. Technol.* **2017**, *51* (10), S611–S621.
- (24) Langevin, D.; Lozano, O.; Salvati, A.; Kestens, V.; Monopoli, M.; Raspaut, E.; Mariot, S.; Salonen, A.; Thomas, S.; Driessen, M.; Haase, A.; Nelissen, I.; Smisdom, N.; Pompa, P. P.; Maiorano, G.; Puentes, V.; Puchowicz, D.; Stepnik, M.; Suarez, G.; Riediker, M.; Benetti, F.; Micetic, I.; Venturini, M.; Kreyling, W. G.; Van Der Zande, M.; Bouwmeester, H.; Milani, S.; Radler, J. O.; Mulhopt, S.; Lynch, I.; Dawson, K. Inter-laboratory comparison of nanoparticle size measurements using dynamic light scattering and differential centrifugal sedimentation. *Nanoimpact* **2018**, *10*, 97–107.
- (25) Laborda, F.; Bolea, E.; Cepria, G.; Gomez, M. T.; Jimenez, M. S.; Perez-Arategui, J.; Castillo, J. R. Detection, characterization and quantification of inorganic engineered nanomaterials: A review of techniques and methodological approaches for the analysis of complex samples. *Anal. Chim. Acta* **2016**, *904*, 10–32.
- (26) Li, L.; Leopold, K.; Schuster, M. Effective and selective extraction of noble metal nanoparticles from environmental water through a noncovalent reversible reaction on an ionic exchange resin. *Chem. Commun.* **2012**, *48* (73), 9165–9167.
- (27) Li, L.; Leopold, K. Ligand-Assisted Extraction for Separation and Preconcentration of Gold Nanoparticles from Waters. *Anal. Chem.* **2012**, *84* (10), 4340–4349.
- (28) Zhang, L.; Chen, B.; He, M.; Liu, X.; Hu, B. Hydrophilic Polymer Monolithic Capillary Microextraction Online Coupled to ICPMS for the Determination of Carboxyl Group-Containing Gold Nanoparticles in Environmental Waters. *Anal. Chem.* **2015**, *87* (3), 1789–1796.
- (29) Liu, X.; Chen, B.; Cai, Y.; He, M.; Hu, B. Size-Based Analysis of Au NPs by Online Monolithic Capillary Microextraction-ICPMS. *Anal. Chem.* **2017**, *89* (1), S60–S64.
- (30) Liu, X.; He, M.; Chen, B.; Hu, B. Monolithic capillary microextraction combined with ICP-MS for the determination of TiO₂ NPs in environmental water samples. *Talanta* **2019**, *197*, 334–340.
- (31) González-Fuenzalida, R. A.; Moliner-Martínez, Y.; Molins-Legua, C.; Parada-Artigues, V.; Verdú-Andrés, J.; Campins-Falcó, P. New Tools for Characterizing Metallic Nanoparticles: AgNPs, A Case Study. *Anal. Chem.* **2016**, *88* (2), 1485–1493.
- (32) Benitez-Martinez, S.; Lopez-Lorente, A. I.; Valcarcel, M. Graphene Quantum Dots Sensor for the Determination of Graphene Oxide in Environmental Water Samples. *Anal. Chem.* **2014**, *86* (24), 12279–12284.
- (33) Zhou, X.-X.; Lai, Y.-J.; Liu, R.; Li, S.-S.; Xu, J.-W.; Liu, J.-F. Polyvinylidene Fluoride Micropore Membranes as Solid-Phase Extraction Disk for Preconcentration of Nanoparticulate Silver in Environmental Waters. *Environ. Sci. Technol.* **2017**, *51* (23), 13816–13824.
- (34) Mwilu, S. K.; Siska, E.; Baig, R. B. N.; Varma, R. S.; Heithmar, E.; Rogers, K. R. Separation and measurement of silver nanoparticles and silver ions using magnetic particles. *Sci. Total Environ.* **2014**, *472*, 316–323.
- (35) Su, S.; Chen, B.; He, M.; Xiao, Z.; Hu, B. A novel strategy for sequential analysis of gold nanoparticles and gold ions in water samples by combining magnetic solid phase extraction with inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* **2014**, *29* (3), 444–453.
- (36) Zhou, X.; Liu, J.; Yuan, C.; Chen, Y. Speciation analysis of silver sulfide nanoparticles in environmental waters by magnetic solid-phase extraction coupled with ICP-MS. *J. Anal. At. Spectrom.* **2016**, *31* (11), 2285–2292.
- (37) Tolessa, T.; Zhou, X.-X.; Amde, M.; Liu, J.-F. Development of reusable magnetic chitosan microspheres adsorbent for selective extraction of trace level silver nanoparticles in environmental waters prior to ICP-MS analysis. *Talanta* **2017**, *169*, 91–97.
- (38) Lopez-Lorente, A. I.; Simonet, B. M.; Valcarcel, M. Rapid analysis of gold nanoparticles in liver and river water samples. *Analyst* **2012**, *137* (15), 3528–3534.
- (39) Lopez-Lorente, A. I.; Simonet, B. M.; Valcarcel, M. Determination of carboxylic SWCNTs in river water by micro-extraction in ionic liquid and determination by Raman spectroscopy. *Talanta* **2013**, *105*, 75–79.
- (40) Majedi, S. M.; Kelly, B. C.; Lee, H. K. Efficient hydrophobization and solvent microextraction for determination of trace nano-sized silver and titanium dioxide in natural waters. *Anal. Chim. Acta* **2013**, *789*, 47–57.
- (41) Li, L.; Leopold, K.; Schuster, M. Comparative study of alkylthiols and alkylamines for the phase transfer of gold nanoparticles from an aqueous phase to n-hexane. *J. Colloid Interface Sci.* **2013**, *397*, 199–205.
- (42) Liu, J.-F.; Liu, R.; Yin, Y.-G.; Jiang, G.-B. Triton X-114 based cloud point extraction: a thermoreversible approach for separation/concentration and dispersion of nanomaterials in the aqueous phase. *Chem. Commun.* **2009**, *12*, 1514–1516.
- (43) Liu, J.-F.; Chao, J.-B.; Liu, R.; Tan, Z.-Q.; Yin, Y.-G.; Wu, Y.; Jiang, G.-B. Cloud Point Extraction as an Advantageous Preconcentration Approach for Analysis of Trace Silver Nanoparticles in Environmental Waters. *Anal. Chem.* **2009**, *81* (15), 6496–6502.
- (44) Hartmann, G.; Baumgartner, T.; Schuster, M. Influence of Particle Coating and Matrix Constituents on the Cloud Point Extraction Efficiency of Silver Nanoparticles (Ag-NPs) and Application for Monitoring the Formation of Ag-NPs from Ag⁺. *Anal. Chem.* **2014**, *86* (1), 790–796.
- (45) Chao, J.-B.; Liu, J.-F.; Yu, S.-J.; Feng, Y.-D.; Tan, Z.-Q.; Liu, R.; Yin, Y.-G. Speciation Analysis of Silver Nanoparticles and Silver Ions in Antibacterial Products and Environmental Waters via Cloud Point Extraction-Based Separation. *Anal. Chem.* **2011**, *83* (17), 6875–6882.
- (46) Majedi, S. M.; Lee, H. K.; Kelly, B. C. Chemometric Analytical Approach for the Cloud Point Extraction and Inductively Coupled Plasma Mass Spectrometric Determination of Zinc Oxide Nanoparticles in Water Samples. *Anal. Chem.* **2012**, *84* (15), 6546–6552.
- (47) Majedi, S. M.; Kelly, B. C.; Lee, H. K. Evaluation of a cloud point extraction approach for the preconcentration and quantification of trace CuO nanoparticles in environmental waters. *Anal. Chim. Acta* **2014**, *814*, 39–48.
- (48) Zhou, X.-X.; Jiang, L.-W.; Wang, D.-J.; He, S.; Li, C.-J.; Yan, B. Speciation Analysis of Ag₂S and ZnS Nanoparticles at the ng/L Level in Environmental Waters by Cloud Point Extraction Coupled with LC-ICPMS. *Anal. Chem.* **2020**, *92* (7), 4765–4770.
- (49) Hartmann, G.; Hutterer, C.; Schuster, M. Ultra-trace determination of silver nanoparticles in water samples using cloud point extraction and ETAAS. *J. Anal. At. Spectrom.* **2013**, *28* (4), S67–S72.
- (50) López-García, I.; Vicente-Martínez, Y.; Hernández-Córdoba, M. Speciation of silver nanoparticles and Ag(I) species using cloud point extraction followed by electrothermal atomic absorption spectrometry. *Spectrochim. Acta, Part B* **2014**, *101*, 93–97.
- (51) Tsogas, G. Z.; Giokas, D. L.; Vlessidis, A. G. Ultratrace Determination of Silver, Gold, and Iron Oxide Nanoparticles by Micelle Mediated Preconcentration/Selective Back-Extraction Coupled with Flow Injection Chemiluminescence Detection. *Anal. Chem.* **2014**, *86* (7), 3484–3492.

- (52) Plathe, K. L.; von der Kammer, F.; Hasselov, M.; Moore, J.; Murayama, M.; Hofmann, T.; Hochella, M. F. Using FIFFF and aTEM to determine trace metal-nanoparticle associations in riverbed sediment. *Environ. Chem.* **2010**, *7* (1), 82–93.
- (53) Meisterjahn, B.; Neubauer, E.; Von der Kammer, F.; Hennecke, D.; Hofmann, T. Asymmetrical flow-field-flow fractionation coupled with inductively coupled plasma mass spectrometry for the analysis of gold nanoparticles in the presence of natural nanoparticles. *J. Chromatogr. A* **2014**, *1372*, 204–211.
- (54) El Hadri, H.; Hackley, V. A. Investigation of cloud point extraction for the analysis of metallic nanoparticles in a soil matrix. *Environ. Sci.: Nano* **2017**, *4* (1), 105–116.
- (55) El Hadri, H.; Louie, S. M.; Hackley, V. A. Assessing the interactions of metal nanoparticles in soil and sediment matrices – a quantitative analytical multi-technique approach. *Environ. Sci.: Nano* **2018**, *5* (1), 203–214.
- (56) Siripinyanond, A.; Barnes, R. M.; Amarasiwardena, D. Flow field-flow fractionation-inductively coupled plasma mass spectrometry for sediment bound trace metal characterization. *J. Anal. At. Spectrom.* **2002**, *17* (9), 1055–1064.
- (57) Regelink, I. C.; Weng, L.; Koopmans, G. F.; Van Riemsdijk, W. H. Asymmetric flow field-flow fractionation as a new approach to analyse iron-(hydr)oxide nanoparticles in soil extracts. *Geoderma* **2013**, *202*, 134–141.
- (58) Loosli, F.; Yi, Z. B.; Wang, J. J.; Baalousha, M. Improved extraction efficiency of natural nanomaterials in soils to facilitate their characterization using a multimethod approach. *Sci. Total Environ.* **2019**, *677*, 34–46.
- (59) Schwertfeger, D. M.; Velicogna, J. R.; Jesmer, A. H.; Saatcioglu, S.; McShane, H.; Scroggins, R. P.; Prinz, J. I. Extracting Metallic Nanoparticles from Soils for Quantitative Analysis: Method Development Using Engineered Silver Nanoparticles and SP-ICP-MS. *Anal. Chem.* **2017**, *89* (4), 2505–2513.
- (60) Li, L.; Wang, Q.; Yang, Y.; Luo, L.; Ding, R.; Yang, Z.-G.; Li, H.-P. Extraction Method Development for Quantitative Detection of Silver Nanoparticles in Environmental Soils and Sediments by Single Particle Inductively Coupled Plasma Mass Spectrometry. *Anal. Chem.* **2019**, *91* (15), 9442–9450.
- (61) Gao, Y.-P.; Yang, Y.; Li, L.; Wei, W.-J.; Xu, H.; Wang, Q.; Qiu, Y.-Q. Quantitative detection of gold nanoparticles in soil and sediment. *Anal. Chim. Acta* **2020**, *1110*, 72–81.
- (62) Choleva, T. G.; Tsogas, G. Z.; Vlessidis, A. G.; Giokas, D. L. Development of a sequential extraction and speciation procedure for assessing the mobility and fractionation of metal nanoparticles in soils. *Environ. Pollut.* **2020**, *263*, 114407.
- (63) Hong, A.; Tang, Q.; Khan, A. U.; Miao, M.; Xu, Z.; Dang, F.; Liu, Q.; Wang, Y.; Lin, D.; Filser, J.; Li, L. Identification and Speciation of Nanoscale Silver in Complex Solid Matrices by Sequential Extraction Coupled with Inductively Coupled Plasma Optical Emission Spectrometry. *Anal. Chem.* **2021**, *93* (4), 1962–1968.
- (64) Loosli, F.; Yi, Z.; Berti, D.; Baalousha, M. Toward a better extraction of titanium dioxide engineered nanomaterials from complex environmental matrices. *NanoImpact* **2018**, *11*, 119–127.
- (65) Yi, Z. B.; Loosli, F.; Wang, J. J.; Berti, D.; Baalousha, M. How to distinguish natural versus engineered nanomaterials: insights from the analysis of TiO₂ and CeO₂ in soils. *Environ. Chem. Lett.* **2020**, *18* (1), 215–227.
- (66) Bland, G. D.; Lowry, G. V. Multistep Method to Extract Moderately Soluble Copper Oxide Nanoparticles from Soil for Quantification and Characterization. *Anal. Chem.* **2020**, *92* (14), 9620–9628.
- (67) Loeschner, K.; Navratilova, J.; Kobler, C.; Molhave, K.; Wagner, S.; von der Kammer, F.; Larsen, E. H. Detection and characterization of silver nanoparticles in chicken meat by asymmetric flow field flow fractionation with detection by conventional or single particle ICP-MS. *Anal. Bioanal. Chem.* **2013**, *405* (25), 8185–8195.
- (68) Loeschner, K.; Brabrand, M. S. J.; Sloth, J. J.; Larsen, E. H. Use of alkaline or enzymatic sample pretreatment prior to characterization of gold nanoparticles in animal tissue by single-particle ICPMS. *Anal. Bioanal. Chem.* **2014**, *406* (16), 3845–3851.
- (69) Tassinari, R.; Cubadda, F.; Moracci, G.; Aureli, F.; D'Amato, M.; Valeri, M.; De Berardis, B.; Raggi, A.; Mantovani, A.; Passeri, D.; Rossi, M.; Maranghi, F. Oral, short-term exposure to titanium dioxide nanoparticles in Sprague-Dawley rat: focus on reproductive and endocrine systems and spleen. *Nanotoxicology* **2014**, *8* (6), 654–662.
- (70) Abdolapur Monikh, F.; Chupani, L.; Zusková, E.; Peters, R.; Vancová, M.; Vijver, M. G.; Porcal, P.; Peijnenburg, W. J. G. M. Method for Extraction and Quantification of Metal-Based Nanoparticles in Biological Media: Number-Based Biodistribution and Bioconcentration. *Environ. Sci. Technol.* **2019**, *53* (2), 946–953.
- (71) Taboada-Lopez, M. V.; Iglesias-Lopez, S.; Herbello-Hermelo, P.; Bermejo-Barrera, P.; Moreda-Pineiro, A. Ultrasound assisted enzymatic hydrolysis for isolating titanium dioxide nanoparticles from bivalve mollusk before sp-ICP-MS. *Anal. Chim. Acta* **2018**, *1018*, 16–25.
- (72) Xu, L.; Wang, Z. Y.; Zhao, J.; Lin, M. Q.; Xing, B. S. Accumulation of metal-based nanoparticles in marine bivalve mollusks from offshore aquaculture as detected by single particle ICP-MS. *Environ. Pollut.* **2020**, *260*, 114043.
- (73) Gray, E. P.; Coleman, J. G.; Bednar, A. J.; Kennedy, A. J.; Ranville, J. F.; Higgins, C. P. Extraction and Analysis of Silver and Gold Nanoparticles from Biological Tissues Using Single Particle Inductively Coupled Plasma Mass Spectrometry. *Environ. Sci. Technol.* **2013**, *47* (24), 14315–14323.
- (74) Sung, H. K.; Jo, E.; Kim, E.; Yoo, S. K.; Lee, J. W.; Kim, P. J.; Kim, Y.; Eom, I. C. Analysis of gold and silver nanoparticles internalized by zebrafish (*Danio rerio*) using single particle-inductively coupled plasma-mass spectrometry. *Chemosphere* **2018**, *209*, 815–822.
- (75) Zhou, Q. F.; Liu, L. H.; Liu, N. A.; He, B.; Hu, L. G.; Wang, L. N. Determination and characterization of metal nanoparticles in clams and oysters. *Ecotoxicol. Environ. Saf.* **2020**, *198*, 110670.
- (76) Bolea, E.; Jiménez-Lamana, J.; Laborda, F.; Abad-Álvarez, I.; Bladé, C.; Arola, L.; Castillo, J. R. Detection and characterization of silver nanoparticles and dissolved species of silver in culture medium and cells by AsFFIF-UV-Vis-ICPMS: application to nanotoxicity tests. *Analyst* **2014**, *139* (5), 914–922.
- (77) Dong, L. J.; Lai, Y. J.; Yu, S. J.; Liu, J. F. Speciation Analysis of the Uptake and Biodistribution of Nanoparticulate and Ionic Silver in *Escherichia coli*. *Anal. Chem.* **2019**, *91* (19), 12525–12530.
- (78) Clark, N. J.; Clough, R.; Boyle, D.; Handy, R. D. Development of a suitable detection method for silver nanoparticles in fish tissue using single particle ICP-MS. *Environ. Sci.: Nano* **2019**, *6* (11), 3388–3400.
- (79) Das, K. K.; Bancroft, L.; Wang, X.; Chow, J. C.; Xing, B.; Yang, Y. Digestion Coupled with Programmed Thermal Analysis for Quantification of Multiwall Carbon Nanotubes in Plant Tissues. *Environ. Sci. Technol. Lett.* **2018**, *5* (7), 442–447.
- (80) Deng, Y.; Petersen, E. J.; Challis, K. E.; Rabb, S. A.; Holbrook, R. D.; Ranville, J. F.; Nelson, B. C.; Xing, B. Multiple Method Analysis of TiO₂ Nanoparticle Uptake in Rice (*Oryza sativa* L.). *Plants. Environ. Sci. Technol.* **2017**, *51* (18), 10615–10623.
- (81) Dan, Y.; Zhang, W.; Xue, R.; Ma, X.; Stephan, C.; Shi, H. Characterization of Gold Nanoparticle Uptake by Tomato Plants Using Enzymatic Extraction Followed by Single-Particle Inductively Coupled Plasma–Mass Spectrometry Analysis. *Environ. Sci. Technol.* **2015**, *49* (5), 3007–3014.
- (82) Bao, D. P.; Oh, Z. G.; Chen, Z. Characterization of Silver Nanoparticles Internalized by Arabidopsis Plants Using Single Particle ICP-MS Analysis. *Front. Plant Sci.* **2016**, *7*, 32.
- (83) Jiménez-Lamana, J.; Wojcieszek, J.; Jakubiak, M.; Asztemborska, M.; Szpunar, J. Single particle ICP-MS characterization of platinum nanoparticles uptake and bioaccumulation by *Lepidium sativum* and *Sinapis alba* plants. *J. Anal. At. Spectrom.* **2016**, *31* (11), 2321–2329.
- (84) Wagener, S.; Jungnickel, H.; Dommershausen, N.; Fischer, T.; Laux, P.; Luch, A. Determination of Nanoparticle Uptake, Distribution, and Characterization in Plant Root Tissue after Realistic Long-Term Exposure to Sewage Sludge Using Information from Mass Spectrometry. *Environ. Sci. Technol.* **2019**, *53* (9), 5416–5426.

- (85) Niu, Z.-S.; Yang, Y.; Tou, F.-Y.; Guo, X.-P.; Huang, R.; Xu, J.; Chen, Y.-R.; Hou, L.-J.; Liu, M.; Hochella, M. F. Sulfate-reducing bacteria (SRB) can enhance the uptake of silver-containing nanoparticles by a wetland plant. *Environ. Sci.: Nano* **2020**, *7* (3), 912–925.
- (86) Dan, Y. B.; Ma, X. M.; Zhang, W. L.; Liu, K.; Stephan, C.; Shi, H. L. Single particle ICP-MS method development for the determination of plant uptake and accumulation of CeO₂ nanoparticles. *Anal. Bioanal. Chem.* **2016**, *408* (19), S157–S167.
- (87) Wu, Y.; Yang, L.; Gong, H.; Dang, F.; Zhou, D.-M. Contrasting effects of iron plaque on the bioavailability of metallic and sulfidized silver nanoparticles to rice. *Environ. Pollut.* **2020**, *260*, 113969.
- (88) Keller, A. A.; Huang, Y.; Nelson, J. Detection of nanoparticles in edible plant tissues exposed to nano-copper using single-particle ICP-MS. *J. Nanopart. Res.* **2018**, *20* (4), 101.
- (89) Laughton, S.; Laycock, A.; Bland, G.; von der Kammer, F.; Hofmann, T.; Casman, E. A.; Lowry, G. V. Methanol-based extraction protocol for insoluble and moderately water-soluble nanoparticles in plants to enable characterization by single particle ICP-MS. *Anal. Bioanal. Chem.* **2021**, *413* (2), 299–314.
- (90) Merrifield, R. C.; Stephan, C.; Lead, J. R. Quantification of Au Nanoparticle Biouptake and Distribution to Freshwater Algae Using Single Cell – ICP-MS. *Environ. Sci. Technol.* **2018**, *52* (4), 2271–2277.
- (91) Wu, Q.; Shi, J. B.; Ji, X. M.; Xia, T.; Zeng, L.; Li, G. T.; Wang, Y. Y.; Gao, J.; Yao, L. L.; Ma, J. J.; Liu, X. L.; Liu, N.; Hu, L. G.; He, B.; Liang, Y.; Qu, G. B.; Jiang, G. B. Heterogenous Internalization of Nanoparticles at Ultra-Trace Concentration in Environmental Individual Unicellular Organisms Unveiled by Single-Cell Mass Cytometry. *ACS Nano* **2020**, *14* (10), 12828–12839.
- (92) Mortimer, M.; Kefela, T.; Trinh, A.; Holden, P. A. Uptake and depuration of carbon- and boron nitride-based nanomaterials in the protozoa *Tetrahymena thermophila*. *Environ. Sci.: Nano* **2021**, *8* (12), 3613–3628.
- (93) Jiménez-Lamana, J.; Abad-Álvarez, I.; Bierla, K.; Laborda, F.; Szpunar, J.; Lobinski, R. Detection and characterization of biogenic selenium nanoparticles in selenium-rich yeast by single particle ICPMS. *J. Anal. At. Spectrom.* **2018**, *33* (3), 452–460.
- (94) Toncelli, C.; Mylona, K.; Tzapakis, M.; Pergantis, S. A. Flow injection with on-line dilution and single particle inductively coupled plasma – mass spectrometry for monitoring silver nanoparticles in seawater and in marine microorganisms. *J. Anal. At. Spectrom.* **2016**, *31* (7), 1430–1439.
- (95) Álvarez-Fernández García, R.; Corte-Rodríguez, M.; Macke, M.; LeBlanc, K. L.; Mester, Z.; Montes-Bayón, M.; Bettmer, J. Addressing the presence of biogenic selenium nanoparticles in yeast cells: analytical strategies based on ICP-TQ-MS. *Analyst* **2020**, *145* (4), 1457–1465.
- (96) Gomez-Gomez, B.; Corte-Rodríguez, M.; Perez-Corona, M. T.; Bettmer, J.; Montes-Bayón, M.; Madrid, Y. Combined single cell and single particle ICP-TQ-MS analysis to quantitatively evaluate the uptake and biotransformation of tellurium nanoparticles in bacteria. *Anal. Chim. Acta* **2020**, *1128*, 116–128.
- (97) Li, T.; Senesi, A. J.; Lee, B. Small Angle X-ray Scattering for Nanoparticle Research. *Chem. Rev.* **2016**, *116* (18), 11128–11180.
- (98) Li, X.-H.; Li, Q.-L. Major advances in microbeam analytical techniques and their applications in Earth Science. *Sci. Bull.* **2016**, *61* (23), 1785–1787.
- (99) Heath, G. R.; Kots, E.; Robertson, J. L.; Lansky, S.; Khelashvili, G.; Weinstein, H.; Scheuring, S. Localization atomic force microscopy. *Nature* **2021**, *594* (7863), 385–390.
- (100) Chew, D.; Drost, K.; Marsh, J. H.; Petrus, J. A. LA-ICP-MS imaging in the geosciences and its applications to geochronology. *Chem. Geol.* **2021**, *559*, 119917.
- (101) Shah, A. B.; Ramasse, Q. M.; Wen, J. G.; Bhattacharya, A.; Zuo, J. M. Practical spatial resolution of electron energy loss spectroscopy in aberration corrected scanning transmission electron microscopy. *Micron* **2011**, *42* (6), 539–546.
- (102) De Samber, B.; De Rycke, R.; De Bruyne, M.; Kienhuis, M.; Sandblad, L.; Bohic, S.; Cloetens, P.; Urban, C.; Polerecky, L.; Vincze, L. Effect of sample preparation techniques upon single cell chemical imaging: A practical comparison between synchrotron radiation based X-ray fluorescence (SR-XRF) and Nanoscopic Secondary Ion Mass Spectrometry (nano-SIMS). *Anal. Chim. Acta* **2020**, *1106*, 22–32.
- (103) Schierz, A.; Parks, A. N.; Washburn, K. M.; Chandler, G. T.; Ferguson, P. L. Characterization and Quantitative Analysis of Single-Walled Carbon Nanotubes in the Aquatic Environment Using Near-Infrared Fluorescence Spectroscopy. *Environ. Sci. Technol.* **2012**, *46* (22), 12262–12271.
- (104) Montaña, M. D.; Liu, K.; Sabo-Attwood, T.; Ferguson, P. L. Analysis of Single-Walled Carbon Nanotubes in Estuarine Sediments by Density Gradient Ultracentrifugation Coupled to Near-Infrared Fluorescence Spectroscopy Reveals Disassociation of Residual Metal Catalyst Nanoparticles. *Environ. Sci. Technol.* **2021**, *55* (2), 1015–1023.
- (105) Guo, H. Y.; Hamlet, L. C.; He, L. L.; Xing, B. A field-deployable surface-enhanced Raman scattering (SERS) method for sensitive analysis of silver nanoparticles in environmental waters. *Sci. Total Environ.* **2019**, *653*, 1034–1041.
- (106) Zhang, Z.; Xia, M.; Ma, C.; Guo, H.; Wu, W.; White, J. C.; Xing, B.; He, L. Rapid organic solvent extraction coupled with surface enhanced Raman spectroscopic mapping for ultrasensitive quantification of foliarly applied silver nanoparticles in plant leaves. *Environ. Sci.: Nano* **2020**, *7* (4), 1061–1067.
- (107) Laborda, F.; Jiménez-Lamana, J.; Bolea, E.; Castillo, J. R. Selective identification, characterization and determination of dissolved silver(i) and silver nanoparticles based on single particle detection by inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* **2011**, *26* (7), 1362–1371.
- (108) Laborda, F.; Jiménez-Lamana, J.; Bolea, E.; Castillo, J. R. Critical considerations for the determination of nanoparticle number concentrations, size and number size distributions by single particle ICP-MS. *J. Anal. At. Spectrom.* **2013**, *28* (8), 1220–1232.
- (109) Laborda, F.; Bolea, E.; Jiménez-Lamana, J. Single particle inductively coupled plasma mass spectrometry for the analysis of inorganic engineered nanoparticles in environmental samples. *Trends Environ. Anal. Chem.* **2016**, *9*, 15–23.
- (110) Laborda, F.; Gimenez-Ingalaturre, A. C.; Bolea, E.; Castillo, J. R. About detectability and limits of detection in single particle inductively coupled plasma mass spectrometry. *Spectrochim. Acta, Part B* **2020**, *169*, 105883.
- (111) Gyngard, F.; Steinhäuser, M. L. Biological explorations with nanoscale secondary ion mass spectrometry. *J. Anal. At. Spectrom.* **2019**, *34* (8), 1534–1545.
- (112) Lu, D.; Zhang, T.; Yang, X.; Su, P.; Liu, Q.; Jiang, G. Recent advances in the analysis of non-traditional stable isotopes by multi-collector inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* **2017**, *32* (10), 1848–1861.
- (113) Steppert, P.; Burgstaller, D.; Klausberger, M.; Tover, A.; Berger, E.; Jungbauer, A. Quantification and characterization of virus-like particles by size-exclusion chromatography and nanoparticle tracking analysis. *J. Chromatogr. A* **2017**, *1487*, 89–99.
- (114) Patois, E.; Capelle, M. A. H.; Palais, C.; Gurny, R.; Arvinte, T. Evaluation of nanoparticle tracking analysis (NTA) in the characterization of therapeutic antibodies and seasonal influenza vaccines: pros and cons. *J. Drug Delivery Sci. Technol.* **2012**, *22* (5), 427–433.
- (115) Luo, P.; Roca, A.; Tiede, K.; Privett, K.; Jiang, J. C.; Pinkstone, J.; Ma, G. B.; Veinot, J.; Boxall, A. Application of nanoparticle tracking analysis for characterising the fate of engineered nanoparticles in sediment-water systems. *J. Environ. Sci.* **2018**, *64*, 62–71.
- (116) Iglesias-Mayor, A.; Amor-Gutiérrez, O.; Bouzas-Ramos, D.; Encinar, J. R.; Costa-Fernández, J. M.; de la Escosura-Muñiz, A.; Costa-García, A. Simple and rapid electrochemical quantification of water-stabilized HgSe nanoparticles of great concern in environmental studies. *Talanta* **2019**, *200*, 72–77.
- (117) Pumera, M.; Aldavert, M.; Mills, C.; Merkoçi, A.; Alegret, S. Direct voltammetric determination of gold nanoparticles using graphite-epoxy composite electrode. *Electrochim. Acta* **2005**, *50* (18), 3702–3707.
- (118) Zampardi, G.; Thoming, J.; Naatz, H.; Amin, H. M. A.; Pokhrel, S.; Madler, L.; Compton, R. G. Electrochemical Behavior of Single CuO

Nanoparticles: Implications for the Assessment of their Environmental Fate. *Small* **2018**, *14* (32), 1801765.

(119) Brandenberger, C.; Clift, M. J. D.; Vanhecke, D.; Mühlfeld, C.; Stone, V.; Gehr, P.; Rothen-Rutishauser, B. Intracellular imaging of nanoparticles: Is it an elemental mistake to believe what you see? *Part. Fibre Toxicol.* **2010**, *7* (1), 15.

(120) Edgington, A. J.; Petersen, E. J.; Herzing, A. A.; Podila, R.; Rao, A.; Klaine, S. J. Microscopic investigation of single-wall carbon nanotube uptake by *Daphnia magna*. *Nanotoxicology* **2014**, *8* (sup1), 2–10.

(121) Utsunomiya, S.; Ewing, R. C. Application of High-Angle Annular Dark Field Scanning Transmission Electron Microscopy, Scanning Transmission Electron Microscopy-Energy Dispersive X-ray Spectrometry, and Energy-Filtered Transmission Electron Microscopy to the Characterization of Nanoparticles in the Environment. *Environ. Sci. Technol.* **2003**, *37* (4), 786–791.

(122) Kim, B.; Park, C.-S.; Murayama, M.; Hochella, M. F. Discovery and Characterization of Silver Sulfide Nanoparticles in Final Sewage Sludge Products. *Environ. Sci. Technol.* **2010**, *44* (19), 7509–7514.

(123) Shi, X. M.; Li, Z. X.; Chen, W.; Qiang, L. W.; Xia, J. C.; Chen, M.; Zhu, L. Y.; Alvarez, P. J. J. Fate of TiO₂ nanoparticles entering sewage treatment plants and bioaccumulation in fish in the receiving streams. *Nanoimpact* **2016**, *3–4*, 96–103.

(124) Urstoeger, A.; Wimmer, A.; Kaegi, R.; Reiter, S.; Schuster, M. Looking at Silver-Based Nanoparticles in Environmental Water Samples: Repetitive Cloud Point Extraction Bridges Gaps in Electron Microscopy for Naturally Occurring Nanoparticles. *Environ. Sci. Technol.* **2020**, *54* (19), 12063–12071.

(125) Steinhoff, B.; Muller, J.; Mozhayeva, D.; Spelz, B. T. F.; Engelhard, C.; Butz, B.; Schonherr, H. Investigation of the Fate of Silver and Titanium Dioxide Nanoparticles in Model Wastewater Effluents via Selected Area Electron Diffraction. *Environ. Sci. Technol.* **2020**, *54* (14), 8681–8689.

(126) Römer, I.; Wang, Z. W.; Merrifield, R. C.; Palmer, R. E.; Lead, J. High Resolution STEM-EELS Study of Silver Nanoparticles Exposed to Light and Humic Substances. *Environ. Sci. Technol.* **2016**, *50* (5), 2183–2190.

(127) Merrifield, R. C.; Arkill, K. P.; Palmer, R. E.; Lead, J. R. A High Resolution Study of Dynamic Changes of Ce₂O₃ and CeO₂ Nanoparticles in Complex Environmental Media. *Environ. Sci. Technol.* **2017**, *51* (14), 8010–8016.

(128) Ling, L.; Huang, X. Y.; Li, M. R.; Zhang, W. X. Mapping the Reactions in a Single Zero-Valent Iron Nanoparticle. *Environ. Sci. Technol.* **2017**, *51* (24), 14293–14300.

(129) Lu, Y.; Hu, S.; Liang, Z.; Zhu, M.; Wang, Z.; Wang, X.; Liang, Y.; Dang, Z.; Shi, Z. Incorporation of Pb(II) into hematite during ferrihydrite transformation. *Environ. Sci.: Nano* **2020**, *7* (3), 829–841.

(130) Donald, A. M. The use of environmental scanning electron microscopy for imaging wet and insulating materials. *Nat. Mater.* **2003**, *2* (8), 511–516.

(131) Tuoriniemi, J.; Gustafsson, S.; Olsson, E.; Hassellöv, M. In situ characterisation of physicochemical state and concentration of nanoparticles in soil ecotoxicity studies using environmental scanning electron microscopy. *Environ. Chem.* **2014**, *11* (4), 367–376.

(132) Bogner, A.; Thollet, G.; Basset, D.; Jouneau, P. H.; Gauthier, C. Wet STEM: A new development in environmental SEM for imaging nano-objects included in a liquid phase. *Ultramicroscopy* **2005**, *104* (3–4), 290–301.

(133) Tiede, K.; Tear, S. P.; David, H.; Boxall, A. B. A. Imaging of engineered nanoparticles and their aggregates under fully liquid conditions in environmental matrices. *Water Res.* **2009**, *43* (13), 3335–3343.

(134) Ross, F. M. Opportunities and challenges in liquid cell electron microscopy. *Science* **2015**, *350* (6267), No. aaa9886.

(135) Frank, J. Advances in the field of single-particle cryo-electron microscopy over the last decade. *Nat. Protoc.* **2017**, *12* (2), 209–212.

(136) Ilett, M.; Brydson, R.; Brown, A.; Hondow, N. Cryo-analytical STEM of frozen, aqueous dispersions of nanoparticles. *Micron* **2019**, *120*, 35–42.

(137) Johnson, M. E.; Hanna, S. K.; Montoro Bustos, A. R.; Sims, C. M.; Elliott, L. C. C.; Lingayat, A.; Johnston, A. C.; Nikoobakht, B.; Elliott, J. T.; Holbrook, R. D.; Scott, K. C. K.; Murphy, K. E.; Petersen, E. J.; Yu, L. L.; Nelson, B. C. Separation, Sizing, and Quantitation of Engineered Nanoparticles in an Organism Model Using Inductively Coupled Plasma Mass Spectrometry and Image Analysis. *ACS Nano* **2017**, *11* (1), 526–540.

(138) Marris, H.; Deboudt, K.; Flament, P.; Grobety, B.; Giere, R. Fe and Mn Oxidation States by TEM-EELS in Fine-Particle Emissions from a Fe-Mn Alloy Making Plant. *Environ. Sci. Technol.* **2013**, *47* (19), 10832–10840.

(139) Servin, A. D.; Castillo-Michel, H.; Hernandez-Viezas, J. A.; Diaz, B. C.; Peralta-Videa, J. R.; Gardea-Torresdey, J. L. Synchrotron Micro-XRF and Micro-XANES Confirmation of the Uptake and Translocation of TiO₂ Nanoparticles in Cucumber (*Cucumis sativus*) Plants. *Environ. Sci. Technol.* **2012**, *46* (14), 7637–7643.

(140) Neves, V. M.; Heidrich, G. M.; Rodrigues, E. S.; Enders, M. S. P.; Muller, E. I.; Nicoloso, F. T.; Carvalho, H. W. P. d.; Dressler, V. L. La₂O₃ Nanoparticles: Study of Uptake and Distribution in *Pfaffia glomerata* (Spreng.) Pedersen by LA-ICP-MS and μ -XRF. *Environ. Sci. Technol.* **2019**, *53* (18), 10827–10834.

(141) Unrine, J. M.; Hunyadi, S. E.; Tsyusko, O. V.; Rao, W.; Shoults-Wilson, W. A.; Bertsch, P. M. Evidence for Bioavailability of Au Nanoparticles from Soil and Biodistribution within Earthworms (*Eisenia fetida*). *Environ. Sci. Technol.* **2010**, *44* (21), 8308–8313.

(142) Judy, J. D.; Unrine, J. M.; Bertsch, P. M. Evidence for Biomagnification of Gold Nanoparticles within a Terrestrial Food Chain. *Environ. Sci. Technol.* **2011**, *45* (2), 776–781.

(143) Veith, L.; Dietrich, D.; Vennemann, A.; Breitenstein, D.; Engelhard, C.; Karst, U.; Sperling, M.; Wiemann, M.; Hagenhoff, B. Combination of micro X-ray fluorescence spectroscopy and time-of-flight secondary ion mass spectrometry imaging for the marker-free detection of CeO₂ nanoparticles in tissue sections. *J. Anal. At. Spectrom.* **2018**, *33* (3), 491–501.

(144) Gomez-Gonzalez, M. A.; Koronfel, M. A.; Goode, A. E.; Al-Ejji, M.; Voulvoulis, N.; Parker, J. E.; Quinn, P. D.; Scott, T. B.; Xie, F.; Yallop, M. L.; Porter, A. E.; Ryan, M. P. Spatially Resolved Dissolution and Speciation Changes of ZnO Nanorods during Short-Term in Situ Incubation in a Simulated Wastewater Environment. *ACS Nano* **2019**, *13* (10), 11049–11061.

(145) Petersen, E. J.; Flores-Cervantes, D. X.; Bucheli, T. D.; Elliott, L. C. C.; Fagan, J. A.; Gogos, A.; Hanna, S.; Kägi, R.; Mansfield, E.; Bustos, A. R. M.; Plata, D. L.; Reipa, V.; Westerhoff, P.; Winchester, M. R. Quantification of Carbon Nanotubes in Environmental Matrices: Current Capabilities, Case Studies, and Future Prospects. *Environ. Sci. Technol.* **2016**, *50* (9), 4587–4605.

(146) Goodwin, D. G.; Adeleye, A. S.; Sung, L.; Ho, K. T.; Burgess, R. M.; Petersen, E. J. Detection and Quantification of Graphene-Family Nanomaterials in the Environment. *Environ. Sci. Technol.* **2018**, *52* (8), 4491–4513.

(147) Kurouski, D.; Dazzi, A.; Zenobi, R.; Centrone, A. Infrared and Raman chemical imaging and spectroscopy at the nanoscale. *Chem. Soc. Rev.* **2020**, *49* (11), 3315–3347.

(148) Kang, G.; Yang, M.; Mattei, M. S.; Schatz, G. C.; Van Duyne, R. P. In Situ Nanoscale Redox Mapping Using Tip-Enhanced Raman Spectroscopy. *Nano Lett.* **2019**, *19* (3), 2106–2113.

(149) Bisesi, J. H.; Merten, J.; Liu, K.; Parks, A. N.; Afrooz, A. R. M. N.; Glenn, J. B.; Klaine, S. J.; Kane, A. S.; Saleh, N. B.; Ferguson, P. L.; Sabo-Attwood, T. Tracking and Quantification of Single-Walled Carbon Nanotubes in Fish Using Near Infrared Fluorescence. *Environ. Sci. Technol.* **2014**, *48* (3), 1973–1983.

(150) Zhao, B.; Yang, T.; Zhang, Z.; Hickey, M. E.; He, L. A Triple Functional Approach To Simultaneously Determine the Type, Concentration, and Size of Titanium Dioxide Particles. *Environ. Sci. Technol.* **2018**, *52* (5), 2863–2869.

(151) Yang, Q.; Xu, W.; Liu, G.; Song, M.; Tan, Z.; Mao, Y.; Yin, Y.; Cai, Y.; Liu, J.; Jiang, G. Transformation and uptake of silver nanoparticles and silver ions in rice plant (*Oryza sativa* L.): the effect

of iron plaque and dissolved iron. *Environ. Sci.: Nano* **2020**, *7* (2), 599–609.

(152) Wielinski, J.; Gogos, A.; Voegelin, A.; Müller, C.; Morgenroth, E.; Kaegi, R. Transformation of Nanoscale and Ionic Cu and Zn during the Incineration of Digested Sewage Sludge (Biosolids). *Environ. Sci. Technol.* **2019**, *53* (20), 11704–11713.

(153) Taylor, S. E.; Pearce, C. I.; Chowdhury, I.; Kovarik, L.; Leavy, I.; Baum, S.; Bary, A. I.; Flury, M. Long-term accumulation, depth distribution, and speciation of silver nanoparticles in biosolids-amended soils. *J. Environ. Qual.* **2020**, *49* (6), 1679–1689.

(154) Manceau, A.; Nagy, K. L.; Marcus, M. A.; Lanson, M.; Geoffroy, N.; Jacquet, T.; Kirpichtchikova, T. Formation of Metallic Copper Nanoparticles at the Soil-Root Interface. *Environ. Sci. Technol.* **2008**, *42* (5), 1766–1772.

(155) Huang, X.; Liu, H.; Lu, D.; Lin, Y.; Liu, J.; Liu, Q.; Nie, Z.; Jiang, G. Mass spectrometry for multi-dimensional characterization of natural and synthetic materials at the nanoscale. *Chem. Soc. Rev.* **2021**, *50* (8), 5243–5280.

(156) Laborda, F.; Bolea, E.; Jiménez-Lamana, J. Single Particle Inductively Coupled Plasma Mass Spectrometry: A Powerful Tool for Nanoanalysis. *Anal. Chem.* **2014**, *86* (5), 2270–2278.

(157) Montaña, M. D.; Olesik, J. W.; Barber, A. G.; Challis, K.; Ranville, J. F. Single Particle ICP-MS: Advances toward routine analysis of nanomaterials. *Anal. Bioanal. Chem.* **2016**, *408* (19), 5053–5074.

(158) Mozhayeva, D.; Engelhard, C. A critical review of single particle inductively coupled plasma mass spectrometry – A step towards an ideal method for nanomaterial characterization. *J. Anal. At. Spectrom.* **2020**, *35* (9), 1740–1783.

(159) Pace, H. E.; Rogers, N. J.; Jarolimek, C.; Coleman, V. A.; Higgins, C. P.; Ranville, J. F. Determining Transport Efficiency for the Purpose of Counting and Sizing Nanoparticles via Single Particle Inductively Coupled Plasma Mass Spectrometry. *Anal. Chem.* **2011**, *83* (24), 9361–9369.

(160) Kéri, A.; Sári, A.; Ungor, D.; Sebök, D.; Csapó, E.; Kónya, Z.; Galbács, G. Porosity determination of nano- and sub-micron particles by single particle inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* **2020**, *35* (6), 1139–1147.

(161) Pace, H. E.; Rogers, N. J.; Jarolimek, C.; Coleman, V. A.; Gray, E. P.; Higgins, C. P.; Ranville, J. F. Single Particle Inductively Coupled Plasma-Mass Spectrometry: A Performance Evaluation and Method Comparison in the Determination of Nanoparticle Size. *Environ. Sci. Technol.* **2012**, *46* (22), 12272–12280.

(162) Mitrano, D. M.; Barber, A.; Bednar, A.; Westerhoff, P.; Higgins, C. P.; Ranville, J. F. Silver nanoparticle characterization using single particle ICP-MS (SP-ICP-MS) and asymmetrical flow field flow fractionation ICP-MS (AF4-ICP-MS). *J. Anal. At. Spectrom.* **2012**, *27* (7), 1131–1142.

(163) Hoque, M. E.; Khosravi, K.; Newman, K.; Metcalfe, C. D. Detection and characterization of silver nanoparticles in aqueous matrices using asymmetric-flow field flow fractionation with inductively coupled plasma mass spectrometry. *J. Chromatogr. A* **2012**, *1233*, 109–115.

(164) Mudalige, T. K.; Qu, H. O.; Linder, S. W. Asymmetric Flow-Field Flow Fractionation Hyphenated ICP-MS as an Alternative to Cloud Point Extraction for Quantification of Silver Nanoparticles and Silver Speciation: Application for Nanoparticles with a Protein Corona. *Anal. Chem.* **2015**, *87* (14), 7395–7401.

(165) Petersen, E. J.; Montoro Bustos, A. R.; Toman, B.; Johnson, M. E.; Ellefson, M.; Caceres, G. C.; Neuer, A. L.; Chan, Q.; Kemling, J. W.; Mader, B.; Murphy, K.; Roesslein, M. Determining what really counts: modeling and measuring nanoparticle number concentrations. *Environ. Sci.: Nano* **2019**, *6* (9), 2876–2896.

(166) Schwertfeger, D. M.; Velicogna, J. R.; Jesmer, A. H.; Scroggins, R. P.; Princz, J. I. Single Particle-Inductively Coupled Plasma Mass Spectroscopy Analysis of Metallic Nanoparticles in Environmental Samples with Large Dissolved Analyte Fractions. *Anal. Chem.* **2016**, *88* (20), 9908–9914.

(167) Lee, S.; Bi, X.; Reed, R. B.; Ranville, J. F.; Herckes, P.; Westerhoff, P. Nanoparticle Size Detection Limits by Single Particle

ICP-MS for 40 Elements. *Environ. Sci. Technol.* **2014**, *48* (17), 10291–10300.

(168) Tuoriniemi, J.; Cornelis, G.; Hassellöv, M. Size Discrimination and Detection Capabilities of Single-Particle ICPMS for Environmental Analysis of Silver Nanoparticles. *Anal. Chem.* **2012**, *84* (9), 3965–3972.

(169) Montaña, M. D.; Majestic, B. J.; Jämting, Å. K.; Westerhoff, P.; Ranville, J. F. Methods for the Detection and Characterization of Silica Colloids by Microsecond spICP-MS. *Anal. Chem.* **2016**, *88* (9), 4733–4741.

(170) Reed, R. B.; Martin, D. P.; Bednar, A. J.; Montaña, M. D.; Westerhoff, P.; Ranville, J. F. Multi-day diurnal measurements of Ti-containing nanoparticle and organic sunscreen chemical release during recreational use of a natural surface water. *Environ. Sci.: Nano* **2017**, *4* (1), 69–77.

(171) Peters, R. J. B.; van Bommel, G.; Milani, N. B. L.; den Hertog, G. C. T.; Undas, A. K.; van der Lee, M.; Bouwmeester, H. Detection of nanoparticles in Dutch surface waters. *Sci. Total Environ.* **2018**, *621*, 210–218.

(172) Xiao, B.; Zhang, Y.; Wang, X.; Chen, M.; Sun, B.; Zhang, T.; Zhu, L. Occurrence and trophic transfer of nanoparticulate Ag and Ti in the natural aquatic food web of Taihu Lake, China. *Environ. Sci.: Nano* **2019**, *6* (11), 3431–3441.

(173) Tharaud, M.; Gondikas, A. P.; Benedetti, M. F.; von der Kammer, F.; Hofmann, T.; Cornelis, G. TiO₂ nanomaterial detection in calcium rich matrices by spICPMS. A matter of resolution and treatment. *J. Anal. At. Spectrom.* **2017**, *32* (7), 1400–1411.

(174) Vidmar, J.; Oprckal, P.; Milacic, R.; Mladenovic, A.; Scancar, J. Investigation of the behaviour of zero-valent iron nanoparticles and their interactions with Cd²⁺ in wastewater by single particle ICP-MS. *Sci. Total Environ.* **2018**, *634*, 1259–1268.

(175) Rand, L. N.; Ranville, J. F. Characteristics and Stability of Incidental Iron Oxide Nanoparticles during Remediation of a Mining-Impacted Stream. *Environ. Sci. Technol.* **2019**, *53* (19), 11214–11222.

(176) Moens, C.; Waegeneers, N.; Fritzsche, A.; Nobels, P.; Smolders, E. A systematic evaluation of Flow Field Flow Fractionation and single-particle ICP-MS to obtain the size distribution of organo-mineral iron oxyhydroxide colloids. *J. Chromatogr. A* **2019**, *1599*, 203–214.

(177) Reed, R. B.; Higgins, C. P.; Westerhoff, P.; Tadjiki, S.; Ranville, J. F. Overcoming challenges in analysis of polydisperse metal-containing nanoparticles by single particle inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* **2012**, *27* (7), 1093–1100.

(178) Hadioui, M.; Merdzan, V.; Wilkinson, K. J. Detection and Characterization of ZnO Nanoparticles in Surface and Waste Waters Using Single Particle ICPMS. *Environ. Sci. Technol.* **2015**, *49* (10), 6141–6148.

(179) Hadioui, M.; Peyrot, C.; Wilkinson, K. J. Improvements to Single Particle ICPMS by the Online Coupling of Ion Exchange Resins. *Anal. Chem.* **2014**, *86* (10), 4668–4674.

(180) Peters, R.; Herrera-Rivera, Z.; Undas, A.; van der Lee, M.; Marvin, H.; Bouwmeester, H.; Weigel, S. Single particle ICP-MS combined with a data evaluation tool as a routine technique for the analysis of nanoparticles in complex matrices. *J. Anal. At. Spectrom.* **2015**, *30* (6), 1274–1285.

(181) Newman, K.; Metcalfe, C.; Martin, J.; Hintelmann, H.; Shaw, P.; Donard, A. Improved single particle ICP-MS characterization of silver nanoparticles at environmentally relevant concentrations. *J. Anal. At. Spectrom.* **2016**, *31* (10), 2069–2077.

(182) Hadioui, M.; Knapp, G.; Azimzada, A.; Jreijie, I.; Frechette-Viens, L.; Wilkinson, K. J. Lowering the Size Detection Limits of Ag and TiO₂ Nanoparticles by Single Particle ICP-MS. *Anal. Chem.* **2019**, *91* (20), 13275–13284.

(183) Rua-Ibarz, A.; Bolea-Fernandez, E.; Pozo, G.; Dominguez-Benetton, X.; Vanhaecke, F.; Tirez, K. Characterization of iron oxide nanoparticles by means of single-particle ICP-mass spectrometry (SP-ICP-MS) – chemical versus physical resolution to overcome spectral overlap. *J. Anal. At. Spectrom.* **2020**, *35* (9), 2023–2032.

(184) Kocic, J.; Günther, D.; Hattendorf, B. Improving detection capability for single particle inductively coupled plasma mass

spectrometry with microdroplet sample introduction. *J. Anal. At. Spectrom.* **2021**, 36 (1), 233–242.

(185) Montaña, M. D.; Badiei, H. R.; Bazargan, S.; Ranville, J. F. Improvements in the detection and characterization of engineered nanoparticles using spICP-MS with microsecond dwell times. *Environ. Sci.: Nano* **2014**, 1 (4), 338–346.

(186) Merrifield, R. C.; Stephan, C.; Lead, J. R. Single-particle inductively coupled plasma mass spectroscopy analysis of size and number concentration in mixtures of monometallic and bimetallic (core-shell) nanoparticles. *Talanta* **2017**, 162, 130–134.

(187) Keri, A.; Kalomista, I.; Ungor, D.; Belteki, A.; Csapo, E.; Dekany, I.; Prohaska, T.; Galbacs, G. Determination of the structure and composition of Au-Ag bimetallic spherical nanoparticles using single particle ICP-MS measurements performed with normal and high temporal resolution. *Talanta* **2018**, 179, 193–199.

(188) Huang, Y.; Keller, A. A.; Cervantes-Avilés, P.; Nelson, J. Fast Multielement Quantification of Nanoparticles in Wastewater and Sludge Using Single-Particle ICP-MS. *ACS ES&T Water* **2021**, 1 (1), 205–213.

(189) Borovinskaya, O.; Hattendorf, B.; Tanner, M.; Gschwind, S.; Günther, D. A prototype of a new inductively coupled plasma time-of-flight mass spectrometer providing temporally resolved, multi-element detection of short signals generated by single particles and droplets. *J. Anal. At. Spectrom.* **2013**, 28 (2), 226–233.

(190) Borovinskaya, O.; Gschwind, S.; Hattendorf, B.; Tanner, M.; Günther, D. Simultaneous Mass Quantification of Nanoparticles of Different Composition in a Mixture by Microdroplet Generator-ICPTOFMS. *Anal. Chem.* **2014**, 86 (16), 8142–8148.

(191) Praetorius, A.; Gundlach-Graham, A.; Goldberg, E.; Fabienke, W.; Navratilova, J.; Gondikas, A.; Kaegi, R.; Günther, D.; Hofmann, T.; von der Kammer, F. Single-particle multi-element fingerprinting (spMEF) using inductively-coupled plasma time-of-flight mass spectrometry (ICP-TOFMS) to identify engineered nanoparticles against the elevated natural background in soils. *Environ. Sci.: Nano* **2017**, 4 (2), 307–314.

(192) Gondikas, A.; von der Kammer, F.; Kaegi, R.; Borovinskaya, O.; Neubauer, E.; Navratilova, J.; Praetorius, A.; Cornelis, G.; Hofmann, T. Where is the nano? Analytical approaches for the detection and quantification of TiO₂ engineered nanoparticles in surface waters. *Environ. Sci.: Nano* **2018**, 5 (2), 313–326.

(193) Loosli, F.; Wang, J.; Rothenberg, S.; Bizimis, M.; Winkler, C.; Borovinskaya, O.; Flamigni, L.; Baalousha, M. Sewage spills are a major source of titanium dioxide engineered (nano)-particle release into the environment. *Environ. Sci.: Nano* **2019**, 6 (3), 763–777.

(194) Gundlach-Graham, A.; Hendriks, L.; Mehrabi, K.; Günther, D. Monte Carlo Simulation of Low-Count Signals in Time-of-Flight Mass Spectrometry and Its Application to Single-Particle Detection. *Anal. Chem.* **2018**, 90 (20), 11847–11855.

(195) Hendriks, L.; Gundlach-Graham, A.; Gunther, D. Performance of sp-ICP-TOFMS with signal distributions fitted to a compound Poisson model. *J. Anal. At. Spectrom.* **2019**, 34 (9), 1900–1909.

(196) Böhme, S.; Stärk, H.-J.; Kühnel, D.; Reemtsma, T. Exploring LA-ICP-MS as a quantitative imaging technique to study nanoparticle uptake in *Daphnia magna* and zebrafish (*Danio rerio*) embryos. *Anal. Bioanal. Chem.* **2015**, 407 (18), 5477–5485.

(197) Metarapi, D.; Šala, M.; Vogel-Mikuš, K.; Šelih, V. S.; van Elteren, J. T. Nanoparticle Analysis in Biomaterials Using Laser Ablation-Single Particle-Inductively Coupled Plasma Mass Spectrometry. *Anal. Chem.* **2019**, 91 (9), 6200–6205.

(198) Yamashita, S.; Yoshikuni, Y.; Obayashi, H.; Suzuki, T.; Green, D.; Hirata, T. Simultaneous Determination of Size and Position of Silver and Gold Nanoparticles in Onion Cells using Laser Ablation-ICP-MS. *Anal. Chem.* **2019**, 91 (7), 4544–4551.

(199) Metarapi, D.; van Elteren, J. T. Fundamentals of single particle analysis in biomaterials by laser ablation-inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.* **2020**, 35 (4), 784–793.

(200) Tuoriniemi, J.; Holbrook, T. R.; Cornelis, G.; Schmitt, M.; Stärk, H.-J.; Wagner, S. Measurement of number concentrations and

sizes of Au nano-particles spiked into soil by laser ablation single particle ICPMS. *J. Anal. At. Spectrom.* **2020**, 35 (8), 1678–1686.

(201) Zhang, T.; Liu, Q.; Wang, W.; Huang, X.; Wang, D.; He, Y.; Liu, J.; Jiang, G. Metallic Fingerprints of Carbon: Label-Free Tracking and Imaging of Graphene in Plants. *Anal. Chem.* **2020**, 92 (2), 1948–1955.

(202) Benettoni, P.; Stryhanyuk, H.; Wagner, S.; Kollmer, F.; Moreno Osorio, J. H.; Schmidt, M.; Reemtsma, T.; Richnow, H.-H. Identification of nanoparticles and their localization in algal biofilm by 3D-imaging secondary ion mass spectrometry. *J. Anal. At. Spectrom.* **2019**, 34 (6), 1098–1108.

(203) Zhang, L.; Jiang, H.; Wang, W.-X. Subcellular Imaging of Localization and Transformation of Silver Nanoparticles in the Oyster Larvae. *Environ. Sci. Technol.* **2020**, 54 (18), 11434–11442.

(204) Shao, Z.; Guagliardo, P.; Jiang, H.; Wang, W.-X. Intra- and Intercellular Silver Nanoparticle Translocation and Transformation in Oyster Gill Filaments: Coupling Nanoscale Secondary Ion Mass Spectrometry and Dual Stable Isotope Tracing Study. *Environ. Sci. Technol.* **2021**, 55 (1), 433–446.

(205) Yin, Y. G.; Tan, Z. Q.; Hu, L. G.; Yu, S. J.; Liu, J. F.; Jiang, G. B. Isotope Tracers To Study the Environmental Fate and Bioaccumulation of Metal-Containing Engineered Nanoparticles: Techniques and Applications. *Chem. Rev.* **2017**, 117 (5), 4462–4487.

(206) Deline, A. R.; Nason, J. A. Evaluation of labeling methods used for investigating the environmental behavior and toxicity of metal oxide nanoparticles. *Environ. Sci.: Nano* **2019**, 6 (4), 1043–1066.

(207) Supiandi, N. I.; Charron, G.; Tharaud, M.; Cordier, L.; Guigner, J. M.; Benedetti, M. F.; Sivry, Y. Isotopically Labeled Nanoparticles at Relevant Concentrations: How Low Can We Go? The Case of CdSe/ZnS QDs in Surface Waters. *Environ. Sci. Technol.* **2019**, 53 (5), 2586–2594.

(208) Hanna, S. K.; Miller, R. J.; Lenihan, H. S. Deposition of carbon nanotubes by a marine suspension feeder revealed by chemical and isotopic tracers. *J. Hazard. Mater.* **2014**, 279, 32–37.

(209) Lu, D.; Liu, Q.; Zhang, T.; Cai, Y.; Yin, Y.; Jiang, G. Stable silver isotope fractionation in the natural transformation process of silver nanoparticles. *Nat. Nanotechnol.* **2016**, 11 (8), 682–686.

(210) Yang, X. Z.; Liu, X.; Zhang, A. Q.; Lu, D. W.; Li, G.; Zhang, Q. H.; Liu, Q.; Jiang, G. B. Distinguishing the sources of silica nanoparticles by dual isotopic fingerprinting and machine learning. *Nat. Commun.* **2019**, 10 (1), 1620.

(211) Lu, D.; Liu, Q.; Yu, M.; Yang, X.; Fu, Q.; Zhang, X.; Mu, Y.; Jiang, G. Natural Silicon Isotopic Signatures Reveal the Sources of Airborne Fine Particulate Matter. *Environ. Sci. Technol.* **2018**, 52 (3), 1088–1095.

(212) Yang, X.; Lu, D.; Tan, J.; Sun, X.; Zhang, Q.; Zhang, L.; Li, Y.; Wang, W.; Liu, Q.; Jiang, G. Two-Dimensional Silicon Fingerprints Reveal Dramatic Variations in the Sources of Particulate Matter in Beijing during 2013–2017. *Environ. Sci. Technol.* **2020**, 54 (12), 7126–7135.

(213) Lu, D. W.; Luo, Q.; Chen, R.; Zhuansun, Y. X.; Jiang, J.; Wang, W. C.; Yang, X. Z.; Zhang, L. Y.; Liu, X. L.; Li, F.; Liu, Q.; Jiang, G. B. Chemical multi-fingerprinting of exogenous ultrafine particles in human serum and pleural effusion. *Nat. Commun.* **2020**, 11 (1), 2567.

(214) Zhang, Q. H.; Lu, D. W.; Wang, D. Y.; Yang, X. Z.; Zuo, P. J.; Yang, H.; Fu, Q.; Liu, Q.; Jiang, G. B. Separation and Tracing of Anthropogenic Magnetite Nanoparticles in the Urban Atmosphere. *Environ. Sci. Technol.* **2020**, 54 (15), 9274–9284.

(215) Neves, M. M. P. S.; Nouws, H. P. A.; Delerue-Matos, C.; Martín-Yerga, D. Electrochemical detection and characterization of nanoparticles: A potential tool for environmental purposes. *Curr. Opin. Electrochem.* **2020**, 22, 58–64.

(216) Krznarić, D.; Helz, G. R.; Bura-Nakić, E.; Jurašin, D. Accumulation Mechanism for Metal Chalcogenide Nanoparticles at Hg⁰ Electrodes: Copper Sulfide Example. *Anal. Chem.* **2008**, 80 (3), 742–749.

(217) Bura-Nakić, E.; Viollier, E.; Ciglenečki, I. Electrochemical and Colorimetric Measurements Show the Dominant Role of FeS in a Permanently Anoxic Lake. *Environ. Sci. Technol.* **2013**, 47 (2), 741–749.

- (218) Marguš, M.; Milanović, I.; Ciglenečki, I. Voltammetric, dynamic light scattering (DLS) and electrophoretic mobility characterization of FeS nanoparticles (NPs) in different electrolyte solutions. *J. Solid State Electrochem.* **2016**, *20* (11), 2981–2989.
- (219) Chen, W.; Wang, H.; Tang, H.; Yang, C.; Li, Y. Unique Voltammetry of Silver Nanoparticles: From Single Particle to Aggregates. *Anal. Chem.* **2019**, *91* (22), 14188–14191.
- (220) Toh, H. S.; Batchelor-McAuley, C.; Tschulik, K.; Uhlemann, M.; Crossley, A.; Compton, R. G. The anodic stripping voltammetry of nanoparticles: electrochemical evidence for the surface agglomeration of silver nanoparticles. *Nanoscale* **2013**, *5* (11), 4884–4893.
- (221) Bura-Nakić, E.; Krznarić, D.; Jurašin, D.; Helz, G. R.; Ciglenečki, I. Voltammetric characterization of metal sulfide particles and nanoparticles in model solutions and natural waters. *Anal. Chim. Acta* **2007**, *594* (1), 44–51.
- (222) Toh, H. S.; Jurkschat, K.; Compton, R. G. The Influence of the Capping Agent on the Oxidation of Silver Nanoparticles: Nano-impacts versus Stripping Voltammetry. *Chem.—Eur. J.* **2015**, *21* (7), 2998–3004.
- (223) Sokolov, S. V.; Eloul, S.; Kätelhön, E.; Batchelor-McAuley, C.; Compton, R. G. Electrode—particle impacts: a users guide. *Phys. Chem. Chem. Phys.* **2017**, *19* (1), 28–43.
- (224) Stuart, E. J. E.; Rees, N. V.; Cullen, J. T.; Compton, R. G. Direct electrochemical detection and sizing of silver nanoparticles in seawater media. *Nanoscale* **2013**, *5* (1), 174–177.
- (225) Li, X.; Batchelor-McAuley, C.; Compton, R. G. Silver Nanoparticle Detection in Real-World Environments via Particle Impact Electrochemistry. *ACS Sens.* **2019**, *4* (2), 464–470.
- (226) Plowman, B. J.; Young, N. P.; Batchelor-McAuley, C.; Compton, R. G. Nanorod Aspect Ratios Determined by the Nano-Impact Technique. *Angew. Chem., Int. Ed.* **2016**, *55* (24), 7002–7005.
- (227) Sokolov, S. V.; Tschulik, K.; Batchelor-McAuley, C.; Jurkschat, K.; Compton, R. G. Reversible or Not? Distinguishing Agglomeration and Aggregation at the Nanoscale. *Anal. Chem.* **2015**, *87* (19), 10033–10039.
- (228) Ezra, L.; O'Dell, Z. J.; Hui, J.; Riley, K. R. Emerging investigator series: quantifying silver nanoparticle aggregation kinetics in real-time using particle impact voltammetry coupled with UV-vis spectroscopy. *Environ. Sci.: Nano* **2020**, *7* (9), 2509–2521.
- (229) Baalousha, M.; Wang, J. J.; Nabi, M. M.; Loosli, F.; Valenca, R.; Mohanty, S. K.; Afrooz, N.; Cantando, E.; Aich, N. Stormwater green infrastructures retain high concentrations of TiO₂ engineered (nano)-particles. *J. Hazard. Mater.* **2020**, *392*, 122335.
- (230) Fischer, C. H.; Giersig, M. Analysis of colloids: VII. Wide-bore hydrodynamic chromatography, a simple method for the determination of particle size in the nanometer size regime. *J. Chromatogr. A* **1994**, *688* (1), 97–105.
- (231) Blom, M. T.; Chmela, E.; Oosterbroek, R. E.; Tijssen, R.; van den Berg, A. On-Chip Hydrodynamic Chromatography Separation and Detection of Nanoparticles and Biomolecules. *Anal. Chem.* **2003**, *75* (24), 6761–6768.
- (232) Tiede, K.; Boxall, A. B. A.; Tiede, D.; Tear, S. P.; David, H.; Lewis, J. A robust size-characterisation methodology for studying nanoparticle behaviour in 'real' environmental samples, using hydrodynamic chromatography coupled to ICP-MS. *J. Anal. At. Spectrom.* **2009**, *24* (7), 964–972.
- (233) Brewer, A. K.; Striegel, A. M. Particle size characterization by quadruple-detector hydrodynamic chromatography. *Anal. Bioanal. Chem.* **2009**, *393* (1), 295–302.
- (234) Proulx, K.; Wilkinson, K. J. Separation, detection and characterisation of engineered nanoparticles in natural waters using hydrodynamic chromatography and multi-method detection (light scattering, analytical ultracentrifugation and single particle ICP-MS). *Environ. Chem.* **2014**, *11* (4), 392–401.
- (235) Philippe, A.; Schaumann, G. E. Evaluation of Hydrodynamic Chromatography Coupled with UV-Visible, Fluorescence and Inductively Coupled Plasma Mass Spectrometry Detectors for Sizing and Quantifying Colloids in Environmental Media. *PLoS One* **2014**, *9* (2), No. e90559.
- (236) Pergantis, S. A.; Jones-Lepp, T. L.; Heithmar, E. M. Hydrodynamic Chromatography Online with Single Particle-Inductively Coupled Plasma Mass Spectrometry for Ultratrace Detection of Metal-Containing Nanoparticles. *Anal. Chem.* **2012**, *84* (15), 6454–6462.
- (237) Proulx, K.; Hadioui, M.; Wilkinson, K. J. Separation, detection and characterization of nanomaterials in municipal wastewaters using hydrodynamic chromatography coupled to ICPMS and single particle ICPMS. *Anal. Bioanal. Chem.* **2016**, *408* (19), 5147–5155.
- (238) Soto-Alvaredo, J.; Montes-Bayón, M.; Bettmer, J. Speciation of Silver Nanoparticles and Silver(I) by Reversed-Phase Liquid Chromatography Coupled to ICPMS. *Anal. Chem.* **2013**, *85* (3), 1316–1321.
- (239) Pitkanen, L.; Striegel, A. M. Size-exclusion chromatography of metal nanoparticles and quantum dots. *TrAC, Trends Anal. Chem.* **2016**, *80*, 311–320.
- (240) Zhou, X.-X.; Liu, R.; Liu, J.-F. Rapid Chromatographic Separation of Dissoluble Ag(I) and Silver-Containing Nanoparticles of 1–100 Nanometer in Antibacterial Products and Environmental Waters. *Environ. Sci. Technol.* **2014**, *48* (24), 14516–14524.
- (241) Yang, Y.; Luo, L.; Li, H. P.; Wang, Q.; Yang, Z. G.; Qu, Z. P.; Ding, R. Analysis of metallic nanoparticles and their ionic counterparts in complex matrix by reversed-phase liquid chromatography coupled to ICP-MS. *Talanta* **2018**, *182*, 156–163.
- (242) Zhou, X. X.; Liu, J. F.; Geng, F. L. Determination of metal oxide nanoparticles and their ionic counterparts in environmental waters by size exclusion chromatography coupled to ICP-MS. *Nanoimpact* **2016**, *1*, 13–20.
- (243) Zhou, X.-X.; Liu, J.-F.; Jiang, G.-B. Elemental Mass Size Distribution for Characterization, Quantification and Identification of Trace Nanoparticles in Serum and Environmental Waters. *Environ. Sci. Technol.* **2017**, *51* (7), 3892–3901.
- (244) Malejko, J.; Swierzevska, N.; Bajguz, A.; Godlewska-Zylkiewicz, B. Method development for speciation analysis of nanoparticle and ionic forms of gold in biological samples by high performance liquid chromatography hyphenated to inductively coupled plasma mass spectrometry. *Spectrosc. Acta Pt. B-Atom. Spectr.* **2018**, *142*, 1–7.
- (245) von der Kammer, F.; Legros, S.; Larsen, E. H.; Loeschner, K.; Hofmann, T. Separation and characterization of nanoparticles in complex food and environmental samples by field-flow fractionation. *TrAC, Trends Anal. Chem.* **2011**, *30* (3), 425–436.
- (246) Meermann, B. Field-flow fractionation coupled to ICP-MS: separation at the nanoscale, previous and recent application trends. *Anal. Bioanal. Chem.* **2015**, *407* (10), 2665–2674.
- (247) Baalousha, M.; Stolpe, B.; Lead, J. R. Flow field-flow fractionation for the analysis and characterization of natural colloids and manufactured nanoparticles in environmental systems: A critical review. *J. Chromatogr. A* **2011**, *1218* (27), 4078–4103.
- (248) Hagendorfer, H.; Kaegi, R.; Parlinska, M.; Sinnet, B.; Ludwig, C.; Ulrich, A. Characterization of Silver Nanoparticle Products Using Asymmetric Flow Field Flow Fractionation with a Multidetector Approach – a Comparison to Transmission Electron Microscopy and Batch Dynamic Light Scattering. *Anal. Chem.* **2012**, *84* (6), 2678–2685.
- (249) Tan, Z. Q.; Liu, J. F.; Guo, X. R.; Yin, Y. G.; Byeon, S. K.; Moon, M. H.; Jiang, G. B. Toward Full Spectrum Speciation of Silver Nanoparticles and Ionic Silver by On-Line Coupling of Hollow Fiber Flow Field-Flow Fractionation and Minicolumn Concentration with Multiple Detectors. *Anal. Chem.* **2015**, *87* (16), 8441–8447.
- (250) Huynh, K. A.; Siska, E.; Heithmar, E.; Tadjiki, S.; Pergantis, S. A. Detection and Quantification of Silver Nanoparticles at Environmentally Relevant Concentrations Using Asymmetric Flow Field-Flow Fractionation Online with Single Particle Inductively Coupled Plasma Mass Spectrometry. *Anal. Chem.* **2016**, *88* (9), 4909–4916.
- (251) Barber, A.; Kly, S.; Moffitt, M. G.; Rand, L.; Ranville, J. F. Coupling single particle ICP-MS with field-flow fractionation for characterizing metal nanoparticles contained in nanoplastic colloids. *Environ. Sci.: Nano* **2020**, *7* (2), 514–524.

- (252) Surugau, N.; Urban, P. L. Electrophoretic methods for separation of nanoparticles. *J. Sep. Sci.* **2009**, 32 (11), 1889–1906.
- (253) Mudalige, T. K.; Qu, H.; Van Haute, D.; Ansar, S. M.; Linder, S. W. Capillary electrophoresis and asymmetric flow field-flow fractionation for size-based separation of engineered metallic nanoparticles: A critical comparative review. *TrAC, Trends Anal. Chem.* **2018**, 106, 202–212.
- (254) Liu, L.; He, B.; Liu, Q.; Yun, Z.; Yan, X.; Long, Y.; Jiang, G. Identification and Accurate Size Characterization of Nanoparticles in Complex Media. *Angew. Chem., Int. Ed.* **2014**, 53 (52), 14476–14479.
- (255) Franze, B.; Engelhard, C. Fast Separation, Characterization, and Speciation of Gold and Silver Nanoparticles and Their Ionic Counterparts with Micellar Electrokinetic Chromatography Coupled to ICP-MS. *Anal. Chem.* **2014**, 86 (12), 5713–5720.
- (256) Mozhayeva, D.; Streng, I.; Engelhard, C. Implementation of Online Preconcentration and Microsecond Time Resolution to Capillary Electrophoresis Single Particle Inductively Coupled Plasma Mass Spectrometry (CE-SP-ICP-MS) and Its Application in Silver Nanoparticle Analysis. *Anal. Chem.* **2017**, 89 (13), 7152–7159.
- (257) Mozhayeva, D.; Engelhard, C. Separation of Silver Nanoparticles with Different Coatings by Capillary Electrophoresis Coupled to ICP-MS in Single Particle Mode. *Anal. Chem.* **2017**, 89 (18), 9767–9774.
- (258) Chen, D. R.; Pui, D. Y. H.; Hummes, D.; Fissan, H.; Quant, F. R.; Sem, G. J. Design and evaluation of a nanometer aerosol differential mobility analyzer (Nano-DMA). *J. Aerosol. Sci.* **1998**, 29 (5–6), 497–509.
- (259) de la Mora, J. F.; de Juan, L.; Eichler, T.; Rosell, J. Differential mobility analysis of molecular ions and nanometer particles. *TrAC, Trends Anal. Chem.* **1998**, 17 (6), 328–339.
- (260) Lenggoro, I. W.; Xia, B.; Okuyama, K.; de la Mora, J. F. Sizing of colloidal nanoparticles by electrospray and differential mobility analyzer methods. *Langmuir* **2002**, 18 (12), 4584–4591.
- (261) Tai, J.-T.; Lai, Y.-C.; Yang, J.-H.; Ho, H.-C.; Wang, H.-F.; Ho, R.-M.; Tsai, D.-H. Quantifying Nanosheet Graphene Oxide Using Electrospray-Differential Mobility Analysis. *Anal. Chem.* **2015**, 87 (7), 3884–3889.
- (262) Guha, S.; Li, M.; Tarlov, M. J.; Zachariah, M. R. Electrospray-differential mobility analysis of bionanoparticles. *Trends Biotechnol.* **2012**, 30 (5), 291–300.
- (263) Elzey, S.; Tsai, D.-H.; Yu, L. L.; Winchester, M. R.; Kelley, M. E.; Hackley, V. A. Real-time size discrimination and elemental analysis of gold nanoparticles using ES-DMA coupled to ICP-MS. *Anal. Bioanal. Chem.* **2013**, 405 (7), 2279–2288.
- (264) Tan, J.; Liu, J.; Li, M.; El Hadri, H.; Hackley, V. A.; Zachariah, M. R. Electrospray-Differential Mobility Hyphenated with Single Particle Inductively Coupled Plasma Mass Spectrometry for Characterization of Nanoparticles and Their Aggregates. *Anal. Chem.* **2016**, 88 (17), 8548–8555.
- (265) Tan, J.; Yang, Y.; El Hadri, H.; Li, M.; Hackley, V. A.; Zachariah, M. R. Fast quantification of nanorod geometry by DMA-splCP-MS. *Analyst* **2019**, 144 (7), 2275–2283.
- (266) Zhang, T.; Kim, B.; Levard, C.; Reinsch, B. C.; Lowry, G. V.; Deshusses, M. A.; Hsu-Kim, H. Methylation of Mercury by Bacteria Exposed to Dissolved, Nanoparticulate, and Microparticulate Mercuric Sulfides. *Environ. Sci. Technol.* **2012**, 46 (13), 6950–6958.
- (267) Manceau, A.; Wang, J.; Rovezzi, M.; Glatzel, P.; Feng, X. Biogenesis of Mercury-Sulfur Nanoparticles in Plant Leaves from Atmospheric Gaseous Mercury. *Environ. Sci. Technol.* **2018**, 52 (7), 3935–3948.
- (268) Zhang, Z.; Si, R.; Lv, J.; Ji, Y.; Chen, W.; Guan, W.; Cui, Y.; Zhang, T. Effects of Extracellular Polymeric Substances on the Formation and Methylation of Mercury Sulfide Nanoparticles. *Environ. Sci. Technol.* **2020**, 54 (13), 8061–8071.
- (269) Xu, L. N.; Xu, M.; Wang, R. X.; Yin, Y. G.; Lynch, I.; Liu, S. J. The Crucial Role of Environmental Coronas in Determining the Biological Effects of Engineered Nanomaterials. *Small* **2020**, 16 (36), 2003691.
- (270) Chetwynd, A. J.; Lynch, I. The rise of the nanomaterial metabolite corona, and emergence of the complete corona. *Environ. Sci.: Nano* **2020**, 7 (4), 1041–1060.
- (271) Monopoli, M. P.; Aberg, C.; Salvati, A.; Dawson, K. A. Biomolecular coronas provide the biological identity of nanosized materials. *Nat. Nanotechnol.* **2012**, 7 (12), 779–786.
- (272) Ellis, L. J. A.; Lynch, I. Mechanistic insights into toxicity pathways induced by nanomaterials in *Daphnia magna* from analysis of the composition of the acquired protein corona. *Environ. Sci.: Nano* **2020**, 7 (11), 3343–3359.
- (273) Docter, D.; Westmeier, D.; Markiewicz, M.; Stolte, S.; Knauer, S. K.; Stauber, R. H. The nanoparticle biomolecule corona: lessons learned - challenge accepted? *Chem. Soc. Rev.* **2015**, 44 (17), 6094–6121.
- (274) Alimi, O. S.; Farner Budarz, J.; Hernandez, L. M.; Tufenkji, N. Microplastics and Nanoplastics in Aquatic Environments: Aggregation, Deposition, and Enhanced Contaminant Transport. *Environ. Sci. Technol.* **2018**, 52 (4), 1704–1724.
- (275) Li, P.; Li, Q. C.; Hao, Z. N.; Yu, S. J.; Liu, J. F. Analytical methods and environmental processes of nanoplastics. *J. Environ. Sci.* **2020**, 94, 88–99.
- (276) Graham, K. E.; Loeb, S. K.; Wolfe, M. K.; Catoe, D.; Sinnott-Armstrong, N.; Kim, S.; Yamahara, K. M.; Sassoubre, L. M.; Mendoza Grijalva, L. M.; Roldan-Hernandez, L.; Langenfeld, K.; Wigginton, K. R.; Boehm, A. B. SARS-CoV-2 RNA in Wastewater Settled Solids Is Associated with COVID-19 Cases in a Large Urban Sewershed. *Environ. Sci. Technol.* **2021**, 55 (1), 488–498.
- (277) Carcereny, A.; Martínez-Velázquez, A.; Bosch, A.; Allende, A.; Truchado, P.; Cascales, J.; Romalde, J. L.; Lois, M.; Polo, D.; Sánchez, G.; Pérez-Cataluña, A.; Díaz-Reolid, A.; Antón, A.; Gregori, J.; García-Cehic, D.; Quer, J.; Palau, M.; Ruano, C. G.; Pintó, R. M.; Guix, S. Monitoring Emergence of the SARS-CoV-2 B.1.1.7 Variant through the Spanish National SARS-CoV-2 Wastewater Surveillance System (VATar COVID-19). *Environ. Sci. Technol.* **2021**, 55 (17), 11756–11766.
- (278) Cummings, D. E.; Archer, K. F.; Arriola, D. J.; Baker, P. A.; Faucett, K. G.; Laroya, J. B.; Pfeil, K. L.; Ryan, C. R.; Ryan, K. R. U.; Zuill, D. E. Broad Dissemination of Plasmid-Mediated Quinolone Resistance Genes in Sediments of Two Urban Coastal Wetlands. *Environ. Sci. Technol.* **2011**, 45 (2), 447–454.
- (279) Xu, H.; Chen, Z.; Huang, R.; Cui, Y.; Li, Q.; Zhao, Y.; Wang, X.; Mao, D.; Luo, Y.; Ren, H. Antibiotic Resistance Gene-Carrying Plasmid Spreads into the Plant Endophytic Bacteria using Soil Bacteria as Carriers. *Environ. Sci. Technol.* **2021**, 55 (15), 10462–10470.
- (280) Cai, H.; Xu, E. G.; Du, F.; Li, R.; Liu, J.; Shi, H. Analysis of environmental nanoplastics: Progress and challenges. *Chem. Eng. J.* **2021**, 410, 128208.
- (281) Gillibert, R.; Balakrishnan, G.; Deshoules, Q.; Tardivel, M.; Magazzù, A.; Donato, M. G.; Maragò, O. M.; Lamy de La Chapelle, M.; Colas, F.; Lagarde, F.; Gucciardi, P. G. Raman Tweezers for Small Microplastics and Nanoplastics Identification in Seawater. *Environ. Sci. Technol.* **2019**, 53 (15), 9003–9013.
- (282) Gillibert, R.; Magazzù, A.; Callegari, A.; Bronte-Ciriza, D.; Foti, A.; Donato, M. G.; Maragò, O. M.; Volpe, G.; Lamy de La Chapelle, M.; Lagarde, F.; Gucciardi, P. G. Raman tweezers for tire and road wear micro- and nanoparticles analysis. *Environ. Sci.: Nano* **2022**, 9 (1), 145–161.
- (283) Lin, Y.; Huang, X.; Liu, Q.; Lin, Z.; Jiang, G. Thermal fragmentation enhanced identification and quantification of polystyrene micro/nanoplastics in complex media. *Talanta* **2020**, 208, 120478.
- (284) Gigault, J.; El Hadri, H.; Nguyen, B.; Grassl, B.; Roweczyk, L.; Tufenkji, N.; Feng, S. Y.; Wiesner, M. Nanoplastics are neither microplastics nor engineered nanoparticles. *Nat. Nanotechnol.* **2021**, 16 (5), 501–507.
- (285) Kantor, R. S.; Nelson, K. L.; Greenwald, H. D.; Kennedy, L. C. Challenges in Measuring the Recovery of SARS-CoV-2 from Wastewater. *Environ. Sci. Technol.* **2021**, 55 (6), 3514–3519.

(286) Liang, Z.; Keeley, A. Filtration Recovery of Extracellular DNA from Environmental Water Samples. *Environ. Sci. Technol.* **2013**, *47* (16), 9324–9331.

(287) LaPara, T. M.; Madson, M.; Borchardt, S.; Lang, K. S.; Johnson, T. J. Multiple Discharges of Treated Municipal Wastewater Have a Small Effect on the Quantities of Numerous Antibiotic Resistance Determinants in the Upper Mississippi River. *Environ. Sci. Technol.* **2015**, *49* (19), 11509–11515.

(288) Liu, Y.-N.; Lv, Z.-T.; Yang, S.-Y.; Liu, X.-W. Optical Tracking of the Interfacial Dynamics of Single SARS-CoV-2 Pseudoviruses. *Environ. Sci. Technol.* **2021**, *55* (7), 4115–4122.

(289) Gao, X.; Lowry, G. V. Progress towards standardized and validated characterizations for measuring physicochemical properties of manufactured nanomaterials relevant to nano health and safety risks. *NanoImpact* **2018**, *9*, 14–30.

(290) ISO/TR 20489:2018. Nanotechnologies — Sample preparation for the characterization of metal and metal-oxide nano-objects in water samples. *International Organization for Standardization*. <https://www.iso.org/standard/68198.html> (accessed May 2022).

(291) ISO/TR 21386:2019. Nanotechnologies — Considerations for the measurement of nano-objects and their aggregates and agglomerates (NOAA) in environmental matrices. *International Organization for Standardization*. <https://www.iso.org/standard/70848.html> (May 2022).

Recommended by ACS

Natural Solar Irradiation Produces Fluorescent and Biodegradable Nanoplastics

Chao Wang, Cheng Gu, *et al.*

APRIL 12, 2023

ENVIRONMENTAL SCIENCE & TECHNOLOGY

READ 

High-Throughput Nanoparticle Characterization via Glow Discharge Optical Emission Spectroscopy Elemental Mapping

Kevin Finch, Gerardo Gamez, *et al.*

JANUARY 04, 2023

ANALYTICAL CHEMISTRY

READ 

Strategies and Challenges of Identifying Nanoplastics in Environment by Surface-Enhanced Raman Spectroscopy

Lifang Xie, Liwu Zhang, *et al.*

DECEMBER 28, 2022

ENVIRONMENTAL SCIENCE & TECHNOLOGY

READ 

Real-Time Underwater Nanoplastic Detection beyond the Diffusion Limit and Low Raman Scattering Cross-Section via Electro-Photonic Tweezers

Eui-Sang Yu, Yong-Sang Ryu, *et al.*

DECEMBER 27, 2022

ACS NANO

READ 

Get More Suggestions >