

Response to the Reviewers' Comments

The authors would like to thank the reviewers for the precious comments and suggestions on the technical contents and presentation of our manuscript “SmartPatch: A Self-Powered and Patchable Cumulative UV Irradiance Meter,” submitted to IEEE Design and Test. This revised manuscript has been greatly improved thanks to the reviewers’ invaluable advices. We have revised the manuscript faithfully following the reviewers’ comments. We include the newly added or significantly modified parts in the revised version of the paper also in Response to Reviewers. We highlight the important technical content changes and set those parts in a red color in the revised paper. Detailed comments and corresponding corrections are listed below:

Reviewer 1:

- C1:** Is the number of modes a significant limitation of SmartPatch? It would also help to understand this if the amount MED varies with skin type is shown. If MED varies significantly between pale and very dark skin, and since SPF is multiplicative with maximum UV exposure time I would assume that the four modes does not cover the user space well. You could easily have more than two bins for skin type and way more sunscreen options (SPF 30+) that would significantly alter maximum UV exposure time.
- R1:** SmartPatch is not limited by the number of modes. In the figure, we only show a 4-mode for the simplification but the number of mode can be reconfigurable using the SmartPatch’s NVRAM. We revise the description of mode configuration in Section III-C for better understanding as follows:

The current version of SmartPatch embeds two user interface functions: device reset and operation mode change. Adding new features does not incur major design change. Fig. 7 shows examples of the switch-less user interface functions. Blocking the UV sensor for more than a second resets SmartPatch and starts a new mode configuration. **Then, the user is supposed to repeat the UV sensor blocking until the mode is set to a desired one. In the figure, the number of mode is four, but it can be easily changeable by using the NVRAM repeating the reset motion – blocking the UV sensor more than one second – makes the device escape from the mode configuration and start a new UV irradiance accumulation.**

- C2:** “The existing UV meters under- or overestimates the accumulation of UV irradiance.” I would assume that existing UV meters is accurate with respect to the part of the body it is monitoring. This should be corrected. In addition, is the shoulder the most appropriate place to measure the UV for these activities (e.g., chatting on a bench, walking outdoors, seated on a grass field)? For a person that is wearing a typical shirt, is the UV measurements in Fig. 9 given for their shoulder under their shirt? Or is the use-case more specific than that (e.g., tank tops or shirt-less)?
- R2:** The UV irradiance measurement directly on the skin area of interest enhances the measurement accuracy. However, the existing UV meters do not show the exact amount of accumulated UV irradiance because every skin surface has a different perpendicular angle to the Sun and is subject to continuous shading change. For example, An wrist strap type UV meter underestimates the accumulation of the UV irradiation on the shoulder.
- C3:** NVRAM should be defined at its first use.
- R3:** We define the non-volatile RAM in Section III-A.

C4: The English and phrasing should be carefully reviewed. For example, it was difficult to parse “We measure the UV irradiance on the wrists, chests as a reference with several UV irradiance meters including SmartPatch (Fig. 2).”

R4: We modified the manuscript.

We modify Section III-C in the manuscript as:

We measure UV irradiance on various skin areas in the morning and afternoon as shown in Fig. 9. **We measure the UV irradiance on the wrists, chests, shoulders, and the ground as a reference with SmartPatch (Fig. 2.)** The skin area of interest in the experiment is the shoulder, and SmartPatch is attached to the shoulder skin. Other UV meters are carried or attached as designed. For instance, a watch type UV meter measures the UV irradiance on the wrist. The UV irradiance to the ground increases by the angle to the Sun that is the maximum at 1:36 pm (13:36) in the experiments.

C5: Also, “In cooperation with a sunscreen with a specific SPF and skin type, which are user programmable” seems to imply that users can program their sunscreen’s SPF and change their skin type and cooperation would imply that sunscreen can make their own actions. I believe it should be more along the lines of: SmartPatch can aid the user in when to reapply sunscreen based on the user’s skin type and sunscreen SPF.

R5: SmartPatch can aid the user to program the sunscreen SPF and user’s skin type. SmartPatch let users know the maximum exposure time when the user reapplies sunscreen every two hours. We modify the beginning of Section III in the manuscript as:

- Covering both the UVA and UVB spectrum,
- Having a small form factor and possibly disposable,
- **Aiding users to program the sunscreen SPF and user’s skin type,**
- Calculating the maximum UV exposure time based on the UV irradiance and skin type,
- A patchable design to measure the actual cumulative UV irradiance on the exact skin area of interest,
- Self-powered by a PV cell with the minimum possible size, and
- No use of a power converter nor significant energy storage.

Reviewer 2:

C1: In abstract, you should address the motivation, your approach, and experimental results.

R1: We update abstract as:

Caring ultraviolet irradiation is very important for human because it affects human's body positively and negatively at the same time. In this article, we introduce SmartPatch, a patchable and self-powered smart UV level meter supported by the two key technologies; storage-less and converter-less energy harvesting and switch-less interface. Unlike existing UV level meters, SmartPatch provides more scientific measures to avoid skin damages with extremely low-cost solution, and can efficiently cooperate with various Sun protection factor (SPF) sunscreen lotions and skin types which are varying on each person.

C2: In the introduction, you can state your approach and the comparisons between your approach and the existing state-of-the-art approach.

R2: We totally revise the introduction (Section I) to state our approach: 1) what normal people usually do to avoid excessive UV irradiance, 2) need more scientific information considering individual's characteristics and 3) introduction to SmartPatch a solar powered patchable smart UV level meter. In addition, we revise the backgrounds (Section II-A) to compare our implementation, SmartPatch, with the existing state-of-the-art.

We modify the second, third and fourth paragraphs in Section I in the manuscript:

In order to safely do any outdoor activity without experiencing skin damage, people should know about the maximum UV exposure time which is mainly determined by the intensity of UV irradiance and few individual factors of the user. When a human stays under the Sun over the maximum UV exposure time, the human may experiences skin damages.

The intensity of UV can be presented with a wavelength or simply categorized with UV index (UVI) for easy recognition and use. Region-based daily UVIs are generally announced by the government or weather forecast companies so that people can do a proper-level of protection. There are general guidelines to avoid skin damages depending on the UVI in Fig. 1. People should just cover their skin from the UV irradiance to avoid skin damages if the UVI is under 6 while people should minimize Sun irradiance if it is over 6. Although these general guidelines with a region-based UVI give a brief guideline what people should do, it does not give any individualized maximum UV exposure time considering time- and region-varying UVI as well as the individual's unique characteristics.

Scientifically, the maximum UV exposure time is determined by the cumulative UV exposure as well as individual's characteristics such as skin type and the use of sunscreen lotions, which are even more difficult to get without using any UV measurement tools and technologies. In addition, the cumulative UV exposure is varying even on the position of the body and angle to the Sun. Thus it is crucial to directly measure the actual UV irradiance and cumulative irradiance on the skin area of interest by attaching the measurement tool on the skin area of interest. The details about the scientific impacts of UV irradiance to human skin considering the individual's characteristics will be given at the later section.

We modify the fifth and sixth paragraphs in Section I in the manuscript as:

In this paper, we introduces SmartPatch, a solar powered and patchable smart UV level meter that guides people to safely play outdoor activities without concerning about their skin damages. The proposed SmartPatch is supported by two key technologies. The first key technology is a storage-less and converter-less energy harvesting [9] that does not require any battery nor voltage converter in energy harvesting logics. The second technology is a switch-less user interface to minimize the form-factor as well as the implementation cost. Instead of using any switches, SmartPatch detects the pre-defined patterns of artificial UV-level changes on the sensor and then control SmartPatch according to the generated patterns. All the proposed technologies are implemented in a single chip for achieving a patchable device with extremely low-cost and small form factor.

The key functions of Smartpatch are 1) display the real-time UVI, 2) display the remaining time to avoid skin damage, and 3) execution mode change or parameter programming by the user's skin type and the SPF of sunscreen lotions using a proposed switch-less interface or user's Smartphone. The functionalities and usefulness

of SmartPatch are verified by measuring the UV level on several positions of the body during the various types of outdoor activities.

We modify Section II-A in the manuscript as:

There are numerous portable devices that measure the current UV irradiance as shown in Fig. 2(a). These devices can only measure the instant UV level only while the measurement of cumulative UV exposure is actually necessary in real-life. More advanced devices shown in Fig. 2(b) additionally inform the result of the UV irradiance accumulation. They are capable of displaying instantaneous UVI and calculating the maximum UV exposure time based on the skin type and SPF. However, these devices typically include a battery and should communicate with smartphones [5,6] to check measured information as well as to configure the devices. In addition, the shapes of the devices are often a wrist strap, a watch, a pendant, or a badge, and such devices only measure the UV irradiance of limited position of the body. Even on a same position of the body, they do not show the exact amount of accumulated UV irradiance because every skin surface has a different perpendicular angle to the Sun and is subject to continuous shading change. As shown in Fig. 3, each skin area has different UV irradiance due to the angle to the Sun. In addition, partial shading in different areas of the skin continuously occurs by trees, buildings, other body parts, clothes, and so forth. For instance, people often experience skin damages on their shoulders while the other skin areas are manageable even if the whole body has been exposed to the Sun.

- C3:** In Section II, authors state that "However they (devices) does not show the exact amount of accumulated UV irradiance."
1. Maybe the user does not care the exact amount of UV.
 2. How do you know these devices cannot measure the exact amount? Do you have any literatures to support it?
 3. In experiments, you also can compare your device with the existing devices to show how accuracy your device is.
- R3:**
1. Yes. The user want to know the exact remaining UV exposure time instead of the amount of UV irradiance.
 2. Typical badge or bracelet types of UV meters cannot measure the exact amount of UV irradiance on the skin area of interest. For example, conventional UV meters estimate the amount of UV irradiance on the shoulder based on the amount of UV irradiance on the chest or wrist.
 3. We did experiments to show how much our device is accurate in Section IV in the original manuscript as:

We observe that existing UV meters under- or overestimate the accumulation of UV irradiance. This implies that watch type UV meters underestimate UV accumulation on the shoulder up to 16%, which may cause 50% more chances of erythema symptoms if UV exposure lasts until the watch type UV meters indicate the maximum exposure time is over [2].

- C4:** Also in Section II, the authors state that the reason why these devices are inaccurate is because every skin surface has a different perpendicular angle to the Sun. In your device, the reviewer wonders how you address this issue.
- R4:** We directly measure the amount of UV irradiance on the skin area of interest. We implement a patchable UV level meter to attach on the skin area of interest. There are two key technologies to enable this. The first key technology is a storage-less and converter-less energy harvesting [9] that does not require any battery nor voltage converter in energy harvesting logics. The second technology is a switch-less user interface to minimize the form-factor as well as the implementation cost. Instead of using any switches, SmartPatch detects the pre-defined patterns of artificial UV-level changes on the sensor and then control SmartPatch according to the generated patterns. Please check the below modified paragraph.

We modify the fifth and sixth paragraphs in Section I in the manuscript as:

In this paper, we introduces SmartPatch, a solar powered and patchable smart UV level meter that guides peo-

ple to safely play outdoor activities without concerning about their skin damages. The proposed SmartPatch is supported by two key technologies. The first key technology is a storage-less and converter-less energy harvesting [9] that does not require any battery nor voltage converter in energy harvesting logics. The second technology is a switch-less user interface to minimize the form-factor as well as the implementation cost. Instead of using any switches, SmartPatch detects the pre-defined patterns of artificial UV-level changes on the sensor and then control SmartPatch according to the generated patterns. All the proposed technologies are implemented in a single chip for achieving a patchable device with extremely low-cost and small form factor. The key functions of SmartPatch are 1) display the real-time UVI, 2) display the remaining time to avoid skin damage, and 3) execution mode change or parameter programming by the user's skin type and the SPF of sun-screen lotions using a proposed switch-less interface or user's Smartphone. The functionalities and usefulness of SmartPatch are verified by measuring the UV level on several positions of the body during the various types of outdoor activities.

- C5:** In experimental results, you should compare your results with the existing approaches and see what your improvements are in terms of power reduction and accuracy.
- R5:** As mentioned in R3-3, we describe how our device is accurate compared with other existing approaches in Section IV in the original manuscript as:

We observe that existing UV meters under- or overestimate the accumulation of UV irradiance. This implies that watch type UV meters underestimate UV accumulation on the shoulder up to 16%, which may cause 50% more chances of erythema symptoms if UV exposure lasts until the watch type UV meters indicate the maximum exposure time is over [2].

Also, in terms of power reduction, the power consumption is low enough because SmartPatch is powered by storage-less and converter-less energy harvesting technique, which performs aggressive and rapid dynamic power management (DPM) and tracks the maximum power point (MPP) [8]. Please check the following revised manuscript.

We modify the second paragraph in Section III in the manuscript as:

SmartPatch is powered by storage-less and converter-less energy harvesting technique, which performs aggressive and rapid dynamic power management (DPM) and tracks the maximum power point (MPP) [8]. In addition, we develop a switch-less user interface for reducing the size and cost of SmartPatch. We take the following design considerations into account for SmartPatch.