



OpenScad examples

Table of Contents

Document information	1
Output	1
Amplifier - Project	1
VacuumPreAmplifierBase - 3D Object	1
Axle - Project	4
Axle - 3D Object	4
Howth-cieling-spots - Project	5
lampRing - 3D Object	5
Ikea-Repair - Project	7
ikeabung - 3D Object	7
Liebherr - Project	9
fridgeDoorInterimHandle - 3D Object	9
Model-Plane - Project	10
mountingplateaircraftmotor - 3D Object	10
SWD - Project	12
swd-cube - 3D Object	12
Test - Project	14
Test - 3D Object	14
VSAGCRD-Logo - Project	14
vsagcrd - 3D Object	15
Vacuum-rig-adapter - Project	18
Hose_Adaptor - 3D Object	18
balcony-storage - Project	20
microshed - 3D Object	20
bins - Project	23
strutinsert - 3D Object	23
cmount - Project	24
2cmount - 3D Object	24
cmoint - 3D Object	25
cookie-press - Project	26
star - 3D Object	26
coords - Project	28
koord-rund - 3D Object	28
koordinaten - 3D Object	29
desk - Project	31
fastener - 3D Object	31
fritzring - Project	34

fritzcolaadapter - 3D Object	34
geo-test - Project	35
geoTest - 3D Object	35
kitchen-door - Project	37
KitchenDoorHoleStopper - 3D Object	37
strikeplate - 3D Object	38
led-Casing - Project	39
CasingLED - 3D Object	39
midleton - Project	41
midletoninset - 3D Object	41
midleton2 - Project	44
internal-volume - 3D Object	44
modelTruckRepair - Project	45
steeringaxle - 3D Object	45
monitor - Project	47
buttonBack - 3D Object	47
screen_mounting_tabs - 3D Object	48
odroid-case - Project	49
Library-container - 3D Object	49
case - 3D Object	54
openai - Project	57
esp8266case-chatgpt - 3D Object	57
solar-generator-chatgpt - 3D Object	59
teacup-chatgpt - 3D Object	61
piZero - Project	63
RPI_zero_Cluster_mounting_bracket_power - 3D Object	63
RPI_zero_Cluster_mounting_bracket_v2 - 3D Object	67
RPI_zero_mount - 3D Object	70
rack - Project	73
include-Modules-v1 - 3D Object	73
rePhone - Project	84
RePhone_ALL - 3D Object	85
RePhone_handset - 3D Object	87
xadow - 3D Object	88
schuko - Project	90
schuko - 3D Object	90
shutterholders - Project	93
shutterholder - 3D Object	93
solar - Project	95

balcony - 3D Object	95
smallpv - 3D Object	97
spool-holder - Project	98
spool - 3D Object	98
sword - Project	100
blade - 3D Object	100
crossguard - 3D Object	102
hilt - 3D Object	107
tesa - Project	110
tesa - 3D Object	110
tests - Project	112
notmine1 - 3D Object	112
thumb-screw - Project	114
Knurl - 3D Object	114
Appendix A: To do	115

Document information

Links to Document



Document online



Document Source



Document PDF

Experimental repo for building openscad files into different outputs.

This is still work in progress but can already build a png and stl of each scad file in the opescad directories.

See the online or pdf versions for the images as the readme is really only the source and right now is not WYSIWYG!

Output

Amplifier - Project

VacuumPreAmplifierBase - 3D Object

housing a retro vacuum tube china preamp.

Have a nice wooden box that is looking for some use as a housing The pre-amp is a cheap vacuum tube type sourced from aliexpress https://a.aliexpress.com/_B0MVMZ

I've created an openscad model of the Box based on some measurements with a calliper. The model is designed to help asses where to drill holes and to print a guide to drill the holes. The preamp has a power input (12v~) an in and an output (headphone jack) and a Volume potentiometer. Also the housing is to expose the Vacuum Tubes to the interested viewer. Since the lid is hinged and the relative position of the tubes to the lid, when opening, is difficult to eyeball the model was created to try out different Hole placements as well as providing a template for Drill guides.



Figure 1. image

Listing 1. Openscad source

```
box1X=105.5;  
box1Y=106;  
box1Z=36;  
box1BaseH=3;  
  
box2X=89;  
box2Y=91;  
box2Z=45.5;  
  
box3X=83;  
box3Y=85;  
box3Z=50;  
  
lidX=box1X;  
lidY=box1Y;  
lidZ=23;  
lidDepth=20.3;  
lidStampR=20;
```

```
lidHingeAngle=50;
lidAnimZ=0;

preampBoardX=77;
preampBoardY=66;
preampBoardZ=1.5;
preampTubeR=17/2;
preampTubeH=42;
preampTubeBaseH=10;
preampTubeTipH=51;
preampTubeC=[200/255,200/255,200/255];
preampKnobR=11.5;
preampKnobH=16;
preampAxleH=29;

brown=[139/255,69/255,19/255];
gold=[255/255,215/255,0/255];
Blue=[0/255,0/255,200/255];

module box(){
    color(brown)
    difference(){
        union(){
            cube([box1X,box1Y,box1Z]);
            translate([box1X/2-box2X/2,box1Y/2-box2Y/2,box1BaseH])
cube([box2X,box2Y,box2Z]);
        }
        translate([box1X/2-box3X/2,box1Y/2-box3Y/2,3])
cube([box3X,box3Y,box3Z]);
        // star the next line to see inside the box
        *translate([- .5,- .5,- .5]) cube([box1X+1,box1Y*.85+1,box1Z/2+1]);
    }
}

//lid
module lid(){
    color(gold) translate([(box1X/2),(box1Y/2),lidZ+.0001])
cylinder(h=1,r1=lidStampR,r2=lidStampR);
    color(brown) translate([0,0,0])
        difference(){
            translate([0,0,.001]) cube([lidX,lidY,lidZ]);
            translate([box1X/2-box2X/2,box1Y/2-box2Y/2,0])
cube([box2X,box2Y,lidDepth]);
        }
}

module tube () {
    union(){
        color(preampTubeC,.5) translate([0,0,preampTubeBaseH])cylinder(h=42-
preampTubeBaseH,r1=preampTubeR,r2=preampTubeR);
    }
}
```

```

        color([1,1,1])cylinder(h=preampTubeBaseH,r=preampTubeR);
        translate([0,0,preampTubeH]) color(preampTubeC)
cylinder(h=preampTubeTipH-preampTubeH,r1=preampTubeR,r2=1);
    }
}

translate([(box1X-box3X)/2,((box1Y-box3Y)/2)+(box3Y-preampBoardY)-
1,box1BaseH+21])
union() {
    //board
    cube([preampBoardX,preampBoardY,preampBoardZ]);
    //tubes
    translate([15+preampTubeR,15+preampTubeR,preampBoardZ]) tube();
    translate([52+preampTubeR,15+preampTubeR,preampBoardZ]) tube();
    //Volume Knob Base
    translate([38,0,preampBoardZ]) color([0,1,0]) cube([10,10,10]);
    //volume knob
    translate([43,-(preampKnobH+preampAxleH),preampBoardZ+5]) rotate([270,0,0])
    union(){
        difference() {
            color([50/255,50/255,50/255]) cylinder(h=preampKnobH,r=preampKnobR);
            translate([0,0,-.001]) cylinder(h=1,r=(preampKnobR/100)*60);
        }
        color([255/255,255/255,255/255])cylinder(h=1,r=(preampKnobR/100)*60);
        //knob axle
        translate([0,0,preampKnobH]) color([1,1,1])cylinder(h=preampAxleH,r=3);
    }
}
//draft base
translate([15,box1Y-((box1Y-box3Y)/2)-1,box1BaseH])
color([0,0,0])cube([8,1,21]);
//enclosure
box();
translate([box1X,box1Y,(box1Z)+lidAnimZ+.5]) rotate([lidHingeAngle,0,180])
lid();

```

Axle - Project

Axle - 3D Object

required a screw and didn't have one.




Figure 2. image

Listing 2. Openscad source

```
// axle for bearing for filament roller
// had no screw printed one ...
// the free end can be melted when the axle has been inserted so that no
// fastener is required
$fn=360;
cylinder (h=22,d=3.5);
cylinder (h=3,d=7);
```

Howth-cieling-spots - Project

The spots for the ceiling in Howth needed replacing and the replacement spots had a few millimeters too little radius so that they didn't cover the hole properly in all places.

The lamp ring was a quick fix that turned out quite well and looks good.

lampRing - 3D Object

This object is not very complex and it's really just a few cylinders laid on top of one another with a few holes cut out for the lamp.



Figure 3. image

Listing 3. Openscad source

```
//for LED lamps in ceiling in Howth
// the originals are wider and therefore the new ones need a spacer to cover the
hole
//colour is white
//led lamps are 105mm Diameter (4 lamps)

lampD=105;
lampH=2;
holeD=99;
coverD=125;
coverInD=99;
coverH=2;
coverRidgeW=5;
$fn=100;
```

```
//lamp
*color("white")
  translate([0,0,coverH])
    cylinder(h=2,d=lampD);

color("white") union(){
  difference(){
    cylinder(h=coverH,d=coverD);
    translate([0,0,-.1]) cylinder(h=coverH+.2,d=coverInD);
  }
  translate([0,0,coverH])
  difference(){
    cylinder(h=lampH,d=lampD+coverRidgeW);
    translate([0,0,-.1]) cylinder(h=lampH+.2,d=lampD+1);
  }
}
```

Ikea-Repair - Project

ikeabung - 3D Object

This was a replacement foot for an IKEA shelf.

The actual foot was screwed in with a bolt on the underside.



Figure 4. image

Listing 4. Openscad source

```
$fn=100;
totH=30;
baseH=6;
baseW=32;
wingW=3.5;
wingD=8;
centreD=17;

for (i = [0:360/6:360]) {
  rotate([0,0,i]) translate([((baseW-2)/2)-wingD,-wingW/2,baseH])
  cube([wingD,wingW,totH-baseH]);
}

difference(){
  union(){
    cylinder(h=totH,d=centreD);
    cylinder(h=6,d=32);
    translate([0,0,baseH]) cylinder(h=6,d1=baseW-2,d2=22);
  }
}
```

```
}  
translate([0,0,-.1]) cylinder(h=totH+.2,d=8.2);  
  
translate([0,0,-.1]) cylinder(h=8.1,d=15,$fn=6);  
}
```

Liebherr - Project

fridgeDoorInterimHandle - 3D Object



Figure 5. image

Listing 5. Openscad source

```
$fn=360;  
Height=100;  
Diameter=18;  
HolePos=(Height/2);  
HoleDiam=3;  
HoleDepth=10;
```

```
difference () {  
  hull() {  
    translate([0,0,0])  
    cylinder(h=1,d2=Diameter,d1=Diameter-2);  
    translate([0,0,Height])  
    cylinder(h=1,d1=Diameter,d2=Diameter-2);  
  }  
  translate([0,0,HolePos])  
  rotate([90,0,0])  
  cylinder(h=HoleDepth,d=HoleDiam);  
}
```

Model-Plane - Project

mountingplateaircraftmotor - 3D Object




Figure 6. image

Listing 6. Openscad source

```
//second attempt with rotated arms so as to save on cutting out.
//set number of faces higher so that the cylinder doesn't look like a pentagon
$fn=100;
//global vars
//text font Arial and so far size under 1.8 didn't show in print.....
font = "Arial";
letter_size = 2.5;
letter_height = 1.5;
line1="Ser#1";
line2="VSR";
line3="V6";
//pin depth into airframe of the wooden original was 30 test prints 20 is enough
//also of note is that I had to rotate the blasted pin by 45 and 3° as I drilled
the hole wrong. guess might be 5 or 6 (angle2) and one or two (angle1) to the
side
pinheight=30;
pinangle1=2;
pinangle2=7;
//radius of the mounting holes
screwhole=.81;
holeOffset=15.5;
//radius of screw hole opening
flare=1;

module letter(l) {
    // Use linear_extrude() to make the letters 3D objects as they
    // are only 2D shapes when only using text()
    linear_extrude(height = letter_height) {
        text(l, size = letter_size, font = font);
    }
}

//this is the 4 armed mount with drill holes
module mount()
{
    union(){
        for ( arm = [0:90:360]){
            rotate([0,0,arm])
                //arm with drill hole
                difference(){
                    union(){
                        //arm
                        translate ([0,-4,0]) cube([15,8,3] );
                        //rounded tip
                        translate ([15,0,0]) cylinder(h=3, r1=4, r2=4);
                    }
                    // subtract drill hole plus additional
                    translate([holeOffset,0,0]) cylinder(h=3, r1=screwhole,
```

```

r2=screwhole);

                                //flaring
                                translate([holeOffset,0,2.8]) cylinder(h=.5, r1=screwhole,
r2=flare);

                                translate([holeOffset,0,0]) cylinder(h=.25, r1=flare,
r2=screwhole);

                                //central mounting hole for spindle
                                cylinder(h=1.5, r1=2.5, r2=2.1);
                                }
                                }
                                }
                                }

module mountpluspin()
{
//the mount and the pin for insertion into the aircraft body
    union(){
        mount();
        //central mounting rod should be 30 long as measured but shorter    for
test prints
        //aslo of note is that I had to rotate the blasted pin by 45 and 3° as I
drilled the hole wrong. guess is 3° might be 5 or 6
        rotate ([pinangle1,pinangle2,45]) translate ([0,0,2])
cylinder(h=pinheight, r1=3.5, r2=3.5);
        *translate ([4,1,2.2]) letter (line1);
        *rotate(90,90,90) translate ([4,-1,2.2]) letter (line2);
        *translate ([4,-3,2.2]) letter (line3);
        }
    }
//add some antispin pegs.
union (){
    mountpluspin();
    translate ([0,-8,2]) rotate ([pinangle1,pinangle2,45]) cylinder(h=8, r1=1.2,
r2=.5);
    translate ([-8,0,2]) rotate ([pinangle1,pinangle2,45]) cylinder(h=8, r1=1.2,
r2=.5);
}

```

SWD - Project

swd-cube - 3D Object



Figure 7. image

Listing 7. Openscad source

```
font = "Liberation Sans";
cube_size = 70;
letter_size = 50;
letter_height = 5;
o = cube_size / 2 - letter_height / 2;

module letter(letter) {
    linear_extrude(height = letter_height) {
        text(letter, size = letter_size, font = font, halign = "center", valign
= "center", $fn = 100);
    }
}

union() {
    color("gray") cube(cube_size, center = true);
    translate([0, -o, 0]) rotate([90, 0, 0]) letter("W");
    translate([o, 0, 0]) rotate([90, 0, 90]) letter("D");
    translate([0, 0, o]) letter("S");
}
```

```
}
```

Test - Project

Test - 3D Object

Just a simple example and also used as the logo for this repo.




Figure 8. image

Listing 8. Openscad source

```
//just a simple test drawing  
$fn=100;  
cube([10,10,10]);  
#sphere(d=12);
```

VSAGCRD-Logo - Project

vsagcrd - 3D Object




Figure 9. image

Listing 9. Openscad source

```
//Script to create a wire mesh cube with 8x8x8 empty spaces
//Virtual Space and
//Global communications research department
//logo base object with 8.2 cm side length
//consisting of the multiplied basic primitives of
//an x,y,and z axis beam iterate in one dimension in loops
//also includes the inner primitive (in 3 flavours)
$fn=100;
module x_beam(){ //just a cube with parameters in one place
    cube([82,2,2]);
}
module y_beam(){ //just a cube with parameters in one place
    cube([2,82,2]);
}
module z_beam(){ //just a cube with parameters in one place
    cube([2,2,82]);
}
```

```

}
module x_block(){ //primitive used for 8 points in the 3d grid
    *color([0,1,0]) translate ([02,02,02]) cube([8,8,8]);
    translate ([6,6,6]) sphere (r=1);
}
module vsr_cube(){ //loops for the xyz forests of beams
    union(){
        //xbeam
        for (xj=[0:10:80]){
            for (xi=[0:10:80]){
                translate([0,xi,xj])
                x_beam();
            }
        }
        //ybeam
        for (yj=[0:10:80]){
            for (yi=[0:10:80]){
                translate([yi,0,yj])
                y_beam();
            }
        }
        //zbeam
        for (zj=[0:10:80]){
            for (zi=[0:10:80]){
                translate([zi,zj,0])
                z_beam();
            }
        }
    }
}
module inner_vsr_cube(){ //the manual inner cube
    union(){
        //first set
        hull() {
            translate ([30,50,70]) x_block();
            translate ([10,10,60]) x_block();
        }
        hull() {
            translate ([70,40,50]) x_block();
            translate ([50,00,40]) x_block();
        }
        hull() {
            translate ([20,70,30]) x_block();
            translate ([00,30,20]) x_block();
        }
        hull() {
            translate ([60,60,10]) x_block();
            translate ([40,20,00]) x_block();
        }
    }
    //second set

```

```

hull() {
    translate ([30,50,70]) x_block();
    translate ([20,70,30]) x_block();
}
hull() {
    translate ([10,10,60]) x_block();
    translate ([00,30,20]) x_block();
}
hull() {
    translate ([70,40,50]) x_block();
    translate ([60,60,10]) x_block();
}
hull() {
    translate ([50,00,40]) x_block();
    translate ([40,20,00]) x_block();
}
//third set
hull() {
    translate ([30,50,70]) x_block();
    translate ([70,40,50]) x_block();
}
hull() {
    translate ([10,10,60]) x_block();
    translate ([50,00,40]) x_block();
}
hull() {
    translate ([20,70,30]) x_block();
    translate ([60,60,10]) x_block();
}
hull() {
    translate ([00,30,20]) x_block();
    translate ([40,20,00]) x_block();
}
}
//fourth full set as option
*hull() { //hull over all 8 points in 3d space
    translate ([30,50,70]) x_block();
    translate ([10,10,60]) x_block();
    translate ([70,40,50]) x_block();
    translate ([50,00,40]) x_block();
    translate ([20,70,30]) x_block();
    translate ([00,30,20]) x_block();
    translate ([60,60,10]) x_block();
    translate ([40,20,00]) x_block();
}
}
//paint the outer framed cube 8x8x8
vsr_cube();
//paint the inner cube either as wire or solid or points

```

```
*inner_vsr_cube();
```

Vacuum-rig-adapter - Project

Hose_Adaptor - 3D Object

Not one of mine:

Created by Paul Tibble - 18/7/19

* https://www.thingiverse.com/Paul_Tibble/about




Figure 10. image

Listing 10. Openscad source

```
////////////////////////////////////
// Created by Paul Tibble - 18/7/19          //
// https://www.thingiverse.com/Paul_Tibble/about //
// Please consider tipping, if you find this useful. //
////////////////////////////////////
```

```
$fn = 100*1;

// Outer Diameter (bottom)
outer_diameter_1 = 15;
// Wall Thickness (bottom)
wall_thickness_1 = 2;
// Rib Thickness (bottom), set to Zero to remove
barb_size_1 = 0.5;
// Length (bottom)
length_1 = 15;
// Outer Diameter (top), should be smaller than or equal to Outer Diameter
(bottom)
outer_diameter_2 = 12;
// Wall Thickness (top)
wall_thickness_2 = 1;
// Rib Thickness (top), set to Zero to remove
barb_size_2 = 0.5;
// Length (top)
length_2 = 15;
// Middle Diameter
mid_diameter = 17;
// Middle Length
mid_length = 5;

//do not change these
inner_diameter_1 = outer_diameter_1 - (wall_thickness_1*2);
inner_diameter_2 = outer_diameter_2 - (wall_thickness_2*2);

module create_profile() {
    //////////
    // Middle
    //////////

    polygon(points=[[inner_diameter_1/2,length_1],[mid_diameter/2,length_1],[mid_dia
meter/2,length_1+mid_length],[inner_diameter_2/2,length_1+mid_length]]);
    //////////
    //length 1
    /////
    translate([inner_diameter_1/2,0,0])square([wall_thickness_1,length_1]);
    //barb 1

    translate([outer_diameter_1/2,0,0])polygon(points=[[0,0],[0,(length_1/5)],[barb_
size_1,(length_1/5)]]);
    //barb 2

    translate([outer_diameter_1/2,length_1*0.25,0])polygon(points=[[0,0],[0,(length_
1/5)],[barb_size_1,(length_1/5)]]);
    //barb 3
```

```

translate([outer_diameter_1/2,length_1*0.5,0])polygon(points=[[0,0],[0,(length_1/5)],[barb_size_1,(length_1/5)]]);
/////
//length 2
/////

translate([inner_diameter_2/2,length_1+mid_length,0])square([wall_thickness_2,length_2]);
//rib 1

translate([outer_diameter_2/2,(length_1+mid_length+length_2),0])polygon(points=[[0,0],[0,-1*(length_2/5)],[barb_size_2,-1*(length_2/5)]]);
//rib 2
translate([outer_diameter_2/2,(length_1+mid_length+length_2)-length_2*0.25,0])polygon(points=[[0,0],[0,-1*(length_2/5)],[barb_size_2,-1*(length_2/5)]]);
//rib 3
translate([outer_diameter_2/2,(length_1+mid_length+length_2)-length_2*0.5,0])polygon(points=[[0,0],[0,-1*(length_2/5)],[barb_size_2,-1*(length_2/5)]]);
}

rotate_extrude(angle = 360, convexity = 10) create_profile();
//create_profile();

```

balcony-storage - Project

microshed - 3D Object




Figure 11. image

Listing 11. Openscad source

```
// A little cabinet for outside with a solar roof

// Variables
uprightX=40;
uprightY=60;
uprightIndent=uprightY/3;
IuprightIndent=uprightY-uprightIndent;
floorH=20; //thickness of board
floorOffset=uprightY+floorH+20; //height from ground the kaercher sits at
solarAngle=45; //front angle of solar roof
solarX=500; //panel Width
solarY=715; //panel Height
solarZ=25; //panel Depth
kaercherH=900; //approximate Kaercher bounding Height
kaercherX=330; //approximate Kaercher bounding Height
kaercherY=330;
kaercherHeadRoom=uprightY+20;
solarHpos=floorOffset+kaercherH+kaercherHeadRoom+uprightY;
```

```

//triangle sides
opposite = sin(solarAngle) * solarY;
adjacent = cos(solarAngle) * solarY;

// PARAMETRIC PART
//upright FL
cube([uprightX,uprightY,solarHpos]);
//upright FR
translate([solarX-uprightX,0,0]) cube([uprightX,uprightY,solarHpos]);
echo("2x front upright lengths= ",solarHpos);

// Panel / roof
translate([0,0,solarHpos])rotate([solarAngle,0,0])cube([solarX,solarY,solarZ]);

// Kaercher bounding box
translate ([solarX/2-kaercherX/2,adjacent/2-kaercherY/2,floorOffset])
color([1,1,0])cube([kaercherX,kaercherY,kaercherH]);

//upright BL
translate([0,adjacent-uprightY,0]) cube([uprightX,uprightY,solarHpos+opposite]);
//upright BR
translate([solarX-uprightX,adjacent-uprightY,0])
cube([uprightX,uprightY,solarHpos+opposite]);
echo("2x back upright lengths= ",solarHpos+opposite);

//floor
//sides
echo("FOR bottom shelf - cut in BL/BR/FR/FL at height of ", floorOffset-floorH-
uprightY," cut to depth of ", uprightIndent, " and length of ",uprightY," at the
long INSIDE side");
color([1,0,0]) translate([0,IuprightIndent,floorOffset-floorH-uprightY])
cube([uprightX,adjacent-(2*uprightY)+(2*uprightIndent),uprightY]);
color([1,0,0]) translate([solarX-uprightX,IuprightIndent,floorOffset-floorH-
uprightY]) cube([uprightX,adjacent-(2*uprightY)+(2*uprightIndent),uprightY]);
echo("2x bottom sides length= ",adjacent-(2*uprightY)+(2*uprightIndent));
//bottom floor board
translate([0,uprightY,floorOffset-floorH]) cube([solarX,adjacent-
(2*uprightY),floorH]);
echo("1x floor board XxY= ",solarX,adjacent-(2*uprightY));

//bottom back
echo("FOR bottom back - cut in BL/BR at height of ", floorOffset-
uprightY+(1.5*uprightY)," cut to depth of ", uprightX, " and length of
",uprightY," at the long BACK side");
color([1,0,0]) translate([0,adjacent-uprightX,floorOffset-
uprightY+(1.5*uprightY)]) cube([solarX,uprightX,uprightY]);
//top back
echo("FOR top shelf - cut in BL/BR/FR/FL at height of ",
floorOffset+kaercherH+kaercherHeadRoom-uprightY," cut to depth of ", uprightX, "
and length of ",uprightY," at the long OUTSIDE side");
color([1,0,0]) translate([0,adjacent-

```

```
uprightX,floorOffset+kaercherH+kaercherHeadRoom-uprightY))
cube([solarX,uprightX,uprightY]);
//top front
color([1,0,0]) translate([0,0,floorOffset+kaercherH+kaercherHeadRoom-uprightY])
cube([solarX,uprightX,uprightY]);
echo("3x back and front length= ",solarX);

//top shelf board
translate([uprightX,0,floorOffset+kaercherH+kaercherHeadRoom]) cube([solarX-
(2*uprightX),adjacent,floorH]);
echo("1x shelf board XxY= ",solarX-(2*uprightX),adjacent);
```

bins - Project

strutinsert - 3D Object




Figure 12. image

Listing 12. Openscad source

```
// A polygon extruded as a piece to repair a strut
```

```
linear_extrude(60) polygon(points=[[0,0],[7.2,0],[7.3,17],[-.1,17]]);
```

cmount - Project

2cmount - 3D Object



Figure 13. image

Listing 13. Openscad source

```
//  
// Double C-mount adapter  
// This is the thing required for my AmScope to get the  
// same focus plane for the camera as for the eyepiece  
//  
//  
//  
  
// you can tune this to change the focal plane  
dist = 7.5;
```

```
depth = 4.0; // depth of threads

taper = 2.5;
ring = 28.0; // diameter of ring
knurls = 64;
kdia = 1.0;

include <threads.scad>

intersection
//union
() {
difference () {
    union () {
        english_thread (0.99, 32, (depth*2 + dist)/25.4);
        translate([0,0,depth]) cylinder(d1 = 25.4 + 0.3, d2 = ring, h=taper,
$fn=12*8);
        translate([0,0,depth+taper]) {
            cylinder(d = ring, h=dist-taper, $fn=12*8);
            for (n = [0:knurls-1]) rotate([0,0,(360/knurls)*n]) hull () {
                translate([ring/2,0,kdia/2]) sphere(d = kdia, h=dist-taper,
$fn=6);
                translate([ring/2,0,dist-taper-kdia/2]) sphere(d = kdia, h=dist-
taper, $fn=6);
            }
        }
    }
    translate([0,0,-1]) cylinder(d = 21.5, h=depth*2 + dist + 2, $fn=128);
}
translate ([0,0,-0.01]) cylinder(d1 = 25.4 - 2.0, d2 = 25.4 - 2.0 +
2*(depth*2+dist), h=depth*2+dist, $fn=12*8);
}
```

cmoint - 3D Object




Figure 14. image

Listing 14. Openscad source

```
rotate_extrude ($fn=2000)
polygon(points=[[11.75,0],[16.65,0],[17.15,0.5],[17.15,2],[16,4],[16,7],[17.15,7],
[17.15,8],[26.5,8],[26.5,16.5],[20,16.5],[20,55.5],[16,55.5],[16,59.5],[12.7,59.5],
[12.7,63.5],[9.25,63.5],[9.25,55.5],[12,51.5],[16,45.6818181818182],[16,16.5],
[11.75,16.5]]);
```

cookie-press - Project

star - 3D Object

Just a test to see if one can print shapes for a cookie press.



Figure 15. image

Listing 15. Openscad source

```
$fn=100;

points=8;
innerR=6;
outerR=12;
fittingD=51;
fittingH=3;

module Star(p=5, r1=6, r2=12) {
    s = [for(i=[0:p*2]) [(i % 2 == 0 ? r1 : r2)*cos(180*i/p), (i % 2 == 0 ? r1 :
r2)*sin(180*i/p)]];
    polygon(s);
}

difference() {
    cylinder(h=fittingH,d=fittingD);
    translate([0,0,-.1]) linear_extrude(fittingH+.2) Star(points, innerR,
outerR);
}
```

```
}
```

coords - Project

koord-rund - 3D Object




Figure 16. image

Listing 16. Openscad source

```
//Koordinatensystem
$fn=50;

//variablen
axisRadius=25;
discH=1.5;
axisD=2.7;
axisLabelD=10;
labelExt=1.2;
baseH=6;
```



```
baseD2=axisD;
baseD1=axisRadius/.9;

//ebene
module ebene(text1,text2,text1Pos) {
    cylinder(h=axisRadius*2,d=axisD,center=true);
    translate([0,0,axisRadius])
cylinder(h=axisLabelD,d2=axisLabelD,d1=.5,center=true);
    rotate([0,90,0]) cylinder(h=discH,r=axisRadius,center=true);
    translate([0,0,axisRadius+axisLabelD/2])
rotate([0,0,text1Pos])linear_extrude(labelExt)text(text1,halign="center",valign=
"center",axisLabelD/2);
    translate([discH/2,axisD,axisD]) rotate([90,0,90]) linear_extrude(labelExt)
text(text2,axisLabelD/2);
}

//ebenen ausgabe
rotate([90,0,0]) ebene("x1","x1-x3",0);
rotate([0,270,180]) ebene("x2","x1-x2",3*90);
rotate([0,0,270]) ebene("x3","x3-x2",1.5*90);

//Sockel
translate([0,0,-axisRadius]) cylinder(h=baseH,d1=baseD1,d2=baseD2,center=true);
difference() {
    translate([0,0,-axisRadius-baseH/2-labelExt/2])
cylinder(h=labelExt,d=baseD1,center=true);
    translate([0,0,-axisRadius-baseH/2]) rotate([180,0,0])
linear_extrude(labelExt)text("Fynn",halign="center",valign="center",8);
}
```

koordinaten - 3D Object




Figure 17. image

Listing 17. Openscad source

```
//koordinaten system
hoehe=70;
breite=70;
tiefe=70;
dicke=2;

//ein viertel
module viertel(text1,text2,text3,text4,text5) {
    cube([breite,tiefe,dicke]);
    hull(){
        cube([breite,dicke,tiefe]);
        translate([breite/3,0,hoehe])cube([breite/2,tiefe/4,dicke]);
    }
    //text1
    translate([breite/2,dicke,hoehe/2+hoehe/4]) rotate([90,0,0])
linear_extrude(dicke*2) scale([.5,.5,.5])text(text1);
    //text2
    translate([breite/4,dicke,hoehe/2]) rotate([90,0,0]) linear_extrude(dicke*2)
```

```
text(text2);
//text3
translate([breite/4,tiefe/2+tiefe/4,0]) rotate([0,0,90])
linear_extrude(dicke*2) scale([.5,.5,.5]) text(text3);
//text4
translate([tiefe/2,tiefe/2,0]) rotate([0,0,90]) linear_extrude(dicke*2)
text(text4);
//text5
translate([breite/2,dicke,hoehe]) rotate([0,0,0]) linear_extrude(dicke*2)
text(text5);
}
viertel("1","2","3","4","5");
rotate([0,0,90]) viertel("6","7","8","9","10");
rotate([0,0,180]) viertel("11","12","13","14","15");
rotate([0,0,270]) viertel("16","17","18","19","20");
```

desk - Project

fastener - 3D Object

This is a fastener for a writing Desk.

The idea is to add a magnet to hold it up and to print it so that it does not require a bearing.

- V1 is the first prototype for a first print test and fitting test
 - fits well and axle didn't print free so need update
 - The reason was that the axle required supports winside the part to build
 - Changed the axle to 45 degree angles to negate the need for supports
- V2 added a better axle but didn't get printed
- V3 added a better cutout and is printed
 - The cutout is currently a dummy pending getting the axle to work to try it out with magnets taped into place
 - axle prints freely so moving on to screw holes, magnets, and covers
- V4 Added final OCD logo and screw caps etc.
 - Mounted and working.




Figure 18. image

Listing 18. Openscad source

```
$fn=100;
mainLength=50;
mainD=15;
mainH=10;
axleD=10;
axleDout=axleD+3;
ringH=2;

magnetX=17;
magnetY=5;
magnetZ=2;

module axle(xx1X,xx1Y) {
    translate([0,0,-xx1Y/2])cylinder(h=mainH+xx1Y,d=axleD+xx1X);
    translate([0,0,((mainH-ringH)/2)]) cylinder(h=ringH,d=axleDout+xx1X);
    translate([0,0,(mainH/2)-((axleDout-axleD)/2+ringH/2)])
cylinder(h=(axleDout-axleD)/2,d1=axleD+xx1X,d2=axleDout+xx1X);
    translate([0,0,(mainH/2)+(ringH/2)]) cylinder(h=((axleDout-
```

```

axleD)/2),d2=axleD+xxlX,d1=axleDout+xxlX);
}
module clip() {
    difference() {
        union(){
            hull(){
                cylinder(d=mainD,h=mainH);
                translate([mainLength,0,0]) cylinder(d=mainD,h=mainH);
            }
            translate([7,-3.5,mainH]) linear_extrude (height=1.5) {
                text("OCD",size=8);
            }
        }
    }
    //magnet
    translate([mainLength-magnetX,-magnetZ/2,(mainH-magnetY)/2+1])
cube([magnetX,magnetZ,magnetY+10]);
    //holder
    holderW=19;
    holderRin=33;
    holderRout=holderRin+holderW;
    difference(){
        translate([0,0,-.1]) cylinder(h=3+.1,r=holderRout);
        translate([0,0,-.11]) cylinder(h=3+.22,r=holderRin);
    }
}
}
module magnetCap(){
    //magnet cap
    difference(){
        cylinder(h=2.8,d=11);
        translate([0,0,-.1]) cylinder(h=2,d=10);
    }
}
module screwCap() {
    //screwcap axle
    cylinder(h=2,d=7.5);
    translate([0,0,2]) cylinder(h=1,d=axleD);
}

//add the clip
difference () {
    clip();
    axle(1,1);
    //REMOVE FOR PRINT!!!! JUST A CUTOUT FOR DEMO
    #translate ([0,-mainD/2-.1,-.01]) cube([mainLength/4,mainH,12]);
}

//add the axle and drill a hole in it for a srew
difference(){
    axle(0,0);

```

```
translate([0,0,-.05]) cylinder(h=mainH+.1,d=4);
translate([0,0,mainH/2]) cylinder(h=(mainH/2)+.1,d=7.5);
//next two lines just a visual
//#ttranslate([0,0,mainH+2]) screwCap();
//#ttranslate([42,0,-.5]) magnetCap();
}
translate([0,-27,3]) rotate([0,180,0]) screwCap();
translate([0,-15,3]) rotate([0,180,0]) magnetCap();
```

fritzring - Project

fritzcolaadapter - 3D Object



Figure 19. image

Listing 19. Openscad source

```
$fn=300;
//35mm measured fromn the 3 initial rings plus 2 mm
height=35;
```

```
//following testing only
height=5;
innerD=61.8 ;
// outerD=66 is good enough for the upper 1/3 part of the zoe can holder
// outerD=65 is good enough for the middle 1/3 part of the zoe can holder
// inner D 61 sticks just a slight bit on the fritzcola bottles but works
// turns out that while innerD 61.2 is fine for the one bottle I tested with the
others are wider
// testing with .5mm extra
// and exchange upper and lower D to make it grow thinnner upwards
// should probably add three indents to make it fit even better but hey....
iterative :-)
// 61.7 sticks just slightly so adding.1mm
lowerOuterD=64;
upperOuterD=66.5;
module flange () {
    difference(){
        translate([0,0,.5]) cylinder(d2=lowerOuterD,d1=upperOuterD,h=height);
        cylinder(d=innerD,h=height+1);
    }
}
flange();
```

geo-test - Project

geoTest - 3D Object

This is not one of mine and I just kiked it as a good example.
I did correct some mistakes in it though.




Figure 20. image

Listing 20. Openscad source

```
// Geody Planet 1 - SCAD
// Geody - https://www.geody.com/
// OpenSCAD - http://www.openscad.org/

wwrad=40; // Radius of the Planet
wrad=wwrad/20; // Radius of the Spot
wradp=wwrad-wrad/2; // Distance of the Spot from the center of the Planet
wres=50; // Resolution of the Spot

latx=48.782345; lonx=9.180819;

rotate(a=[0,0,270]) { import("geody_earthmap.stl", convexity=4); }
// download from https://www.geody.com/geody_earthmap.stl
// sphere(r=wwrad, $fn=wres); // Test Planet

translate([(-wradp)*cos(latx)*cos(lonx),(-
wradp)*cos(latx)*sin(lonx),wradp*sin(latx)]){sphere(r=wrad, $fn=wres);}
```


kitchen-door - Project

KitchenDoorHoleStopper - 3D Object



Figure 21. image

Listing 21. Openscad source

```
//plug for door hinge mounting hole (WHITE)
// door replaced by sliding glass door 27/11/2021
totDepth=15;
insertDiameter=7;
lidDiameter=14;
lidHeight=1;
$fn=100;
color ([1,1,1]) {
    cylinder(h=totDepth,d=insertDiameter);
    cylinder(h=lidHeight,d2=lidDiameter,d1=lidDiameter-lidHeight);
}
```

strikeplate - 3D Object




Figure 22. image

Listing 22. Openscad source

```
$fn=100;
SPlength=170;
SPwidth=28;
SPmaterialStrength=2;

module strikePlate () {
    cube ([SPlength,SPwidth,SPmaterialStrength]);
    translate ([0,0,-10])
        cube ([SPlength,SPmaterialStrength,10]);
}

module screw () {
    *cylinder(h=8,d=3);
    cylinder(h=3,d1=2,d2=7);
}
```

```
difference(){
  strikePlate();
  translate([8.5,10.5,-0.1]) screw();
  translate([85,10.5,-0.1]) screw();
  translate([SPlength-8.5,10.5,-0.1]) screw();
}
```

led-Casing - Project

CasingLED - 3D Object




Figure 23. image

Listing 23. Openscad source

```
// OPENS CAD Model for enclosure for Tine's table
// Curently 3 devices Waatuino, 3.3v to 5v and esp wemos d1 mini
$fn=100;
wigggle=0.01;
module wemos(){
```

```

difference(){
    union(){
        //wemos d1 mini 26mmx35mm h7mm
        cube([26,35,10]);
        translate([9,32,0]) cube([10,5,5]);
    }
    translate([3,5,-wiggle]) cube([1,20,3+wiggle]);
    translate([21,5,-wiggle]) cube([1,20,3+wiggle]);
}
}
module v5v3(){
    union(){
        difference(){
            //volatege level shifter 5v 3v 14mmx16mm h7mm
            cube([14,16,10]);
            translate([3,3,-wiggle]) cube([8,10,3+wiggle]);
        }
        translate([4,4,0]) cube([6,8,3+wiggle]);
    }
}
}
module blanker(){
    //volatege level shifter 5v 3v 14mmx16mm h7mm
    cube([14,18,10]);
}
}
module wattuino(){
    //wattuino arduino 5v clone 22mmx32mm h7mm
    union(){
        difference(){
            cube([19,34,10]);
            translate([2.5,4,-wiggle]) cube([14,26,3+wiggle]);
        }
        translate([3.5,5,0]) cube([12,24,3+wiggle]);
    }
}
}
module casing(){
    //outer casing
    cube([63,37,10]);
}
}
module cabling(){
    //cabling boom
    cube([50,8,3.01]);
}
}
module enclosure(){
    //outer casing and substract
    difference(){
        casing();
        translate([1,1,1]) wemos();
        translate([28,1,1]) v5v3();
        translate([43,1,1]) wattuino();
        translate([28,18,1]) blanker();
    }
}
}

```

```

        translate([7,7,7]) cabling();
    }
}

enclosure();

```

midleton - Project

midletoninset - 3D Object




Figure 24. image

Listing 24. Openscad source

```

//This is an inlet for a whiskey presentation box from Midleton
$fn=50;
//Lower Notches
LowerNotchDepth=3.5;
LowerNotchLength=8;
LowerRNotchLengthOffset=15;
LowerLNotchLengthOffset=14.3;

```

```

module LLnotch(LowerLNotchLengthOffset){
    //Lower Left Notch
    translate([-LowerNotchDepth,LowerLNotchLengthOffset,0])
        cube([LowerNotchDepth,LowerNotchLength,BoxHeight]);
}
module LRnotch(LowerRNotchLengthOffset){
    //Lower Right Notch
    translate([BoxWidth,LowerRNotchLengthOffset,0])
        cube([LowerNotchDepth,LowerNotchLength,BoxHeight]);
}

//Variables for screen
ScreenTopY=75;
ScreenTopX=141;
ScreenTopZ=1;
ScreenEdge=1;
ScreenMaxDepth=7;
module waveshareHDMIscreen(wiggle){
    //full hd screen top face
    //and yes it has rounded corners but let's just start simple.
    union(){
        //Screen dimensions
        cube([ScreenTopY,ScreenTopX,ScreenTopZ+wiggle]);
        translate([ScreenEdge,ScreenEdge,-ScreenMaxDepth])
            cube([ScreenTopY-(2*ScreenEdge),ScreenTopX-
(2*ScreenEdge),ScreenMaxDepth+wiggle]);
        //connecting cable at the edge.
        translate([57,0,-ScreenMaxDepth]) cube([7,7,ScreenMaxDepth]);
        //USB for touch with offsetted connector - wiggle through
        translate([12,19,-ScreenMaxDepth-10])
            cube([30,9,ScreenMaxDepth+10]);
        translate([12,10,-ScreenMaxDepth-10])
            cube([15,12,ScreenMaxDepth+10]);
        //USB for power - wriggle through
        translate([65,95,-ScreenMaxDepth-10])
            cube([5,15,ScreenMaxDepth+10]);
        translate([57,97,-ScreenMaxDepth-10])
            cube([17,11,ScreenMaxDepth+10]);
        //HDMI connector - Wriggle through might not work... might have to make
hole larger
        translate([44,72,-ScreenMaxDepth-10])
            cube([30,20,ScreenMaxDepth+10]);
        //Audio?
        translate([51,56.75,-ScreenMaxDepth-4])
            cube([23,7.5,ScreenMaxDepth+4]);
        //The screw holes
        Standoffs();
        //The mounting holes for the displaycover
        translate([0+10,0-5,-ScreenMaxDepth-6])
            cylinder(h=20,d=4.8);
    }
}

```

```

        translate([0+10,ScreenTopX+5,-ScreenMaxDepth-6])
            cylinder(h=20,d=4.8);
        translate([ScreenTopY-10,0-5,-ScreenMaxDepth-6])
            cylinder(h=20,d=4.8);
        translate([ScreenTopY-10,ScreenTopX+5,-ScreenMaxDepth-6])
            cylinder(h=20,d=4.8);
    }
}
StandoffDepth=9;
StandoffSpace=1;
StandoffScrewHead=2;
module HolePeg(offset1){
    //standoff
    translate([0,0,-StandoffDepth+1]+offset1)
        cylinder(h=StandoffDepth-1,r=3.05);
    //screwshaft
    translate([0,0,-StandoffDepth-StandoffSpace+1]+offset1)
        cylinder(h=StandoffDepth+StandoffSpace-1,r=1);
    //Screw head
    translate([0,0,-StandoffDepth-StandoffSpace-StandoffScrewHead+1]+offset1)
        cylinder(h=StandoffScrewHead,r=3);
}
module Standoffs(){
    //Outside holes
    //one
    *HolePeg([6,9,0]);
    HolePeg([6.5,9.75,0]);
    //the rest
    HolePeg([69,22,0]);
    HolePeg([6,132.5,0]);
    HolePeg([53,132.5,0]);

    //inside holes
    HolePeg([11.5,52.5,0]);
    HolePeg([60.5,52.5,0]);
    HolePeg([60.5,110.5,0]);
    HolePeg([11.5,110.5,0]);
}

// Middleton box measurements
//Real total Height
//BoxHeight=61;
//Display inset Height
BoxHeight=10.5;
//testprint
//BoxHeight=8.5;
BoxWidth=83.8;
LowerPartLength=162.5;
//testing value
//LowerPartLength=50;

```

```

LowerPartWallThickness=1.5;
LowerPartFloorThickness=1.5;
module Displaymodule() {
    //Lower part of the box
    difference(){
        //Outercube
        cube([BoxWidth,LowerPartLength,BoxHeight]);
        //subtract for inner space

*translate([LowerPartWallThickness,LowerPartWallThickness,LowerPartFloorThicknes
s])
        cube([BoxWidth-2*LowerPartWallThickness,LowerPartLength,BoxHeight-(
2*LowerPartFloorThickness)]);
    }
    LLnotch(LowerLNotchLengthOffset);
    LRnotch(LowerRNotchLengthOffset);
}
//Displaymodule();
//Standoffs();
//waveshareHDMIscreen();

// put it all together
difference(){
    Displaymodule();
    //Screen
    translate([(BoxWidth-ScreenTopY)/2,(BoxWidth-ScreenTopY)/2+6,BoxHeight-S
creenTopZ])
        waveshareHDMIscreen(.1);
    //for testprint only
    *translate([-10,10,2.5])cube([100,130,15]);
    *translate([10,-10,2.5])cube([65,160,15]);
}
//remove for print... only for animation
*translate([(BoxWidth-ScreenTopY)/2,(BoxWidth-ScreenTopY)/2+6,(BoxHeight-S
creenTopZ)+30*(1-$t)]) waveshareHDMIscreen(0);

```

midleton2 - Project

internal-volume - 3D Object

the internal Volume of a presentation box to test ideas on.




Figure 25. image

Listing 25. Openscad source

```
//inside of midleton wooden box with double doors  
height=260;  
width=111.1;  
depth=108.5;  
  
#cube([width,depth,height]);
```

modelTruckRepair - Project

steeringaxle - 3D Object




Figure 26. image

Listing 26. Openscad source

```
$fn=50;

module tabbedCylinder(){
    difference(){
        union (){
            cylinder(h=2,d1=3,d2=3);
            cylinder(h=4.6,d1=1.8,d2=1.8);
            translate ([0,0,3.4]) cylinder(h=1.2,d1=2.2,d2=1.8);
        }
        translate ([0,0,3.5]) cube([.6,2.5,2.5],center=true);
    }
}

module EndCylinder(){
    union (){
        cylinder(h=2,d1=3,d2=3);
        cylinder(h=4.6,d1=1.8,d2=1.8);
    }
}
```

```
module steeringAxle(){
  //axis
  translate ([1.5,0,0]) cube([34,3,2]);
  //connector
  translate ([1.5,1.5,0]) EndCylinder();
  //connector
  translate ([35.5,1.5,0]) EndCylinder();
}

steeringAxle();
translate([0,15,0]) tabbedCylinder();
```

monitor - Project

buttonBack - 3D Object

Button backing for the monitor.





Figure 27. image

Listing 27. Openscad source

```
$fn=100;  
holeEndD=16.1;  
holeLength=120.1;  
buttonHolderHeight=.5;  
  
hull(){  
    cylinder(h=buttonHolderHeight,d=holeEndD);  
    translate([holeLength-holeEndD,0,0])  
    cylinder(h=buttonHolderHeight,d=holeEndD);  
}
```

screen_mounting_tabs - 3D Object

*Figure 28. image**Listing 28. Openscad source*

```
$fn=100;  
tab_height=.3;
```

```
tab2bottom=2.4;

plus=.1; // this is to make parts larger than the hole they are to make
plusH=plus/2;

hole_d=2;
tab1_hole_spacing=8;
tab2_hole_spacing=6;
shim_height=tab2bottom-tab_height;
shim_depth=6;
shim_width=18;

module tab1(spacing){
    difference(){
        cube([shim_width,shim_depth,shim_height]);
        translate([shim_width/2-spacing/2,(shim_depth/2),-plusH])
            union() {
                cylinder(h=shim_height+plus,d=hole_d);
                translate([spacing,0,0]) cylinder(h=shim_height+plus,d=hole_d);
            }
    }
}

//for the bottom tabs
//tab1(tab1_hole_spacing);

//for the top tabs
tab1(tab2_hole_spacing);
```

odroid-case - Project

Library-container - 3D Object

This is the Library for the case.

I sourced the methods out so as to be able to re-use them better.



Figure 29. image

Listing 29. Openscad source

```

module nibLeft(x,y,z,nibR) {
    translate([x,y/10,0]) cylinder(h=z,r=nibR);
    translate([x,9*(y/10),0]) cylinder(h=z,r=nibR);
}
module nibRight(x,y,z,nibR) {
    translate([0,y/10,0]) cylinder(h=z,r=nibR);
    translate([0,9*(y/10),0]) cylinder(h=z,r=nibR);
}
module nibBottom(x,y,z,nibR) {
    translate([x/10,0,0]) cylinder(h=z,r=nibR);
    translate([9*(x/10),0,0]) cylinder(h=z,r=nibR);
}
module nibTop(x,y,z,nibR) {
    translate([x/10,y,0]) cylinder(h=z,r=nibR);
    translate([9*(x/10),y,0]) cylinder(h=z,r=nibR);
}
module containerOpenLid(x,y,z,rimThick,bottomThick,nibYN,nibR) {
    rimR=rimThick/2;

```

```
//all 8 corners defined first
//corners should be AROUND the contained cube defined by x y z
corner000=[0,0,0];
corner0=[-rimR,-rimR,-(rimR+bottomThick)];
corner0x=[x+rimR,-rimR,-(rimR+bottomThick)];
corner0y=[-rimR,y+rimR,-(rimR+bottomThick)];
corner0xy=[x+rimR,y+rimR,-(rimR+bottomThick)];
corner0z=[-rimR,-rimR,z];
corner0xz=[x+rimR,-rimR,z];
corner0yz=[-rimR,y+rimR,z];
corner0xyz=[x+rimR,y+rimR,z]; //draw the debug contents
translate([0,0,-bottomThick]) cube([x,y,bottomThick]);
module corner0() {
    translate(corner0) sphere(r=rimR);
}
module corner0x() {
    translate(corner0x) sphere(r=rimR);
}
module corner0y() {
    translate(corner0y) sphere(r=rimR);
}
module corner0xy() {
    translate(corner0xy) sphere(r=rimR);
}
module corner0z() {
    translate(corner0z) sphere(r=rimR);
}
module corner0xz() {
    translate(corner0xz) sphere(r=rimR);
}
module corner0yz() {
    translate(corner0yz) sphere(r=rimR);
}
module corner0xyz() {
    translate(corner0xyz) sphere(r=rimR);
}
if (nibYN=="nibY") {
    nibBottom(x,y,z,nibR);
    nibLeft(x,y,z,nibR);
    nibRight(x,y,z,nibR);
    nibTop(x,y,z,nibR);
}
union(){
    //floor
    hull(){
        corner0();
        corner0x();
        corner0y();
        corner0xy();
    }
}
```

```

    //left
    hull(){
        corner0();
        corner0z();
        corner0y();
        corner0yz();
    }
    //right
    hull(){
        corner0x();
        corner0xy();
        corner0xyz();
        corner0xz();
    }
    //top
    hull(){
        corner0y();
        corner0yz();
        corner0xyz();
        corner0xy();
    }
    //bottom
    hull(){
        corner0();
        corner0z();
        corner0x();
        corner0xz();
    }
}

// example
//caseRim=1.5;
//$fn=100;
//odH=10;
//odW=156;
//odD=73;
//odJSH=6;
//#containerOpenLid(odW,odD,odH,caseRim,odJSH-caseRim,"nibY",.6);
//cube([odW,odD,odH]);

module containerVertSlot(x,y,z,rimThick,bottomThick,nibYN,nibR) {
    rimR=rimThick/2;
    //all 8 corners defined first
    //corners should be AROUND the contained cube defined by x y z
    corner000=[0,0,0];
    corner0=[-rimR,-rimR,-(rimR+bottomThick)];
    corner0x=[x+rimR,-rimR,-(rimR+bottomThick)];
    corner0y=[-rimR,y+rimR,-(rimR+bottomThick)];
    corner0xy=[x+rimR,y+rimR,-(rimR+bottomThick)];

```



```

corner0z=[-rimR,-rimR,z];
corner0xz=[x+rimR,-rimR,z];
corner0yz=[-rimR,y+rimR,z];
corner0xyz=[x+rimR,y+rimR,z]; //draw the debug contents
translate([0,0,-bottomThick]) cube([x,y,bottomThick]);
module corner0() {
    translate(corner0) sphere(r=rimR);
}
module corner0x() {
    translate(corner0x) sphere(r=rimR);
}
module corner0y() {
    translate(corner0y) sphere(r=rimR);
}
module corner0xy() {
    translate(corner0xy) sphere(r=rimR);
}
module corner0z() {
    translate(corner0z) sphere(r=rimR);
}
module corner0xz() {
    translate(corner0xz) sphere(r=rimR);
}
module corner0yz() {
    translate(corner0yz) sphere(r=rimR);
}
module corner0xyz() {
    translate(corner0xyz) sphere(r=rimR);
}
if (nibYN=="nibY") {
    nibLeft(x,y,z,nibR);
    nibRight(x,y,z,nibR);
}
union(){
    //floor
    hull(){
        corner0();
        corner0x();
        corner0y();
        corner0xy();
    }
    //left
    hull(){
        corner0();
        corner0z();
        corner0y();
        corner0yz();
    }
    //right
    hull(){

```

```

        corner0x();
        corner0xy();
        corner0xyz();
        corner0xz();
    }
}
}
// example
//caseRim=1.5;
//$fn=100;
//odH=10;
//odW=15;
//odD=73;
//odJSH=6;
//containerVertSlot(odW,odD,odH,caseRim,odJSH-caseRim,"nibY",.6);
//cube([odW,odD,odH]);

if (library) {} else {
    echo("trying to compile a library!");
    linear_extrude(height = 4) {
        text("trying to compile a library!");
    }
}

```

case - 3D Object

A case for an odroid handgeld console and accessories.

The edges are rounded and there are cutouts for the parts that protrude from the console.




Figure 30. image

Listing 30. Openscad source

```
include <Library-container.scad>
caseRim=3;
holdersR=.7;
$fn=100;
kbD=82;
kbW=210;
kbH=7;
library=true;

odH=10;
odW=156;
odD=73;

odJSW=28-13;
odJSR=odJSW/2;
odJSoffX=13;
odJSoffY=11;
```

```

odJSH=6;
odBRW=118-38;
odBRD=12-5;
odBROffX=38;
odBROffY=5;
odCRW=28-7;
odCRD=58-37;
odCROffX=7;
odCROffY=37;
odTBW=152-120;
odTBD=61-27;
odTBOffX=120;
odTBOffY=27;
odTLOffX=23;
odTLOffY=odD;
odTLW=33-23;
odTLD=2;
odTH=20;
odTROffX=123;
odTROffY=odD;
odTRW=odTLW;
odTRD=odTLD;
odDPW=odBRW;
odDPD=67-14;
odDPOffY=14;
odDPOffX=odBROffX;

//the odroid travel case with cutouts for buttons etc
difference(){
    //the container itself
    translate([caseRim/2,caseRim/2,odJSH])
    containerOpenLid(odW,odD,odH,caseRim,odJSH-caseRim,"nibY",.6);
    offset=.01;
    //the cutouts
    translate([1.5,.75,-offset/2]) union() {
        translate([odW-odJSR*2-odJSoffX,odJSoffY,0]+[odJSR,odJSR,0])
        cylinder(h=odJSH+offset,r=odJSR);
        translate([odW-odBRW-odBROffX,odBROffY,0])
        cube([odBRW,odBRD,odJSH+offset]);
        translate([odW-odCRW-odCROffX,odCROffY,0])
        cube([odCRW,odCRW,odJSH+offset]);
        translate([odW-odTBW-odTBOffX,odTBOffY,0])
        cube([odTBW,odTBW,odJSH+offset]);
        translate([odW-odTLW-odTLOffX,odTLOffY,odJSH-.1])
        cube([odTLW,odTLD,odTH+offset]);
        translate([odW-odTRW-odTROffX,odTROffY,odJSH-.1])
        cube([odTRW,odTRD,odTH+offset]);
        translate([odW-odDPW-odDPOffX,odDPOffY,0])
        cube([odDPW,odDPD,odJSH+offset]);
    }
}

```

```
}  
//add on some slots for peripherals  
floorDepth=0;  
//microuter slot  
translate([caseRim/2+caseRim+odW,caseRim/2,floorDepth])  
    containerVertSlot(12,odD,odH+odJSH,caseRim,floorDepth-caseRim,"nibY",.6);  
//micro USB 3 Port Hub  
translate([caseRim/2+2*caseRim+odW+12,caseRim/2,floorDepth])  
    containerVertSlot(19.5,odD,odH+odJSH,caseRim,floorDepth-caseRim,"nibY",.6);
```

openai - Project

I decided to have a go to see where openAI's chatGPT has its limits.

And it does have limits.

It's interesting to see that while it seems to know what an object might consist of it has a very hard time making the object in any way accurate.

In any case it's Interesting.

esp8266case-chatgpt - 3D Object

This one is also interesting in that it does some difference etc but it's really not a model of a case.

It looks like it gets the basic premise of subtracting one thing from another etc.

On the other hand it doesn't seem to have a clue about dimensions.

Either way an interesting experiment which shows up the limitations of GPT models.




Figure 31. image

Listing 31. Openscad source

```
// Create the base of the case
translate([0, 0, 5]) {
  cube([30, 20, 10]);
}

// Create the sides of the case
translate([0, 0, 15]) {
  cube([30, 20, 10]);
  translate([15, 10, 15]) {
    rotate([0, 90, 0]) {
      cube([30, 20, 10]);
    }
  }
}

// Create the lid of the case
translate([0, 0, 25]) {
```

```
cube([30, 20, 5]);
translate([15, 10, 25]) {
  rotate([0, 90, 0]) {
    cube([30, 20, 5]);
  }
}

// Create the opening for the ESP8266
translate([15, 10, 30]) {
  rotate([0, 90, 0]) {
    cube([20, 15, 5]);
  }
}
```

solar-generator-chatgpt - 3D Object

This is also an interesting experiment.

I asked chatGPT to make a solar generator openscad model and this came out.

On the other hand it seems to be good at figuring out what should be part of a solar generator.

I'll have to take closer look of what it did here and how hard it is to fix it.

This could be promising in total but right now it more or less seems to have hit a brick wall that seems to relate to dimensions etc.

In other words it's good at creating a structure but not so good at understanding the physics of what it made.



Figure 32. image

Listing 32. Openscad source

```
// Create the base of the solar generator
translate([0, 0, 5]) {
    cube([200, 100, 10]);
}

// Create the solar panels of the solar generator
translate([0, 0, 15]) {
    for (i = [0:3]) {
        rotate([0, i * 90, 0]) {
            cube([100, 10, 10]);
        }
    }
}

// Create the handle of the solar generator
translate([100, -50, 25]) {
    rotate([90, 0, 0]) {
        cylinder(r=5, h=50);
    }
}
```



```
}  
}  
  
// Create the control panel of the solar generator  
translate([0, 0, 65]) {  
  cube([20, 20, 10]);  
  translate([5, 5, 10]) {  
    rotate([0, 45, 0]) {  
      cube([10, 10, 10]);  
    }  
  }  
}  
  
// Create the outlets of the solar generator  
translate([0, 0, 75]) {  
  for (i = [0:2]) {  
    translate([i * 35, 0, 0]) {  
      rotate([0, 90, 0]) {  
        cylinder(r=5, h=10);  
      }  
    }  
  }  
}
```

teacup-chatgpt - 3D Object

What chatGPT thinks a teacup could look like in openscad.

It's interesting to see that it's structured and syntactically more or less correct but is also not a tea cup.




Figure 33. image

Listing 33. Openscad source

```
// Create the base of the tea cup
cylinder(r=50, h=10);

// Create the handle of the tea cup
translate([-60, 30, 0]) {
  rotate([0, 90, 0]) {
    cylinder(r=10, h=30);
  }
}

// Create the rim of the tea cup
translate([0, 0, 10]) {
  cylinder(r=60, h=5);
}

// Create the body of the tea cup
translate([0, 0, 15]) {
  cylinder(r=50, h=50);
}
```

```
}  
  
// Cut out the handle from the body of the tea cup  
translate([-60, 30, 0]) {  
  rotate([0, 90, 0]) {  
    difference() {  
      cylinder(r=50, h=50);  
      cylinder(r=10, h=30);  
    }  
  }  
}
```

piZero - Project

- Required for a rpi zero cluster
- need to add a few extra parts
 - a holder for a USB hub
 - A holder for the PSU
 - some extra stuff

RPI_zero_Cluster_mounting_bracket_power - 3D Object




Figure 34. image

Listing 34. Openscad source

```
//This WILL e the power base and possibly usb hub holdewr for the cluster
//needs the mounting posts to sit the cluster on top of
//requires a base for the power brick and a holder for the USB hub whic can sit
upright next to the cluster

$fn = 50;

module stack_joins()
{
    mount_h = 20;
    Ro=4;
    Ri=2.5;
    Rp=Ri-0.4;
    difference() {
        union() {
            translate([-39, 21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }
            translate([ 39,-21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
```

```

center=true); }
    translate([-39,-21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }
    translate([ 39, 21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }

    translate([ 39, 21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }
    translate([-39, 21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }
    translate([-39,-21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }
    translate([ 39,-21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }

    translate([ 39, 21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
    translate([-39, 21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
    translate([-39,-21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
    translate([ 39,-21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
}
union() {
    translate([ 39, 21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
    translate([-39, 21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
    translate([-39,-21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
    translate([ 39,-21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
}
}
}
//parameters for the hub and the brick
BRKx=130; BRKy=67; BRKz=32.5;BRKd=8;
HUBx=12.5; HUBy=32.5; HUBz=75;

module power_brk(x,y,z,d) {
    translate ([-x/2,-y/2,-z/2]) cube([x,y,z]);
}
module power_brick(x,y,z,d) {
    union() {
        BTR=[x/2+d/2,y/2+d/2,z/2+d/2];
        FTR=[x/2+d/2,-y/2-d/2,z/2+d/2];
        BTL=[-x/2-d/2,y/2+d/2,z/2+d/2];
        FTL=[-x/2-d/2,-y/2-d/2,z/2+d/2];
        BR=[x/2+d/2,y/2+d/2,-z/2];
        FR=[x/2+d/2,-y/2-d/2,-z/2];
        BL=[-x/2-d/2,y/2+d/2,-z/2];
        FL=[-x/2-d/2,-y/2-d/2,-z/2];
        hull() {

```

```

        translate(BTR) sphere(d=d);
        translate(FTR) sphere(d=d);
        translate(BTL) sphere(d=d);
        translate(FTL) sphere(d=d);
    }
    translate(BR) cylinder(h=y/2+d/4,d=d);
    translate(FR) cylinder(h=y/2+d/4,d=d);
    translate(BL) cylinder(h=y/2+d/4,d=d);
    translate(FL) cylinder(h=y/2+d/4,d=d);
}
}
module usb_hub(x,y,z,d) {
    *cube([x,y,z]);
    FBL=[-d/2,-d/2,0];
    FBR=[x+d/2,-d/2,0];
    FTL=[-d/2,-d/2,z+d/2];
    FTR=[x+d/2,-d/2,z];
    BBL=[-d/2,+d/2+y,0];
    BBR=[x+d/2,+d/2+y,0];
    BTL=[-d/2,+d/2+y,z];
    BTR=[x+d/2,+d/2+y,z+d/2];
    //xleft
    hull () {
        translate(FBL) sphere(d=d);
        translate(BTL) sphere(d=d); }
    hull () {
        translate(FTL) sphere(d=d);
        translate(BBL) sphere(d=d); }
    //xright
    hull () {
        translate(FBR) sphere(d=d);
        translate(BTR) sphere(d=d); }
    hull () {
        translate(FTR) sphere(d=d);
        translate(BBR) sphere(d=d); }
    //top front2back
    hull () {
        translate(FTL) sphere(d=d);
        translate(BTL) sphere(d=d); }
    hull () {
        translate(FTR) sphere(d=d);
        translate(BTR) sphere(d=d); }
    //top left2right
    hull () {
        translate(BTL) sphere(d=d);
        translate(BTR) sphere(d=d); }
    hull () {
        translate(FTL) sphere(d=d);
        translate(FTR) sphere(d=d); }
    //bottom front2back

```

```

hull () {
    translate(FBL) sphere(d=d);
    translate(BBL) sphere(d=d); }
hull () {
    translate(FBR) sphere(d=d);
    translate(BBR) sphere(d=d); }
//bottom left2right
hull () {
    translate(BBL) sphere(d=d);
    translate(BBR) sphere(d=d); }
hull () {
    translate(FBL) sphere(d=d);
    translate(FBR) sphere(d=d); }
}

//display the stuff
//case
translate([0,0,-5]) {
    translate([(BRKx/2)-(HUBx/2)+(BRKd/4)-BRKd), -HUBy/2, BRKz/2+BRKd])
usb_hub(HUBx, HUBy, HUBz, BRKd);
    power_brick(BRKx, BRKy, BRKz, BRKd);
}
//the stack pins
difference() {
    stack_joins();
    translate([0,0,-5]) power_brk(BRKx, BRKy, BRKz, BRKd);
}
//just the hub
*usb_hub(HUBx, HUBy, HUBz, BRKd);

```

RPI_zero_Cluster_mounting_bracket_v2 - 3D Object




Figure 35. image

Listing 35. Openscad source

```
$fn = 100;

module mount(x, y, z)
{
    mount_h = 7;
    mount_h2 = 3;

    difference()
    {
        union()
        {
            translate([-29, 11.5, mount_h/2]) { cylinder(h=mount_h, r=2,
center=true); }
            translate([ 29,-11.5, mount_h/2]) { cylinder(h=mount_h, r=2,
center=true); }
            translate([-29,-11.5, mount_h/2]) { cylinder(h=mount_h, r=2,
center=true); }
            translate([ 29, 11.5, mount_h/2]) { cylinder(h=mount_h, r=2,
```



```

center=true); }

        translate([x+29, y, z + 3/2]) { cube([4, 23.0, mount_h2],
center=true); }
        translate([x-29, y, z + 3/2]) { cube([4, 23.0, mount_h2],
center=true); }

        translate([x, y, z + mount_h2/2]) { cube([58, 5.0, mount_h2],
center=true); }

        delta=2.1;
        translate([x+35-delta, y-17.5+delta, z + mount_h/2]) rotate([0, 0,
45]) {{ cube([4, 12.0, mount_h], center=true); }}
        translate([x+35-delta, y+17.5-delta, z + mount_h/2]) rotate([0, 0,-
45]) {{ cube([4, 12.0, mount_h], center=true); }}

        translate([x-35+delta, y-17.5+delta, z + mount_h/2]) rotate([0, 0,-
45]) {{ cube([4, 12.0, mount_h], center=true); }}
        translate([x-35+delta, y+17.5-delta, z + mount_h/2]) rotate([0, 0,
45]) {{ cube([4, 12.0, mount_h], center=true); }}

    }
    union()
    {
        translate([ 29, 11.5, mount_h/2 + mount_h * 0.15]) {
cylinder(h=mount_h, r=2.70/2, center=true); }
        translate([-29, 11.5, mount_h/2 + mount_h * 0.15]) {
cylinder(h=mount_h, r=2.70/2, center=true); }
        translate([-29,-11.5, mount_h/2 + mount_h * 0.15]) {
cylinder(h=mount_h, r=2.70/2, center=true); }
        translate([ 29,-11.5, mount_h/2 + mount_h * 0.15]) {
cylinder(h=mount_h, r=2.70/2, center=true); }
    }
}

module stack_joins(x, y, z)
{
    mount_h = 20;
    Ro=4;
    Ri=2.5;
    Rp=Ri-0.4;

    difference()
    {
        union()
        {

```

```

        translate([-39, 21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }
        translate([ 39,-21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }
        translate([-39,-21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }
        translate([ 39, 21.5, mount_h/2]) { cylinder(h=mount_h, r=Ro,
center=true); }

        translate([ 39, 21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }
        translate([-39, 21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }
        translate([-39,-21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }
        translate([ 39,-21.5, mount_h/2 + mount_h * 0.35]) {
cylinder(h=mount_h, r=Rp, center=true); }

        translate([ 39, 21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
        translate([-39, 21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
        translate([-39,-21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
        translate([ 39,-21.5, mount_h + mount_h * 0.35]) { sphere(r=Rp); }
    }
    union()
    {
        translate([ 39, 21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
        translate([-39, 21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
        translate([-39,-21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
        translate([ 39,-21.5, mount_h/2 - mount_h * 0.15]) {
cylinder(h=mount_h, r=Ri, center=true); }
    }
}

module model()
{
    mount(0, 0, 0);
    stack_joins(0, 0, 0);
}

model();

```

RPi_zero_mount - 3D Object

This also is NOT one of mine but I've cleaned it up a bit as it wasn't displaying correctly. I needed it for a pi cluster and as it's quite good I didn't reinvent the wheel here.



Figure 36. image

Listing 36. Openscad source

```
/* [Base] */
//type = 1; //[1:"Hexagon Grid",2:"Skeleton"]

/* [Hidden] */
$fn = 32;
zero_x = 64;
zero_y = 29;
zero_z = 1.5;

mounts_z = 8.5;
mounts_radius = 2.1;
screw_holes = 2.6;
screw_holes_radius = 1.5;
screw_holes_depth = 10.7;

base_x = zero_x - 2*3.0;
base_y = zero_y - 2*3.0;
base_z = zero_z;
```

```

mount_x = zero_x/2 - screwholes;
mount_y = zero_y/2 - screwholes;
mount_z = zero_z + mounts_z;
screwhole_base_z = mount_z - screwholes_depth;

module baseplate(){
    translate([-zero_x/2+3,-zero_y/2+3,0])
        minkowski(){
            cube([base_x,base_y,base_z/2]);
            cylinder(r=3.0,h=base_z/2);
        }
}

module mounts(){
    translate([0,0,0]) cylinder(r=3.0,h=mount_z);
    translate([-mount_x, -mount_y, 0]) cylinder(r=mounts_radius,h=mount_z);
    translate([-mount_x, +mount_y, 0]) cylinder(r=mounts_radius,h=mount_z);
    translate([+mount_x, -mount_y, 0]) cylinder(r=mounts_radius,h=mount_z);
    translate([+mount_x, +mount_y, 0]) cylinder(r=mounts_radius,h=mount_z);
}

module hexagon (radius=8,latticeWidth=8,latticeLength=16,spacing=1,height=2){
    linear_extrude(height) {
        for(j = [0:latticeWidth-1]) {

translate([(sqrt(3)*radius)+spacing)/2*(j%2),sqrt((pow(((sqrt(3)*radius)+spacing),2))-
(pow((((sqrt(3)*radius)+spacing))/2,2))*j,0)] {
            for(i = [0:latticeLength-1]) {
                translate([(sqrt(3)*radius*i)+spacing*i,0,0]) {
                    rotate([0,0,30]) {
                        circle(radius, $fn = 6);
                    }
                }
            }
        }
    }
}

module hex_border(){
    difference(){
        baseplate();
        holes();
        translate([0,0,-.01]) scale([0.9,0.8,1.02]) baseplate();
    }
}

module holes(){
    translate([0,0,screwhole_base_z+0.4]) {
        translate([0,0,0]) cylinder(r=screwholes_radius*1.5,h=screwholes_depth);
    }
}

```

```

        translate([-mount_x, -mount_y, 0])
cylinder(r=screwholes_radius, h=screwholes_depth);
        translate([-mount_x, +mount_y, 0])
cylinder(r=screwholes_radius, h=screwholes_depth);
        translate([+mount_x, -mount_y, 0])
cylinder(r=screwholes_radius, h=screwholes_depth);
        translate([+mount_x, +mount_y, 0])
cylinder(r=screwholes_radius, h=screwholes_depth);
    };
}

module result(){
    difference(){
        translate([-2.5, -base_y/2, 0]) cube([5, base_y, base_z]);
        translate([0, 10, -3]) cylinder(d=1.5, h=10);
        translate([0, -10, -3]) cylinder(d=1.5, h=10);
        holes();
    }
    translate([0, 0, 0])
    hex_border();
    difference(){
        translate([0, 0, 0]) cylinder(r=3.0, h=mount_z);
        holes();
    }
    difference(){
        mounts();
        holes();
    }
    difference(){
        baseplate();
        holes();
        translate([-zero_x/2-5, -zero_y/2+1.5, -0.1]) hexagon();
    }
}

difference(){
    result();
    translate([0, 10, -3]) cylinder(d=1.5, h=10);
    translate([0, -10, -3]) cylinder(d=1.5, h=10);
}

```

rack - Project

include-Modules-v1 - 3D Object



Figure 37. image

Listing 37. Openscad source

```
//Script to create a DC RU Rack
//Author Sean Donnellan
//VERSION 0.0.1

//
// Variables
//
// Global
// an inch is 2.54cm
// Standard 19" rack has 1.75 inches per RU - convert to mm
Factor=2.54 * 10;
StandardRackUnitHeight=(1.75 * Factor);
// Floor covering and tiles
//
FloorColor=[200/255, 200/255, 255/255];
FloorTileHeight=40;
FloorTileGap=10;
FloorTileXOffset=600;
```

```
FloorTileY0ffset=600;
FloorTile=[FloorTileX0ffset - FloorTileGap,FloorTileY0ffset -
FloorTileGap,FloorTileHeight];
//DC Floor supports
//
RaisedFloorHeight=500;
RaisedFloorTransparency=0.8;
RaisedFloorColor=[150/255, 150/255, 150/255];
FSd=60;
RaisedFloorStrutDiameter=60;
FloorCarrierDiameter=60;
// Rack
//
StandardRackUnitWidth=19 * Factor;
//NumRackUnits=42;
//RackRackUnitDepth=650;
//RackWidth=800;
//RackDepth=1200;
//RackHeight=2000;
/////first Rail mount hole offset from floor (normally one RU is enough for
visuals Exaxt amount can also be entered)
//RailHeightOffset=StandardRackUnitHeight;
SpecsIndent=100;
RackFrameThickness=20;
//RAL9005 14,14,16
RackColor=[14/255, 14/255, 16/255];
//Variables Are hard coded as they are standard and do not vary
RailWidth=15.875;
RailDepth=5;
CageNutWidth=9;
RackNutPos1=6.35;
RackNutPos2=(RackNutPos1+15.875);
RackNutPos3=(RackNutPos2+15.875);
// Devices
//
//Cosmetic gap
RackUnitGap=3;
RackUnitColor=[100/255, 100/255, 100/255];
RackUnitColorRed=[200/255, 100/255, 100/255];
RackUnitColorGreen=[100/255, 200/255, 100/255];
RackUnitColorBlue=[100/255, 100/255, 200/255];
RackUnitColorYellow=[200/255, 200/255, 100/255];
Rotation=[0,0,0];
Translation=[0,0,0];
// Title
//
FloatLabelColor=[1,1,1];
FloatLabelColorTitle=[0,0,1];
//Label transparency - 1=solid 0=invisible 0.5=half transparent
LabelT=1;
```

```
// Air flow
//
afTransp=.23;
afCold=[0,0,1];
afHot=[1,0,0];
afArrowSize=300;

//
// Modules
//

// Rack mounted Devices
//
//
module
placeInRack(RUp,RackUnitWidth,RackUnitHeight,RackUnitDepth,RackUnitColor,Label,A
FIn,AFOut,Side){
    XWiggle=RackWidth - StandardRackUnitWidth;
    ZWiggle=RackDepth - RackRackUnitDepth;
    OffsetInRack=[ XWiggle/2 , ZWiggle/2 , ((RUp * StandardRackUnitHeight)-
(StandardRackUnitHeight))+(RailHeightOffset)];

    translate(OffsetInRack)

multiRackUnit(RackUnitWidth,RackUnitHeight,RackUnitDepth,RackUnitColor,Label,AFI
n,AFOut,Side);
}

module multiRackUnit
(RackUnitWidth,RackUnitHeight,RackUnitDepth,RackUnitColor,Label,afin,afout,Side)
{
    Rotation=
        Side=="front-inside" ? [0,0,0] :
        Side=="right-inside" ? [0,0,90] :
        Side=="rear-inside" ? [0,0,180] :
        Side=="left-inside" ? [0,0,270] :
        Side=="front-inside-reverse" ? [0,0,180] :
        Side=="right-inside-reverse" ? [0,0,270] :
        Side=="rear-inside-reverse" ? [0,0,0] :
        Side=="left-inside-reverse" ? [0,0,90] :
        Side=="front-outside" ? [0,0,0] :
        Side=="right-outside" ? [0,0,90] :
        Side=="rear-outside" ? [0,0,180] :
        Side=="left-outside" ? [0,0,270] :
        Side=="front-outside-reverse" ? [0,0,180] :
        Side=="right-outside-reverse" ? [0,0,270] :
        Side=="rear-outside-reverse" ? [0,0,0] :
        Side=="left-outside-reverse" ? [0,0,90] :
        Side=="frp-inside" ? [0,0,0] :
        Side=="frp-outside" ? [0,0,0] :
```



```

Side=="flp-inside" ? [0,0,0] :
Side=="flp-outside" ? [0,0,0] :
Side=="rrp-inside" ? [0,0,0] :
Side=="rrp-outside" ? [0,0,0] :
Side=="rlp-inside" ? [0,0,0] :
Side=="rlp-outside" ? [0,0,0] :
Side=="shelf-c" ? [0,0,0] :
Side=="shelf-r" ? [0,0,0] :
Side=="shelf-l" ? [0,0,0] :
[0,0,0] ;

Translation=
Side=="front-inside" ? [(StandardRackUnitWidth/2)-(RackUnitWidth/2),0,0]
:
Side=="right-inside" ? [StandardRackUnitWidth,(RackRackUnitDepth/2)-(
(RackUnitWidth/2),0] :
Side=="rear-inside" ?
[(StandardRackUnitWidth/2)+(RackUnitWidth/2),RackRackUnitDepth,0] :
Side=="left-inside" ? [0,(RackRackUnitDepth/2)+(RackUnitWidth/2),0] :
Side=="front-inside-reverse" ?
[(StandardRackUnitWidth/2)+(RackUnitWidth/2),RackUnitDepth,0] :
Side=="right-inside-reverse" ? [StandardRackUnitWidth-
RackUnitDepth,(RackRackUnitDepth/2)+(RackUnitWidth/2),0] :
Side=="rear-inside-reverse" ? [(StandardRackUnitWidth/2)-
(RackUnitWidth/2),RackRackUnitDepth-RackUnitDepth,0] :
Side=="left-inside-reverse" ? [RackUnitDepth,(RackRackUnitDepth/2)-
(RackUnitWidth/2),0] :
Side=="front-outside" ? [(StandardRackUnitWidth/2)-(RackUnitWidth/2),-
RackUnitDepth,0] :
Side=="right-outside" ?
[StandardRackUnitWidth+RackUnitDepth,(RackRackUnitDepth/2)-(RackUnitWidth/2),0]
:
Side=="rear-outside" ?
[(StandardRackUnitWidth/2)+(RackUnitWidth/2),RackRackUnitDepth+RackUnitDepth,0]
:
Side=="left-outside" ? [-
RackUnitDepth,(RackRackUnitDepth/2)+(RackUnitWidth/2),0] :
Side=="front-outside-reverse" ?
[(StandardRackUnitWidth/2)+(RackUnitWidth/2),0,0] :
Side=="right-outside-reverse" ?
[StandardRackUnitWidth,(RackRackUnitDepth/2)+(RackUnitWidth/2),0] :
Side=="rear-outside-reverse" ? [(StandardRackUnitWidth/2)-
(RackUnitWidth/2),RackRackUnitDepth,0] :
Side=="left-outside-reverse" ? [0,(RackRackUnitDepth/2)-
(RackUnitWidth/2),0] :
Side=="frp-inside" ? [0,0,0] :
Side=="frp-outside" ? [0,0,0] :
Side=="flp-inside" ? [0,0,0] :
Side=="flp-outside" ? [0,0,0] :
Side=="rrp-inside" ? [0,0,0] :

```

```

Side=="rrp-outside" ? [0,0,0] :
Side=="rlp-inside" ? [0,0,0] :
Side=="rlp-outside" ? [0,0,0] :
Side=="shelf-c" ? [(StandardRackUnitWidth/2)-
(RackUnitWidth/2),(RackRackUnitDepth/2)-(RackUnitDepth/2),0] :
Side=="shelf-r" ? [(StandardRackUnitWidth-
RackUnitWidth),(RackRackUnitDepth/2)-(RackUnitDepth/2),0] :
Side=="shelf-l" ? [0,(RackRackUnitDepth/2)-(RackUnitDepth/2),0] :
[0,0,0] ;

translate(Translation) rotate(Rotation) {
    difference() {
        rackUnitSolid(RackUnitWidth,RackUnitHeight-
RackUnitGap,RackUnitDepth,RackUnitColor);
        //render the label embossed
        *embossLabel(Label);
    }
    floatLabel(Label,FloatLabelColor,30,LabelT);
    afOffset=(afArrowSize+(afArrowSize/3))/2;
    front=[RackUnitWidth/2,-afOffset,0];
    back=[RackUnitWidth/2,RackUnitDepth+afOffset,0];
    left=[-afOffset,RackUnitDepth/2,0];
    right=[RackUnitWidth+afOffset,RackUnitDepth/2,0];
    outAdd=[0,0,21];
    if(useAirFlowYN=="true"){
        if(afin=="front"){
            translate(front) rotate([0,0,0])
afArrow(afCold,afTransp,afArrowSize);
        }else if(afin=="back"){
            translate(back) rotate([0,0,180])
afArrow(afCold,afTransp,afArrowSize);
        }else if(afin=="left"){
            translate(left) rotate([0,0,270])
afArrow(afCold,afTransp,afArrowSize);
        }else if(afin=="right"){
            translate(right) rotate([0,0,90])
afArrow(afCold,afTransp,afArrowSize);
        }
        if(afout=="front"){
            translate(front+outAdd) rotate([0,0,180])
afArrow(afHot,afTransp,afArrowSize);
        }else if(afout=="back"){
            translate(back+outAdd) rotate([0,0,0])
afArrow(afHot,afTransp,afArrowSize);
        }else if(afout=="left"){
            translate(left+outAdd) rotate([0,0,90])
afArrow(afHot,afTransp,afArrowSize);
        }else if(afout=="right"){
            translate(right+outAdd) rotate([0,0,270])
afArrow(afHot,afTransp,afArrowSize);
        }
    }
}

```

```

    }
  }
}

module afArrow(temp,transp,Size){
  Height=20;
  Radius=Height/2;
  Width=Size/3;
  HeadHeight=(Size/10)*8;

  translate([-Width,-Size/2,0]) color(temp,transp) union(){
    hull(){
      //bottom of arrow base
      translate([Width/2,0,Radius]) sphere(r=Radius);
      translate([Width+Width/2,0,Radius]) sphere(r=Radius);
      //top of arrow base
      translate([Width/2,HeadHeight-Radius*3,Radius]) sphere(r=Radius);
      translate([Width+Width/2,HeadHeight-Radius*3,Radius])
sphere(r=Radius);
    }
    hull(){
      //tip
      translate([Width,Size,Radius]) sphere(r=Radius-5);
      //base of tip
      translate([0,HeadHeight,Radius]) sphere(r=Radius+7);
      translate([Width*2,HeadHeight,Radius]) sphere(r=Radius+7);
    }
  }
}

module rackUnitSolid(RUx,RUy,RUz,RUc){
  color(RUc) cube([RUx,RUz,RUy]);
}

module embossLabel(Label){
  TextDepth=20; //how deep to extrude the text so positioning in device and
extruding out
  translate([10,TextDepth,10]) rotate([90,0,0])
    linear_extrude(height=TextDepth){text(Label, size=30);}
  ;
}

// DC Floor tiles
//
//
module DCfloor(NumTilesX,NumTilesY,Color,Transparency,RaisedFloorHeight,RFTTrue){
  union(){
    for (yp=[1:FloorTileYOffset:NumTilesY * FloorTileYOffset]){
      for (xp=[1:FloorTileXOffset:NumTilesX * FloorTileXOffset]){

```

```

        translate([xp,yp,0]){
            translate([0,0,-
FloorTileHeight]){floorTile(FloorTile,Color,Transparency);}
            //comment the next line to hide the raised floor details
            if(RFTrue=="true"){

raisedFloor(RaisedFloorColor,RaisedFloorHeight,RaisedFloorStrutDiameter,FloorCar
rierDiameter,FloorTileXOffset,FloorTileYOffset,FloorTileHeight);

            }
        }
    }
}

module floorTile(Ft,Ftc,Ftt){
    color(Ftc,Ftt) cube(Ft);
}

// DC Raised floor
//
module raisedFloor(FSc,RFh,FSd,FCd,FT0x,FT0y,FTh){
    FloorCarrierAndTileHeight=FCd+FTh;
    SupportHeight=RFh-FloorCarrierAndTileHeight;
    SupportOffset=SupportHeight+FloorCarrierAndTileHeight;
    union(){
        translate([0,0,-SupportOffset]) color(FSc)
floorSupports(FSc,SupportHeight,FSd,FT0x,FT0y);
        translate([0,0,-FTh]) color(FSc) floorTileCarriers(FCd,FT0x,FT0y);
    }
}

module floorCarrier(FCd,FCl){
    translate([FCd/2,-FCd/2,-FCd]) cube([FCl-FCd,FCd,FCd]);
}

module floorTileCarriers(FTCd,FT0x,FT0y){
    floorCarrier(FTCd,FT0x);
    translate([0,FT0y,0]) floorCarrier(FTCd,FT0x);
    rotate([0,0,90]) floorCarrier(FTCd,FT0y);
    translate([FT0x,0,0]) rotate([0,0,90]) floorCarrier(FTCd,FT0y);
}

module floorSupports(FSc,FSh,FSd,FT0x,FT0y){
    color(FSc){
        floorSupport(FSh,FSd);
        translate([FT0x,0,0]) floorSupport(FSh,FSd);
        translate([0,FT0y,0]) floorSupport(FSh,FSd);
        translate([FT0x,FT0y,0]) floorSupport(FSh,FSd);
    }
}

```

```

}

module floorSupport(FSh,FSd) {
    union(){
        cylinder(h=FSh,d=FSd);
        cylinder(h=50, r1=FSd, r2=0);
        translate([0,0,FSh-50]) cylinder(h=50, r1=0, r2=FSd);
    }
}

// Titles
//
//
module floatLabel(Label,Color,Size,LabelT){
    TextDepth=Size/10; //how deep to extrude the text
    translate ([10,-30,10]) rotate([90,0,0]) color(Color,LabelT)
    linear_extrude(height=TextDepth){text(Label, size=Size);};
}

module StaticLabel(Label,Color,Size,LabelT){
    TextDepth=Size/10; //how deep to extrude the text
    translate ([0,0,0]) rotate([90,0,0]) color(Color,LabelT)
    linear_extrude(height=TextDepth){text(Label, size=Size);};
}

// Utilities
//
//
//power("Power Rail A",FloatLabelColorTitle,LabelT,0,2*600+500,2790,20*600,0.1);
//
module power(Label,Labelc,LabelT,Xo,Yo,Height,Width,Rt){
    translate([Xo,Yo,Height]){
        color([200/255,200/255,200/255],Rt) cube([Width,50,200]);
        translate([1100,0,100]) floatLabel(Label,Labelc,100,LabelT);
    }
}

//
//lighting("Lighting Row
A",FloatLabelColorTitle,LabelT,0,2*600+500,2560,20*600,0.1);
//
module lighting(Label,Labelc,LabelT,Xo,Yo,Height,Width,Rt){
    translate([Xo,Yo,Height]){
        color([200/255,200/255,200/255],Rt) cube([Width,200,50]);
        translate([80,0,100]) floatLabel(Label,Labelc,100,LabelT);
    }
}

//
//sprinkler("Sprinkler Row
A",FloatLabelColorTitle,LabelT,0,2*600+400,2860,20*600,0.1);
//
module sprinkler(Label,Labelc,LabelT,Xo,Yo,Height,Width,Rt){

```

```

translate([Xo,2*600+400,2860]){
    union(){
        color([200/255,200/255,200/255],Rt){
            rotate([0,90,0])
            cylinder(h=Width,d=50)
            ;
            translate([1000,0,0])
            rotate([0,0,90])
            cylinder(h=400,d=50)
            ;
        }
    }
    //there is a 2520mm high pipe linking the sprinler rows.
    translate([500,0,0]) floatLabel(Label,Labelc,100,LabelT);
}
}
// Rack Stuff
module
positionRack(FloorOffset,RackWidth,RackHeight,RackDepth,RackFrameThickness,RackC
olor,Label,TagsYN){
    translate(FloorOffset)
    rackFrame(RackWidth,RackHeight,RackDepth,RackFrameThickness,RackColor);
    translate(FloorOffset+[0,0,RackHeight+10])
    floatLabel("Front",[0,0,0],40,LabelT);
    translate(FloorOffset+[RackWidth/4,0,RackHeight+10])
    floatLabel(Label,[0,0,1],60,LabelT);
    translate(FloorOffset+[RackWidth,RackDepth,RackHeight+10]) rotate([0,0,180])
    floatLabel("Rear",[0,0,0],40,LabelT);
    if(TagsYN=="true"){
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
3*StandardRackUnitHeight]) floatLabel("Rack Dimensions:",[0,0,0],40,LabelT);
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
5*StandardRackUnitHeight]) floatLabel("Rack Height (mm) -",[0,0,0],40,LabelT);
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
6*StandardRackUnitHeight]) floatLabel(str(RackHeight),[0,0,0],40,LabelT);
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
8*StandardRackUnitHeight]) floatLabel("Rack Width (mm) -",[0,0,0],40,LabelT);
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
9*StandardRackUnitHeight]) floatLabel(str(RackWidth),[0,0,0],40,LabelT);
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
11*StandardRackUnitHeight]) floatLabel("Rack Depth (mm) -",[0,0,0],40,LabelT);
        translate(FloorOffset+[RackWidth+SpecsIndent,RackDepth/2,RackHeight-
12*StandardRackUnitHeight]) floatLabel(str(RackDepth),[0,0,0],40,LabelT);
    }
    XWiggle=RackWidth - StandardRackUnitWidth;
    ZWiggle=RackDepth - RackRackUnitDepth;
    OffsetInRack=[ XWiggle/2 , ZWiggle/2 , RailHeightOffset];
    echo(OffsetInRack);
    translate(FloorOffset) translate(OffsetInRack) rails();
}

```

```

module rackFrame(Rx,Ry,Rz,St,Rc){
  //Rx RackWidth, Ry RackHeight, Rz RackDepth, St StrutThickness, Rc RackColor
  union(){
    //front and back Struts
    translate ([0,0,0]) rackStrutX(St,Rx,Rc);
    translate ([0,Rz-St,0]) rackStrutX(St,Rx,Rc);
    translate ([0,Rz-St,Ry-St]) rackStrutX(St,Rx,Rc);
    translate ([0,0,Ry-St]) rackStrutX(St,Rx,Rc);
    //Side Struts
    translate ([0,0,0]) rackStrutZ(St,Rz,Rc);
    translate ([Rx-St,0,0]) rackStrutZ(St,Rz,Rc);
    translate ([Rx-St,0,Ry-St]) rackStrutZ(St,Rz,Rc);
    translate ([0,0,Ry-St]) rackStrutZ(St,Rz,Rc);
    //Uprights
    translate ([0,0,0]) rackStrutY(St,Ry,Rc);
    translate ([0,Rz-St,0]) rackStrutY(St,Ry,Rc);
    translate ([Rx-St,Rz-St,0]) rackStrutY(St,Ry,Rc);
    translate ([Rx-St,0,0]) rackStrutY(St,Ry,Rc);
  }
}

module rackStrutX(RackFrameThickness,RackWidth,Color){
  //all measurements in mm
  color(Color,0.8) cube([RackWidth,RackFrameThickness,RackFrameThickness]);
}

module rackStrutZ(RackFrameThickness,RackDepth,Color){
  //all measurements in mm
  color(Color,0.8) cube([RackFrameThickness,RackDepth,RackFrameThickness]);
}

module rackStrutY(RackFrameThickness,RackHeight,Color){
  //all measurements in mm
  color(Color,0.8) cube([RackFrameThickness,RackFrameThickness,RackHeight]);
}

module rails() {
  posts=[["FR",[StandardRackUnitWidth,0,0],"false"],["FL",[-
RailWidth,0,0],"true"],["BR",[-
RailWidth,RackRackUnitDepth,0],"false"],["BL",[StandardRackUnitWidth,RackRackUni
tDepth,0],"true"]];
  for (out1=[0:len(posts)-1]) {
    for(i=[1:1:NumRackUnits]) {
      var=posts[out1];
      FBLR=var[0];
      Translate=var[1];
      LabelYN=var[2];
      translate(Translate+[0,0,(i*StandardRackUnitHeight)-
StandardRackUnitHeight]) railSection(LabelYN,"true",RackColor,str(i),FBLR);
    }
  }
}

```

```

module railSection (LabelYN,RailYN,Color,RU,RailFBLR) {
  //module creates a rack rail section for exactly one RU
  //Front right or left and rear right or left post plus RU numbering
  Translation=
    RailFBLR=="FL" ? [-50,4,10] :
    RailFBLR=="FR" ? [20,4,10] :
    RailFBLR=="BL" ? [65,0,10] :
    RailFBLR=="BR" ? [0,0,10] :
    [0,0,0] ;
  Rotation=
    RailFBLR=="FL" ? [0,0,0] :
    RailFBLR=="FR" ? [0,0,0] :
    RailFBLR=="BL" ? [0,0,180] :
    RailFBLR=="BR" ? [0,0,180] :
    [0,0,0] ;
  if(RailYN=="true"){
    color(Color) difference(){
      cube([RailWidth,RailDepth,StandardRackUnitHeight]);
      translate([(RailWidth-CageNutWidth)/2,-.1,RackNutPos1])
    }
    translate([0,0,-CageNutWidth/2]) cube([CageNutWidth,CageNutWidth,CageNutWidth]);
    translate([(RailWidth-CageNutWidth)/2,-.1,RackNutPos2])
    translate([0,0,-CageNutWidth/2]) cube([CageNutWidth,CageNutWidth,CageNutWidth]);
    translate([(RailWidth-CageNutWidth)/2,-.1,RackNutPos3])
    translate([0,0,-CageNutWidth/2]) cube([CageNutWidth,CageNutWidth,CageNutWidth]);
  }
  if(LabelYN=="true"){
    translate(Translation) rotate(Rotation)
  }
  StaticLabel(RU,FloatLabelColorTitle,30,1);
}

if (library) {} else {
  echo("trying to compile a library!");
  linear_extrude(height = 4) {
    text("trying to compile a library!");
  }
}

// User Data
// after this

```

rePhone - Project

- rephone components and case design
- Stl files added from thingiverse
- Scad file also as holder for stls from thingiverse

- Reference material only for now

RePhone_ALL - 3D Object




Figure 38. image

Listing 38. Openscad source

```
cube([1,1,1]);
// The Rephone modules as modules and aligned over mounting holes

color_def = [0,0.5,0.7];

//-----
// The modules
module GSM_BLE(color=color_def) {
    color(color)
    translate([0.65,-0.61,5])
        import("Xadow_GSM_BLE_v1_collapsed.stl");
}
module GSM_Breakout(color=color_def) {
    color(color)
```

```

    translate([0,0,10])
        import("Xadow__GSM_Breakout_v1_collapsed.stl");
}
module Basic_Sensors(color=color_def) {
    color(color)
    translate([-11.4,-22.8,15])
        import("Xadow_Basic_Sensors_v1_collapsed.stl");
}
module Duino(color=color_def) {
    color(color)
    translate([43.85,9.55,20])
    rotate([0,0,180])
        import("Xadow_Duino_v1_collapsed.stl");
}
module GPS(color=color_def) {
    color(color)
    translate([-12.05,-10.77,25])
        import("Xadow_GPS_v2_collapsed.stl");
}
module LED_5x7(color=color_def) {
    color(color)
    translate([-3.28,-15.98,30])
        import("Xadow_LED_5x7_v1_collapsed.stl");
}
module NFC(color=color_def) {
    color(color)
    translate([-12.05,-10.77,35])
        import("Xadow_NFC_v2_collapsed.stl");
}
module 1_54_Touhscreen(color=color_def) {
    color(color)
    translate([-50,0,-5])
        import("Xadow_1_54_Touhscreen_collapsed.stl");
}
module Audio(color=color_def) {
    color(color)
    translate([-91.42,-45.06,40])
        import("Xadow_Audio_v1.stl");
}

//-----
// Line them up :)

GSM_BLE();
GSM_Breakout();
Basic_Sensors();
Duino();
GPS();
LED_5x7();

```

```
NFC();
Audio();
1_54_Touhscreen();
```

RePhone_handset - 3D Object




Figure 39. image

Listing 39. Openscad source

```
// The Rephone modules as modules and aligned over mounting holes

color_def = [0,0.5,0.7];

//-----
// The modules
module 1_54_Touhscreen(color=color_def) {
    color(color)
    translate([-50,0,0])
    import("Xadow_1_54_Touhscreen_collapsed.stl");
}
```

```
module GSM_BLE(color=color_def) {
    color(color)
    translate([0.65,-0.61,0])
    rotate([0,0,90])
    import("Xadow_GSM_BLE_v1_collapsed.stl");
}

module GSM_Breakout(color=color_def) {
    color(color)
    rotate([0,0,90])
    translate([0,0,0])
    import("Xadow__GSM_Breakout_v1_collapsed.stl");
}

module Audio(color=color_def) {
    color(color)
    rotate([0,0,90])
    translate([-91.42,-45.06,0])
    import("Xadow_Audio_v1.stl");
}

difference(){
    translate([-5,-65,-2]) cube([58,120,2]);
    #union(){
        1_54_Touhscreen();
        translate ([39.5,-15,0]) GSM_Breakout();
        translate ([9.5,-15,0]) Audio();
        translate ([39,-45,0]) GSM_BLE();
    }
}
```

xadow - 3D Object




Figure 40. image

Listing 40. Openscad source

```
$fn=100;
module xadow_pin(){
    union(){
        translate([0,0,0]) cylinder(h=1,r1=1,r2=1);
        translate([0,0,1]) cylinder(h=3,r1=1,r2=.5);
    }
}
module xadow_gsm(){
    difference(){
        union(){
            //Xadow module
            //turns out the GSM module has exactly 25.37mm X 20.30mm / 1'' X
            0.8''

            //approx 2mm hole 17.5mm x18mm
            cube([25.4,20.3,.75]);
            translate([3,1.5,0]) xadow_pin();
            translate([21.4,1.5,0]) xadow_pin();
            translate([3,18.5,0]) xadow_pin();
        }
    }
}
```

```

        translate([21.4,18.5,0]) xadow_pin();
    }
    *translate([25.4,20.3,0]) cylinder(h=1,r1=1,r2=1);
}

xadow_gsm();

```

schuko - Project

schuko - 3D Object




Figure 41. image

Listing 41. Openscad source

```

/*
Parametric Schuko CEE 7/3 socket

Copyright 2017 Anders Hammarquist <iko@iko.pp.se>
Licensed under Creative Commons - Attribution - Share Alike

```

Made using a negative "profile punch" that can be extracted and used to "punch" a schuko socket into any sufficiently large solid.

```
*/

// Diameter of cover
coverdiameter = 50; // [50:100]

// Thickness of cover
coverthickness = 4.8; // [2:0.2:15]

// Center screw offset (extreme values disables screw hole)
screwoffset = 0; // [-11:0.5:11]
// This is the socket punch. Includes cut-out for
// earthing contacts and holes for pins and center screw.
// Maximum screw offset from center is 10mm (use a larger
// value to remove the hole for the screw).
module schuko(screwoffset=0, screwdia=3.5, screwhead=6.5, screwsink=3)
{
    module earthing()
    {
        intersection() {
            union() {
                translate([-22,-2,3])
                    cube([6,4,20]);
                translate([-19,-2,17.5])
                    rotate([0,-30,0])
                    cube([15, 4, 4]);
            }
            translate([-22,-3,3])
                cube([22,6,20]);
        }
    }

    difference() {
        union() {
            translate([0,0,-1])
                cylinder(r=39/2, $fn=300, h=18.5);

            // Earthing cutouts
            color([1,1,1]) {
                earthing();

                rotate([0,0,180])
                    earthing();
            }
        }

        // Power pins
        translate([0,10,0])
    }
}
```

```

        cylinder(r=7/2, $fn=300, h=30);
    translate([0,-10,0])
        cylinder(r=7/2, $fn=300, h=30);

    if (abs(screwoffset) <= 10) {
        // Center screw
        translate([screwoffset,0,0])
            cylinder(r=screwdia/2, $fn=300, h=30);
        translate([screwoffset,0,0])
            cylinder(r=screwhead/2, $fn=300, h=17.5+screwsink);
    }
}

// Side key profile
translate([5.4/2,16.9,3])
    cube([7,3,20]);
translate([-5.4/2-7,16.9,3])
    cube([7,3,20]);
translate([5.4/2,-20.4,3])
    cube([7,3.5,20]);
translate([-5.4/2-7,-20.4,3])
    cube([7,3.5,20]);
}
}

difference () {

difference () {
    cylinder(r=39/2, $fn=300, h=17.5);
    translate ([-27.3/2,-27.8/2,0]) cube([27.3,27.8,10]);
    rotate([0,0,0]){
        difference(){
            union() {
                translate([0,0,0])
                    cylinder(r=44/2, $fn=300, h=21.5);
                // Lip
                rotate_extrude($fn=100) {
                    polygon(points=[[0,0], [coverdiameter/2,0],
                    [coverdiameter/2+0.2*coverthickness,coverthickness],
                    [0,coverthickness]]);
                }

                // Pin guard: 9.5 x 28.5 x 3mm (rounded ends)
                translate([-4.75,-14.25,21.5])
                    cube([9.5, 28.5, 3]);

                // center screw standoff: 6 x 2.5 (above pin guard) x 2 - 3
                // ( 8mm inside, 14 - 12.2 mm outside)
                translate([-7.25, -3, 21.5])
                    cube([2.5, 6, 5.5]);
                translate([4.75, -3, 21.5])

```



```
        cube([2.5, 6, 5.5]);  
  
    }  
    schuko(screwoffset=screwoffset);  
  }  
}  
}  
}
```

shutterholders - Project

shutterholder - 3D Object




Figure 42. image

Listing 42. Openscad source

```
$fn= 368;  
basedepth = 30;  
basewidth = 9;
```

```

baseheight = 3;

holderheight = 15;
holderwidth = 3;
holderdepth = 15;

module holderleft() {

difference() {

cube([basewidth, basedepth, baseheight]);
translate([4.5, 25, -0.05]) cylinder(3.1, 1);
translate([4.5, 5, -0.05]) cylinder(3.1, 1);

}

difference() {

translate([-3, 15, 0])
cube([holderwidth, holderdepth, holderheight]);
translate([-3, 14.95, 12]) rotate([0, 315, 0]) cube([5, 15.1, 3]);
translate([0, 14.95, 0]) rotate([0, 225, 0]) cube([5, 15.1, 3]);

}

}

module holderright() {

difference() {

cube([basewidth, basedepth, baseheight]);
translate([4.5, 25, -0.05]) cylinder(3.1, 1);
translate([4.5, 5, -0.05]) cylinder(3.1, 1);

}

difference() {

translate([-3, 0, 0])
cube([holderwidth, holderdepth, holderheight]);
translate([-3, -0.05, 12]) rotate([0, 315, 0]) cube([5, 15.1, 3]);
translate([0, -0.05, 0]) rotate([0, 225, 0]) cube([5, 15.1, 3]);

}

}

holderleft();
translate([0, 35, 0]) holderright();

```

solar - Project

balcony - 3D Object




Figure 43. image

Listing 43. Openscad source

```
//handrail
handRailH=35;
handRailD=60;
handRailL=3.52*10*100;
//Post(s)
postX=30;
postY=30;
postH=1.17*10*100;
postOff=handRailD-postY;
post1Pos=15*10;
post2Pos=1.695*10*100;
post3Pos=3.235*10*100;
//Balcony
```

```

balconyD=2.08*10*100;
balconyW=3.45*10*100;
railOff=[-100,0,95*10];
blech1W=1.73*10*100;
blech1H=1.10*10*100;
blech10ffX=-2.5*10;//inside post1pos
blech10ffY=-8.5*10;//inside RailH
blech2W=1.48*10*100;
blech2H=1.10*10*100;
blech20ffX=-2.5*10;//inside post1pos
blech20ffY=blech10ffY;
//solar panel
panelW=1.755*10*100;//m
panelH=1.10*10*100;//m
panelD=30;//mm

module HandRail() {
    color([.6,.6,.6])
    translate (railOff)
    cube([handRailD,handRailL,handRailH]);
}

module HandRail() {
    color([.6,.6,.6])
    translate (railOff)
    cube([handRailD,handRailL,handRailH]);
}

module Post(pos) {
    color([.6,.6,.6])
    translate (railOff)
    translate([postOff,pos,-postH])
    cube([postX,postY,postH]);
}

module Blech(pos,w,h) {
    color([.6,.6,.6])
    translate (railOff)
    translate([0,pos,0])
    translate ([-10,-w,-h + blech10ffY])
    cube([10,w,h]);
}

module Panel(x,y,z) {
    color([.1,.1,.3])
    translate([x,y,z])
    translate([0,0,0])
    cube([panelD,panelW,panelH]);
}

//balcony
color([.8,.8,.8]) translate ([0,0,-100]) cube([balconyD,balconyW,100]);

HandRail();

```

```
Post(post1Pos);
Post(post2Pos);
Post(post3Pos);
Blech(post2Pos-postX-blech10ffX,blech1W,blech1H);
Blech(post3Pos-postX-blech20ffX,blech2W,blech2H);

Panel(-200,0,-200);
Panel(-200,1.75*1000+20,-200);
```

smallpv - 3D Object




Figure 44. image

Listing 44. Openscad source

```
module pvsmall() {
    color([.6,.6,.9])
    cube([700,25,500]);
}
rotate([45,0,0])pvsmall();
```

spool-holder - Project

spool - 3D Object




Figure 45. image

Listing 45. Openscad source

```

coneH=30;      //height of the cone
coneDin=25;    //smallest diameter of the cone
coneDout=70;   //widest diameter of cone
axleD=8;       //axle diameter of the axle for the 608 bearing - we'll add for
printer tolerance
$fn=100;       //make things round
bearingH=7;    //608 skateboard bearing height
bearingD=22;   //608 skateboard bearing diameter we'll add a millimeter or two
later to account for the fitting ring
fittingD=bearingD+7; //outer diameter of the fitting ring for the bearing
nubAngle=360/8; //the fitting nubs for the bearing at x degree rotation
printerRadTol=.2; //add this value to the radius
nubRad=.5;     //the nub radius for the bearing fitting ring

```

```

module cone(height,inD,outD) {
    cylinder(h=coneH , r2=(inD/2) , r1=(outD/2) );
}

module axle(height,diameter,tol) {
    translate([0,0,-.1]) cylinder(h=height,r=(diameter/2)+tol); //axle
}

module bearing(height,diameter,tol) {
    translate([0,0,-.1]) cylinder(h=height+.1,r=(diameter/2)+tol); //bearing
}

//subtract for quicker print
module removeCyls(bearingD,coneDout,coneH){
    translate([-((bearingD/2)+(coneDout/4)+4),0,-.1])
cylinder(h=coneH,r=coneDout/4);
    translate([(bearingD/2)+(coneDout/4)+4),0,-.1])
cylinder(h=coneH,r=coneDout/4);
    translate([0,+(bearingD/2)+(coneDout/4)+4),-.1])
cylinder(h=coneH,r=coneDout/4);
    translate([0,-((bearingD/2)+(coneDout/4)+4),-.1])
cylinder(h=coneH,r=coneDout/4);
}

module ring(inRad,outRad,height,tol) {
    difference(){
        cylinder(h=height,r=outRad+tol);
        translate([0,0,-.1]) cylinder(h=height+.2,r=inRad+tol);
    }
}

module fittingNubsCircle(nubRad,height,inRad,angle,tol) {
    rad=inRad+nubRad+tol;
    for (pos=[0:angle:360]) {
        *echo(pos);
        rotate ([0,0,pos]) translate([rad,0,0]) cylinder(h=height,r=nubRad);
    }
}

//
difference(){
    union(){
        difference(){
            cone(coneH,coneDin,coneDout);
            translate([0,0,-.1]) bearing(bearingH+.1,fittingD,printerRadTol);
            translate([0,0,-.1]) axle(coneH+.5,axleD,printerRadTol);
        }//
        ring( (bearingD/2)+nubRad, (fittingD/2) , bearingH , printerRadTol );
        fittingNubsCircle( nubRad , bearingH , bearingD/2 , nubAngle ,
printerRadTol );
    }//
}

```

```
removeCyls(bearingD,coneDout,coneH);  
}
```

sword - Project

blade - 3D Object



Figure 46. image

Listing 46. Openscad source

```
// Generated by inkscape 0.0 + inkscape-paths2openscad 0.27  
// Sun Oct 29 23:55:14 2023 from "halloween.tiff.svg"  
  
// Module names are of the form poly_<inkscape-path-id>(). As a result,  
// you can associate a polygon in this OpenSCAD program with the corresponding  
// SVG element in the Inkscape document by looking for the XML element with  
// the attribute id="inkscape-path-id".  
  
// fudge value is used to ensure that subtracted solids are a tad taller  
// in the z dimension than the polygon being subtracted from. This helps
```



```
// keep the resulting .stl file manifold.
fudge = 0.1;
user_unit_scale_x = 1.0;
user_unit_scale_y = 1.0;
custom_scale_x = 1;
custom_scale_y = 1;
zsize = 5.00;
line_fn = 4;
min_line_width = 1.0;
line_width_scale = 1.0;
function min_line_mm(w) = max(min_line_width, w * line_width_scale) * 1;

path7_0_center = [0.000000,0.000000];
path7_0_points = [[-6.211141,56.491387],[-11.773241,54.678287],[-16.131421,53.140387],[-17.333261,49.249287],[-18.299491,45.710305],[-19.090436,41.619609],[-20.747921,28.048917],[-21.487982,19.183951],[-21.300618,17.106103],[-20.740921,15.239217],[-19.967180,11.613437],[-20.066761,5.835937],[-20.158250,-0.312855],[-19.853401,-6.034583],[-19.575395,-10.170069],[-19.822201,-12.128343],[-20.087007,-12.859070],[-20.000895,-13.729269],[-19.642141,-14.457659],[-19.089021,-14.762963],[-18.709377,-15.028199],[-18.551471,-15.665893],[-18.711741,-16.303595],[-19.097071,-16.568833],[-19.390442,-16.920491],[-19.329611,-17.765973],[-18.951794,-18.514595],[-18.483031,-18.633383],[-18.104140,-18.897215],[-17.942381,-19.994553],[-16.743468,-26.595121],[-14.007776,-37.906939],[-10.993804,-49.021308],[-8.960051,-55.029526],[-7.253416,-55.835790],[-3.894304,-56.397304],[0.134142,-56.610912],[3.848779,-56.373461],[12.138859,-55.090539],[18.608549,-53.569603],[20.475935,-52.443671],[21.040405,-51.630469],[21.384400,-50.510610],[21.487982,-46.931430],[20.940719,-40.867143],[20.252429,-31.190993],[19.962419,-20.481553],[19.567900,-6.316918],[17.860199,9.917267],[15.895121,23.253799],[14.752035,27.853816],[13.086309,33.092607],[11.144568,39.376384],[10.157389,43.495277],[9.526349,46.149821],[8.440839,48.912897],[6.695168,51.486579],[3.937319,53.258157],[0.024599,55.461627],[-1.120688,56.026963],[-2.820621,56.433081],[-4.656934,56.610912],[-6.211361,56.491387],[-6.211141,56.491387]];
module poly_path7(h, w, s, res=line_fn)
{
    scale([custom_scale_x, -custom_scale_y, 1]) union()
    {
        translate (path7_0_center) linear_extrude(height=h, convexity=10, scale=0.01*s)
        translate (-path7_0_center) polygon(path7_0_points);
    }
}

module halloween_final(h)
{
    difference()
    {
        union()
    }
}
```

```
{
  translate ([0,0,0]) poly_path7(h, min_line_mm(0.601957), 100.0);
}
union()
{
}
}
}
halloween_final(zsize);
```

crossguard - 3D Object

This is for a plastic play "Katana" sword to make it more like a "One Piece" "Gryphon" sword.

The tiff files are the original sword cross guard from both sides so as to extrude the mounting holes for the handle and the sword.

The idea is to go from scanner to tiff.

Then from tiff to SVG.

Then from SVG to STL.

Then in openscad to subtract the shapes from the crossguard and to send it off to Cura and then to octoprint.




Figure 47. image

Listing 47. Openscad source

```
$fn=100;
crossGuardD=130;
crossGuardH=15;
crossGuardMidD=100;
crossGuardMidH=20;
crossGuardInnerD=60;
crossGuardInnerH=30;
eps = 0.01;
handleR = 10;
handleTR = 45;
handleL = 250;

module crossGuard() {
    cylinder(h=crossGuardH,d=crossGuardD);
    cylinder(h=crossGuardMidH,d=crossGuardMidD);
    cylinder(h=crossGuardInnerH,d=crossGuardInnerD);
}
```

```
//
// HILT
//
fudge = 0.1;
custom_scale_x = 0.2645833279742765;
custom_scale_y = 0.2645833279742765;
line_fn = 4;
function min_line_mm(w) = max(1.0, w) * 0.264583;
hilt_points = [[4.712305,111.150545],[-1.094011,110.499592],[-
2.972932,110.135122],[-3.462188,109.608767],[-3.773607,108.774219],[-
4.436979,107.552054],[-5.432227,107.011144],[-9.721137,106.591800],[-
10.735377,106.203812],[-11.314670,105.621713],[-11.834643,105.005774],[-
11.984051,105.527257],[-12.119685,105.883297],[-12.540277,105.918767],[-
14.389428,104.994043],[-17.553047,103.514177],[-19.092556,102.880464],[-
21.534606,101.319091],[-24.151081,99.339710],[-26.213867,97.451972],[-
33.501068,91.312376],[-37.392389,88.156629],[-39.010903,86.486779],[-
41.321477,83.011799],[-45.215736,77.789987],[-48.481218,72.604179],[-
50.974430,67.705653],[-52.551875,63.345689],[-56.678330,51.259617],[-
59.337010,43.394768],[-60.735652,38.462584],[-61.650982,34.907832],[-
62.305677,29.646387],[-62.760126,25.882525],[-63.514729,23.223299],[-
64.337219,21.072645],[-64.954891,18.531501],[-65.818815,14.645864],[-
66.319039,7.866276],[-66.537764,-5.264370],[-66.447944,-19.090090],[-66.022534,-
27.954901],[-64.949247,-40.097012],[-64.576605,-43.563098],[-63.777363,-
47.924908],[-61.337496,-57.784557],[-58.506478,-66.573669],[-57.218296,-
69.597308],[-56.161139,-71.189954],[-55.394537,-72.009377],[-54.917991,-
73.092386],[-54.557512,-77.066229],[-54.447780,-79.616616],[-54.130244,-
81.294058],[-53.449893,-82.554996],[-52.251719,-83.855870],[-50.317564,-
85.526970],[-48.786417,-86.499607],[-48.069093,-86.977131],[-47.610319,-
87.764921],[-47.463608,-90.285070],[-45.208186,-93.007362],[-39.659449,-
98.460952],[-34.263785,-103.293508],[-29.781396,-106.835337],[-26.310565,-
109.015727],[-23.949574,-109.763965],[-20.750313,-110.582106],[-18.395319,-
111.244120],[-15.748063,-111.591923],[-13.496602,-111.578542],[-12.328996,-
111.157007],[-11.471814,-110.670208],[-9.997877,-110.449507],[-7.811355,-
110.105197],[-5.240945,-109.321219],[-1.137638,-108.242977],[-0.350486,-
108.090624],[-0.226663,-107.697860],[0.081186,-107.047867],[1.233025,-
106.325002],[2.616337,-105.824776],[3.618607,-105.842699],[4.284269,-
105.783643],[5.074276,-105.140787],[5.982442,-104.393155],[6.932191,-
104.082193],[7.623874,-103.885627],[7.911564,-103.413031],[10.384891,-
100.265445],[16.331402,-93.637517],[23.178797,-85.744273],[27.818109,-
79.554542],[31.053211,-74.891176],[34.524573,-70.667709],[40.158967,-
64.396349],[41.226734,-62.889282],[41.592088,-61.891968],[42.074945,-
60.702015],[43.007263,-59.398799],[44.483993,-56.886157],[46.275763,-
52.788436],[49.602441,-44.503764],[50.347327,-43.216277],[50.901943,-
42.932913],[51.921409,-41.678411],[53.416649,-38.661761],[54.898401,-
34.983307],[55.877400,-31.743391],[56.416766,-30.111548],[57.023362,-
29.432817],[57.485562,-29.201633],[57.677808,-28.645804],[57.364555,-
28.210189],[56.611407,-28.268022],[55.878931,-28.375238],[55.601784,-
27.856289],[56.377303,-24.331447],[57.238303,-22.352970],[57.692615,-
21.937680],[58.154666,-21.916077],[58.790553,-21.967479],[59.078626,-
21.636472],[58.977659,-21.111651],[58.446422,-20.581610],[58.251394,-
```

```

19.738290],[58.750639,-18.229081],[59.534159,-15.386057],[60.073343,-
11.287286],[60.655429,-7.139257],[61.542096,-4.177822],[62.322794,-
2.295269],[62.650064,-
0.741156],[62.906663,0.113753],[63.563431,0.230253],[63.991905,0.313739],[64.254
280,1.045455],[64.365593,4.953078],[64.382272,8.065028],[64.459069,8.646005],[64
.572444,8.425084],[64.873195,7.449324],[65.294587,6.929440],[65.821792,6.874420]
,[66.439977,7.293248],[66.537764,7.903900],[66.115942,8.715141],[65.726622,9.388
975],[65.902530,9.669241],[65.981683,9.930291],[65.359738,10.557922],[64.473900,
12.816744],[63.765883,16.866181],[63.482095,20.738189],[63.576289,21.992644],[63
.868945,22.464726],[64.221009,24.604724],[64.277064,29.751929],[64.324272,34.821
498],[64.494546,35.764667],[64.760298,35.618793],[65.293780,34.844801],[65.44826
7,36.420426],[65.180519,38.242275],[64.466664,39.500067],[63.605585,41.079630],[
62.983941,43.675054],[62.238836,46.958797],[61.080981,50.193188],[59.015746,55.5
00659],[56.706660,62.429673],[54.809911,68.891064],[53.981690,72.795668],[53.758
845,74.546542],[53.351215,75.469437],[52.521354,77.054138],[51.283366,80.396158]
,[48.953085,85.522824],[45.496989,91.398313],[42.093111,96.299677],[38.945897,10
0.293305],[35.913504,103.476813],[32.854088,105.947815],[29.625807,107.803925],[
26.086817,109.142759],[22.095276,110.061931],[17.509341,110.659056],[8.977984,11
1.591923],[4.712305,111.150545],[4.712305,111.150545]];
module poly_hilt(h, w, s, res=line_fn)
{
    scale([custom_scale_x, -custom_scale_y, 1]) union() {
        linear_extrude(height=h, convexity=10, scale=0.01*s) polygon(hilt_points);
    }
}
module hilt(h) {
    poly_hilt(h, min_line_mm(0.1881051549233745), 100.0);
}
//
// BLADE
//
blade_points = [[-6.211141,56.491387],[-11.773241,54.678287],[-
16.131421,53.140387],[-17.333261,49.249287],[-18.299491,45.710305],[-
19.090436,41.619609],[-20.747921,28.048917],[-21.487982,19.183951],[-
21.300618,17.106103],[-20.740921,15.239217],[-19.967180,11.613437],[-
20.066761,5.835937],[-20.158250,-0.312855],[-19.853401,-6.034583],[-19.575395,-
10.170069],[-19.822201,-12.128343],[-20.087007,-12.859070],[-20.000895,-
13.729269],[-19.642141,-14.457659],[-19.089021,-14.762963],[-18.709377,-
15.028199],[-18.551471,-15.665893],[-18.711741,-16.303595],[-19.097071,-
16.568833],[-19.390442,-16.920491],[-19.329611,-17.765973],[-18.951794,-
18.514595],[-18.483031,-18.633383],[-18.104140,-18.897215],[-17.942381,-
19.994553],[-16.743468,-26.595121],[-14.007776,-37.906939],[-10.993804,-
49.021308],[-8.960051,-55.029526],[-7.253416,-55.835790],[-3.894304,-
56.397304],[0.134142,-56.610912],[3.848779,-56.373461],[12.138859,-
55.090539],[18.608549,-53.569603],[20.475935,-52.443671],[21.040405,-
51.630469],[21.384400,-50.510610],[21.487982,-46.931430],[20.940719,-
40.867143],[20.252429,-31.190993],[19.962419,-20.481553],[19.567900,-
6.316918],[17.860199,9.917267],[15.895121,23.253799],[14.752035,27.853816],[13.0
86309,33.092607],[11.144568,39.376384],[10.157389,43.495277],[9.526349,46.149821]
],[8.440839,48.912897],[6.695168,51.486579],[3.937319,53.258157],[0.024599,55.46

```

```

1627],[ -1.120688,56.026963],[ -2.820621,56.433081],[ -4.656934,56.610912],[ -
6.211361,56.491387],[ -6.211141,56.491387]];
module poly_blade(h, w, s, res=line_fn)
{
    scale([custom_scale_x, -custom_scale_y, 1]) union() {
        linear_extrude(height=h, convexity=10, scale=0.01*s) polygon(blade_points);
    }
}
module blade(h) {
    poly_blade(h, min_line_mm(0.601957), 100.0);
}

//handle part
module handleTube(cylH) {
    color("gold") difference(){
        cylinder(h=cylH,r=handleR);
        translate([0,0,-eps]) cylinder(h=10,d=10);
        translate([0,0,cylH-10+eps]) cylinder(h=10,d=10);
    }
}

module hilt2(height,diameter,waist){
    //hilt measurments
    //somewhat rough as hilt is not prefect elipse
    //diameter=36;
    //waist=26;
    //height=10;
    scale([waist/diameter,1]) color("gold") cylinder(h=height,d=diameter);
}

//handle bend
module handleBend(turnR,handleR){
    bound=turnR+handleR+1;
    color("gold") difference() {
        intersection() {

translate([0,0,0])rotate_extrude()translate([turnR,0,0])circle(r=handleR);
        translate([0,0,-handleR]) cube([bound,bound,handleR*2]);
        }
        //two holes for mounting
        translate([-eps,handleTR,0]) rotate([0,90,0]) cylinder(h=10,d=10);
        translate([handleTR,10-eps,0]) rotate([90,0,0]) cylinder(h=10,d=10);
    }
}

difference() {
    //test fitting only
    //cylinder(h=30,d=34);
    //real crossguard - uncomment when the test verison is commented
    color("gold") crossGuard();
}

```

```

    translate([0,0,-0.1]) rotate([0,0,6]) blade(5.11);
    //hiltS=.55; //WRONG
    //scale([hiltS,hiltS,1]) translate([0,0,5-.1]) rotate([0,0,-189]) hilt(30);
    translate([0,0,5]) hilt2(30.01,36,27.5);
    translate([0,-130/2+20-.1,(crossGuardH-6)/2+2.5]) rotate([90,90,0])
cylinder(h=20.1,d=(10));
}

//approximation of hilt for scale
*color("black")translate([0,0,5]) hilt2(290.01,36,27.5);
//empty hilt shell for testing
translate([-85,0,0]) color("gold") union(){
    difference(){
        scale([1.1,1.1]) hilt2(30.01,36,27.5);
        translate([0,0,-.1]) hilt2(30.2,36,27.5);
    }
    difference(){
        hilt2(.5,40,32);
        translate([0,0,-0.1]) rotate([0,0,6]) blade(5.11);
    }
}

//two bends
translate([0,60,0]) handleBend(handleTR,handleR);
translate ([-2,60,0]) rotate([0,0,90]) handleBend(handleTR,handleR);

//long handle tube
translate([-11,78,0]) handleTube(handleL-(2*handleTR+handleR));

//mounting pegs
pegD=10;
pegH=19;
translate([75,0,0]) color("gold") cylinder(h=pegH,d=pegD);
translate([75,11,0]) color("gold") cylinder(h=pegH,d=pegD);
translate([75,22,0]) color("gold") cylinder(h=pegH,d=pegD);
translate([75,-11,0]) color("gold") cylinder(h=pegH,d=pegD);

//cross handle tube
translate([11,78,0]) color("gold") union() {
    crosshandleH=130*.75;
    handleTube(crosshandleH);
    translate([0,0,crosshandleH]) sphere(r=handleR);
}

```

hilt - 3D Object




Figure 48. image

Listing 48. Openscad source

```
// Generated by inkscape None + inkscape-paths2openscad 0.27
// Sun Oct 29 23:48:49 2023 from "halloweeneeee3.tiff.svg"

// Module names are of the form poly_<inkscape-path-id>(). As a result,
// you can associate a polygon in this OpenSCAD program with the corresponding
// SVG element in the Inkscape document by looking for the XML element with
// the attribute id="inkscape-path-id".

// fudge value is used to ensure that subtracted solids are a tad taller
// in the z dimension than the polygon being subtracted from. This helps
// keep the resulting .stl file manifold.
fudge = 0.1;
user_unit_scale_x = 0.2645833279742765;
user_unit_scale_y = 0.2645833279742765;
custom_scale_x = 1;
custom_scale_y = 1;
zsize = 5.00;
line_fn = 4;
```



```

min_line_width = 1.0;
line_width_scale = 1.0;
function min_line_mm(w) = max(min_line_width, w * line_width_scale) * 0.264583;

path1_0_center = [0.000000,0.000000];
path1_0_points = [[4.712305,111.150545],[-1.094011,110.499592],[-
2.972932,110.135122],[-3.462188,109.608767],[-3.773607,108.774219],[-
4.436979,107.552054],[-5.432227,107.011144],[-9.721137,106.591800],[-
10.735377,106.203812],[-11.314670,105.621713],[-11.834643,105.005774],[-
11.984051,105.527257],[-12.119685,105.883297],[-12.540277,105.918767],[-
14.389428,104.994043],[-17.553047,103.514177],[-19.092556,102.880464],[-
21.534606,101.319091],[-24.151081,99.339710],[-26.213867,97.451972],[-
33.501068,91.312376],[-37.392389,88.156629],[-39.010903,86.486779],[-
41.321477,83.011799],[-45.215736,77.789987],[-48.481218,72.604179],[-
50.974430,67.705653],[-52.551875,63.345689],[-56.678330,51.259617],[-
59.337010,43.394768],[-60.735652,38.462584],[-61.650982,34.907832],[-
62.305677,29.646387],[-62.760126,25.882525],[-63.514729,23.223299],[-
64.337219,21.072645],[-64.954891,18.531501],[-65.818815,14.645864],[-
66.319039,7.866276],[-66.537764,-5.264370],[-66.447944,-19.090090],[-66.022534,-
27.954901],[-64.949247,-40.097012],[-64.576605,-43.563098],[-63.777363,-
47.924908],[-61.337496,-57.784557],[-58.506478,-66.573669],[-57.218296,-
69.597308],[-56.161139,-71.189954],[-55.394537,-72.009377],[-54.917991,-
73.092386],[-54.557512,-77.066229],[-54.447780,-79.616616],[-54.130244,-
81.294058],[-53.449893,-82.554996],[-52.251719,-83.855870],[-50.317564,-
85.526970],[-48.786417,-86.499607],[-48.069093,-86.977131],[-47.610319,-
87.764921],[-47.463608,-90.285070],[-45.208186,-93.007362],[-39.659449,-
98.460952],[-34.263785,-103.293508],[-29.781396,-106.835337],[-26.310565,-
109.015727],[-23.949574,-109.763965],[-20.750313,-110.582106],[-18.395319,-
111.244120],[-15.748063,-111.591923],[-13.496602,-111.578542],[-12.328996,-
111.157007],[-11.471814,-110.670208],[-9.997877,-110.449507],[-7.811355,-
110.105197],[-5.240945,-109.321219],[-1.137638,-108.242977],[-0.350486,-
108.090624],[-0.226663,-107.697860],[0.081186,-107.047867],[1.233025,-
106.325002],[2.616337,-105.824776],[3.618607,-105.842699],[4.284269,-
105.783643],[5.074276,-105.140787],[5.982442,-104.393155],[6.932191,-
104.082193],[7.623874,-103.885627],[7.911564,-103.413031],[10.384891,-
100.265445],[16.331402,-93.637517],[23.178797,-85.744273],[27.818109,-
79.554542],[31.053211,-74.891176],[34.524573,-70.667709],[40.158967,-
64.396349],[41.226734,-62.889282],[41.592088,-61.891968],[42.074945,-
60.702015],[43.007263,-59.398799],[44.483993,-56.886157],[46.275763,-
52.788436],[49.602441,-44.503764],[50.347327,-43.216277],[50.901943,-
42.932913],[51.921409,-41.678411],[53.416649,-38.661761],[54.898401,-
34.983307],[55.877400,-31.743391],[56.416766,-30.111548],[57.023362,-
29.432817],[57.485562,-29.201633],[57.677808,-28.645804],[57.364555,-
28.210189],[56.611407,-28.268022],[55.878931,-28.375238],[55.601784,-
27.856289],[56.377303,-24.331447],[57.238303,-22.352970],[57.692615,-
21.937680],[58.154666,-21.916077],[58.790553,-21.967479],[59.078626,-
21.636472],[58.977659,-21.111651],[58.446422,-20.581610],[58.251394,-
19.738290],[58.750639,-18.229081],[59.534159,-15.386057],[60.073343,-
11.287286],[60.655429,-7.139257],[61.542096,-4.177822],[62.322794,-

```

```

2.295269],[62.650064,-
0.741156],[62.906663,0.113753],[63.563431,0.230253],[63.991905,0.313739],[64.254
280,1.045455],[64.365593,4.953078],[64.382272,8.065028],[64.459069,8.646005],[64
.572444,8.425084],[64.873195,7.449324],[65.294587,6.929440],[65.821792,6.874420]
,[66.439977,7.293248],[66.537764,7.903900],[66.115942,8.715141],[65.726622,9.388
975],[65.902530,9.669241],[65.981683,9.930291],[65.359738,10.557922],[64.473900,
12.816744],[63.765883,16.866181],[63.482095,20.738189],[63.576289,21.992644],[63
.868945,22.464726],[64.221009,24.604724],[64.277064,29.751929],[64.324272,34.821
498],[64.494546,35.764667],[64.760298,35.618793],[65.293780,34.844801],[65.44826
7,36.420426],[65.180519,38.242275],[64.466664,39.500067],[63.605585,41.079630],[
62.983941,43.675054],[62.238836,46.958797],[61.080981,50.193188],[59.015746,55.5
00659],[56.706660,62.429673],[54.809911,68.891064],[53.981690,72.795668],[53.758
845,74.546542],[53.351215,75.469437],[52.521354,77.054138],[51.283366,80.396158]
,[48.953085,85.522824],[45.496989,91.398313],[42.093111,96.299677],[38.945897,10
0.293305],[35.913504,103.476813],[32.854088,105.947815],[29.625807,107.803925],[
26.086817,109.142759],[22.095276,110.061931],[17.509341,110.659056],[8.977984,11
1.591923],[4.712305,111.150545],[4.712305,111.150545]];
module poly_path1(h, w, s, res=line_fn)
{
    scale([custom_scale_x, -custom_scale_y, 1]) union()
    {
        translate (path1_0_center) linear_extrude(height=h, convexity=10,
scale=0.01*s)
        translate (-path1_0_center) polygon(path1_0_points);
    }
}

module halloween2_final(h)
{
    difference()
    {
        union()
        {
            translate ([0,0,0]) poly_path1(h, min_line_mm(0.1881051549233745), 100.0);
        }
        union()
        {
        }
    }
}

halloween2_final(zsize);

```

tesa - Project

tesa - 3D Object




Figure 49. image

Listing 49. Openscad source

```
//Tesa roller ersatzroller
//celotape roller

$fn=360;
height=20;
outsideD=24.5;
outsideDepth=2;
axleD=2.4;
hubD=axleD*2;
nubR=.75;
module taper(){
difference(){
union(){
    translate([0,0,-.1]) cylinder(h=height+.2,d=outsideD+2+nubR);
}
union(){
    translate([0,0,-
.11])cylinder(h=height/2+.22,d1=outsideD+1.5*nubR,d2=outsideD+2*nubR);
```

```

    translate([0,0,height/2+.1])
cylinder(h=height/2+.1,d1=outsideD+2*nubR,d2=outsideD+1.5*nubR);
}
}
}
difference(){
union(){
    //outside
    difference(){
        cylinder(h=height,d=outsideD);
        translate([0,0,-.1])cylinder(h=height+.2,d=outsideD-outsideDepth);
    }
    //HUB
    difference(){
        cylinder(h=height,d=hubD);
        translate([0,0,-.1])cylinder(h=height+.2,d=axleD);
    }
    //nubs
    for (i = [0:5]) {
        translate([sin(360*i/6)*outsideD/2, cos(360*i/6)*outsideD/2, 0 ])
        rotate([0,0,0])cylinder(h = height/2, r=nubR);
    }
    for (i = [0:5]) {
        translate([sin(360*i/6)*outsideD/2, cos(360*i/6)*outsideD/2, height/2 ])
        cylinder(h = height/2, r=nubR);
    }
    //spokes
    for (i = [0:360/6:360]) {
        rotate([0,0,i])translate([1.2,0,0])cube([1,(outsideD/2)-(
(axleD/2.4),height]));
    }
}
taper();
}

```

tests - Project

notmine1 - 3D Object




Figure 50. image

Listing 50. Openscad source

```
module manyballs(n)
{
    $fn=25;
    delta = 45;
    for(i=[0:1:n-1]) {
        x = i*delta;
        for(j=[0:1:n-1]) {
            y = j*delta;
            for(k=[0:1:n-1]) {
                z = k*delta;
                translate([x,y,z])sphere(25);
            }
        }
    }
}

manyballs(n=7);
```

thumb-screw - Project

Knurl - 3D Object




Figure 51. image

Listing 51. Openscad source

```
diam=9;
diamOut=14.4;
holeDiam=5;
height=8.2;
$fn=100;
knurlNum=8;
knurlInc=360/knurlNum;
knurlDiam=4;
insetHeight=5;
insetDiam=5;
totalHeight=10;

module knob() {
```

```
difference(){
  union(){
    cylinder(h=height, d=diamOut);
    translate([0,0,height]){
      cylinder(h=totalHeight-height,r1=7.2,r2=5);
    }
  }
  translate([0,0,-.5])
    cylinder(h=totalHeight+1, d=holeDiam);
  translate([0,0,-.5]){
    cylinder(h=totalHeight-insetHeight+.5,d1=holeDiam+5,d2=holeDiam);
  }
}

for(i=[0: knurlInc: 360]){
  rotate([0,0,i])
    translate([diamOut/2,0,0])
      cylinder(h=height, d=knurlDiam);
}

knob();
```

Appendix A: To do

Right now the github source is not perfect as the readme does not display the images when viewed in github.

- ☐ Add a readme in the directories or fix asciidoc to deal with asciidoc not showing in github
- ☐ Split the build scriupts to handle scad/plantuml/asciidoc in separate steps depending on changes
 - ☒ The scad build already only builds scad files that exist and is fed by find
 - ☐ Feed with a list of changed scad files instead of the more simple find
- ☐ Add further process steps for the images like meshlabserver to do further processing:
 - Stuff (glass rendering, wireframe, mesh magic, stats, etc.)
- ☒ Need to add subdirectories to pool projects together
 - ☒ build index for subdirs
 - ☒ need to make the scad build fit to the subdir model
 - ☒ add check for empty directory (no scad files)
 - ☒ only build scad files and only run container with scad files (empties ignored)
- ☐ Add further optional scad steps

- ☐ Need to add view parameters as options
- ☐ Need to add animation options
- ☒ Need to add text display option for each item
- ☐ Allow adding photos to the objects or projects to show makes
- ☐ investigate including a js or similar stl viewer for html