Moyle_2016 · Taxon plot

12 of 54,590 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 106 taxa are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Moyle_2016 · Locus plot

12 of 54,590 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 515 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Moyle_2016 · Number of sequences masked per locus and per taxon


12 of 54,590 sequences masked (0.0%)



by locus · 7 of 515 loci have a masked sequence



by taxon · 10 of 106 taxa have a masked sequence





Moyle_2016 · Best match of each masked sequence


12 of 54,590 sequences masked (0.0%)


the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide


masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones


























Moyle_2016 · Residuals by taxon
12 of 54,590 sequences masked (0.0%) · the 100 most masked of 106 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out



Moyle_2016 · Residuals by locus
12 of 54,590 sequences masked (0.0%) · the 100 most masked of 515 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

